





नुवाकोट जिल्लाको ज्याला तथा निर्माण सामाग्रीहरुको दररेट आ.व. २०८१।८२



जिल्ला प्रशासन कार्यालय
विदुर, नुवाकोट
आषाढ २०८१




नुवाकोट जिल्लाको ज्याला तथा निर्माण सामग्रीहरूको दररेट आ.व. २०८१/८२



जिल्ला प्रशासन कार्यालय
विदुर, नुवाकोट
आषाढ २०८१



नुवाकोट जिल्लाको ज्याला तथा निर्माण सामग्रीहरुको दररेट आ.व. २०८१/८२



जिल्ला प्रशासन कार्यालय
विदुर, नुवाकोट
आषाढ २०८१

आज मिति २०८१ असार ३१ गतेका दिन आ.व. ०८१/०८२ को लागि निर्माण सामाग्री तथा ज्यालाको दररेट निर्धारण गर्न सार्वजनिक खरिद नियमावली २०६४ को नियम १४८ को उप नियम १ बमोजिम नुवाकोट जिल्लाको लागि निर्माण सामाग्री, हुवानी, मेसिन तथा उपकरणको भाडा र कामदारको ज्याला दररेट निर्धारण समितिको बैठक प्रमुख जिल्ला अधिकारी श्री रामकृष्ण अधिकारी ज्युको अध्यक्षतामा देहायका समितिका सदस्यहरु र अन्य पदाधिकारीहरुको उपस्थितीमा बैठक बसी निम्नअनुसारको दररेट कायम गर्ने निर्णय गरियो ।

उपस्थिति:

अध्यक्ष: श्रीमान प्रमुख जिल्ला अधिकारी श्री रामकृष्ण अधिकारी
जिल्ला प्रशासन कार्यालय, विदुर, नुवाकोट ।

सदस्य: श्री विनोद तिमिल्सिना

ईन्जिनियर, जिल्ला समन्वय समितिको कार्यालय, विदुर, नुवाकोट ।

सदस्य: जिल्ला समन्वय अधिकारी श्री शान्तिराज प्रसाई

जिल्ला समन्वय समितिको कार्यालय, विदुर, नुवाकोट ।

सदस्य: कोष नियन्त्रक श्री यूवराज डुम्रे

कोष तथा लेखा नियन्त्रक कार्यालय, विदुर, नुवाकोट ।

सदस्य: श्री

प्रतिनिधि, निर्माण व्यवसायी संघ, विदुर, नुवाकोट ।

सदस्य: श्री राजेन्द्र श्रेष्ठ

प्रतिनिधि, नुवाकोट उद्योग वाणिज्य संघ, विदुर, नुवाकोट ।

सदस्य सचिव: श्री सुजन थापा

कार्यालय प्रमुख, पूर्वाधार विकास कार्यालय, विदुर, नुवाकोट ।

आमन्त्रित

१ सहायक प्रमुख जिल्ला अधिकारी श्री

जिल्ला प्रशासन कार्यालय, नुवाकोट ।

२ प्रहरी उपरीक्षक श्री शान्तिराज डोडाणा

जिल्ला प्रहरी कार्यालय, नुवाकोट ।

३ प्रहरी नायव उपरीक्षक श्री

सशस्त्र प्रहरी बल नुवाकोट ।

४ सि डि ई श्री

डिभिजन सडक कार्यालय, नुवाकोट

५ श्री

सिंचाई विकास डिभिजन, नुवाकोट ।

६ श्री

डिभिजन वन कार्यालय, नुवाकोट ।

७ श्री शैलजा पोखरेल

खानेपानी तथा सरसफाई डिभिजन कार्यालय, नुवाकोट

८ श्री प्रकाश खतिवडा

शहरी विकास भवन डिभिजन कार्यालय, नुवाकोट ।

९ श्री सुप्रभा पञ्जुली (वि.का.प)

कृषि ज्ञान केन्द्र, नुवाकोट । (कृषि विकास कार्यालय)

१० श्री केशव खनाल

भेटरिनरी अस्पताल तथा पशु सेवा विज्ञान केन्द्र, नुवाकोट ।

११ श्री मृत गाउँ

(पशु सेवा कार्यालय)



- नुवाकोट वितरण केन्द्र, ने.वि.प्रा.
- १२ श्री इन्द्र वद्युल जि.पी. फाइन
त्रिशुली अस्पताल, नुवाकोट।
- १३ श्री ज. राजेन्द्र लामा वि.अ. निर्देशक
जिल्ला स्वास्थ्य कार्यालय
- १४ श्री निरञ्जन श्रेष्ठ
भू तथा जलाधार संरक्षण कार्यालय, नुवाकोट
- १५ श्री
यान्त्रिक कार्यालय, नुवाकोट
- १६ श्री
कृषि सामग्री कम्पनी लिमिटेड, नुवाकोट
- १७ श्री रान्धा कुजेल, कृषि अधिकृत, P.M.A.M.P. P.E.U, Nuwakot
- १८ श्री श्रीमती शैलजा, छात्रवृत्ति विकास केन्द्र, उम्राडे
- १९ श्री सन्तोष गिरी, इन्जिनियर, पूर्वाधार विकास कार्यालय, नुवाकोट
- २० श्री श्रीपिता ताम्रा, पुस्तकालय नुवाकोट (इ.अ.)
- २१ श्री जयराज कुजाला लो अरु पूर्वाधार विकास कार्यालय नुवाकोट
- २२ श्री रोशन पाठक, इन्जिनियर, पूर्वाधार विकास कार्यालय नुवाकोट
- २३ श्री
- २४ श्री
- २५ श्री
- २६ श्री
- २७ श्री
- २८ श्री
- २९ श्री
- ३० श्री
- ३१ श्री
- ३२ श्री
- ३३ श्री
- ३४ श्री
- ३५ श्री
- ३६ श्री





ज्याला दररेट

बिदुर, नुवाकोट

आ. ब २०८१/८२



नेपाल सरकार
गृह मन्त्रालय
जिल्ला प्रशासन कार्यालय
नुवाकोट

१. दर रेट निर्धारण गर्ने
२. विविध

एजेन्डाहरु :

निर्णयहरु :

निर्णय नं. १

आ.व. ०८१/०८२ को लागि निर्माण सामग्री तथा ज्यालाको दररेट निर्धारण गर्न सार्वजनिक खरिद नियमावली, २०६४ को नियम १४८ को उपनियम १ बमोजिम नुवाकोट जिल्लाको लागि निर्माण सामग्री, ढुवानी, मेसिन तथा उपकरणको भाडा र कामदारको ज्याला दररेट निर्धारण गर्न मिति २०८१ असार ११ गते बसेको बैठकबाट गठित उपसमितिले मिति २०८१ असार ३१ गतेका दिन पेश गरेको निर्माण सामग्री, ढुवानी, मेसिन तथा उपकरणको भाडा र कामदारको ज्याला दररेट प्रतिवेदन अध्ययन गर्दा उपयुक्त र मनासिब देखिएकोले आ.व. २०८१/०८२ का लागि सोही अनुसारको दररेट यस जिल्ला भर लागु हुने गरी अनुमोदन गर्ने निर्णय गरियो ।

निर्णय नं. २ : श्रमिकको ज्यालादर सम्बन्धी

श्रमिकहरुको ज्याला दर निर्धारण गर्ने सम्बन्धमा विभिन्न सरोकारवाला (श्रमिक संगठनहरु, निर्माण व्यवसायी संघ, उद्योग वाणिज्य संघ, विकास निर्माणका क्रियाकलाप गर्ने सरकारी कार्यालयहरु) पक्षहरु सँगको परामर्श, नेपाल राष्ट्र बैकबाट प्रकाशित ज्यालादर सूचांक तथा उपभोक्ता मूल्य सूचांक, हालको बजार मूल्य र श्रमिकहरुको उपलब्धतालाई समेत आधार मान्दा श्रमिकको उमेर (१६ वर्ष पुगेको) र दैनिक काम गर्ने अवधि (८ घण्टा) लाई आधार मानी आ.व.०८१/०८२ का लागि नुवाकोट जिल्लाभर लागु हुनेगरी देहाय बमोजिम श्रमिकहरुको ज्यालादर निर्धारण गर्ने निर्णय गरियो ।

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयाँमा)			कैफियत
			आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२	
१.	दक्ष कामदार (Skilled Labour)					
क.	ब्ल्याटर	प्रति दिन प्रति व्यक्ति	1385	1400	1440	
ख.	रक डिलर/हेभी ड्राईभर /वेल्डर/ प्लम्बर /विष्फोटक पदार्थ ढुवानीगर्ने ज्यामी/ डकमी/ नकमी/ सिकमी/ बज्रकमी/ चित्रकारी/ हेभी सिनियर अपरेटर/ कम्प्युटर अपरेटर	प्रति दिन प्रति व्यक्ति	1155	1175	1210	
ग.	निर्माण सुपरभाइजर	..	650	660	680	
घ.	निर्माण सुपरभाइजर प्राविधिक	..	900	915	940	
ङ	लाईट ड्राईभर	..	800	815	840	
२	अर्द्धदक्ष कामदार (Semi Skill Labour)					
क.	अर्द्धदक्ष कामदार (Semi Skill Labour)	प्रति दिन प्रति व्यक्ति	880	895	920	
३	अदक्ष कामदार (Unskill Labour)					
क.	ज्यामी/भरीया/ज्यामी नाईके/ जुनियर अपरेटर /उत्प्रेरक/ हेभी हेल्पर /सर्भे हेल्पर/अवाले /ईष्टा बनाउने/क्याम्पर वर्कर/साधारण हेल्पर/ल्याव व्वाय /नर्सरी नाईके	प्रति दिन प्रति व्यक्ति	845	860	885	
ख.	मौसम रेकर्डर / हेरालु/माली/चौकीदार/पियन पाले/चेन मैन/टेप मैन/स्टाफ मैन/हलुका कामदार	प्रति दिन प्रति व्यक्ति	580	590	605	
घ.	लेन्थ वर्करहरु (सडकमा काम गर्ने)		555	565	580	
ङ	प्याच वर्कर (Patch Worker)	प्रति दिन प्रति व्यक्ति	660	670	690	
च.	लेन्थ वर्कर सुपरभाइजर		735	745	765	
छ.	मेहत्तर/स्वपिर (भाडु लगाउने)		620	630	650	

माथि उल्लेख नभएका अन्य सबै पद/श्रेणिका ज्यालादारी कर्मचारी/कामदारहरुको हकमा संबन्धित पद/श्रेणिको लागि नेपाल सरकारको वा सम्बन्धित संस्थानको प्रचलित तलव मानलाई ३० ले भाग गर्दा हुन आउने रकमलाई दैनिक ज्यालादर मान्नुपर्ने छ ।

नोट:२ विद्युत कार्यको हकमा नेपाल विद्युत प्राधिकरणको तहगत शुरु तलव स्केल अनुसार हुनेछ ।

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयाँमा)			कैफियत
			आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२	

निर्णय नं. ३ ढुवानी दर सम्बन्धि :

यस जिल्लामा स्थानीय स्तरमा उपलब्ध हुने ढुवानीको विभिन्न श्रोत साधनलाई आधार मानी आ.व.२०८१/०८२ का लागि निम्न अनुसार ढुवानीको दर निर्धारण गर्ने निर्णय गरियो ।

ढुवानी ज्याला

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयाँमा)			कैफियत
			आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२	
१.	जिल्ला भित्र भरिया द्वारा सामान ढुवानी					
क.	सजिलो सामानहरू (सिमेन्ट, गिट्टी, ईट्टा, माटो, बालुवा) आदी	प्रति कि.मी. / क्वीन्टल	105	105	105	
ख.	असजिलो सामानहरू (टुटफुट हुने समेत) जस्तै जस्तापाता, डण्डी, जि.आई. तथा कालो पाईपहरू, आईरन एङ्गल, ग्लास, सटरहरू, ट्रेस, ऐना, बाथरूमका फुटने सामानहरू	प्रति कि.मी. / क्वीन्टल	120	120	120	
२.	ट्रक वा ट्र्याक्टरबाट ढुवानी (लोड अनलोड बाहेक)					
क.	पक्की सडक सामान ढुवानी	प्रति कि.मी. / क्वीन्टल	4.60	4.60	4.60	
ख.	कच्ची सडक सामान ढुवानी	प्रति कि.मी. / क्वीन्टल	9.30	9.30	9.30	
ग.	असजिलो सामान (HDPE pipe)	प्रति कि.मी. / क्वीन्टल	10.15	10.15	10.15	
३.	विद्युत ढुवानी (ट्रान्सफरमर तथा टुट फुट हुने सामान सहित)					
क.	कच्ची सडक	प्रति कि.मी. / प्रति टिप	116.00	116.00	116	
ख.	पक्की सडक	प्रति कि.मी. / प्रति टिप	95.00	95.00	95	
ग.	बोकानी	प्रति कि.मी. / क्वीन्टल	350.00	350.00	350	
४.	लोड अनलोड					
क.	सजिलो सामानहरू (सिमेन्ट, गिट्टी, ईट्टा, माटो, बालुवा) आदी	प्रति केजी.	0.50	0.50	0.50	
ख.	असजिलो सामानहरू (टुटफुट हुने समेत) जस्तै जस्तापाता, डण्डी, जि.आई. तथा कालो पाईपहरू, आईरन एङ्गल, ग्लास, सटरहरू, ट्रेस, ऐना, बाथरूमका फुटने सामानहरू	प्रति केजी.	0.80	0.80	0.80	
ग.	फलाम तथा काठको पोल ज्यामीद्वारा	प्रति केजी.	2.50	2.50	2.50	

निर्णय नं. ४ : सरकारी कार्यालयमा आवश्यक हुने वायो-इन्जिनियरिङ्ग एवं अन्य मालसामान सम्बन्धि आ.व.०८१/०८२ को लागि तपसिल अनुसारको दररेट कायम गर्ने निर्णय गरियो ।

सि.नं.	सामग्री र प्रजातिहरूको नाम	एकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयाँमा)			कैफियत
			आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२	
1	भु-संरक्षण सम्बन्धी कार्य					
1.1	घाँसको बेर्ना / बीउ/स्लीप/सेट तर्फ					
	जै घाँसको बीउ	Kg	85	85	95	
	भेच	..	175	175	195	
	नेपीयर/सूपर नेपीयर	set	5	5	6	
	वर्सिम	Kg	190	190	210	
	बदामे घाँस	set			1.0	
	स्टाईलो	Kg			1000	
	किम्बु	गोटा			10	

Page 2

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयाँमा)			कैफियत
			आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२	
	घाँसको बेनी बीउ/स्लीप/सेट को ढुवानी (जिल्ला भित्र)	..	1.25	1.25	1.25	
	घासको बिउ जिल्ला बाहिरबाट ढुवानी गर्दा (ढुवानी)	..	1.25	1.25	1.25	
	२०० गेजको विरुवा उमाने कालो ४ प्वाल भएको विभिन्न साइजका पोली थैला	"	400	400	400	
	माटो भने खाली बोरा	गोटा	15	15	15	
	बाँस काटेको सिंगो घना	घना	450	450	450	
	बाँसको कटिड स्टमप विरुवा (१५ महिने नर्सरी राखेका) १'६" देखि २' लामो	प्रति कटिग	250	250	250	
	पशु अहारा तर्फ					
	साईलेज	के.जी.			17	
	पराल	के.जी.			6	
	परालको भुस्सा	के.जी.			8	
	गहूँको भुस्सा	के.जी.			9	
	मुसुरोको भुस्सा	के.जी.			12	
2.0	Vegetation/Shrubs Cuttings/Slip/Plants/etc.					
	अम्रिसो राइजोम (तिनवटाको १ सेट)	set	25	25	25	
	अलैची गानो	..	11	11	11	
	अलैची विरुवा	..	11	11	11	
	हार्डउड कटिडस् (बैस) पेन्सिल साइज	..	7	7	7	
	नेपियर कटिडस्	..	4	4	4	
	NB ₂₁ घाँस	Slip	3	3	3	
	निगालो राइजोम	set	60	60	60	
	बासको बेनी (कटीग राइजोम)	..	500	500	500	
	बाँसको विरुवा पोलिथिनमा उमारेको	गोटा	60	60	60	
	बाबियो ताइवानी ढुबो	..	4	4	4	
	सिजनल फूल ८ इन्च पोली	गोटा	30	30	30	
	गुलाफ फूल ८ इन्च पोली	..	160	160	160	
	हेज ८ इन्च पोली	..	35	35	35	
	कार्पेट ढुबो	व.फी.	35	35	35	
	कार्पेट ढुबो को लागी छाप्ने कार्यको ज्याला	..	25	25	25	
	स्थानीय स्तरमा उत्पादात विरुवा फलफुल बाहेक	..	10	10	10	
	गोठे मल तयारी	के.जी.	10	10	10	
	डाले घासको विरुवा	गोटा	10	10	10	
	मोलाटो विरुवा	..	3	3	3	
	नरीवल डोरी	के.जी.	130	130	130	
	नाइलन डोरी	..	300	300	300	
	लौठ सल्ला (नेपाली) विउबाट	गोटा	120	120	120	
	लौठ सल्ला (नेपाली) कटिड	गोटा	60	60	60	
	लौठ सल्ला (अमेरिकन)	गोटा	140	140	140	
	बोधचित्तको विरुवा	गोटा	650	650	650	
	रुद्राक्षको विरुवा	गोटा	500	500	500	
	लप्सीको विरुवा (ग्राफिटिड)	गोटा	440	440	440	
	चिराईतोको विरुवा	गोटा	10	10	10	
	तेजपातको विरुवा	गोटा	30	30	30	
	टिमुरको विरुवा (३ फिट पोलीब्यागको)	गोटा	70	70	70	
	कपूर (४ फिट)	गोटा	770	770	770	
	कल्की बोटल ब्रस (४ फिट)	गोटा	660	660	660	
	ज्याकारण्डा गोल्डमोहोर (४ फिट)	गोटा	660	660	660	
	असारे (४ फिट)	गोटा	660	660	660	
	पैयु (४ फिट)	गोटा	460	460	460	
	धुपी (३ फिट)	गोटा	500	500	500	



नेपाल सरकार
गृह मन्त्रालय
न्याय प्रशासन कक्षा
नुवाकोट

महास
अ
अ

अ

अ

अ

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयाँमा)			कैफियत
			आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२	
	बगमबेले (४ फिट)	गोटा	660	660	660	
	काइयो (४ फिट)	गोटा	660	660	660	
	रक्त कमल (४ फिट)	गोटा	1320	1320	1320	
	समी (४ फिट)	गोटा	1100	1100	1100	
	बर (४ फिट)	गोटा	1320	1320	1320	
	पीपल (४ फिट)	गोटा	1320	1320	1320	
	५ फिटसम्मको करविर विरुवा	गोटा	1200	1200	1200	
	५ फिटसम्मको तिकोमा विरुवा	गोटा	1200	1200	1200	
	५ फिटसम्मको चापको विरुवा	गोटा	1300	1300	1300	
	अन्य जडिबुटीको विरुवा	गोटा	15	15	15	
	सतुवा	गोटा	20	20	20	
2.1	फलफूलको विरुवा					
	आंप	गोटा	125	125	125	
	लिचि	गोटा	115	115	115	
	कटहर	गोटा	45	45	45	
	अम्बा	गोटा	60	60	60	
	अनार	गोटा	100	100	100	
	दाँते ओखर पोलिव्याग	गोटा	120	120	120	
	दाँते ओखर पोलिव्याग बाहेक	गोटा	60	60	60	
	नास्पाती कलमी	गोटा	185	185	185	
	सून कागती पोलिव्याग (विजु)	गोटा	61	61	61	
	एभोकाडो	गोटा	170	170	170	
	सुन्तला	गोटा	65	65	65	
	कागती पोलिव्याग बाहेक	गोटा	30	30	30	
3.0	बन कार्यालयबाट सम्पादन गरिने कार्यहरु (काठ लोड अनलोड तथा ढुवानी आदि)					
	चीरान काठ (लोड वा अनलोड)	क्यू.फि.	40	40	40	
	ठुला विरुवा रोपन (४ फीटसम्मको)	प्रती विरुवा	145	145	145	
	अग्ला विरुवा रोपन (४ इन्च देखि ६ इन्चसम्मको)	"	250	250	250	
	अग्ला विरुवा रोपन (६ फि देखि ८ फि सम्मको)	"	240	240	240	
	विरुवा खरिद					
	४ फिट सम्म उचाई भएको विरुवा	"	880	880	880	
	५ फिट सम्म उचाई भएको विरुवा	"	1250	1250	1250	
	६ फिट सम्म उचाई भएको विरुवा	"	1500	1500	1500	
	६ फिट भन्दा अग्लो विरुवा	"	1870	1870	1870	
५	काठ कटान, मुछान, घाटगढी सम्बन्धि दररेट (प्रति क्यू.फिट) (चालू आ.व.०८१/०८२ को लागि)					
क्र.सं.	रुख कटान, मुछान खर्च रु.	यार्डिङ्ग खर्च रु.	नम्बरिङ्ग खर्च रु.			कैफियत
क.	60	30	5			
६	गाडी मार्फत काठ ढुवानी (प्रती क्यू.फि.) (चालू आ.व.२०८१/०८२ को लागि)					
क्र.सं.	दुरी (कि.मी.)	दर रु.	लोड अनलोड खर्च रु.	जम्मा खर्च रु.		
क.	०-५ सम्म	35	25	60		
ख.	५.१-१० सम्म	40	25	65		
ग.	१०.१-१५ सम्म	45	25	70		
घ.	१५.१-२० सम्म	50	25	75		
ङ.	२०.१ देखि माथि	55	25	80		
७	ज्यामी मार्फत काठ ढुवानी (प्रती क्यू.फि.)					
क्र.सं.	दुरी (मीटर)		दर रु.			
क.	०-५० सम्म		10			
ख.	५०.१-१०० सम्म		17			



Handwritten signatures and stamps at the bottom of the page, including the name 'Suryam' and other illegible signatures.

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयाँमा)			कैफियत
			आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२	
ग.	१०० भन्दा बढी हरेक ५० मिटरको लागि		८			
घ	दाउरा कटान, मुछान तथा चट्टा निर्माण दररेट (प्रती चट्टा) (चालू आ.व.२०८१/०८२ को लागि)					
क्र.सं.	क्षेत्र	कटान,मुछान खर्च रु.	चट्टा निर्माण खर्च रु.	जम्मा खर्च रु.		कैफियत
क.	सम्पूर्ण	५०००	१५००	६५००		
९	गाडी मार्फत दाउरा ढुवानी (प्रती चट्टा) (चालू आ.व.२०८१/०८२ को लागि)					
क्र.सं.	दुरी (कि.मी.)	दर रु.	लोड खर्च रु.	अनलोड खर्च रु.	जम्मा खर्च रु.	कैफियत
क.	०-५ सम्म	१७२५	२८००	१३००	५८२५	
ख.	५.१-१० सम्म	२०८०	२८००	१३००	६१८०	
ग.	१०.१-१५ सम्म	२३३०	२८००	१३००	६४३०	
घ	१५.१-२० सम्म	२५९५	२८००	१३००	६६९५	
ङ	२०.१ देखि माथि	२८२५	२८००	१३००	६९२५	
१०	ज्यामी मार्फत दाउरा ढुवानी (प्रती चट्टा) (२०*५*५) (क्यू.फि.)					
क्र.सं.	दुरी (मीटर)		दर रु.			
क.	०-५० सम्म		७००			
ख.	५०.१-१०० सम्म		११००			
ग.	१०० भन्दा बढी हरेक ५० मिटरको लागि		५५			
११	विस्वा ढुवानी					
क्र.सं.	विवरण		दर रु.(प्रती विस्वा)	दर रु.(प्रती विस्वा)	दर रु.(प्रती विस्वा)	कैफियत
क.	लोड अनलोड		५.००	५.५०	५.५०	
ख.	पक्की बाटो ढुवानी (प्रती कि.मी.)		१.१०	१.२०	१.२०	
ग.	कच्ची बाटो ढुवानी (प्रती कि.मी.)		१.२०	१.३०	१.३०	
१२	विद्युत प्राधिकरणको MS Channel मा प्वाल खोज्ने (चालू आ.व.२०८१/०८२ को लागि)					
क्र.सं.	विवरण		दर रु.(प्रती प्वाल)			
क.	१२ मि.मि.सम्मको		५०.००			
ख.	१२ मि.मि भन्दा माथिको		६०.००			

निर्णय नं. ५, मेसिन, औजार तथा उपकरणको भाडादर सम्बन्धि : मेसिन प्रयोग गरी सडक निर्माण गर्दा वा अन्य कार्य गर्नुपर्दा तपसिल अनुसारको दररेट कायम गर्ने र डोजर, एक्साभेटर, रोलर, ग्रेडर आदिको दररेट सडक विभागबाट कायम गरिएको प्रतिघण्टाको भाडादर अनुसार हुने निर्णय गरियो । (Website of Heavy Equipment Division - www.dor.gov.np)

Handwritten signatures and stamps, including a circular official stamp of the Government of Nepal, Ministry of Finance, Nuwakot District Office.



Civil Works

बिदुर, नुवाकोट

आ. ब २०८१/८२

निर्णय नं. ६

आर्थिक वर्ष ०८१/०८२ मा नुवाकोट जिल्ला भित्र गरिने सार्वजनिक निर्माण कार्यको लागि आवश्यक पर्ने विभिन्न किसिमका निर्माण सामग्रीहरू (सिभिल कार्य /स्यानिटरी कार्य र इलेक्ट्रिक कार्य) को दररेट निम्न अनुसार कायम गर्ने निर्णय गरियो। बजारबाट खरिद गरिने निर्माण सामग्रीको लागि नजिकको बजार क्षेत्रलाई र natural sand/aggregate/stone/sub base /base लगायतका सामग्रीका लागि नजिकको खानी, त्रिशुली,तादी,लिख नदी लगायतका अन्य नदी क्षेत्रलाई आधार मानि दर कायम गरिएको छ।

CIVIL WORKS						
सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			कैफियत
			भा.व. ०७९/०८०	भा.व. ०८०/०८१	भा.व. ०८१/०८२	
1	विभिन्न किसिमको ईटा					
	क) मेशिनबाट उत्पादित ईटा (स्पेशल)	हजार	24000	24000	23260.0	
	ख) मेशिनबाट उत्पादित ईटा (१-नं.)	हजार	18000	18000	17440.0	
	ग) स्थानीय चिम्नी भट्टाको ईटा (१-नं.)	"	14500	14500	14050.0	
	ग) स्थानीय चिम्नी भट्टाको ईटा (२-नं.)	"	12500	12500	12110.0	
	घ) तराई को १ नं.ईटा	"	19000	19000	18410.0	
	ङ) स्थानीय ठाडो भट्टाको ईटा	"	8000	8000	7750.0	
	(ड) सिमेन्ट को ईटा					
	BK108N	"	15450	15450	15450	
	BK118As	"	16274	16274	16274	
	च) Concrete block					
	size (40*15*20) cm	गोटा	37	37	37	
	size (40*10*20) cm	गोटा	32	32	32	
	size (39*14*19) cm(Ocm or equivalent)	गोटा	50	50	50	
	Cellular light weight concrete(CLC) block					
	Size 24**8**4"	गोटा	162	162	162	
	Size 24**8**6"	"	236	236	236	
2	क्ले टायलहरू					
2.1	छानामा छाउने					
	क) मेशिनबाट उत्पादित टायल	गोटा	18	18	18	
	ख) चिम्नी भट्टाको टायल	"	16	16	16	
	ग) मेशिनबाट उत्पादित धुरी	"	32	32	32	
	घ) चिम्नी भट्टाको धुरी	"	26	26	26	
2.2	भुईँमा/ कौसीमा छाप्ने टायल:					
	क) मेशिनबाट उत्पादित क्ले टायल	गोटा	10	10	10	
	ख) चिम्नी भट्टाको क्ले टायल	"	9	9	9	
3	ढुंगाको काम (Stone work)					
3.1	Rubble Stone					
	क) फोरुवा ढुंगा (खानीको)	घ.मि.	1700	1700	1700	
	(ख) ठूलो साइजको खोलाको ढुंगा (River Stone)	घ.मि.	1500	1500	1500	
3.2	छापने ढुङ्गा (Flag stone)					
	क) १" सम्म बाक्लो सर्फेस ड्रेस गरेको छापने ढुङ्गा	व.फि	90	90	90	
	ख) १ ^१ / _२ " सम्म बाक्लो " "	"	110	110	110	
	ग) २" सम्म बाक्लो ढुङ्गा " "	व.फि	125	125	125	
	घ) २ ^१ / _२ " सम्म बाक्लो ढुङ्गा " "	"	135	135	135	
	ङ) २ ^१ / _२ " - ३" सम्म बाक्लो ढुङ्गा " "	"	165	165	165	
4	विभिन्न प्रकारको बालुवा					
	क) खानीकोबालुवा (Quarry sand)	घ.मि.	2000	2000	2000	
	ख) खोला/नदीको बालुवा (River sand)	"	2000	2000	2000	
	ग) भवनको भुईँ कोठामा पुर्न, सोलिङ्गको Void filling गर्न प्रयोग गरिने बालुवा	"	950	950	950	
5	कसरबाट उत्पादित विभिन्न साइजको रोडा	घ.मि.	2000	2000	2000	
6	फुटालेको ढुङ्गाको गिट्टी					
	क) सवै साइजको गिट्टी	घ.मि.	2000	2000	2000	

7	सडकको Sub-base/base course का लागि प्रयोग गरिने निर्माण सामग्री				
	क) विभिन्न साईजको खोलाको ग्राभेल	घ.मी.	1450	1450	1450
	ख) स्थानीय खानी ग्राभेल	घ.मी.	1250	1250	1250
	ग) ढुगाको धूलो (Stone dust)	घ.मी.	830	830	830
8	विभिन्न साइजका खोलाको Screening गरेको River pebbles(gravels)				
	क) ४०-८० मि.मि. साईज	घ.मी.	1630	1630	1630
	ख) ५-४० मि.मि. साईज	घ.मी.	1615	1615	1615
9	फिल्टर सामग्री				
	४०% गिट्टी ६०% बालुवा मिश्रणको फिल्टर प्रयोजन	घ.फि.	70	70	70
10	सडक कालो पत्रे गर्ने कामको सामग्रीहरु				
	i) ८०/१०० ग्रेडको विटुमीन	के.जी	113	113	105.0
	ii) CRMB-DIGO 55 Bitumen	"	108	108	100.0
	iii) Bitumen VG-10 (New M.S.drum Packed)	"	113	113	105.0
	iv) Bitumen VG-30 (New M.S.drum Packed)	"	114	114	108.0
	v) Packed bitumen emulsion को काम				
	छिटो जम्ने (RS 60%)	"	96	96	96
	छिटो जम्ने (RS 65%)	"	102	102	102
	छिटो जम्ने (RS 70%)	"	108	108	108
	मध्यम जम्ने (MS 60%)	"	97	97	97
	मध्यम जम्ने (MS 65%)	"	101	101	101
	ढीलो जम्ने (SS60%)	"	98	98	98
	Slurry Seal with 60% bitumen	"	102	102	102
	Cut Back (MC 30)	"	152	152	152
	Cut Back (MC 70)	"	142	142	142
	Cut Back (MC 800)	"	139	139	139
	vi) सडक कालोपत्रे गर्दा विटुमीन नउपकीनको लागि प्रयोग गर्ने सामान Anti stripping agent	"	415	415	415
	vii) कालोपत्रे सडक Pot hole टाल्नको लागि प्रयोग गरिने Pre-coated Aggregate सामग्री	"	33	33	33
	viii) कालोपत्रे सडकमा रेखांकन गर्न प्रयोग गरिने Thermo Plastic Road marking सामग्री				
	a) B.S. Grade	के.जि	187	187	187
	b) Most Grade	"	207	207	207
	c) Glass beads	"	169	169	169
11	विभिन्न कम्पनीबाट उत्पादित सिमेन्टहरु				
11.1	नेपालबाट उत्पादित विभिन्न ब्रान्डका ओ.पि.सी. सिमेन्ट NS #49 (प्रतिवोरा ५० के.जी.)	ब्याग	800	700	600.0
11.2	भारतबाट उत्पादित विभिन्न ब्रान्डका ओ.पि.सी. सिमेन्ट (प्रतिवोरा ५० के.जी.)	"	-	-	-
11.3	हेटौडा सिमेन्ट (५० के.जी. ओ.पि.सी.)	"	-	-	-
11.3	उदयपुर सिमेन्ट (५० के.जी. ओ.पि.सी.)	"	-	-	-
11.3	नेपालबाट उत्पादित विभिन्न ब्रान्डका पि.पि.सी. सिमेन्ट (प्रतिवोरा ५० के.जी.)	"	700	600	500.0
11.4	सेतो सिमेन्ट (40kg/bag)	"	1230	1230	1230
11.5	लोड अनलोड चार्ज	"	13	13	13
12	Ready made Premix Concrete (Supplying laying all complete work)				
12.1	Panchakanya , MAW or equivalent				
	M 15	घ. मि	13800	13800	13800
	M 20	"	14400	14400	14400
	M 25	"	15000	15000	15000
	M 30	"	16000	16000	16000

13	फलामको डण्डीहरु :				
	(क) विभिन्न साइजका TMT Bar				
	a) 8 mm dia	के.जी	101	101	96
	b) 10,12,16,20, 25mm dia	"	98	98	93
	c) 28,32 mm dia	"	99	99	94
	(ख) विभिन्न साइजको TOR Steel				
	a) 8mm dia TOR steel	"	95	95	95
	b) 10-25mm TOR steel	"	92	92	92
	c) 28-32mm TOR steel	"	95	95	95
	(ग) विभिन्न साइजका TOR Steel				
	a) 4.75, 7 mm dia	"	101	101	101
	(घ) Binding Wire (डण्डी बाँध्नेतार)	"	114	114	120
14	विभिन्न किसिमका काठहरु				
14.1	काठ				
	(क) ३' देखि ८' सम्मको सालकाठ	घ. फि			
	(ख) ८' देखि १२' सम्मको सालकाठ नेपाली	क्यू.फि.	6260	6260	6260
	(ग) १२ फिट देखि माथिको साल काठ नेपाली	क्यू.फि.	6550	6550	6550
	(घ) साज काठ	क्यू.फि.	2500	2500	2500
	(ङ) जामुन काठ	क्यू.फि.	2135	2135	2135
	(च) सल्लाको काठ	क्यू.फि.	1130	1130	1130
	(छ) सिसौ काठ	क्यू.फि.	2300	2300	2300
	(ज) जंगली सिसौ काठ "	क्यू.फि.	5270	5270	5270
	(झ) स्थानीय कुकाठ (फर्मा प्रयोजनको लागि Mixed wood)	क्यू.फि.	950	950	950
	(ञ) काठ दाउरा	के.जी	12	12	12
14.2	कुँदिएको काठको काम तयारी				
	i) भन्याङ्को रेलिङ तथा वार्दली आदिमा कुँदिएको स्थानीय सिसौ काठको हुक्का (2'-6"x3"x3")	गोटा	821	821	821
	ii) भन्याङ्को रेलिङ तथा वार्दली आदिमा कुँदिएको जंगली स्पेशल सिसौ काठको हुक्का (2'-6"x3"x3")	"	895	895	895
	iii) भन्याङ्को रेलिङ तथा वार्दली आदिमा कुँदिएको सिसौ काठको हेण्ड रेल (3"x4")	र.फि.	746	746	746
	iv) भन्याङ्को रेलिङको घुम्ने ठाउँमा कुँदिएको सिसौ काठको गोलो हेण्ड रेल (3"x4")	गोटा	3282	3282	3282
	v) देवी देवताको मुर्ति कुँदिएको ४' देखि ५' लामो (३"x ८") साल काठमा टुँडाल बनाउने काम	"	10443	10443	10443
	vi) देवी देवताको मुर्ति कुँदिएको ६' देखि ७' लामो (३"x ८") साल काठमा टुँडाल बनाउने काम	"	11935	11935	11935
	vii) विभिन्न वुट्टा तथा देवी देवताको मुर्ति कुँदिएको साल काठको भ्रूयाल ढोका बनाउने काम (खापाको माटाई ४० मि.मि. देखि ५० मि.मि. सम्म)	व.फि.	2238	2238	2238
	viii) घोडाको आकृति गरि कुँदिएको ४"x ५" साइजको ३' देखि ४' लामो साल काठको तयारी टुँडाल बनाउने काम ।	गोटा	5221	5221	5221
	ix) सामान्य प्रकारको कुँदिएको सालको काठको आँखी भ्रूयाल तयारी	व.फि.	746	746	746
	x) मध्यम प्रकारको कुँदिएको सालको काठको आँखी भ्रूयाल तयारी	"	1044	1044	1044
	xi) विशेष प्रकारको कुँदिएको सालको काठको आँखी भ्रूयाल तयारी लक सहित	"	2238	2238	2238
	xii) विशेष प्रकारको कुँदिएको सालको काठको आँखी भ्रूयाल तयारी लक नभएको	"	1417	1417	1417
	xiii) ३"x १.५" साइजको सालको काठको कुँदिएको पली तयारी गर्ने काम	र.फि.	522	522	522



Handwritten signatures and initials at the bottom of the page, including a large signature on the left and several smaller ones on the right.

	Xiv) कृदिएको विभिन्न बुट्टा राखी बनाएको साल काठको ४"X ५"को कार्नेस बिम आदि तयारी गर्ने कार्य	"	895	895	895
	Xv) ४"X ५"को साल काठको नाग बुट्टा कृदि तयारी गरी जडान गर्ने कार्य	"	746	746	746
15	Wooden Parquet Flooring				
	i) Shisam wood 150mm*30mm*8mm	व.फि.	188	188	188
	ii)Wall panelling (with wood frame) sisam wood. (75mm*16mm)	"	625	625	625
16	विभिन्न मोटाईको प्लाइवुडहरु				
16.1	Commercial				
	(क) ३ मी.मी	व.फि	20	20	20
	३.५ मी.मी.	"	23	23	23
	(ख) ४ मी.मी	"	24	24	24
	(ग) ६ मी.मी	"	39	39	39
	(घ) ८ मी.मी	"	43	43	43
	(ङ) १२ मी.मी	"	65	65	65
	(च) १९ मी.मी B/B	"	95	95	95
	छ) १८ मी.मी PLY	"	98	98	98
16.2	P/F. Water Proof				
	क) ४ मी.मी	व.फि	40	40	40
	ख) ६ मी.मी	व.फि	55	55	55
	ग) ८ मी.मी.	"	60	60	60
	घ) ९ मी.मी.	"	66	66	66
	(ङ)१२ मी.मी	"	76	76	76
	च) १९ मी.मी PLY	"	125	125	125
	छ) १९ मी.मी B/B	"	105	105	105
16.3	Natural Teak Plywood				
	One side lamination				
	(क) ३ मी .मी	व.फि	58	58	58
	(ख) ४ मी. मी (Group Match of in 5 pcs)	"	76	76	76
	४ मी. मी (Regular)	"	66	66	66
	४ मी. मी (Crown)	"	44	44	44
	४ मी. मी (Beri)	"	50	50	50
	४ मी. मी (Whitest line)	"	40	40	40
	४ मी. मी (Beach)	"	47	47	47
	४ मी. मी (Recon 18 No.)	"	37	37	37
	(ग) ६ मी.मी	"			
16.4	DECORATIVE (THICKER)				
	6 OST	व.फि			
	6 BST	"			
	9 OST	"			
	9 BST	"			
	12 OST	"			
	12 BST	"			
	19 B/B OST	"			
	19 B/B BST	"			
	18 OST	"			
	18 BST	व.फि			
17	Ready made Door				
17.1	38 mm th. Redimade solid core door shutter				
	Plain	व.फि	233	233	233
	One side teak	"	262	262	262
	Both side teak	"	294	294	294
	One side teak waterProof	"	286	286	286
	Both side teak waterProof	"	317	317	317
17.2	30 to 32 mm th. Redimade solid core door shutter				



	Plain	व.फि	190	190	190	
	One side teak	"	213	213	213	
	Both side teak	"	239	239	239	
	One side teak waterProof	"	233	233	233	
	Both side teak waterProof	"	258	258	258	
17.3	Ready made Teak wood Doors (Seasoned and Poisoned treated) (excluding the cost of fitting, transportation, Painting)					
	Readymade door shutter Recon, ordinary (1 side teak)	Sqft	183	183	183	
	Readymade door shutter Recon, Special (1 side teak)	"	248	248	248	
	Readymade door shutter Recon, ordinary (1 side teak)	"	209	209	209	
	Readymade door shutter Recon, Special (1 side teak)	"	281	281	281	
17.4	Wooden Listy					
	1/2" wide	र.फि.	14	14	14	
	3/4" wide	"	18	18	18	
	1.5" wide	"	29	29	29	
	Decorative	"	40	40	40	
17.5	Infill Material Thai Gypsum, Shera or equivalent					
	Frame C - Studs(0.55mm*0.75mm*3m)	गोटा	431	431	431	
	Frame U - Studs(0.55mm*0.75mm*3m)	"	431	431	431	
	Board 9 mm	"	2524	2524	2524	
	Roofing Board 6mm (1.5mX.6m)	"	695	695	695	
	Fiber mess tape (for 90mm/roll)	"	340	340	340	
	PU sasuage rod	"	2039	2039	2039	
18	Prelaminated Particle Board					
18.1	Plain Particle Board (Exteriors Grade)					
	(क) ९ मी .मी	व.फि	37	37	37	
	(ख) १२ मी. मी.	"	41	41	41	
	(ग) १८ मी.मी.	"	53	53	53	
	(घ) २५ मी.मी	"	71	71	71	
18.2	One side lamination Melaminated faced (Exteriors Grade)					
	(क) ९ मी .मी	व.फि	74	74	74	
	(ख) १२ मी. मी.	"	83	83	83	
	(ग) १८ मी.मी.	"	98	98	98	
	(घ) २५ मी.मी	"	127	127	127	
18.3	Both side lamination Melaminated faced (Exteriors Grade)					
	(क) ९ मी .मी	व.फि	83	83	83	
	(ख) १२ मी. मी.	"	95	95	95	
	(ग) १८ मी.मी.	"	110	110	110	
	(घ) २५ मी.मी	"	139	139	139	
18.4	Plain Particle Board (Interiors Grade)					
	(क) ९ मी .मी	व.फि	27	27	27	
	(ख) १२ मी. मी.	"	31	31	31	
	(ग) १८ मी.मी.	"	46	46	46	
	(घ) २५ मी.मी	"	59	59	59	
18.5	One side lamination Melaminated faced (Interiors Grade)					
	(क) ३ मी .मी	व.फि	40	40	40	
	(ख) ६ मी .मी	"	57	57	57	
	(ग) ९ मी .मी	"	65	65	65	
	(घ) १२ मी. मी.	"	74	74	74	
	(ङ) १८ मी.मी.	"	86	86	86	



नेपाल
सुदूर पश्चिम
जिल्ला प्रशासन
नुवाकोट

Handwritten signatures and initials at the bottom of the page, including a large signature on the left and several smaller ones on the right.

	(च) २५ मी.मी	"	107	107	107	
18.6	Both side lamination Melamined faced (Interiors Grade)					
	(क) ३ मी .मी	व.फि	46	46	46	
	(ख) ६ मी .मी	"	62	62	62	
	(ग) ९ मी .मी	"	74	74	74	
18.7	One side lamination Melamined faced (Interiors Grade)MDF					
	(क) ३ मी .मी	व.फि	46	46	46	
	(ख) ४ मी .मी	"	53	53	53	
	(ग) ६ मी .मी	"	65	65	65	
	(घ) ९ मी .मी	"	85	85	85	
	(ङ.) १२ मी .मी	"	95	95	95	
	(च) १८ मी .मी	"	122	122	122	
	(छ)२५ मी .मी	"	169	169	169	
18.8	Both side lamination Melamined faced (Interiors Grade)MDF Century & equivalent					
	(क) ३ मी .मी	व.फि	53	53	53	
	(ख) ४ मी .मी	"	59	59	59	
	(ग) ६ मी .मी	"	73	73	73	
	(घ) ९ मी .मी	"	91	91	91	
	(ङ.) १२ मी .मी	"	101	101	101	
	(च) १८ मी .मी	"	128	128	128	
	(छ)२५ मी .मी	"	173	173	173	
18.9	Alstone Hybrid Board (WPC Board) Century & equivalent					
	(क) ६ मी .मी (१२२० X २४४०)	व.फि	168	168	168	
	(ख) १२ मी .मी	"	269	269	269	
	(ग) १८ मी .मी	"	407	407	407	
19	Other HardBoard/ Sunmica & Formaica)					
19.1	(क) सनमाईका (4' x 8')	पाता	486	486	486	
	(ख) फोरमाईका	व.फि	75	75	75	
	(ग) हार्डबोर्ड (Hard board) 12 mm thick	"	44	44	44	
19.2	Alstone Hybrid Board					
	(क) ६ मी .मी size (1220*2440) mm	व.फि	162	162	162	
	(ख) १२ मी .मी size (1221*2440) mm	"	307	307	307	
	(ग)१८ मी .मी size (1222*2440) mm	"	427	427	427	
20	Iron Square Pipe/Black Pipe/Channel/ Angle/I-Beam/Black Sheet/MS Plate					
	i) Iron Square Pipe	के.जी	97	97	97	
	ii) विभिन्न साइजको MS Angle	"	104	104	104	
	iii) विभिन्न साइजको Black Pipe	"	97	97	97	
	iv) विभिन्न साइजको Channel	"	106	106	106	
	v) विभिन्न साइजको I-Beam	"	108	108	108	
	vi) विभिन्न साइजको MS plate	"	103	103	103	
	vii) विभिन्न साइजको MS Square solid bar up to 16mm	के.जी	104	104	104	
	viii) विभिन्न मोटाइको Black sheet	"	98	98	98	
21	G.I. Wire					
	i) 8 gauge					
	a) medium class	"	116	116	116	
	b) heavy duty	"	121	121	121	
	c) Comercial wire	"	107	107	107	

	ii) 10 gauge				
	a) medium class	"	116	116	116
	b) heavy duty	"	121	121	121
	c) Comercial wire	"	107	107	107
	iii) 12 gauge				
	a) medium class	"	116	116	116
	b) heavy duty	"	121	121	121
	c) Comercial wire	"	107	107	107
22	मेशिनबाट बुनिएका, Mechanically selvedged double Twist wire mesh को गेबियन बाक्स तयारी				
	क) MBG/10x12/3.0/3.9/2.4/ZN (MBG=Maccaferi Box Gabion)	M2	300	300	270
	Note:				
	MBG = Maccaferi Box Gabion				
	10x12/3.0/3.9/2.4/ZN = Mesh type/Mesh wire dia./Selvedge wire dia./Lacing wire dia./Type of coating				
	ZN = Heavy galvanized				
	PVC = PVC coated				
23	Barbed Wire (काँडितार)				
	12 guage commercial,Medium duty	के.जी	100	100	100
	U-hook for barbed wire fencing	गोटा	1	1	1
	Fabrication of chain link mesh of size				
	1"x1" 12 guage	वर्ग मी.	711	711	711
	1.5"x1.5" 12 guage	"	665	665	665
	2"x2" 10 guage	"	527	527	527
	3"x3" 10 guage	"	431	431	431
	4"x4" 10 guage	"	344	344	344
24	सादा तथा रंगिन जस्ता पाता (Plain/Corrugated Galvanized/Colour Iron Sheet)				
	(क) सेतो सादा जस्तापाता (G P Sheet)				
	0.2 mm (30 guage light)	वण्डल	4284	4370	4590
	0.22 mm (30 guage Medium)	"	4692	4786	5025
	0.24 mm (30 guage Heavy)	"	4998	5098	5355
	0.26 mm (28 guage light)	"	5253	5358	5625
	0.28 mm (28 guage Medium)	"	5610	5722	6010
	0.31 mm (28 guage Heavy)	"	6146	6268	6580
	0.35 mm (26 guage light)	"	6809	6945	7290
	0.38 mm (26 guage Medium)	"	7140	7283	7645
	0.41 mm (26 guage Heavy)	"	7829	7985	8385
	0.45 mm (24 guage light)	"	8497	8667	9100
	0.50 mm (24 guage Medium)	"	9333	9520	9995
	0.52 mm (24 guage Heavy)	"	9665	9858	10350
	0.75 mm	"	13872	14149	14855
	(ख) रंगिन जस्तापाता				
	0.2 mm (30 guage light)	वण्डल	5610	5722	6010
	0.22 mm (30 guage Medium)	"	5993	6112	6420
	0.24 mm (30 guage Heavy)	"	6324	6450	6775
	0.26 mm (28 guage light)	"	6671	6804	7145
	0.28 mm (28 guage Medium)	"	7064	7205	7565
	0.31 mm (28 guage Heavy)	"	7594	7746	8135
	0.35 mm (26 guage light)	"	8395	8562	8990
	0.38 mm (26 guage Medium)	"	8813	8989	9440
	0.41 mm (26 guage Heavy)	"	9537	9728	10215
	0.45 mm (24 guage light)	"	10200	10404	10925



Handwritten signatures and initials are present at the bottom of the page, including names like 'प्र.प्र.', 'र.प्र.', and 'अ.प्र.'.

0.50 mm (24 guage Medium)	"	11118	11340	11905
0.52 mm (24 guage Heavy)	"	11501	11731	12315
0.75 mm	"	16147	16470	17295
(ग) ग्याल्मानाइज्ड कोरुगेटेड जस्तापाता (CG I Sheet)				
0.2 mm (30 guage light)	बण्डल	4284	4370	4590
0.22 mm (30 guage Medium)	"	4641	4734	4970
0.24 mm (30 guage Heavy)	"	4957	5056	5310
0.26 mm (28 guage light)	"	5212	5316	5580
0.28 mm (28 guage Medium)	"	5559	5670	5955
0.31 mm (28 guage Heavy)	"	6079	6201	6510
0.35 mm (26 guage light)	"	6758	6893	7235
0.38 mm (26 guage Medium)	"	7089	7231	7590
0.41 mm (26 guage Heavy)	"	7752	7907	8300
0.45 mm (24 guage light)	"	8435	8604	9035
0.50 mm (24 guage Medium)	"	9282	9468	9940
0.52 mm (24 guage Heavy)	"	9608	9801	10290
0.75 mm	"	13872	14149	14855
घ) जस्ता पाता को घुरी (Ridge Cover) Specified thickness are thickness of base metal.				
0.20 mm	बण्डल	1459	1488	1560
0.22 mm	"	1581	1613	1695
0.24 mm	"	1693	1727	1815
0.26 mm	"	1775	1810	1900
0.28 mm	"	1897	1935	2030
0.31 mm	"	2066	2107	2210
0.35 mm	"	2285	2330	2445
0.38 mm	"	2397	2445	2565
0.41 mm	"	2621	2674	2810
ङ) ४ फिट * ८ फिट को जि.आई. प्लेन सिट				
1.1 mm	पिस	2958	3017	3170
0.90 mm	"	2448	2497	2620
0.80 mm	"	2219	2263	2375
0.75 mm	"	2081	2122	2230
0.70 mm	"	1943	1982	2080
0.62 mm	"	1739	1774	1865
0.55 mm	"	1561	1592	1670
0.50 mm	"	1418	1446	1520
0.48 mm	"	1367	1394	1465
0.45 mm	"	1295	1321	1385
0.40 mm	"	1163	1186	1245
0.37 mm	"	1081	1103	1160
0.35 mm	"	1030	1051	1105
0.30 mm	"	908	926	970
0.28 mm	"	857	874	920
च) ४ फिट * ८ फिट को रङ्गिन प्लेन सिट				
0.90 mm	पिस	2698	2752	2890
0.80 mm	"	2443	2492	2615
0.75 mm	"	2331	2377	2495
0.70 mm	"	2219	2263	2375
0.62 mm	"	1989	2029	2130
0.55 mm	"	1795	1831	1925
0.50 mm	"	1652	1685	1770
0.48 mm	"	1571	1602	1680



Handwritten signatures and initials are present at the bottom of the page, including names like 'पुष्पक', 'शुभ', 'रवि', and 'अ.अ.'.

	0.45 mm	"	1520	1550	1630	
	0.40 mm	"	1387	1415	1485	
	0.37 mm	"	1285	1311	1375	
	0.35 mm	"	1234	1259	1320	
	0.30 mm	"	1091	1113	1170	
	0.28 mm	"	1043	1064	1120	
	GI EXPANDED METAL MESH					
	1.20 mm मोटाई र 3' चौडाई भएको जाली	र.मि.	132	134	134	
	1.20 mm मोटाई र 4' चौडाई भएको जाली	"	184	187	187	
	1.00 mm मोटाई र 3' चौडाई भएको जाली	"	112	114	114	
	1.00 mm मोटाई र 4' चौडाई भएको जाली	"	153	156	156	
	0.90 mm मोटाई र 3' चौडाई भएको जाली	"	102	104	104	
	0.90 mm मोटाई र 4' चौडाई भएको जाली	"	162	165	165	
25	UPVC Roofing Sheet Sunrise or Equivalent brand (3mm thick)					
25.1	UPVC Roofing Sheet with PMMA coating & Mesh (Regular)	व.मि.	1440	1440	1440	
25.2	UPVC Roofing Sheet with PMMA coating & Mesh (Tile)	"	1496	1496	1496	
25.3	Ridge cover Regular Profile 1.10 R.m.	र.मि.	1288	1288	1288	
25.4	Ridge cover Tile Profile 0.78 R.m.	"	1288	1288	1288	
25.5	UPVC Clip	गोटा	26	26	26	
25.6	self tapping screw 3"	"	26	26	26	
25.7	self tapping screw 2.5"	"	10	10	10	
25.8	self tapping screw 2"	"	10	10	10	
25.9	self tapping screw 1.5"	"	8	8	8	
26	एल्युमिनियम प्लेन सिट					
	(क) २६ गेज	व.फि.	29	29	29	
	(ख) ३० गेज	"	27	27	27	
27	विभिन्न प्रकारको जालीहरु (Netting)					
	(क) मसिनो खालको Mosquito proof जाली	व.मी	121	121	121	
	(ख) बालुवा चाल्ने जाली	"	126	126	126	
	(ग) कुखुरे जाली (Chicken wire mesh)	"	78	78	78	
	(घ) ब्रास क्रसिङ्ग जाली	"	199	199	199	
	ड. स्टील जाली (crossing)	"	160	160	160	
	च मसिनो खालको steel Mosquito proof जाली	"	275	275	275	
28	फलामबाट निर्मित सामानहरु					
a	M.S. Grill बनाई जडान गर्ने काम	के.जी	147	147	147	
b	कोल्याप्सीवल गेट बनाई जडान गर्ने	व.फि.	525	525	525	
c	१६-१८ गेजको फलामे रोलिङ्ग सटर बनाई जडान गर्ने	व.फि.	367	367	367	
d	फलामे रोलिङ्ग सटर १६-१८ गेज जडान सहित स्टीप सटर प्याल भएको	"	462	462	462	
e	फलामे रोलिङ्ग सटर डण्डी प्रयोग गरी बनाइको साथै जडान गर्ने समेत	"	525	525	525	
f	१६ गेज पातावाट कम्पाउण्ड बालको गेट बनाई जडान गर्ने (१० X ५० X ५ mm) को फ्रेम समेत)	"	683	683	683	
g	३"-४" व्यासको Iron Black Pipeमा एङ्गल र पट्टि राखी खुडकिला सहितको घुम्ने भन्ध्याङ्ग (Spiral Staircase) तयार गरी जडान समेत (भन्ध्याङ्गको नापी गर्दा floor to floor height लिने)	र.फि.	3205	3205	3205	
h	फलामे सामाग्रीको फेब्रिवेशन तथा जडान कार्य	के.जी.	47	47	47	
i	All type of general MS structural works	व.फि.	179	179	179	



j	Truss & roofing works Plain sheet 26 gauge	"	210	210	210	
k	Truss & roofing works colour sheet 26 gauge	"	247	247	247	
l	Black Pipe Tubular Truss fitting & fixing work	के.जी.	200	200	200	
m	Mild Steel Props for Concreting 2" dia 3.5 mm thick 3.5 m- 4.0 m length	गोटा	2038	2038	2038	
n	Steel Structural (Light guage) frame work for building (as 90mm X 38mm wide SS C C-channel , 0.55mm thick , weight per square feet 2 kg with fabrication rebet,screw erection fitting and essembly charges) all complete work Panchakanya or equivalent company	व.फि.	809	809	809	
29	Glass सीसा					
29.1	Plain सादा (सेतो)					
	(क) ३ मी.मी.	व.फि.	52	52	52	
	(ख) ३.५ मी.मी.	व.फि.	58	58	58	
	(ग) ४ मी.मी.	व.फि.	66	66	66	
	(घ) ५ मी.मी. "	"	89	89	89	
	(ङ) ६ मी.मी. "	"	103	103	103	
	(च) ८ मी.मी. "	"	173	173	173	
29.2	Printed Glass (बुट्टेदार सिसा)					
	(क) ३ मी.मी.	"	47	47	47	
	(ख) ४ मी.मी. " "	"	55	55	55	
29.3	Poly Fibre Glass					
	(क) ६ मी.मी.	"	150	150	150	
29.4	Black Color Glass					
	(क) ३ मी.मी.	व.फि.	89	89	89	
	(ख) ४ मी.मी.	"	96	96	96	
	(ग) ५ मी.मी.	"	109	109	109	
	(घ) ६ मी.मी.	"	150	150	150	
	(ङ) ८ मी.मी.	"	219	219	219	
	(च) १० मी.मी.	"	314	314	314	
	(छ) १२ मी.मी.	"	355	355	355	



नेपाल सरकार
गृह विभाग
जिल्ला प्रशासन
नुवाकोट

Handwritten signatures and initials are present below the table, including a large signature on the left and several smaller ones on the right.

29.5	Tinted Float glass बाहिर बाट नदेखिने भित्रबाट देखिने				
	(क) ५ मि.मि बाक्लो	ब.फि.	107	107	107
29.6	छानामा प्रयोग गरिने बुट्टेदार ऐना Itching Glass with simple shade and texture				
	(क) ४ मी.मी. बाक्लो	व.मि.	5753	5753	5753
29.7	विभिन्न रंगको Reflector Glass (शिशा)				
	५ मी.मी मोटो	ब.फि.	171	171	171
	Note: ४ फिट * ८ फिट भन्दा बढी साइजको सिसा भएमा ५० % थप रकम लाग्ने छ ।				
30	Corrugated/Plain Fiber Glass Sheet				
	(क) ०.८ मी. मी. मोटो प्लेन	ब.फि.	112	112	112
	०.८ मी. मी. मोटो कोरोगेटेड	ब.फि.	125	125	125
	(ख) १.२ मी.मी. मोटो प्लेन	"	125	125	125
	१.२ मी.मी. मोटो कोरोगेटेड	"	143	143	143
	(ग) २ मी.मी. मोटो प्लेन	"	212	212	212
	२ मी.मी. मोटो कोरोगेटेड	"	250	250	250
	(घ) ३ मी. मी. मोटो प्लेन	"	287	287	287
	३ मी. मी. मोटो कोरोगेटेड	"	375	375	375
	(ङ) Fiber Glass छानाको लागि Alumunium strip (25 mm x 1.5 mm)	Rm	69	69	69
	(च) Fiber Glass छानाको लागि Ribet nut	no.	7	7	7
31	भ्याल ढोकामा लाग्ने Fixture हरू.				
	Iron बाट बनेका				
	Hinge (कन्ना)				
	(क) ३" साइज	गोटा	15	16	16
	(ख) ४" साइज	"	29	30	30
	(ग) ५" साइज	"	44	45	45
	(घ) ६" साइज	"	57	58	58
	Locking Set (L-drop)				
	300 mm	गोटा	265	266	266
	225 mm	"	232	233	233
	150 mm	"	199	200	200
	Aluminum बाट बनेका				
	Towerbolt (डिस्कीनी)				
	(क) ३" लामो	गोटा	20	21	21
	(ख) ४" लामो	"	41	42	42
	(ग) ६" लामो	"	68	69	69
	(घ) ८" लामो	"	82	83	83
	(ङ) १०" लामो	"	96	97	97
	(च) १२" लामो	"	109	110	110
	Handle (हतकल)				
	Ordinary	गोटा	33	34	34
	Special	"	48	49	49
	Brass बाट बनेका				
	Hinge (कन्ना)				
	2" x 1/2"	गोटा	64	65	65
	2 1/2 x 3/4"	"	72	73	73
	3" x 3/4"	"	89	90	90
	2" x 3/4"	"	72	73	73
	2 1/2" x 3/4"	"	81	82	82
	3" x 3/4"	"	89	90	90
	3" x 1"	"	193	194	194
	4" x 1"	"	290	291	291
	5" x 1"	"	387	388	388



नेपाल सरकार
गणतन्त्र
विद्यालय
नुवाकोट

Handwritten signatures and marks at the bottom of the page, including a large signature on the left and several smaller ones on the right.

6"×1"	"	467	468	468	
Towerbolt (छेस्कीनी)					
(क) ३" लामो	गोटा	145	146	146	
(ख) ४" लामो	"	193	194	194	
(ग) ६" लामो	"	290	291	291	
(घ) ८" लामो	"	387	388	388	
(ङ) १०" लामो	"	482	483	483	
(च) १२" लामो	"	579	580	580	
Handle (हतकल)					
6" Brass handle	गोटा	153	154	154	
8" Brass handle	"	467	468	468	
10" Brass handle	"	966	967	967	
Brass 5"	"	145	146	146	
Brass 6"	"	225	226	226	
Locking Set (L-drop)					
(क) ८" लामो	गोटा	966	1014	1014	
(ख) १०" लामो	"	1593	1673	1673	
(ग) १२" लामो	"	1770	1858	1858	
Special Fittings					
एल ड्रप :-					
८" लामो	गोटा	1083	1137	1137	
१०" लामो	"	1223	1284	1284	
१२" लामो	"	1274	1338	1338	
ह्याण्डल :-					
८" लामो	"	1274	1338	1338	
टावर बोल्ट :-					
६" लामो	"	230	241	241	
८" लामो	"	306	321	321	
१०" लामो	"	383	402	402	
डबल कलर (गोल्ड सिल्भर/ब्ल्याक सिल्भर)					
एल ड्रप :-					
८" लामो	गोटा	910	955	955	
१०" लामो	"	1153	1210	1210	
१२" लामो	"	1274	1338	1338	
ह्याण्डल :-					
६" लामो	"	255	268	268	
८" लामो	"	383	402	402	
Mortice Lock					
Ordinary	गोटा	638	669	669	
Chinese	"	424	446	446	
Indian Godrej Company	"	2608	2739	2739	
Brass		1153	1210	1210	
Door Spring (Door Closer)					
Ordinary	गोटा	182	191	191	
hydraulic	"	1911	2007	2007	
Other Door/Windows fixtures					
Window I-hook	गोटा	18	19	19	
Gate Hook					
4" Gate hook	गोटा	32	33	33	
5" Gate hook	"	36	37	37	
6" Gate hook	"	43	44	44	
Brass Gate hook		77	78	78	
Door stopper					
Diamond	गोटा				
Butterfly	"	151	159	159	
Bell catch 2" size	"	200	210	210	



Handwritten signatures and notes at the bottom of the page, including the text 'Page 12' and a signature.

	C.P. handle	"	434	455	455
	Power coated handle	"	414	435	435
	Brass coated handle	"	891	936	936
	Door stopper, single brass stopper	सेट	102	107	107
	Door stopper double brass stopper	"	182	191	191
32	बिबिध सामग्रीहरु				
	Hold fast different sizes (7 nos./Kg.)	के.जी.	125	125	125
	Nails (different sizes)	के.जी.	112	112	112
	सालका काठको खाधान्न राख्ने पुराना तख्ता(पुनः प्रयोग हुने)	घ.फि.	721	721	721
	कवाडी फलामे सामानहरु(बन्धरो,घन,छिन्ता आदि फलामे सामान)	के.जी.	26	26	26
	प्रयोग गर्न नसकिने पुराना मेसीन(टाइपराइटर, डीलीड मेसीन,डीलीड विट)	के.जी.	21	21	21
	Nut and Bolts	गोटा	29	29	29
	Nut and Bolts (different sizes)	के.जी.	165	165	165
	Sandpaper (बागसी)	गोटा	6	6	6
	विभिन्न साईजको जे-हुक, यु-हुक	के.जी.	137	137	137
	२" साइज रुफिङ्ग नेल्स	गोटा	7	7	7
	३" साइज रुफिङ्ग नेल्स	"	10	10	10
	Screw Brass		0	0	0
	20mm	गोटा	2	2	2
	25mm	"	3	3	3
	35mm	"	4	4	4
	50mm	"	12	12	12
	75mm	"	15	15	15
	Screw Steel				
	20mm	"	1	1	1
	25mm	"	2	2	2
	35mm	"	2	2	2
	50mm	"	7	7	7
	75mm	"	8	8	8
	विटुमीन वासर	गोटा	3	3	3
	Roofing bitumen (रुफिङ्ग अलकत्रा)	के.जी.	93	93	93
	५०० गेज प्लाष्टिक सिट	व.मी.	31	31	31
	ISI Mark Trafelt (२०मी. × १मी.)	रोल	2472	2472	2472
	Plasticfelt (२०मी. × १मी.)	"	2318	2318	2318
	१८-२० फिट लामो बाँस	गोटा	204	204	204
	मैन पालिस	के.जि.	206	206	206
	अकजालिक एसिड	"	118	118	118
	जुट वा पोलिथिनको खाली बोरा	गोटा	18	18	18
	माटो (ढुवानि बाहेक)	घ.मि.	268	268	268
	सबथेडमा राख्ने माटो(In Capping layer Granular soil)	घ.मि.	464	464	464
	भुस	के.जि.	5	5	5
	गोबर	"	5	5	5
	Staircase को 3/4" x 3/4" square pipe मा लगाउने Brass cap	गोटा	93	93	93
	Staircase को 1" x 1" square pipe मा लगाउने Brass cap	गोटा	98	98	98
	Tarpoline sheet (तारपोलिन सिट)	व.फि.	9	9	9
	Water (पानी टयाँकरबाट ढुवानी)				
	३ कि.मी. सम्म को दुरीमा	लिटर	0.26	0.26	0.26
	३ कि.मी. देखि माथीको दुरीमा	लिटर	0.31	0.31	0.31
33	स्टेनलेस स्टील पाइप				
	३/४" व्यास भएको १६ गेज मोटाई	मी.	198	198	198
	१" व्यास भएको १६ गेज मोटाई	"	248	248	248

	१ १/४" व्यास भएको १६ गेज मोटाई	"	315	315	315
	१ १/२" व्यास भएको १६ गेज मोटाई	"	353	353	353
	२" व्यास भएको १६ गेज मोटाई	"	518	518	518
	स्टील रेलीड. steel Raling को बार लगाउने कार्य(२ इन्च पाईपको vertical post & Hand rail तथा १ इन्च व्यासको तीन तह Horizontal pipe)	र.फी.	1191	1191	1191
34	मार्बल चिप्स				
	(क) सेतो रंगको मार्बल चिप्स (२५ के.जि.प्रति बोरा)	बोरा	170	170	170
	(ख) रंगीन मार्बल चिप्स (२५ के.जि.) प्रति बोरा	"	170	170	170
	(ग) क्रेजी मार्बल (६ वर्ग फिट प्रति बोरा)	"	181	181	181
	(घ) मार्बल पाउडर (२५ के.जि. प्रति बोरा)	"	153	153	153
35	मार्बल (Marble)				
35.1	राजस्थानी मार्बल				
	१२ मी.मी बाक्लो राजस्थानी	ब.फि.	161	161	161
	१६ मी.मी बाक्लो राजस्थानी	"	167	167	167
35.2	ग्रेनाइट				
	१२ मी.मी बाक्लो ग्रेनाइट	"	303	303	303
	१६ मी.मी बाक्लो ग्रेनाइट	ब.फि.	309	309	309
	१९ मी.मी बाक्लो ग्रेनाइट	ब.फि.	353	353	353
35.3	Kota Stone				
	1" thick	ब.फि.	145	145	145
	3/4" thick	ब.फि.	133	133	133
35.4	Sand stone (for rubbing Marble)	गोटा	73	73	73
36	Porcelain Glazed/Terrazo Mosaic Tiles				
36.1	Porcelain Glazed Tiles				
	ग्लेज टायल्स (१२ " X ८ ") सम्मको ।	ब.फि.	-	-	-
	ग्लेज टायल्स (१२ " X १२ ") माथिको ।	"	-	-	-
	Cotto Tiles	"	126	126	126
	Kajaria, Vermura,Somany, Orient Tile or equivalent	"	85	85	85
	Ordinary floor and wall Tile	"	54	54	54
	Border Tile (२ " X ८ ")	र.फि.	43	43	43
	Border Tile (२ " X ८ ")	ब.फि.	178	178	178
	Indian Ceramic Wall Tile (31*45cm)	"	180	180	180
	Indian Ceramic Border Tile (31*45cm)	"	180	180	180
	Indian Ceramic Floor Tile (31*45cm)	"	150	150	150
	Flooring tile GVT Somany/Swastik/Victory / Espanoi or equivalent				
	24"X24" GVT	ब.फु.	165	165	165
	24"X24" GRES Vitrified (Digital floor)	"	144	144	144
	12"X12" GRES homogeous Vitrified parking tile	"	106	106	106
	24"X24" Vitrified	"	111	111	111
	Flooring tile Everest/Victory /Swastik /Espanoi or equivalent				
	16"X16 "	ब.फु.	98	98	98
	12"X12"	"	88	88	88
	12"X12" (White/Ivery)	"	77	77	77
	2"X2"(Digital)	"	129	129	129
	12"X24" (Wall)	"	134	134	134
	12"X18" (Wall)	"	103	103	103
36.2	LG Floors Tiles				
	L.G. Deluxe Tiles (300x300x2mm)	ब.फु.	-	-	-
	L.G. Deco Tiles (450x450x3mm)	"	-	-	-
	L.G. Deco Wood (100x920x3mm)	"	-	-	-



नेपाल सरकार
गृह मन्त्रालय
जिल्ला प्रशासन कार्यालय
नुवाकोट

(Handwritten signatures and marks)

	Fittings for Tiles	„	14	14	14	
	Fittings for Tiles on stairs	„	16	16	16	
	Dendrite for tiles	लि.	371	371	371	
36.3	ELITE / FORBO FLOORING COATING					
	ELITE MICRO FINISH FLOORING (INCLUDED ALL FINISH)	व.फि.	361	361	361	
	ELITE HERMETIC HEAT FLOORING (INCLUDED ALL FINISH)	„	361	361	361	
	ELITE REFLECTOR FLOORING(INCLUDED ALL FINISH)	„	383	383	383	
	SARLON VINYL ACOUSTIC FLOORING	„	427	427	427	
	SCRATCH FABRIC FALSE CEILING	„	232	232	232	
	SINGLE COAT GYP PLASTER UP TO 20MM THICKNESS	„	62	62	62	
	Forbo marmoleum flooring 2mm thick all fitting work	„	403	403	403	
37	Plaster of Parish (POP) cornice and molding making die, casting of cornice as per design and drawing including fixing in position using steel screws on resin glue finishing all complete.					
	a) POP Molding 1" to 1½"	र.मि	238	238	238	
	b) Up to 5" wide	र.मि	285	285	285	
	c) Up to 8" wide	र.मि	393	393	393	
	d) Above 8" wide	र.मि	161	161	161	
37.1	रंगरोगनका सामानहरु					
	(क) कृषि चुनवाट उत्पादित सेतो चुन	के.जि.	19	19	19	
	(ख) विभिन्न प्रकारको रंगिन चुन	„	36	36	36	
	(ग) विभिन्न प्रकारको भारतीय चुन रंगिन	„	39	39	39	
	(घ) सिमेन्ट पेन्ट (Cement Paints)	के.जि.	74	74	74	Equivalent Asian , Berger & other company.
	(ध) सिमेन्ट प्राइमर सेतो	„	268	268	268	
	(छ) उड प्राइमर (Wood Primer)	लिटर	376	376	376	
	(ड) साधारण सेन्थेटिक इनामेल पेन्ट	लिटर	525	525	525	
	(च) नेपाल रेडको म्याट फिनिसिङ्ग	लिटर	506	506	506	
	(ज) कोरुगेटेड रुफ Paint	„	476	476	476	
	(झ) तयारी अल्मुनियम पेन्ट	„	546	546	546	
	(ञ) तयारी बार्नेस	„	440	440	440	
	(ट) तयारी बार्नेर सेन्थेटिक	„	340	340	340	
	(ठ) भारतीय थिनर	„	231	231	231	
	(ड) उड एण्ड ग्लास पुटिन	के.जी	131	131	131	
	(ढ) मेटल पुटिन	„	155	155	155	
	(ण) चुना पेन्ट गर्न राख्ने गम	„	203	203	203	
	(त) नेपाली थिनर	लिटर	218	218	218	
	(द) तारपिन तेल	„	214	214	214	
	(ध) रेड अकसाइड पेन्ट (Red oxide Paint)	„	262	262	262	
	(न) उड प्रिजरभेटिव पेन्ट	„	228	228	228	
	(प) Black Japan Paint	„	286	286	286	
	(फ) राम तिलक	के.जि.	56	56	56	
	(ब) गेरु रंग	के.जि.	137	137	137	
	(भ) चप्रा पालिस	के.जि.	916	916	916	
	(म) तयारी वासेवल डिस्टेम्पर	लि.	223	223	223	Equivalent Asian , Berger & other company.
	य) तयारी प्लास्टिक्स इमल्सन पेन्ट (interior)	लि.	526	526	526	
	य) तयारी बेदरकोट पेन्ट (exterior)	लि.	631	631	631	



नेपाल सरकार
गृह मन्त्रालय
सिन्धु नदी प्रशासन क
नुवाकोट

(Handwritten signatures and marks)

	(र) Road Marking Paint	"	579	579	579
	(ल) लिनसिड आयल (linsed Oil)	"	196	196	196
	(व) स्थानीय स्प्रिट	लि.	118	118	118
	(स) मोथिकल / फेविकल	के.जि.	262	262	262
	(ष) Tata Red Oxide Paint	"	262	262	262
	(ह) गद्दा चुन (इण्डीयन)	"	22	22	22
	(झ) Wall putty equaivalent Asian , Berger & other company.	के.जि.	69	69	69
	(ञ) Plaster of Parish (POP)	के.जि.	23	23	23
	wood keeper (chapara type)	लि.	550	550	550
	Redoxide zink cromate primer For Bridge	लि.	463	463	463
	Silk Breathless easy	लि.	1216	1216	1216
	Road divider (polythene)	गोटा	1622	1622	1622
	Dust bin (polythene) 165 ltr	गोटा	3083	3083	3083
	Wall putty Epoxy flooring				
	wall plast wall putty (40kg)	Bag	1306	1306	1306
	2mm Epoxy Floor coating with Ultrafresh -OPD (4layer & 5 component	व.मी.	2082	2082	2082
	2mm Epoxy Antistatic Floor coating for OT(4 layer & 9 component	"	3688	3688	3688
	Epoxy Paint for Operation theater	"	11509	11509	11509
37.2	Decorative Painting Material Acro & equivalents				
A	Specialized paints(Dr. wallz)				
1	Acro Bio-guard (Anti bacterial Hospital Paint)	लिट्र	1099	1099	1099
2	Acro Elastocrab (Anti carbonisation paint)	"	762	762	762
B	Texture paints				
1	Mediterrano	के.जि.	176	176	176
2	Stucco Veneziano	"	1639	1639	1639
3	Velvetino	"	4305	4305	4305
4	Travertino	"	412	412	412
5	Gtone plaster	"	121	121	121
6	Colorato (Multi color)	"	921	921	921
7	Pearl skin texture	"	149	149	149
8	TS 52 Spray white	"	199	199	199
9	Rustic	"	159	159	159
10	Rockart	लिट्र	159	159	159
11	Manhattan	के.जि.	238	238	238
12	Sabbia	"	238	238	238
13	Sandy Stone	"	174	174	174
14	Insulplast	"	237	237	237
15	Poly Under White	"	264	264	264
16	Antica(Top coat)	"	1267	1267	1267
17	T.C 100(Top coat)	"	728	728	728
18	Dekorica White	"	2631	2631	2631
19	Poly Plaster	"	107	107	107
20	Granite tone	"	165	165	165
21	Graffiato	"	159	159	159
22	Elligance stone	"	189	189	189
23	Marmorino Base	के.जि.	412	412	412
24	Acro fine	लिट्र	181	181	181
25	Marmocastro base	के.जि.	139	139	139
26	Selva Granite	"	215	215	215
27	Romart	"	239	239	239
C	Weathercoat paints				
1	Guard	लिट्र	503	503	503
2	Guard -3x	"	588	588	588
3	Shield	"	322	322	322
4	Acrotex matt	"	510	510	510
5	Ext wall Primer	"	238	238	238



Handwritten signatures and initials are present at the bottom of the page, including a large signature on the left and several smaller ones on the right, some with dates like '2073-08-10'.

D	Emulsion Paints				
1	silk Emulsion paints	"	522	522	522
2	Aqualin Int.Emulsion	"	280	280	280
3	pearl Emulsion paints	"	772	772	772
4	int. wall Primer	"	172	172	172
E	Acrylic Washable Distemper	"	142	142	142
F	Acro gold Enamel	"	512	512	512
G	Universal primer (wood primer)	"	313	313	313
H	Red oxide metal primer	"	276	276	276
I	Construction Chemical / waterproof coating system				
	crack sill	"	387	387	387
	crack fill A+B	"	170	170	170
J	Silicon Bases water repellent impregnation				
	Acropreg	"	466	466	466
	Acropreg W	"	619	619	619
	Wall putty	के.जि	39	39	39
37.3	Acro Texture ISO certified 9001-2008 (Silicone & Ceramic technology / All weather resistance / Fire retardant / Heat reflecting / Algae & Fungi resistant / Ultra violet resistant) for painting works				
1	Acro Spanezia maestro finishes texture				
1.1	Mediterrano texture	ब.फि	128	128	128
1.2	Traventino texture	"	195	195	195
1.3	Velvetino texture	"	167	167	167
1.4	Gtone plaster and Colorato texture(Multicolour texture)	"	133	133	133
1.5	Stucco veneziano texture	"	140	140	140
1.6	Pearl skin texture	"	120	120	120
1.7	Marmorino texture	"	156	156	156
2	Acro texture				
2.1	Acro spray flat/Acro spray dews texture	ब.फि	75	75	75
2.2	Featherglow/Royal touch/Superfine/Ceratex texture	"	74	74	74
2.3	Rustic texture	"	99	99	99
2.4	Rockart texture	"	93	93	93
2.5	Graffiato texture	"	103	103	103
2.6	Marmocastro texture	"	90	90	90
2.7	Marmoplast texture	"	90	90	90
2.8	Sabbia texture	"	112	112	112
2.9	Manhattan texture	"	112	112	112
2.10	Sandy stone texture	"	154	154	154
2.11	Selva Granite texture	"	116	116	116
2.12	Elligance stone texture	"	107	107	107
2.13	Granite tone texture	"	98	98	98
2.14	Romaart texture	"	124	124	124
2.15	Insulplast texture	"	135	135	135
3	Acro Bio-guard (Hospital Paint)	"	54	54	54
4	Acro Elastocarb(anti carbonisation paint)	"	38	38	38
1	EXTERIOR SURFACE WEATHERCOAT PAINTS				
	1.ACROGUARD 3X	ब.फि	23	23	23
	2. ACROGUARD	"	21	21	21
	3. ACROSHIELD	"	17	17	17
	4. ACROTEX MATT	"	31	31	31
2	INTERIOR SURFACE EMULSION PAINTS				
	1. ACROPEARL EMULSION PAINTS	ब.फि	24	24	24
	2. ACROSILK EMULSION PAINTS	"	20	20	20
	3. AQUALIN EMULSION PAINTS	"	16	16	16
	4. AQUALIN ACRYLIC WASHABLE DISTEMPER	"	11	11	11



	5. ACRO GOLD ENAMEL PAINTS	"	18	18	18	
	Expansion joint					
1	Horizontal Area fixing clips affixed aluminium joint covers VEDA FRANCE Series JDH 5.2.050 standard load.	RM	15450	15450	15450	
2	Clips Affixed Mill Finish Aluminium for standard and seismic joint covers VEDA FRANCE CJV-180 Alu.	RM	12875	12875	12875	
3	Extruded Aluminium Joint Covers VEDA FRANCE CJE- PF flat.	RM	14935	14935	14935	
4	Folded Joint Covers VEDA France Series CJP a silver anodized coating.	RM	18025	18025	18025	
5	Vertical Joints Standard and Seismic interior use VEDA FRANCE Series JDV 4.2	RM	25750	25750	25750	
6	Vertical Joints Exterior use VEDA FRANCE Series JDV 4.4 flat.	RM	13390	13390	13390	
7	Vertical Joints Exterior use VEDA FRANCE Series JDV 4.6 flat.	RM	19055	19055	19055	
8	Vertical Joints VEDA FRANCE Series JDV 4.10 / 4.12 flat	RM	28840	28840	28840	
9	Suspended Ceiling Joints VEDA FRANCE Series JDV 4.14	RM	12360	12360	12360	
10	Floor Joint VEDA FRANCE Series JDH 5.2 standard loads.	RM	21115	21115	21115	
11	Floor Joint VEDA FRANCE Series JDH 5.4 standard loads.	RM	33475	33475	33475	
12	Floor Joint VEDA FRANCE Series JDH 5.8 standard loads.	RM	36050	36050	36050	
13	Floor Joint VEDA FRANCE Series JDH 5.26 heavy loads.	RM	38625	38625	38625	
14	CAR Park Joint VEDA FRANCE Series JDH 5.30 standard loads(15 to 35mm)	RM	16480	16480	16480	
15	CAR Park Joint VEDA FRANCE Series JDH 5.32 standard loads (40 to70mm)	RM	31930	31930	31930	
16	BED Affixed Control Joints VEDA FRANCE Series JF 1700	RM	19313	19313	19313	
17	BED Affixed Control Joints VEDA FRANCE Series JF LUXE 2700	RM	29355	29355	29355	
18	BED Affixed Control Joints VEDA FRANCE Series JF Deco.	RM	9270	9270	9270	
19	Adhesive Affixed Control Joints VEDA FRANCE Series JF 600/1	RM	1545	1545	1545	
20	Adhesive Affixed Control Joints VEDA FRANCE Series JF 600/2	RM	2060	2060	2060	
21	Adhesive Affixed Control Joints VEDA FRANCE Series JF 1600	RM	15450	15450	15450	
22	Stair Nosing VEDA France MDM VD 320/550/1010	RM	9785	9785	9785	
38	Wall Paper					
	Wall paper (10m.x 0.53m)	रोल	1236	1236	1236	
	Fittings for wall paper	व.फि	7	7	7	
	White glue for wall paper	लि.	108	108	108	
39	Eradication of peepal & other plants					
a)	Stem up to 1" thickness	गोटा	-	-	-	
b)	Stem up to 1"-2" thickness	"	-	-	-	
c)	Stem up to 2"-3" thickness	"	-	-	-	
d)	Stem up to 3"-4" thickness	"	-	-	-	
40	Gypsum board					
40.1	Supplying and fixing of Thai gypsum board application work					
	i) फलस सिलिङ्ग गर्ने	व.फि	-	-	-	
	ii)Water resistant false ceiling	"	-	-	-	
	iii)Wall partition	"	119	119	119	
	iv)Wall paneling	"	79	79	79	



	v)Metalized polited laminated Board (MPL) board	"	76	76	76
	12.5mm thick Gypsum Board False ceiling including all necessary material	"	70	70	70
41	Calcium Silicate Board supplying & fitting all complete work				
41.1	Solid Infill wall (Shera, Everest or Thai Gypsum or equivalent				
	Solid infill wall 3" with EPS AND Foam concrete	व.मी.	3793	3793	3793
41.2	Solid Infill wall (Chinese or equivalent)				
	Solid infill wall 3"	व.मी.	1770	1770	1770
41.3	Solid Infill wall WITH TWO SIDE .5MM MS plate, powder quoted infill with high presurred Polyrethen with 40 kg+2 kg /cu mtr				
	Solid infill wall 50mm	व.मी.	3288	3288	3288
42	Interlocking Cement Concrete Block(Not less than M20 RCC Block)				
	a) Curb stone (M 25)	र.मि.	1123	1123	1123
	25 mm thick C.C. Tile (Grey color)				
	Burfi , Round , Boby Checker	Sqft	42	42	42
	25 mm thick C.C. Tile (Red color)				
	Burfi , Round , Boby Checker	Sqft	44	44	44
	50 mm thick CC Block (Grey color)				
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock	Sqft	51	51	51
	50 mm thick CC Block (Red color)				
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock	Sqft	52	52	52
	60 mm thick CC Block (Grey color)				
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock , Plus Interlock	Sqft	53	53	53
	60 mm thick CC Block (Red color)				
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock , Plus Interlock	Sqft	55	55	55
	70 mm thick CC Block (Red color)				
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock	Sqft	61	61	61
	60 mm thick CC Block (Ocm or equivalent)				
	Brick type (23*11*6cm)non colour	Nos	10	10	10
	Hexagon (22*22 cm) non colour	"	23	23	23
	Hexagon (22*22 cm) colour	"	25	25	25
	Square paver (30*30*4.5cm)non colour	"	32	32	32
	Square paver (30*30*4.5cm)colour	"	34	34	34
	inter block(24*13*6cm)	"	14	14	14
	Isave paver (20*16*6cm)	"	16	16	16
	supply of concrete Block different items United concrete or other Equvailent				
	Hollow Block (16"*8"*6")	Nos	78	78	78
	Hollow Block (16"*8"*4")	"	69	69	69
	Corner Hollow Block (16"*8"*6")	"	89	89	89
	Lintel Block (16"*8"*6")	"	89	89	89
	Pavers Block (fish or other shape) 60mm thick	"	20	20	20
	concrete Brick (9"*4"*2.5")	"	13	13	13
	Concrete Prefabricated Frames M40 Concrete standard (इयाल ढोकाका चौकोस, आर्क, भेन्टीलेसन)	प्रति रनिड फुट	199	199	199

नेपाल सरकार
गृह मन्त्रालय
जिन्दा पशुसन्ध काया
नुवाकोट

43	छानामा टाइलको बुझा काट्ने र पानी पट्टी कार्य					
	(१.४) भागको मिश्रणको सिमेन्ट मसला तयार गरि खट राखि १"बाक्लो प्लास्टरमा रुफिड टाइलको बुझा काट्ने सामान सहित (तयारी)	व.मि.	-	-	-	
	१ X २ साइजका (१.४) भागको मिश्रणको मसला तयार गरि खट राखि वर्षादको पानी पट्टी बनाउने काम (तयारी)	र.मी	-	-	-	
44	Heritage Wall Surface Texture (Interior and Exterior) including the cost supplying and fitting					
	i) Heritage granular	व.फि	100	100	100	
	ii) Heritage flakes	"	124	124	124	
	iii) Heritage granite finish	"	108	108	108	
	iv) Heritage Top coat (plastic lamination)	"	29	29	29	
45	UPVC Profile Door and Window/ Wall partition					
	Supplying and installation of UPVC Profile: Sliding window frame 50*80mm; sash 58*36mm, Sliding Door frame 52*88; sash 80*42, Casement window frame 60*60mm:sash 60*78mm, Casement Door frame 60*60; sash 60*104mm white colour with reinforcement, 5mm thick clear float glass, insect net, patented standard hardware like: rollers, gaskets, brush seal, moon locks, push locks, drainage cover, etc.					
	UPVC को भ्याल, ढोका तथा wall partition का निर्माण सामग्रीहरु					
	i) Single glazing					
1	UPVC Sliding window with net (frame 50*80 mm, sash 58*36 mm, white colour with 5mm glass)	Sqm	7215	7215	7215	
2	UPVC Sliding window without net (frame 60*60 mm, sash 66*42 mm, white colour with 5mm glass)	"	6664	6664	6664	
3	UPVC Top Hung window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm glass)	"	7493	7493	7493	
4	UPVC Casement window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm glass)	"	7493	7493	7493	
5	UPVC Single Door with half panel half glass (frame 60*60 mm, sash 60*104 mm, white colour with 5mm glass)	"	8214	8214	8214	
6	UPVC Single Door with full panel (frame 60*60 mm, sash 60*104 mm, white colour)	"	8328	8328	8328	
7	UPVC Double Door (frame 60*60 mm, sash 60*104 mm, white colour with 5mm glass)	"	8884	8884	8884	
8	UPVC Sliding Door with net (frame 52*88 mm, sash 88*42 mm, white colour with 5mm glass)	"	8884	8884	8884	
9	UPVC Sliding Door without net (frame 60*60 mm, sash 88*42 mm, white colour with 5mm glass)	"	8606	8606	8606	
10	UPVC Swing Door with half glass half uPVC panel (frame 60*60 mm)	"	9991	9991	9991	
11	UPVC 88x60mm Sliding white colour window with 5mm glass pannele	Sqm	8626	8626	8626	
11	UPVC 60x64mm white colour casement window with 5mm glass pannele	"	9796	9796	9796	
12	UPVC110x64mm x9mmthick board and 5mm tjick glass pannel white colour	"	10353	10353	10353	
12	UPVC60x60mm x9mmthick white colour partition board with 5mm glass	"	10717	10717	10717	



Handwritten signatures and initials at the bottom of the page, including a large signature on the left and several smaller ones on the right.

13	UPVC60x60mm white colour swing door with 5mm glass pannel		6727	6727	6727	
	ii) Double glazing					
1	UPVC Sliding window with net (frame 50*80 mm, sash 58*36 mm, white colour with 5mm double glass)	Sqm	9435	9435	9435	
2	UPVC Sliding window without net (frame 60*60 mm, sash 66*42 mm, white colour with 5mm double glass)	..	8935	8935	8935	
3	UPVC Top Hung window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm double glass)	..	9718	9718	9718	
4	UPVC Casement window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm double glass)	..	9718	9718	9718	
5	UPVC Single Door with half panel half glass (frame 60*60 mm, sash 60*104 mm, white colour with 5mm double glass)	..	10439	10439	10439	
6	UPVC Double Door (frame 60*60 mm, sash 60*104 mm, white colour with 5mm double glass)	..	10547	10547	10547	
7	UPVC Sliding Door with net (frame 52*88 mm, sash 88*42 mm, white colour with 5mm double glass)	..	11103	11103	11103	
8	UPVC Sliding Door without net (frame 60*60 mm, sash 88*42 mm, white colour with 5mm double glass)	..	10825	10825	10825	
9	Supply & fixing of 80*50 mm white colour casement window	..	9611	9611	9611	
46	Prefab Panel for wall Partition solid wall panel (ESWP) or Equivalient					
46.1	Supply and erection of different mm th. cement base prefabricated Shera, thai gypsum, everst solid wall panel non asbestos including 1.1 mm thick GI channel (50*25*20) mm with necessary accessories and fittings charge in partation wall all complete					
	a) 40 mm thick	..				
	b) 50 mm thick	..	232	232	232	
	c) 75 mm thick	Sq .m.	294	294	294	
46.2	False ceiling/ partition/ external cladding of everest or equivalient fibre designer board					
	Supplying, making, fixing of false ceiling with everest fibre designer board in E-grid	Sqft	91	91	91	
	Supplying, making, fixing of 70mm thick exterior with full height of partirion with everest fibre cemnet board	Sqft	271	271	271	
	Supplying, making, fixing of 66mm thick exterior with full height of partirion with everest fibre cemnet board	Sqft	237	237	237	
	Supplying, making, fixing of 91mm thick exterior with full height of partirion with everest fibre cemnet board	Sqft	302	302	302	
	Supplying, making, fixing of external cladding with 9 mm HD/ 7.5mm everest sliding board	Sqft	266	266	266	
	Supplying, making, fixing of 50mm thick full height of partirion with everest RAPICON wall panels	Sqft	211	211	211	
	Supplying, making, fixing of 75mm thick full height of partirion with everest RAPICON wall panels	Sqft	279	279	279	



46.3	6 mm thick Flex-O- Board (Water proof cement board) 6mm thick for false ceiling	Sqft	-	-	-
46.4	Cement board Aerocon C Board CK Birala , Everest or equivalent				
	6 mm thick	Sqft	33	33	33
	8 mm thick	Sqft	41	41	41
	10 mm thick	Sqft	52	52	52
	12 mm thick	Sqft	62	62	62
46.5	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire				
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 2 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	Sqft	381	381	381
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 3 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	Sqft	412	412	412
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 4 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	Sqft	509	509	509
	Joint less false ceiling chanel 0.55mm thick flange of 20 mm and another flange 30mm (conform to IS 4862 : 2000) all complete work Everest or equivalent	Sqft	109	109	109
	Rapicon solid wall panel 50/75 mm thick conform to IS 14862 (density more than 1200kg /m3) Everest or equivalent				
	50 mm thick	Sqft	255	255	255
	75 mm thick	Sqft	337	337	337
	External cladding with 9mm /7.5 mm siding board and GI steel frame work	Sqft	274	274	274
	Full Height Partition (With 9mm thick Fiber Cement Heavy Duty Wall Board on exterior side and 10mm Standard FCB Interior side and 51mm G.I wall frame system) Exterior cum Interior Wall confirming to IS 14862:2000 & Type A Category IV of ISO 8336:1993	Sqft	278	278	278
	Full Height Partition (With 8mm thick Fiber Cement Wall Board on both side and 51mm G.I wall frame system) Interior Wall confirming to IS 14862:2000 & Type A Category IV of ISO 8336:1993	Sqft	243	243	243
	Full Height Partition (With 9mm thick Fiber Cement Wall Board exterior & 10mm Interior on interior side and 72mm G.I wall frame system) Exterior cum Interior confirming to IS 14862:2000 & Type A Category IV of ISO 8336:1993	Sqft	310	310	310
	False Floor / Cavity Floor (With 15mm thick Heavy Duty Fiber Cement / 20mm Standard FCB Floor Board and Specified M.S frame system for design load) confirming to IS 14862 : 2000	Sqft	348	348	348
47	Aluminium &Steel Door & Window				



Handwritten signatures and initials in black ink, including a large signature at the bottom left and several smaller ones scattered across the bottom of the page.

47.1	Mention rates are including supplying of necessary chemicals, materials, fittings, labours as per manufacturer's specifications all complete or as per consultant's direction.					
	Aluminum fixed panel window with ventilation but without fly mesh shutter from section. (88×38×1.20) mm and 5 mm glass.	व.फि	509	509	530	
	Aluminum fixed panel window with ventilation but with fly mesh shutter from section. (88×38×1.20) mm and 5 mm glass.	"	547	547	570	
	Aluminum sliding windows without ventilator from section (101×45×1.50) mm and 5 mm glass.	"	533	533	560	
	Do but with ventilator from section (101×45×1.50)mm and 5 mm glass.	"	572	572	600	
	Siding door with naturally anodized color section of (101×45×1.50)mm (40×45×1.5)mm & 5 mm glass.	"	658	658	690	
	Siding door with naturally anodized color section of (78×38×1.30)mm (40×45×1.5)mm & 5 mm glass.	"	411	411	430	
	Casement double panel aluminum windows with ventilation. Section size (88×45×1.10)mm, (38×34×1.10)mm & 5 mm glass.	"	411	411	430	
	Casement double panel aluminum windows with ventilation. Section size (54×33×1.50)mm, (38×34×1.50)mm & 5 mm glass.	"	509	509	530	
	Casement door of aluminum section in naturally anodized color. Section size (100×38×1.30) mm and 5 mm glass.	"	456	456	475	
	Casement door of aluminum section in naturally anodized color. Section size (101×45×1.50) mm and 5 mm glass.	"	623	623	650	
	Swing door door of aluminum section in naturally anodized color. Section size (101×45×1.50) mm and 5 mm glass.	"	623	623	650	
	Siding windows 2 track in naturally anodized color section of (88×38×1.10)mm 5 mm glass.	"	364	364	380	
	Siding windows 2 track in naturally anodized color section of (88×38×1.30)mm 5 mm glass.	"	483	483	505	
	Fixed windows & partitions with fixed ventilators from 9mm board and section (101×45×1.50)mm	"	483	483	505	
	Aluminium partition with 5 mm thick glass and 9 mm thick laminated board of section (101 x45x1.2)	"	483	483	505	
	Aluminium partition with 5 mm thick glass and 9 mm thick laminated board of section (64 x38x1.2)	"	458	458	480	
	दुई/तीन पैनल भएको स्लाइडिङ भ्याल (८५X५०X१.२० मी.मी.) शिशा ५ मी.मी.समेत सादा	"	502	502	525	
	दुई/तीन पैनल भएको स्लाइडिङ भ्याल (८५X५०X१.२० मी.मी.) शिशा ५ मी.मी. जाली खापा समेत भएको ।	"	553	553	580	
	दुई/तीन पैनल भएको स्लाइडिङ भ्याल फिक्स भेन्टीलेसन भएको (८५X५०X१.२० मी.मी.) शिशा ५ मी.मी. सहित (सादा)	"	553	553	580	
	दुई/तीन पैनल भएको स्लाइडिङ भ्याल फिक्स भेन्टीलेसन भएको (८५X५०X१.२० मी.मी.) शिशा ५ मी.मी. जाली खापा सहित भएको ।	"	502	502	525	
	102 series windows					



Providing and fixing of aluminium windows of section (102 series) 1.2 mm th. Fitted with 5 mm clear glass without fly mesh shutter (window size 6'X4'6" or 27 sqft / window)	ब.फि	531	531	555	
Providing and fixing of aluminium windows with top fixed glass of section (102 series) 1.2 mm th. Fitted with 5 mm clear glass without fly mesh shutter (window size 6'X5' or avg area 30 sqft/ window)	"	607	607	635	
Providing and fix windows of section (102 series) 1.2 mm th. Fitted with 5 mm clear glass	"	447	447	465	
Providing and fixing of aluminium fix windows of section (102 series) 1.2 mm th. Fitted with 5 mm clear fly mesh (size 2'X4'6")	"	143	143	145	
90 series windows					
Providing and fixing sliding windows of section 90 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6*5' or avg area 30 sqft per window)	"	500	500	520	
Providing and fixing sliding window with top fix glass of section 90 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6*5' or avg area 30 sqft per window)	"	527	527	550	
Providing and fixing aluminium fix windows of section 90 series 1.2 th. Fitted with 5 mm clear glass	"	420	420	440	
Providing and fixing flymesh shutter of section 90 series 1 th. Fitted withss flymesh (2*4'6")	"	143	143	145	
78 series windows					
Providing and fixing sliding windows of section 78 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6*4'6" or avg area 27 sqft per window)	"	439	439	460	
Providing and fixing sliding window with top fix glass of section 78 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6*5' or avg area 30 sqft per window)	"	468	468	490	
Providing and fixing aluminium fix windows of section 78 series 1.2 th. Fitted with 5 mm clear glass	"	393	393	410	
Providing and fixing flymesh shutter of section 78 series 1 th. Fitted with SS flymesh (2*4'6")	"	130	130	135	
Casement window and doors					
Providing and fixing aluminium casement windows of section 38 series 1.2 mm th. Fitted with 5 mm clear glass avg. area of each shutter 6.sq.ft	"	514	514	535	
Providing and fixing aluminium casement doors of section 102 series 1.2 mm th. Fitted with 5 mm clear glass	"	558	558	585	
Providing and fixing swing doors of section 102 series 1.2 mm th. Fitted with 5 mm clear glass	"	710	710	745	
Partition work					
Providing and fixing aluminum full height partation of section 64 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel aera 10 sqft	"	336	336	350	



Handwritten signatures and initials at the bottom of the page, including a large signature on the left and several smaller ones on the right.

	Providing and fixing aluminum low height partation of section 64 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel aera 6 sqft	"	357	357	370
	Providing and fixing aluminum full height partation of section 102 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel aera 10 sqft	"	385	385	400
	Providing and fixing aluminum low height partation of section 102 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel aera 6 sqft	"	478	478	500
	Structure glazing				
	Providing and fixing aluminuim structure glazing of section size 61*50*1.3 m fitted with 5 m colour glass av. Panel area 6 sqft	"	536	536	560
	Providing and fixing aluminuim structure glazing of section size 61*75*1.6 m fitted with 5 m colour glass av. Panel area 6 sqft	"	621	621	650
	Providing and fixing aluminuim structure glazing of section size 61*100*2 m fitted with 5 m colour glass av. Panel area 6 sqft	"	755	755	790
48	Aluminium composite panel				
48.1	Providing and fixing aluminium composite panel in 25*38*1.1 m tube framing ALSTRONG, PRIME BOND,ALUTUF , INDO BOND or equivalent				
	3 mm , .20 mm black core	ब.फि	357	357	370
	3 mm , .25 mm black core	"	366	366	380
	3 mm , .30 mm black core	"	379	379	395
	4 mm , .25 mm black core	"	389	389	405
	4 mm , .30 mm black core	"	379	379	395
	4 mm , .50 mm black core	"	402	402	420
	4 mm , .25 mm Vergin core	"	411	411	430
	4 mm , .30 mm vergin core	"	379	379	395
	4 mm , .50 mm vergin core	"	411	411	430
48.2	फाइबरका निर्माण सामग्रीहरूको विवरण				
1	WPC Single Toilet Hollow Door Board				
	(Size up to 14 sq. ft.) (32 mm)	प्रति स्ववायर फिट	660	660	660
	Embossing Without Film	प्रति स्ववायर फिट	765	765	765
	With Hot-stamping Film	प्रति स्ववायर फिट	810	810	810
2	WPC Single Room Hollow Door Board (Size from 15 sq. ft. to 18 sq. ft.) (32 mm)				
	Embossing Without Film	प्रति स्ववायर फिट	660	660	660
	With Hot-stamping Film	प्रति स्ववायर फिट	765	765	765
	With Hot-stamping Film and Grooving	प्रति स्ववायर फिट	810	810	810
3	WPC Double Hollow Door Board (Small) (Size from 19 sq. ft. to 22 sq. ft.)(32 mm)				
	Embossing Without Film	प्रति स्ववायर फिट	660	660	660
	With Hot-stamping Film	प्रति स्ववायर फिट	765	765	765
	With Hot-stamping Film and Grooving	प्रति स्ववायर फिट	810	810	810
4	WPC Double Hollow Door Board (Medium) (Size from 23 sq. ft. to 26 sq. ft.) (32 mm)				



Handwritten signatures and initials are present at the bottom of the page, including a large signature on the left and several smaller ones on the right.

	Embossing Without Film	प्रति स्ववायर फिट	660	660	660
	With Hot-stamping Film	प्रति स्ववायर फिट	765	765	765
	With Hot-stamping Film and Grooving	प्रति स्ववायर फिट	810	810	810
5	WPC Double Hollow Door Board (Big) (Size from 27 sq. ft. to 32 sq. ft.) (32 mm)				
	Embossing Without Film	प्रति स्ववायर फिट	660	660	660
	With Hot-stamping Film	प्रति स्ववायर फिट	765	765	765
	With Hot-stamping Film and Grooving	प्रति स्ववायर फिट	810	810	810
6	SMC Manhole Covers				
	Frame*Cover : 880mm*700mm-Round-Yellow and Grey (50 Ton Capacity)	प्रति गोटा	32691	32691	32691
	Frame*Cover : 725mm*600mm-Round-Yellow and Grey (40 Ton Capacity)	प्रति गोटा	24159	24159	24159
	Frame*Cover : 670mm*570mm-Round-Yellow and Grey (30 Ton Capacity)	प्रति गोटा	14382	14382	14382
	Frame*Cover : 400mm*300mm-Square-Yellow and Grey (7.5 Ton Capacity)	प्रति गोटा	7426	7426	7426
	Frame*Cover : 400mm*300mm-Square-Yellow and Grey (5 Ton Capacity)	प्रति गोटा	3590	3590	3590
	Frame*Cover : 670mm*570mm-Square Jali-Yellow and Grey (5 Ton Capacity)	प्रति गोटा	12515	12515	12515
	Frame*Cover : 570mm*475mm-Square-Yellow and Grey (5 Ton Capacity)	प्रति गोटा	8007	8007	8007
	Frame*Cover : 670mm*625mm-Square-Yellow and Grey (Overlapping 50 Ton Capacity)	प्रति गोटा	20400	20400	20400
	Frame*Cover : 570mm*525mm-Square-Yellow and Grey (Overlapping 15 Ton Capacity)	प्रति गोटा	12240	12240	12240
	Frame*Cover : 725mm*600mm-Round-Yellow and Grey (10 Ton Capacity)	प्रति गोटा	18666	18666	18666
	Frame*Cover : 570mm*475mm-Square-Yellow and Grey (2 Ton Capacity)	प्रति गोटा	6865	6865	6865
7	Fiber Door-Single				
	Single (Model : Khapa, Galaxy, Namaste D and Four Square)	प्रति स्ववायर फिट	1090	1090	1090
	Single (Model: Kalash, New Flower and Peacock)	प्रति स्ववायर फिट	1315	1315	1315
	Double (Model : Glass Art)	प्रति स्ववायर फिट	1635	1635	1635
	Double (Model : Old Murti)	प्रति स्ववायर फिट	1850	1850	1850
	Double (Model : New Murti)	प्रति स्ववायर फिट	2050	2050	2050
8	Fiber Door Frame				
	Thickness : 100 and 110 mm	प्रति रनिङ्ग फिट	435	435	435
9	Fiber Window or Ventilation Frame				
	Thickness : 110 mm	प्रति रनिङ्ग फिट	455	455	455
10	Fiber Window Panel				
	Non-Overlapping (Size: 4.5 sq. ft. to 7.5 sq. ft.)-Blue, Black , Green	प्रतिगोटा	4740	4740	4740
	Non-Overlapping (Size: 4.5 sq. ft. to 7.5 sq. ft.)-Clear	प्रतिगोटा	4530	4530	4530
	Overlapping (Size: 4.5 sq. ft. to 7.5 sq. ft.)-Blue, Black , Green	प्रतिगोटा	4980	4980	4980
	Overlapping (Size: 4.5 sq. ft. to 7.5 sq. ft.)-Clear	प्रतिगोटा	4740	4740	4740
11	Fiber Window Net Panel				
	Non-Overlapping (Size: 4.5 sq.ft. to 7.5 sq.ft.)	प्रतिगोटा	4500	4500	4500
12	Fiber Ventilation Panel				
	(Size: 3 Sq.ft. to 4.5 sq.ft.)- Blue, Black, Green	प्रतिगोटा	3540	3540	3540
	(Size: 3 Sq.ft. to 4.5 sq.ft.)- Clear	प्रतिगोटा	3360	3360	3360
13	Fiber Ventilation Net Panel				



नेपाल सरकार
महोदय
कृषि तथा पशुप्रासन क
नुवाकोट

[Handwritten signatures and marks]

	(Size: 3 Sq.ft. to 4.5 sq.ft.)	प्रतिगोटा	3360	3360	3360
14	Fiber Plain Sheet				
	(Thickness : 1.2 mm)-Red, Blue, Green and Clear	प्रति स्ववायर फिट	100	100	100
	(Thickness : 1.5 mm)-Red, Blue, Green and Clear	प्रति स्ववायर फिट	120	120	120
	(Thickness : 1.8 mm)-Red, Blue, Green and Clear	प्रति स्ववायर फिट	145	145	145
	(Thickness : 2 mm)-Red, Blue, Green and Clear	प्रति स्ववायर फिट	155	155	155
	(Thickness : 2.5 mm)-Red, Blue, Green and Clear	प्रति स्ववायर फिट	195	195	195
	(Thickness : 3 mm)-Red, Blue, Green and Clear	प्रति स्ववायर फिट	240	240	240
15	Fiber Corrugated Sheet				
	Fiber S span Thickness 2mm, width 42"	प्रति रनिङ्ग फिट	640	640	640
	Normal Corrugation (Thickness : 0.6 mm)-Clear	प्रति रनिङ्ग फिट	125	125	125
	Normal Corrugation (Thickness : 0.8 mm)-Clear	प्रति रनिङ्ग फिट	170	170	170
	Fiber Heritage Sheet Width 34" Thickness 2 mm	प्रति रनिङ्ग फिट	485	485	485
16	Sandwich PUF Roofing Panel				
	30mm Thickness	प्रति वर्ग फिट	285	285	285
	40mm Thickness	प्रति वर्ग फिट	310	310	310
	50mm Thickness	प्रति वर्ग फिट	335	335	335
17	Sandwich PUF Wall Panel				
	40mm Thickness	प्रति वर्ग फिट	295	295	295
	50mm Thickness	प्रति वर्ग फिट	320	320	320
	75mm Thickness	प्रति वर्ग फिट	380	380	380
	100 mm Thickness	प्रति वर्ग फिट	455	455	455
	125 mm Thickness	प्रति वर्ग फिट	505	505	505
	150mm Thickness	प्रति वर्ग फिट	560	560	560
18	Metal Tile Roofing Sheet				
		प्रति बन्डल	22150	22150	22150
		प्रति बन्डल	24550	24550	24550
19	CZU Chanel				
	C Z U (2mm Thickness/	प्रति के.जी	205	205	205
	C Z U (1.8mm Thickness) (10mm)	प्रति के.जी	210	210	210
20	Ridge Cap (0.4 Thickness)	प्रति रनिङ्ग फिट	200	200	200
21	Gutter				
	0.50 mm Thickness (Size-	प्रति रनिङ्ग फिट	95	95	95
	0.50 mm Thickness (Size-	प्रति रनिङ्ग फिट	165	165	165
	0.40 mm Thickness (Size-	प्रति रनिङ्ग फिट	115	115	115
	0.40 mm Thickness (Size-	प्रति रनिङ्ग फिट	165	165	165
22	Polycarbonate Corrugated Sheet				
	1 mm Thickness	प्रति वर्ग फिट	100	100	100
	1.25mm Thickness	प्रति वर्ग फिट	120	120	120
	1.5 mm Thickness	प्रति वर्ग फिट	145	145	145
	1.75mm Thickness	प्रति वर्ग फिट	165	165	165
	2 mm Thickness	प्रति वर्ग फिट	190	190	190
	2.5 mm Thickness	प्रति वर्ग फिट	230	230	230
23	Polycarbonate Plain Sheet				
	1 mm Thickness	प्रति वर्ग फिट	85	85	85
	1.5 mm Thickness	प्रति वर्ग फिट	130	130	130
	2 mm Thickness	प्रति वर्ग फिट	175	175	175
	2.5 mm Thickness	प्रति वर्ग फिट	215	215	215
	3 mm Thickness	प्रति वर्ग फिट	260	260	260
	4 mm Thickness	प्रति वर्ग फिट	350	350	350
	5 mm Thickness	प्रति वर्ग फिट	435	435	435
	6 mm Thickness	प्रति वर्ग फिट	525	525	525
	8 mm Thickness	प्रति वर्ग फिट	700	700	700
	10 mm Thickness	प्रति वर्ग फिट	880	880	880
	12 mm Thickness	प्रति वर्ग फिट	1055	1055	1055



Handwritten signatures and initials are present at the bottom of the page, including a large signature on the left and several smaller ones on the right.

49	Water proofing (chemicals & Treatment)works				
1	CONCRETE ADMIXTURES (Chemical)				
1.1	Water Reducing Admixture Concrete & Mortar [Lignosulphonate Based] Std. Conformance : ASTM C 494 - 1981 (Type A) / IS 2645 Dose 0.3 to 1.1 % by.wt. cement	Kg.	166	166	166
1.2	High Range Water Reducing Super Plasticizer for Concrete & Mortar [Napthalene Formladehyde Based] Std. Conformance : ASTM C 494 - 1981 (Type F) / IS 9103 -1999 Dose 0.2 to 3 % by wt of cement	Kg.	299	299	299
1.3	Ultra High Range Water Reducing Super Plasticizer for Concrete & Mortar [Polycarboxylate Ether Based] Std. Conformance : ASTM C 494 - 1981 (Type F) Dose :0.2 to 1.6 % by wt of cement	Kg.	495	495	495
1.5	Integral Waterproofing Additive for Concrete & Plaster Std. Conformance : ASTM C 494 - 1981 (Type G), IS 9103 -2007, IS 2645 Dose :0.4 to 2% by wt of cement	Kg.	303	303	303
1.6	Integral Crystalline Waterproofing Powder Admixture Std. Conformance : ASTM C 494, IS 3085 -1997, DIN 1048 - 1991 Part 5 Dose : 0.5 to 2% by wt of cement	Kg.	935	935	935
1.7	Integral Crystalline Waterproofing Liquid Admixture Std. Conformance : ASTM C 494, IS 3085 - 1997, DIN 1048 - 1991 Part 5 Dose : 0.5 to 2% by wt of cement	Kg.	935	935	935
1.8	Integral Waterproofing Powder Admixture Std. Conformance : ASTM C 494, IS 3085 -1997, DIN 1048 - 1991 Part 5 Dose :0.2 to 2 % by wt of cement	Kg.	1375	1375	1375
1.9	Integral Waterproofing Powder Admixture for Mortars Std. Conformance : ASTM C 494, IS 3085 -1997, DIN 1048 - 1991 Part 5 Dose : 0.2 to 1 % by wt of cement	Kg.	165	165	165
1.1	Accelerator & Spray Shotcrete / Concrete Plasticizer [Silicate Based]	Kg.	275	275	275
1.11	Accelerator & Spray Shotcrete / Concrete Liquid Plasticizer [Alkali Free]	Kg.	385	385	385
1.12	Accelerator & Spray Shotcrete / Concrete Powder Plasticizer [Alkali Free]	Kg.	330	330	330
1.13	Retarding Superplasticizer for Concrete [Napthalene Based] Std. Conformance : ASTM C 494 - 1981 (Type G / D), IS 9103 - 2007 Dose 0.2 to 3 % by wt of cement	Kg.	248	248	248
1.14	Retarding Superplasticizer for Concrete [Polycarboxylate Ether Based] Std. Conformance : ASTM C 494 - 1981 (Type G) Dose : 0.2 to 2.2 % by wt of cement	Kg.	495	495	495
1.15	Resin ,Multi / polycarboxylate ether cholride free less alkali super plasticizer and micro siloica in one ASTM C494 Dose :0.5 to 2.1 % by wt of cement	kg	650	650	650
2	CONCRETE ADMIXTURES (Mineral)				



Handwritten signatures and initials are present at the bottom of the page, including a large signature on the left and several smaller ones on the right.

2.1	Silica Fume / Silica Cement Admixture / Micro Silica for High Performance Concrete Std. Conformance : ASTM C 1240 - 2005, IS 15388 - 2003 Dose :5 to 15 % by wt of cement	Kg.	331	331	331
2.2	Processed FA Based Mineral Additives Dose :5 to 20 % by wt of cement	Kg.	98	98	98
3	JOINT SEALANTS & SYSTEMS				
3.1	Two Component Gun Grade Polysulphide Sealant for Vertical Surfaces	Kg.	2396	2396	2396
3.2	Two Component Pour Grade Polysulfide Sealant for Horizontal Surfaces	Kg.	2396	2396	2396
3.3	One Component Low Viscosity Primer For Polysulfide Sealant	Kg.	3993	3993	3993
3.4	Two Component Pour Grade Polyurethane Sealant for Joints	Kg.	2662	2662	2662
3.5	Low Viscosity Primer For Polyurethane Sealant	Kg.	3993	3993	3993
3.6	High Performance Hybrid Silyl Sealant (290 ml per set)	set	1597	1597	1597
3.7	Butyl Tape for various Applications	RM	166	166	166
3.8	Waterproofing Joint Tape [120 mm]	RM	666	666	666
3.9	Waterproofing Joint Tape [200 mm]	RM	865	865	865
3.10	NBR based Waterproofing Joint Tape [200 mm]	RM	5324	5324	5324
3.11	Joint Tape Epoxy Adhesive	Kg.	3993	3993	3993
3.12	Glass Fiber Joint Tape	RM.	300	300	300
3.13	Waterproofing / Expansion Joint Tape [100 mm]	RM.	1997	1997	1997
3.14	Waterproofing / Expansion Joint Tape [200 mm]	RM.	3594	3594	3594
3.15	Construction Joint Tape [100 mm]	RM.	1065	1065	1065
3.16	Construction Joint Tape [100 mm]	RM.	865	865	865
3.17	Cross Linked Premoulded Compressive Joint Filler [25 mm]	Sq. M.	3261	3261	3261
3.18	Cross Linked Premoulded Compressive Joint Filler [50 mm]	Sq. M.	6455	6455	6455
3.19	Closed Cell Polymerbased Joint Filler [25 mm]	Sq. M.	1065	1065	1065
3.2	Closed Cell Polymerbased Joint Filler [50 mm]	Sq. M.	1997	1997	1997
4	INDUSTRIAL FLOORING SOLUTIONS				
4.1	Hardwearing, abrasion resistant monolithic industrial flooring compound [Metallic]	Kg.	146	146	146
4.2	Liquid Concrete Hardener & Dust Proofer	Kg.	499	499	499
4.3	Anti Bacterial Floor & Wall Coating [Epoxy]	Kg.	2995	2995	2995
4.4	Anti Bacterial Floor & Wall Coating [Polyurethane]	Kg.	3328	3328	3328
4.5	Anti bacterial Floor & Wall Coating [Acrylic]	Kg.	2662	2662	2662
4.6	Self Levelling Flooring System [Epoxy]	Kg.	1331	1331	1331
4.7	Self Levelling Flooring System [Polyurethane]	Kg.	1997	1997	1997
4.8	Self Levelling Cementitious Flooring System	Kg.	399	399	399
5	ENGINEERING GROUTS				
5.1	General Purpose High Strength Free Flowing, Non Shrink Cementitious Grout [M40]	Kg.	146	146	146
5.2	Ultra High Strength Free Flowing, Non Shrink Cementitious Grout [M60]	Kg.	135	135	135
5.3	Hard wearing cementitious tile grout	Kg.	213	213	213
5.4	Hard wearing epoxy based tile grout	Kg.	1331	1331	1331



Page 29

Handwritten signatures and initials are present at the bottom of the page, including a large signature on the left and several smaller ones on the right.

5.5	Super Plasticizer, Shrinkage Compensating Grout Admixture	Kg.	666	666	666	
5.6	High Strength Precision Grade, Non Shrink Structural Epoxy AnchorgROUT	Kg.	3328	3328	3328	
5.7	Epoxy Acrylate High Strength Precision Grade, Non Shrink Structural Grout [400 ML Cartridge]	ML	5990	5990	5990	
5.8	Low Viscosity Injection Epoxy Grout	Kg.	8652	8652	8652	
5.9	Low Viscosity Polyurethane Injection Grout Dose : 231 cubic inchec per gallon	Kg.	18634	18634	18634	
5.10	Low Viscosity Acrylate Gel Injection Grout	Kg.	11314	11314	11314	
5.11	Low Viscosity Soil Stabilization Injection Grout	Kg.	18634	18634	18634	
6	BONDING ADHESIVES (Polymer & Epoxy Resin)					
6.1	Acrylic Bonding Agent For Concrete & Mortar	Kg.	865	865	865	
6.2	Versatile SBR Latex for Bonding, Grouting & Repair Mortars	Kg.	1131	1131	1131	
6.3	High Performanace Pure Acrylic Polymer for Concrete & Mortar Modification' & Bonding Adhesive	Kg.	1597	1597	1597	
6.4	Two Component Epoxy Resin Bonding Agent [For bonding new to old concrete]	Kg.	2396	2396	2396	
7	FIBERS (Steel & Polypropylene)					
7.1	FIBERMESH MF [Monofilament PP Fibers]	Kg.	1331	1331	1331	
7.2	FIBERMESH FB [Collated PP Fibers]	Kg.	1730	1730	1730	
7.3	FIBERMESH MACRO [Structural PP Fibers]	Kg.	2662	2662	2662	
7.4	Loose steel Fibers	Kg.	333	333	333	
7.5	Glued Steel Fibers	Kg.	466	466	466	
7.6	Crimped Steel Fibers	Kg.	245	245	245	
8	SURFACE TREATMENT					
8.1	Protective, Decorative Anti Carbonation Coating	Kg.	1597	1597	1597	
8.2	Protective, Decorative Insulating Anti Carbonation Coating	Kg.	1797	1797	1797	
8.3	Concrete Penetrating Corrosion Inhibitor	Kg.	5990	5990	5990	
8.4	Protective Acrylic Sealer	Kg.	1997	1997	1997	
8.5	Protective Polyurethane Sealer	Kg.	2396	2396	2396	
8.6	Water Based Fire Retardant Coating	Kg.	1597	1597	1597	
8.7	High Performance Water Repellent Paint	Ltr.	11979	11979	11979	
8.8	Concentrated & Emulsified Chemical Mould Release Agent	Ltr.	666	666	666	
8.9	Ready to use Chemical Mould Release Agent	Ltr.	532	532	532	
8.10	Concrete Curing Aid	Kg.	532	532	532	
8.11	Resin,silica based multi function, water proofing and curing compound Dose :cover area: 0.15kg/m2	kg	700	700	700	
	CONCRETE REPAIRS					
9	Rust Remover & Passivator	Ltr.	1331	1331	1331	
9.1	Corrosion Inhibitor	Kg.	1331	1331	1331	
9.2	Micro Concrete [M55] for Permanant Repairs	Kg.	186	186	186	
9.3	Single Component Polymer Modified Cementitious Repair Mortar	Kg.	190	190	190	
9.4	Two Component Polymer Modified Cementitious Repair Mortar	Kg.	333	333	333	
9.5	Cementitious, Waterproof Crack Repair Mortar	Kg.	266	266	266	
9.6	Acrylic Based Crack Filling Putty	Kg.	1597	1597	1597	



9.7	Resin ,Polycoboxylate Base For ultra High Strenth Concrete Repairing Dose : Admixture 10% By Wt of Cement	Kg	700	700	700	
10	PREPACKED MORTARS					
10.1	Tile, Mabrble, Granite etc. Adhesive	Kg.	100	100	100	
10.2	Marble & Granite etc. Adhesive	Kg.	466	466	466	
10.3	Coarse and water resistant Readymix plastering Mortar	Kg.	90	90	90	
10.4	High Performance Polymer Based Wall Putty (Skim Coat)	Kg.	70	70	70	
10.5	High Performance Polymer Based Insulating Wall Putty (Skim Coat)	Kg.	90	90	90	
11	WATERPROOFING SYSTEMS, Bal endura or equivalent					
	INTEGRAL					
11.1	Integral Waterproofing Additive for Concrete & Plaster	Kg.	300	300	300	
11.2	Silica Cement Admixture / Microsilica / Silica Fume	Kg.	315	315	315	
	LIQUID APPLIED					
11.3	Single Pack Polymer Modified Flexible Waterproof Coating System Dose :Cover Area 30 Sq ft- 45 Sq ft/Kg 2 coat	Kg.	932	932	932	
11.4	Two Component Polymer Modified Flexible Acrylic Elastomeric Waterproof Coating System Dose :cover Area :5 Sqft- 7 Sqft/Kg 2 coats	Kg.	666	666	666	
11.5	Two Component Polymer Modified Flexible Elastomeric Waterproof & Thermal Insulating Coating System Dose :consumption: 1.5 kg/m2	Kg.	998	998	998	
11.6	Heavy duty reinforced elastomeric acrylic water proof coating for terrace Dose :cover area: 6 sqft/litre 3 coat	Ltr.	750	750	750	
11.7	Arcylic elastomeric exterior water proof coating for exterior wall Dose :35 sqft/litre 2 coat	Ltr.	700	700	700	
11.8	Crystalline Based Waterproofing Systems	Kg.	363	363	363	
11.9	Fast Setting Plugging Compound for stopping running water	Kg.	424	424	424	
11.10	Polyurethane based Waterproofing Coating System	Kg.	1815	1815	1815	
11.11	Polymer Modified Bitumen based Waterproofing Coating System	Kg.	1452	1452	1452	
11.12	Epoxy Resin based Waterproofing Coating System	Kg.	1815	1815	1815	
11.13	Efflorescence Resistance Penetrating Primer Dose :Cover Area: 80 Sq ft /lt 1 coat	kg	600	600	600	
	PREFORMED					
11.14	Fiber Reinforced Polymer Modified Bituminous Membranes [3mm Plain]	Sq. M.	2178	2178	2178	
11.15	Fiber Reinforced Polymer Modified Bituminous Membranes [3mm Mineral / Sand Finish]	Sq. M.	2420	2420	2420	
11.16	Polymer Modified Self Adhesive Bituminous Membranes [1mm]	Sq. M.	1210	1210	1210	
11.17	Polymer Modified Self Adhesive Bituminous Membranes [2mm]	Sq. M.	1815	1815	1815	
11.18	Polymer Modified Self Adhesive Bituminous Membranes with Aluminium Cover	Sq. M.	1815	1815	1815	
11.19	1.2 mm High Polymer PVC Membranes	Sq. M.	2420	2420	2420	
11.2	PVC Adhesive	Kg.	3025	3025	3025	
11.21	1.2 mm EPDM Membranes	Sq. M.	2420	2420	2420	
11.22	EPDM Adhesive	Kg.	3025	3025	3025	
11.23	EPDM Primer	Kg.	3630	3630	3630	
11.24	2mm TPO Membranes	Sq. M.	4235	4235	4235	
11.25	Polythene & Polypropylene Polymer Compound Waterproof Membrane	Sq. M.	968	968	968	



नेपाल सरकार
गृह मन्त्रालय
जिल्ला प्रशासन कार्यालय
नुवाकोट

Handwritten signatures and initials at the bottom of the page, including a large signature on the left and several smaller ones on the right.

11.26	100% Synthetic Rubber Roof Coating	Kg.	5445	5445	5445
12	SPECIALTY				
12.1	Antistripping Agent for Bitumen	Kg.	484	484	484
12.2	Anti Termite [Imidacloprid 30.5%]	Kg.	9075	9075	9075
12.3	Expanding Concrete Joint WATERSTOP	RM.	2420	2420	2420
12.4	WB ADHESIVE Primer for Expanding Waterstop	2500	9075	9075	9075
12.5	Swellable WATERSTOP	RM.	3025	3025	3025
12.6	SEALGUARD PVC WATERSTOP - PVC Waterstops	RM.	3025	3025	3025
12.7	Nodular Drain with Geotextile Roof Garden	Sq. M.	2420	2420	2420
12.8	SEALGUARD GEOTEX [P] -Polyester Geotextile [Nonwoven 120gm/sqm]	Sq. M.	121	121	80
12.9	THERMOSEAL XPS - Extruded Polystyrene Boards [25 mm]	Sq. M.	1331	1331	1331
12.10	THERMOSEAL XPS - Extruded Polystyrene Boards [40 mm]	Sq. M.	2420	2420	2420
13	STRUCTURAL STRENGTHENING & SEISMIC RETROFITTING				
13.1	Carbon Laminate [50 mm Wide 1.4 mm Thick]	R. M.	9680	9680	9680
13.2	Carbon Laminate [75 mm Wide 1.4 mm Thick]	R. M.	12100	12100	12100
13.3	FRP [Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 200 GSM	Sq. M.	12100	12100	12100
13.4	FRP [Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 400 GSM	Sq. M.	18150	18150	18150
13.5	FRP [Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 600	Sq. M.	24200	24200	24200
13.6	FRP [Fiber Reinforced Polymer] GLASS FiberWRAP Sheet 900 GSM	Sq. M.	18150	18150	18150
13.7	EPOXY PRIMER	Kg.	4235	4235	4235
13.8	SATURANT	Kg.	3630	3630	3630
13.9	LAMINATE ADHESIVE	Kg.	2420	2420	2420
13.11	EPOXY TOPCOAT	Kg.	3630	3630	3630
13.12	POLYURETHANE TOPCOAT	Kg.	4840	4840	4840
13.13	Fiber anchor system 5to 10 mm	R. M.	2420	2420	2420
13.14	Carbon Laminate [50 mm Wide 2 mm Thick]	R. M.	9680	9680	9680
13.15	Carbon Laminate [75 mm Wide 2 mm Thick]	R. M.	12100	12100	12100
14	Soil Stabiliser / Admixture				
14.1	Resin, sulfate resistant, admixture for medium strength concrete and for mud road / gravel road / eco brick tiles, hollow blocks production Dose :0.25 to0.4 % by wt of cement	kg	670	670	670
15	Concrete curing compound				
15.10	Concrete Curing Aid	Kg.	453	453	453
15.20	Resin,silica based multi function, water proofing and curing compound Dose :cover area: 0.15kg/m2	kg	721	721	721
50	परम्परागत निर्माण सामग्रीहरु :-				
	१) दचि अपा ठूलो ८"×२-३/८"×५"	गोटा	21	21	21
	२) दचि अपा सानो ८३/८"×२-१/८"×४-१/४"	"	16	16	16
	३) दचिअपा ठूलोको कुँ	"	25	25	25
	४) दचिअपा सानोको कुँ अपा	"	21	21	21
	५) माँ अपा ठूलो ८-७/८"×२-१/४"×५-३/४"	"	19	19	19
	६) माँ अपा ठूलो 241x60x158 mm	"	24	24	24
	७) मा अपा सानो ८-३/८"×२"×५"	"	15	15	15
	८) धुरी चाङ्ग ठूलो ९-३/८"×१-१/२"×३/४"	"	24	24	24
	९) धुरी 230x295x25 mm	"	-	-	-
	१०) धुरी चाँङ्ग सानो	"	18	18	18
	११) फिगटी नयाँ ८-३/४"×४"	गोटा	11	11	11



[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

१२) भिगंटी पूरानो	गोटा	7	7	7
१३) ढुकु	गोटा	40	40	40
१४) Snake body brick traditional	गोटा	25	25	25
१५) Snake neck brick ,,	गोटा	74	74	74
१६) Snake head brick ,,	गोटा	145	145	145
	क)साना	113	113	113
	ख)ठुलो	227	227	227
१७) पेटीकोलागि ढुङ्गा				
	क) १८"×१०"×४"	680	680	680
१८) नागोल ईटा	गोटा	19	19	19
१९)९"X ९"X १८ इन्च कुना ढुङ्गा	१ मि.	2266	2266	2266
२०) फःल्होह अपा ठुलो 375x225x100mm	गोटा	170	170	170
२१) फःल्होह अपा सानो 254x229x102mm	॥	142	142	142
२२) तीनकुनै तेलिया ईटा (९"×९"×२-१/४"	॥	14	14	14
२३) तीनकुनै तेलिया ईटा (६"×६"×२-१/४"	॥	10	10	10
२४) चारकुनै तेलिया ईटा (८"×८"	॥	19	19	19
२५) तेलिया ईटा (६"×६"	॥	14	14	14
२६) बृष्टेदारी कर्निश इटा (काशीमोहरु)	॥	28	28	28
२७) बृष्टेदारी कर्निश इटा कुना	॥	42	42	42
२८) बृष्टेदारी कर्निश इटा ठुलो 222x273x76mm	॥	170	170	170
२९) भ्याल माथिको कर्निश ईटा बृष्टेदारी	॥	34	34	34
३०) काठको कर्निश माथिको इटा ११×६×२.५"	॥	57	57	57
३१) कर्नर स्टोन : १०"×१०"×१४"	॥	1586	1586	1586
३२) क) विचको न्याहाकल्ल १०"×७"×१४"	॥	1076	1076	1076
३३) नागोल ढुङ्गा १८"×१०"×५	॥	793	793	793
३४) भौ च्वा	गोटा	227	227	227
३५) तामा पाता. (नेपाली)	केजी	1076	1076	1076
तामा पाता (Indian)	केजी	1246	1246	1246
३६) पित्तल पाता	केजी	850	850	850
३७) पारो	ग्राम	170	170	170
३८) सुर्कि इटा कूटि धुलो बनाएको ।	टन	1360	1360	1360
३९) Wind bell हवा घण्टी ४"	गोटा	467	467	467
४०) न्हकंलो वीचको	१ गोटा	1700	1700	1700
४१) पेटीढुङ्गा ४"	१ मि.	2039	2039	2039
४२)पेटीढुङ्गा ५"	१ मि.	2493	2493	2493
४५)श्री गणेश	गोटा	1133	1133	1133
४६)कुमार	गोटा	1133	1133	1133
४७)ढुङ्गे धारा	गोटा	1133	1133	1133
४८) ल्हाकै सेट	गोटा	2266	2266	2266
४९)नागबेली बुटा	गोटा	25	25	25
५०) नागबेली बुटा कुना	गोटा	37	37	37
५१)स्वा बुटा	गोटा	35	35	35
५२) चीर बुटा	गोटा	25	25	25
५३)कार्नेसफयो	गोटा	22	22	22
५४)कार्नेस गजुर पली	गोटा	34	34	34
५५)ठुलो कलश	गोटा	170	170	170
५६)मसीनो सुर्कि	केजि	13	13	13
५७)खस्रो सुर्कि	केजि	8	8	8
५८)गट्टा घुन	के.जि.	25	25	25
59) मा अपा (साइज 200x50x130)	गोटा	15	15	15
60) दाँच अपा (साइज 200x55x100)	॥	18	18	18
61) ल्हा अपा (साइज 110x55x180)	॥	18	18	18



नेपाल सरकार
गृह मन्त्रालय
सिन्धुली प्रशासन कार्यालय
नुवाकोट

[Handwritten signatures and initials]

[Handwritten signatures and initials]

62	गोल अपा (साइज 120x55x80)	"	18	18	18
63	गणेश अपा (साइज 200x250x35)	"	340	340	340
64	कुमार अपा (साइज 200x250x35)	"	340	340	340
65	तारा अपा (साइज 200x250x55)	"	340	340	340
66	पञ्च बुद्ध अपा (साइज 170x230x55)	"	340	340	340
67	फलस अपा (साइज 100x140x40)	"	57	57	57
68	नागोल अपा (साइज 140x52x120)	"	20	20	20
69	कसिमो अपा (साइज 230x55x100)	"	29	29	29
70	सकली अपा (साइज 140x55x115)	"	25	25	25
71	पानवुद्धा अपा (साइज 140x55x115)	"	25	25	25
72	सानो फ बुद्धा अपा (साइज 180x55x30)	"	29	29	29
73	ठूलो फ बुद्धा अपा (साइज 230x55x110)	"	29	29	29
74	नयां फ बुद्धा अपा (साइज 230x55x110)	"	29	29	29
75	साना ग बुद्धा अपा (साइज 140x50x110)	"	25	25	25
76	ठूलो ग बुद्धा अपा (साइज 230x55x90)	"	29	29	29
77	पुम्हा बुद्धा अपा (साइज 180x55x70)	"	29	29	29
78	तिनकुने स्वाँ अपा (साइज 200x550x30)	"	29	29	29
79	तिनकुने पलि अपा (साइज 200x550x90)	"	29	29	29
80	साना स्वाँ अपा (साइज 140x50x110)	"	25	25	25
81	ठूलो स्वाँ अपा (साइज 230x55x90)	"	29	29	29
82	नाग टाउको दायाबायाँ (साइज 100x150x50)	"	142	142	142
83	नाग घटी दायाबायाँ (साइज 140x60x70)	"	74	74	74
84	नाग जीउ (साइज 140x60x70)	"	25	25	25
85	नाग कन्या/पुरुष (साइज 180x380x55)	"	567	567	567
86	खाल नागोल (साइज 130x55x120)	"	20	20	20
87	खाल फयो (साइज 130x55x135)	"	20	20	20
88	लहरा बुद्धा (साइज 125x45x140)	"	25	25	25
89	नग बेली (साइज 140x55x120)	"	25	25	25
90	मिखाफुसी (साइज 140x55x120)	"	34	34	34
91	पलियो दायां/बायां (साइज 130x55x120)	"	25	25	25
92	नयां पलिफो (साइज 185x52x80)	"	29	29	29
93	सिधा पलिफो (साइज 190x55x90)	"	29	29	29
94	२" सिंह (साइज 95x50x10)	"	34	34	34
95	२"गरुड (साइज 95x50x100)	"	34	34	34
96	धलिखा (साइज 95x50x100)	"	34	34	34
97	श्रीयन्त्र (साइज 70x700x80)	"	45	45	45
98	त्वा फयो (साइज 140x55x120)	"	20	20	20
99	तारा बुद्धा पुरानो (साइज 180x55x80)	"	25	25	25
100	तारा बुद्धा नयां (साइज 230x70x90)	"	29	29	29
101	स्वाँफो तारां (साइज 220x55x90)	"	29	29	29
102	सिकी बुद्धा (साइज 220x55x80)	"	29	29	29
103	न्हाय बुद्धा सानो (साइज 140x65x130)	"	29	29	29
104	न्हाय बुद्धा ठूलो (साइज 140x100x130)	"	29	29	29
105	न्गोल नगोल (साइज 200x55x90)	"	20	20	20
106	ठी बुद्धा (साइज 210x55x75)	"	29	29	29
107	सानो/ठूलो (साइज)	"	29	29	29
51	Security System				
	Steel Security Gate supply				
	Metal detector (black Scorpion Company)	गोटा	16995	16995	16995
	Access Controller (Taiwanese)	गोटा	28840	28840	28840
	Access Controller (Chainese)	गोटा	13905	13905	13905
	Steel Security Door				
	Single leaf :- 50 mm, 70 mm, 100mm	Sqm	8683	8683	8683
	Half leaf :- 50 mm, 70 mm, 100mm	Sqm	9930	9930	9930
	Double leaf :- 50 mm, 70 mm, 100mm	Sqm	10419	10419	10419
	Security System				

	i) Short range wireless intruder Alarm (including Host Unit-1, PIR motion detector-1, Door Sensor-1, Remote Controller -2) (घर कम्पाउण्ड सुरक्षा प्रविधि)	गोटा	34333	34333	34333
	ii) Access Controller with record using Card and Pin (with 10 piece RFID Card.)	गोटा	20600	20600	20600
	iii) Access Controller without record using Card and Pin (with 5 piece RFID Card.)	गोटा	12875	12875	12875
	iv) Finger print access system with software	गोटा	36050	36050	36050
	v) Security from Panic Alarm	गोटा	36050	36050	36050
	vi) GPS (Global Positioning System) Device with software	गोटा	25749	25749	25749
	vii) Automatic motor operator for water pump Survo , Manglam or Equivalent (पानी भरिएपछि स्वचालित रूपमा on/off हुने प्रणाली)				
	Up to 1/2 H.P.	गोटा	4326	4326	4326
	1.0 H.P.	गोटा	5948	5948	5948
	5 H.P.	गोटा	9734	9734	9734
52	Bridge Materials				
	Elastomeric Bearing Pad				
	Free Type	NOS	20965	20965	20965
	Fix end Dowel Type	..	49459	49459	49459
	Expansion Joint Works				
	Single strip seal	Rm	9515	9515	9515
	Slab seal(320*50)	..	19663	19663	19663
	Thimbles				
	iv) Φ 13 mm thimble	Pc	73	73	73
	v) Φ 26 mm thimble	Pc	368	368	368
	vi) Φ 32 mm thimble	Pc	630	630	630
	vii) Φ 36 mm thimble	Pc	1261	1261	1261
	viii) Φ 40 mm thimble	Pc	1576	1576	1576
	ix) Φ 13 mm Bulldog grip	Pc	73	73	73
	x) Φ 26 mm Bulldog grip	Pc	368	368	368
	xi) Φ 32 mm Bulldog grip	Pc	552	552	552
	xii) Φ 36 mm Bulldog grip	Pc	683	683	683
	xiii) Φ 40 mm Bulldog grip	Pc	683	683	683
	xiv) Steel wire Rope (Right hand ordinary lay,WSC wire strand core,Tensile strength of wire 1570 N/mm ² , Performed, 'A' Heavy Galvanized coating Nondrying lubrication oil and prestretched				
	xv) Wire mesh netting	m ²	420	420	420
	xvi) Sign Board with Fittings (Size - 60cm X 90cm)	Pc	6829	6829	6829
	xvii) Bolts, Nuts & Washers (Galvanised 4.6 grade)	Kg	263	263	263
	xviii) Bolts, Nuts & Washers (Hotdip friction Grip)	Kg	368	368	368
	High tensile friction grip nut bolts	kg	342	342	342
	Galvanization				
	Zinc Above 98.5% purity	kg	315	315	315
	Premix of Zinc amonium chloride	kg	607	607	607
	Hydraucloric acid	Lit	42	42	42
53	Concrete Post (Size 4"*4")				
	Length 7'	गोटा	874	874	874
	Length 5'	..	437	437	437
	Length 3'	..	219	219	219
54	Sheet piling work : Providing, preparing and installing of piling of ms pipe and sheets false work including necessary supports and removing after completion for foundation ,basement and shear wall	Sq.m.	3022	3022	3022



नेपाल सरकार
गृह मन्त्रालय
सुदूरपश्चिम प्रदेश प्रशासन कार्यालय
नुवाकोट

55	Readymade RCC Door & windows frame (4"*2.75" of 1:1:1 concrete mixdesign safety plate all complete work.	Rft	232	232	232	
	" Ventilation	"	232	232	232	
	" Arc frame semi circular	"	464	464	464	

[Handwritten signatures and marks]

[Handwritten signatures and marks]

[Handwritten signatures and marks]

[Handwritten signature]





Electrical Works

बिदुर, नुवाकोट

आ. ब २०८१/८२

ELECTRICAL WORK

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२	
1	Dyana White Plate series SWITCH SOCKET ANCHOR / CPL /NG/Flux OR ISI EQUIVALENT					
	One Gang one way switch	सेट	58	58	58	
	One Gang two way switch	सेट	69	69	69	
	One way bell switch	सेट	72	72	72	
	Two gang one way switch	"	96	96	96	
	Two gang one way switch with one bell push	"	105	105	105	
	Two gang Full two way switch	"	107	107	107	
	Three Gang one way switch	"	127	127	127	
	Four gang one way switch	"	161	161	161	
	Six gang one way switch (3x5)	"	253	253	253	
	Eight gang one way switch	"	304	304	304	
	Dimmer single 300 watt	"	309	309	309	
	Dimmer single 750 watt	"	459	459	459	
	5 Step humming free dimmer	"	407	407	407	
	16Amp 3 Pin Plug Top	"	121	121	121	
	1 switch with dimmer	"	368	368	368	
	6/16 Amp , 2/3 Pin Power sockets with switch & indicator	"	151	151	151	
	6/16 Amp , Power sockets with switch , indicator & safety shutter	"	169	169	169	
	20/25 A Single phase A.C. motor Starter with 6/16 Amp safty shutter power socket	"	371	371	371	
	32A D.P. switch with fuse & indicator Surface Mounting	"	206	206	206	
	6 Gang (86 mm x 220 mm) switch 2/3 pin switch socket shuttered socket & 2 nos. Humming free 5 steps fan dimmer with indicator	सेट	611	611	611	
	Blanking plate single	"	40	40	40	
	Telephone socket single	"	118	118	118	
	Telephone socket Double	"	169	169	169	
	Angle / bottom holder	"	35	35	35	
	Ceiling Rose	"	35	35	35	
	Buzzer	"	97	97	97	
	Musical bell	"	222	222	222	
	T.V.antena single Socket	"	82	82	82	
	6A 2/3 Pin unshuttered multi switch socket	"	128	128	128	
	RJ 45 Computer Socket for modem	"	234	234	234	
	Flush Mounting metallic Box for Plate Series switch / socket(78mm x 78mm x 50mm)	"	35	35	35	
	Flush Mounting metallic Box for Plate Series switch / socket 78 x 140 x 50	"	63	63	63	
	Flush Mounting metallic Box for Plate Series switch / socket 78 x205 x 50	"	98	98	98	
	Switch / socket outlet, Plate series having round switch buttons & white sorrrounding plate, suitable to fix on box size 3"x3" . ORANGE, or Equivalent					
	10A 1gang 1way Switch	Set	83	83	83	
	10A 2gang 1way Switch	Set	163	163	163	
	10A 3gang 1way Switch	"	216	216	216	
	10A 4gang 1way Switch	"	350	350	350	
	10A 5gang 1way Switch	"	371	371	371	
	10A 6gang 1way Switch	"	617	617	617	
	10A 1gang 2way Switch	"	144	144	144	
	10A 2gang 2way Switch	"	278	278	278	
	10A 3gang 2way Switch	"	407	407	407	
	10A 4gang 2way Switch	"	613	613	613	
	T V Socket outlet	"	299	299	299	
	Telephone Socket	"	268	268	268	
	13A Universal socket outlet	"	464	464	464	
	13A Socket	"	273	273	273	
	15A switched Socket outlet	"	443	443	443	



सि.नं. १
विकास बरकार
पु. मन्त्रालय
प्रशासन कार्यालय
नुवाकोट

Page 1

Handwritten signatures and initials are present at the bottom of the page, including a large signature on the left and several initials on the right.

5A Socket	"	340	340	340	
RJ 45 8way Computer Socket	"	824	824	824	
TV and Telephone Socket	"	592	592	592	
7+2 PIN SOCKET OUTLET	"	927	927	927	
3+2 PIN SOCKET OUTLET	"	577	577	577	
X5 2+2 - 2 PIN SOCKET OUTLET	"	783	783	783	
SCHUKO SOCKET WITH ONE SWITCH	"	505	505	505	
Bell Press	"	237	237	237	
Blank Plate	"	93	93	93	
400W Light Dimmer W/ Switch	"	906	906	906	
400W Fan Controller / Multi Step Dimmer	"	917	917	917	
5 Step Fan Controller	"	896	896	896	
2 Pin Socket W/ Switch	"	453	453	453	
13A Twin Socket	"	680	680	680	
1	White Plate series modular type(polycarbonate) SWITCH SOCKET power pack,Bentex,Premier,Rathi,Ohms or EQUIVALENT				
One Gang one way switch	सेट	100	100	100	
One Gang two way switch	सेट	112	112	112	
One way bell switch	सेट	112	112	112	
Two gang one way switch	"	133	133	133	
Two gang one way switch with one bell push	"	146	146	146	
Two gang Full two way switch	"	158	158	158	
Three Gang one way switch	"	167	167	167	
Four gang one way switch	"	202	202	202	
Six gang one way switch	"	307	307	307	
Eight gang one way switch	"	374	374	374	
Dimmer single 300 watt	"	486	486	486	
1 switch with dimmer	"	499	499	499	
6/16 Amp , 2/3 Pin Power sockets with switch & indicator	"	260	260	260	
6/13 Amp , Power sockets with switch , indicator	"	263	263	263	
20 A D.P. switch with fuse & indicator Surface Mounting	"	354	354	354	
4 Gang (86 mm x 220 mm) switch 2/3 pin switch socket with indicator	सेट	391	391	391	
6 Gang (86 mm x 220 mm) switch 2/3 pin switch socket with indicator	सेट	474	474	474	
Blanking plate single	"	62	62	62	
Telephone socket single	"	152	152	152	
Telephone socket Double	"	249	249	249	
T.V.antena single Socket	"	142	142	142	
RJ 45 Computer Socket for modem	"	206	206	206	
CAT-6 Computer Socket for modem	"	321	321	321	
2	Modular Type Switch Socket set NORTH-WEST' NORYSIS' ABB 'SCHNIEDER Legrand or ISI Equivalent				
1P - 6A/10A 1 way switch	No.	139	139	139	
1P - 16A/20A 1 way switch	"	223	223	223	
1P - 25A 1 way switch	"	326	326	326	
1P - 6A/10A 2 way switch	"	167	167	167	
1P - 16A/20A 2 way switch	"	253	253	253	
1P - 6A push button	"	184	184	184	
1 gang blanking module	"	43	43	43	
2 gang blanking module	"	86	86	86	
FAN REGULATOR / DIMMER					
Step type fan regulator	No.	638	638	638	
60 - 500 W dimmer	"	797	797	797	
1000 W dimmer	"	1524	1524	1524	
SOCKETS / TELEPHONE / COMPUTER SOCKETS / TV SOCKETS					
6A - multi socket 5 pin	No.	240	240	240	
6/16A twin socket 3 pin (flushed)	"	332	332	332	
6/16A twin socket 3 pin (projected)	"	332	332	332	
25A 3 pin socket	"	401	401	401	
13A 3 pin socket	"	270	270	270	
RJ 11 telephone jack	"	159	159	159	




नेपाल सरकार


गृह मन्त्रालय

सिन्धुली प्रशासन कार्यालय

नुवाकोट

	RJ 45 cat.6e computer socket	"	557	557	557
	TV socket	"	161	161	161
	250V/110V shaver socket	No.	4355	4355	4355
	Indicator (DO NOT DISTUURB)	"	180	180	180
	LED yellow night lamp	"	560	560	560
	LED Blue night lamp	"	560	560	560
	FRONT PLATE (COMPATIBLE TO MARKET BOXES)				
	(White)				
	1 module front plate	No.	72	72	72
	2 module front plate	"	77	77	77
	3 module front plate	"	84	84	84
	4 module front plate	"	89	89	89
	6 module front plate	"	162	162	162
	8 module front plate(4+4)	"	217	217	217
	8 module front plate (Horizontal)	"	174	174	174
	12 module front plate	"	260	260	260
	18 module front plate	"	350	350	350
	Modular Type Switch Socket KOLORS/INDO ASIAN/ GOLD MEDAL/ANCHOR WOODS/ANCHOR ROMA/VIMAL WAVE or ISI Equivalent				
	Seperate Module for Modular Switch & Socket				
	1P – 6A/10A 1 way switch	No.	87	87	87
	1P – 16A/20A 1 way switch	"	144	144	144
	1P – 6A/10A 2 way switch	"	134	134	134
	1P – 16A/20A 2 way switch	"	175	175	175
	1P – 6A push button	"	134	134	134
	1 gang blanking module	"	41	41	41
	2 gang blanking module	"	78	78	78
	FAN REGULATOR / DIMMER				
	Step type fan regulator	No.	700	700	700
	60 – 500 W dimmer	"	597	597	597
	SOCKETS / TELEPHONE / COMPUTER				
	SOCKETS / TV SOCKETS				
	6A – multi socket 5 pin	No.	185	185	185
	6/16A twin socket 3 pin (flushed)	"	288	288	288
	6/16A twin socket 3 pin (projected)	"	288	288	288
	13A 3 pin socket	"	185	185	185
	RJ 11 telephone jack	"	144	144	144
	RJ 45 cat.6e computer socket	"	237	237	237
	TV socket	"	144	144	144
	1 module front plate	No.	113	113	113
	2 module front plate	"	113	113	113
	3 module front plate	"	148	148	148
	4 module front plate	"	165	165	165
	6 module front plate	"	227	227	227
	8 module front plate(4+4)	"	305	305	305
	8 module front plate (Horizontal)	"	313	313	313
	12 module front plate	"	363	363	363
	18 module front plate	"	453	453	453
	Flush mounting galvanized Metal box for modular type switch & socket				
	1 module metal box having L x B x Depth = (78x78x45)mm	सेट	52	52	52
	2 module " " " = (78x78x45)mm	"	52	52	52
	3 gang " " " = (78x100x45)mm	"	56	56	56
	4 gang " " " = (78x140x50)mm	"	68	68	68
	5 gang " " " = (78x205x50)mm	"	134	134	134
3	6 gang " " " = (78x205x50)mm	"	136	136	136
	8 module metal box (4+4) = (78x230x60)mm	"	181	181	181
	8 module metal box (Horizontal) = (135x120x60)mm	"	181	181	181


 नेपाल सरकार
 गृह मन्त्रालय
 कानून प्रशासन कार्यालय
 नुवाकोट

3

 Page 3

	12 module metal box =(135x120x60)mm	"	231	231	231
	TV socket metal box	"	52	52	52
	Telephone socket metal box	"	52	52	52
	METAL Junction BOX				
	4"x4"	गोटा	100	100	100
	4"x6"	"	150	150	150
	6"x8"	"	237	237	237
	8"x10"	"	349	349	349
	8"x12"	"	349	349	349
		"	34	34	34
	PVC Junction Box				
	4"x4"	गोटा			0
	4"x6"	"	31	31	31
	6"x8"	"	46	46	46
	8"x10"	"	67	67	67
	8" x12"	"	129	129	129
	Junction box cover	"	144	144	144
4	PVC Listy Double Lock { 6'length =1 no.(गोटा)}				
	½" breadth	गोटा	31	31	31
	¾"	"	46	46	46
	1"	"	67	67	67
	1½"	"	129	129	129
	2"	"	144	144	144
	PVC Conduit Pipe				
	1) ½" diameter	र.मी	31	31	31
	2) ¾"	"	46	46	46
	3) 1"	"	67	67	67
	Listy Pipe Accessories				
	½"-2" size Saddle	र.मी	8	8	8
	Grips (Denmark)	गोटा	6	6	6
	Steel screws	गोटा	2	2	2
	PVC Tape	गोटा	15	15	15
8	Distribution board (DB)				
	With busbar Neutral link Earth bar and Din Rail Conforming IS13032 , IS8632, Powder coated 14SWG CRCA sheet steel housing complete.siemens;abb 'hager				
	4 way SPN DB Double Cover	सेट	1082	1082	1082
	6 way SPN DB " "	"	1135	1135	1135
	8 way SPN DB " "	"	1416	1416	1416
	12 way SPN DB " "	"	1679	1679	1679
	16 way SPN DB " "	"	1795	1795	1795
	3-4 way TPN DB Double Cover	"	2668	2668	2668
	6 way TPN " " "	"	2998	2998	2998
	8 way TPN " " " Vertical	"	5799	5799	5799
	12 way TPN " " " Vertical	"	7727	7727	7727
	50 Pair Telephone D.B.with crown tag	"	5446	5446	5446
	PVC Box for MCB				
	1-pole PVC box GPS	सेट	81	81	81
	2- pole PVC " "	"	81	81	81
	3 and 4-pole PVC " "	"	130	130	130
10	Miniature Circuits Breaker (MCB) , LEGRAND/Siemens , Abb, schnieder or equivalent				
	6-32 amp MCB SP (single pole)	गोटा	206	206	206
	6-32 amp MCB DP (Double pole)	"	1030	1030	1030
	6-32 amp MCB TP (Triple pole)	"	1710	1710	1710
	32 amp MCB TPN	"	2472	2472	2472
	40-63 amp MCB DP	"	1648	1648	1648
	40-63 amp MCB TP	"	2637	2637	2637
	40-63 amp MCB TPN	"	3157	3157	3157
10	Miniature Circuits Breaker (MCB)KOLORS/INDO ASIAN/ GOLD MEDAL/ANCHOR WOODS/ANCHOR ROMA/VIMAL WAVE, North-west equivalent				
	0.5-5 amp MCB SP (single pole)	गोटा	258	258	258
	6-32 amp MCB SP (single pole)	"	165	165	165
	6-32 amp MCB DP (Double pole)	"	618	618	618
	6-32 amp MCB TP (Triple pole)	"	1236	1236	1236



नेपाल सरकार
सुदूर पश्चिम प्रदेश
नुवाकोट प्रशासन कार्यालय
नुवाकोट

Page 4

	32 amp MCB TPN	"	1494	1494	1494	
	40-63 amp MCB DP	"	979	979	979	
	40-63 amp MCB TP	"	1391	1391	1391	
	40-63 amp MCB TPN	"	1854	1854	1854	
12	Residual Current Circuit Breaker (RCCB) abb, siemens, hager, legrend, north-west lawson or equivalent					
	25A to 40A ,(30mA,100,300mA) DP RCCB	गोट	2751	2751	2751	
	63A 30mA DP RCCB	"	3278	3278	3278	
	63A 100mA DP RCCB	"	3014	3014	3014	
	63A 300mA DP RCCB	"	3064	3064	3064	
	25A to 40A ,(30mA,100,300mA) FP RCCB	"	3377	3377	3377	
	63A 30mA Four Pole RCCB	"	3706	3706	3706	
	63A 100mA Four Pole RCCB	"	3706	3706	3706	
	63A 300mA Four Pole RCCB	"	3706	3706	3706	
	Moulded Case Circuit Breaker abb, abb, siemens, hager, legrend, north-west lawson or equivalent					
16AMP- 63AMP TP MCCB 16KA		5665	5665	5665		
80AMP TP MCCB 16KA		5665	5665	5665		
100AMP TP MCCB 16KA		6386	6386	6386		
125AMP TP MCCB 16KA		8240	8240	8240		
160AMP TP MCCB 16KA		9785	9785	9785		
16AMP- 63AMP TP MCCB 25KA		6386	6386	6386		
80AMP TP MCCB 25KA		7045	7045	7045		
100AMP TP MCCB 25KA		7045	7045	7045		
125AMP TP MCCB 25KA		11330	11330	11330		
160AMP TP MCCB 25KA		13390	13390	13390		
200AMP TP MCCB 25KA(Adjustable)		21115	21115	21115		
200AMP TP MCCB 36KA(Adjustable)		23175	23175	23175		
250AMP TP MCCB 36KA(Adjustable)		27295	27295	27295		
400AMP TP MCCB 50KA(Adjustable)		35535	35535	35535		
630AMP TP MCCB 50KA(Adjustable)		48410	48410	48410		
800AMP TP MCCB 50KA(Adjustable)		63963	63963	63963		
14	Manual Changeover Panel Type					
	Make ABB, Siemens, Hager DELTON or Equivalent					
	63 Amp FP	"	11618	11618	11618	
	80 Amp FP	"	12854	12854	12854	
	100 Amp FP	"	18210	18210	18210	
	125 Amp FP	"	19199	19199	19199	
	160 Amp FP	"	25214	25214	25214	
	200 Amp FP	"	26038	26038	26038	
	250 Amp FP	"	27686	27686	27686	
	315 Amp FP	"	35020	35020	35020	
15	Dome light Make Homedec, Decon, Fumagalli OR equivalent					
	6" Milky type decorative dome light	सेट	180	180	180	
	6 " Brass base decorative dome light	"	736	736	736	
	8"Milky type decorative dome light	"	227	227	227	
	8 " Brass base decorative dome light	"	876	876	876	
	8" Silver cast Milky base Decorative Dome Light	"	1107	1107	1107	
	6) 8" Silver cast Black Base base Decorative Dome Light	"	567	567	567	
	Decorative Ceiling luminary with round opal cover suitable for housing the one number of CFL lamp of 9W /13W/18W including CFL (Surface Mounting Dome light)	"	1213	1213	1213	



सिमाना प्रकाश
सुदूर मन्त्रालय
प्रशासन कार्यालय
नुवाकोट

Handwritten signatures and initials at the bottom of the page, including a large signature on the left and several initials on the right.

	Wall bracket/spout light/mirror light bulk head ordinary .Make Homedec,Decon,Fumagalli	"	232	232	232	
	Wall bracket/spot light/mirror light /bulk head medium decorative.	"	361	361	361	
	Wall bracket/spout light/mirror light / bulk head best quality with 11/13W CFL	"	824	824	824	
	1 x 11/13 watt CFL DOWN LIGHT with reflector & diffuser (conceal light) Complete Set Wipro WCG22060	"	968	968	968	
	1 x 18 watt CFL Down light with reflector & diffuser (conceal light) Complete Set Wipro WCP23118	"	1514	1514	1514	
	Dining lamp.	"	1700	1700	1700	
	Chandlers 6-8 lamp Medium	"	15090	15090	15090	
	Chandlers 3-5 lamp Medium	"	10764	10764	10764	
	Mirror Light Euro Light Wipro WRF21111	"	464	464	464	
	Picture light Euro Light POO2	"	670	670	670	
	Wall spot Light E27 60W Euro or eqv.	"	361	361	361	
	Exit Light safety sign(8.24)W Make Samcon	सेट	824	824	824	
	Post top Lanterns					
	Bollard Garden light small Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal block	"	2575	2575	2575	
	Bollard Garden light medium Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal	"	3090	3090	3090	
	Bollard Garden light Full Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal	"	3476	3476	3476	
	8" Globe type Post top Lamp complete set	"	1416	1416	1416	
	10" Globe type Post top Lamp complete set	"	2704	2704	2704	
	Roadway light luminaires Wipro,Philips , Legero or Equivalent					
	1 x 36 W FTL street light fixture with acrylic diffuser complete set	"	2637	2637	2637	
	2 x 36 W FTL street light fixture with acrylic diffuser complet set	"	3868	3868	3868	
	300/500 watt halogen weather proof FLOOD LIGHT with glass cover Complete set	"	1545	1545	1545	
	1000 watt halogen weather proof flood light with glass cover Complete set	"	3090	3090	3090	
15.	150 watt HPSV weather proof flood light with glass cover lamp Complete Set	"	9270	9270	9270	
	250 watt HPSV weather proof flood light with glass cover lamp Complete Set	"	11382	11382	11382	
	Single Piece deep drawn aluminum POT optics road light luminaires with clear acrylic cover 70W HPSV lamp etc. complete with all accessories,	सेट	5253	5253	5253	
	2X18W CFL-4 Pin street light fixture with acrylic diffuser	सेट	2271	2271	2271	
	1X125W HPSV street light fixture with acrylic diffuser	"	5119	5119	5119	
	2X60/100W GLS aviation light fixture all complete set	"	5686	5686	5686	
	CEILING FANS & EXHAUST Fans, BAJAJ/KHAITAN/ORIENT/CROMPTON/P OWERPACK C/G . Almonard or equivalent					
	36" size ceiling Fan	गोटा	2163	2163	2163	



Handwritten signatures and initials at the bottom of the page, including a large signature on the left and several initials on the right.

16	42" size " "	"	2266	2266	2490
	48" size " "	"	2318	2318	2318
	56" size " "	"	2575	2575	2575
	6" Exhaust Fan	"	1494	1494	1494
	9" Exhaust Fan	"	1803	1803	1803
	16" size wall fan	"	2833	2833	3120
	12" size exhaust fan	"	2575	2575	2575
17	BELL INDICATOR				
	4 way bell indicator with plate	सेट	1255	1255	1255
	6 way " " " "	"	2049	2049	2049
	8 way " " " "	"	2851	2851	2851
	12 way " " " "	"	4395	4395	4395
18	Materials For Earthing & Lightening Protection (sp.gr. copper =8930kg/m³)				
	Copper plate	के.जी	917	917	917
	Copper Strip (25 x 3)mm (Appox 60"=1kg)	के.जी	1082	1082	1082
	Copper Strip (20mm breadth x 3mm thick)	के.जी	1082	1082	1082
	Copper Strip (12 x 3)mm	के.जी	1082	1082	1082
	Lightning rod copper conductor Air termination set	गोटा	2730	2730	2730
	8 SWG bare copper wire	र. मी	144	144	144
	29 mm Diameter GI Pipe of 1m length	र. मी	252	252	252
	30 Cm x 30 Cm Cast Iron Cover for water pouring into pit	गोटा	618	618	618
	5/16 nuts & bolt with spring washer cadmium maker	गोटा	15	15	15
	1/2" Diameter GI pipe for protecting the earth conductor 1.5 m in length	गोटा	196	196	196
	Funnel with wire mesh	गोटा	361	361	361
	Charcoal	व्याज	309	309	309
Salt	के.जी	12	12	12	
19	STEEL TUBELAR POLE / WOODEN POLE				
	Steel Tubular Poles with welded plate on top and bottom (medium Gauge non Galvanized with folding System and accessories)				
	7 Mtr. (Bottom : 115 mm Dia 3300 mm height, 90mm Dia 2400mm height & 76 mm Dia , 1650mm height with overlapping of 200mm & 150 mm Respectively	No	13625	13625	13625
	9 Mtr. (Bottom : 134 mm Dia. 3300 mm height, 115mm Dia 2250mm height , 90 mm Dia 2250mm height & 76mm Dia. 1650 mm height with overlapping of 200mm, 150mm, 100mm Respectively	No	14665	14665	14665
	Steel Tubular Poles 7 Mtr. (115 mm Dia. 3100 mm height, 90mm Dia 2300mm height & :76 mm Dia and 1600mm height) with welded plate on top and bottom (medium Gauge non Galvanized with welded joints)	No	14106	14106	14106
	7 mtr.length Wooden Pole	No	4996	4996	4996
	9 mtr.length Wooden Pole	No	6798	6798	6798
20	Modular ceiling Luminaries				
	Fluorescent Tube light (FTL) set including Tube,condenser,starter , lamp holder,channel/batten made with pre-phosphated & powder coated CRCA steel all complete accessories pre wired upto a terminal block . PHILIPS,WIPRO, BAJAJ, HAVELLS, OSRAM, CROMPTION, MIDEA, ORIENT, PREMIER, OHMS, LEGERO or equivalent				
	1×20 watt FTL (Patti fittings)	सेट	464	464	510
	1×40 watt FTL ,Energy saving electronic striplite with electronic choke(ballast) Surface mounting (Patti Fitting)	"	775	775	775



[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

	1x20 watt FTL (Mirrolta) WRF 20120	"	876	876	876	
	1x40 watt FTL with attractive & functional decorative battens WRF20140	"	1020	1020	1020	
	1x40 watt FTL box fittings WIF 14140	"	1159	1159	1159	
	2x40 watt FTL box fittings WIF 14240	"	1751	1751	1751	
	1x40 watt FTL Industrial channel WIF 36140	"	1782	1782	1782	
	2x40 watt FTL Industrial channel WIF 36240	"	2287	2287	2287	
	1x40 watt FTL, opalite with opal Arcylic dissuser . WCF51140	"	1854	1854	1854	
	2x40 watt FTL, oplite with opal Arcylic dissuser WCF51240	"	3090	3090	3090	
	4x20 watt FTL, oplite WCF 93418	"	5410	5410	5410	
	4x20 watt FTL <u>mirror optic</u> , surface/recessed mounting WCF93418	"	5410	5410	5410	
	1x40 watt FTL mirror optic with electronic choke. Surface / recessed mounting WCF 82136	"	3554	3554	3554	
	2x40 watt FTL <u>mirror optic</u> , surface/recessed mounting with electronic choke WVP40236	"	4326	4326	4326	
	4 x 14 watt FTL T5 with electronic ballast direct / indirect , surface / recessed with paralite P5 luvver Complete set WVF20414	सेट	9383	9383	9383	
	3X14W FTL-T5 low glare fixture with specular reflector, parabolic louvers & electronic ballast surface /recessed Armstrong ceiling WVF 20314	सेट	8245	8245	8245	
20	Compact Fluorescent Lamp (CFL) based Luminaries set all complete . PHILIPS, WIPRO BAJAJ, HAVELLS, OSRAM, CROMPTION, MIDEA ,LEGERO or ISI equivalent .					
	2 x 18 W CFL recessed/surface mounting <u>mirror Optic</u> Complete Set WCP32218	"	2678	2678	2678	
	1 x11 W CFL mirror Optic surface/recessed mounting complete set WVP 41111	सेट	1833	1833	1833	
	2 x11 W CFL mirror Optic Surface mounting complete set WVP41211	सेट	2266	2266	2266	
	2 x 36 watt CFL 4pin with electronic ballast direct / indirect , surface / recessed with luvver Complete set WVP24236	सेट	6067	6067	6067	
	3x36 W CFL -4 pin low glare fixture with P 5 louvres & electronic ballast complete set WVP 24336	सेट	6824	6824	6824	
	Recess mounting Direct Indirect LED luninare LM15-321-XXX-60-XX		10815	10815	10815	
Recess mounting Direct Indirect LED luninare LM11-291-XXX-57-XX		14060	14060	14060		
Recess Surface mounted LED luminate CRCO10R038HP57		13339	13339	13339		
Hight efficiency circular LED Down Lighter LD71		3245	3245	3245		
Designer LED Streetlight with pressure die cast housing suitable for secondary roads LR01		14600	14600	14600		
IP20 and IP 65 non intregal flexible LED Strip Light LS 06/26		1082	1082	1082		
Circular LED wall/Dome Light suitable for true ceiling LW01		3245	3245	3245		
Square LED Wall/Dome light suitable for true ceiling LW02-101-XXX-60-XX		3245	3245	3245		
Recess mounted indirect and direct luminaires WVP 64236		6129	6129	6129		
2x36 Watt CFL Surface Mirror Optic WVP44236		6129	6129	6129		
Down Light Fiam Make						
FDL004 SMD7W-WWH Taiwan chip (120*90)		1298	1298	1298		
FDL004 SMD7W-CW Taiwan chip		1298	1298	1298		



FDLOO4 SMD9W-WWH Taiwan chip (145*90)	1857	1857	1857
FDLOO4 SMD9W-CW Taiwan chip	1857	1857	1857
FDLOO4 SMD15W-WWH Taiwan chip (175*90)	2828	2828	2828
FDLOO4 SMD15W-CW Taiwan chip	2828	2828	2828
FDLOO4 SMD30W-WWH Taiwan chip (200MM)	5091	5091	5091
FDLOO4 SMD30W-CW Taiwan chip	5091	5091	5091
FDLO12 COB5W-WWH (90MM)	1301	1301	1301
FDLO12 COB5W-CW	1301	1301	1301
FDLO12 COB10W-WWH (120MM)	1979	1979	1979
FDLO12 COB10W-CW	1979	1979	1979
FDLO12 COB15W-WWH Taiwan chip (140MM)	5091	5091	5091
FDLO12 COB15W-CW Taiwan chip	5091	5091	5091
FDLO12 COB25W-WWH Taiwan chip (175*145)	6787	6787	6787
FDLO12 COB25W-CW Taiwan chip	6787	6787	6787
FDLO12 COB30W-WWH Taiwan chip (200MM)	8483	8483	8483
FDLO12 COB30W-CW Taiwan chip	8483	8483	8483
FDLOO7 SMD12W-WWH Taiwan chip (130*110)	4184	4184	4184
FDLOO7 SMD12W-CW Taiwan chip	4184	4184	4184
FDLOO7 SMD18W-WWH Taiwan chip (165*145)	6108	6108	6108
FDLOO7 SMD18W-CW Taiwan chip	6108	6108	6108
FDLOO7 SMD24W-WWH Taiwan chip (195*175)	7635	7635	7635
FDLOO7 SMD24W-CW Taiwan chip	7635	7635	7635
FDLOO1 HP5W FBK-WWH Taiwan chip (95*110)	3167	3167	3167
FDLOO1 HP5W FBK-CW Taiwan chip	3167	3167	3167
FDLOO1 HP5W FWH-WWH Taiwan chip (80*120)	3167	3167	3167
FDLOO1 HP5W FWH-CW Taiwan chip	3167	3167	3167
FDLLOO5 SMD7W-WWH Taiwan chip (123MM)	1301	1301	1301
FDLLOO5 SMD7W-CW Taiwan chip	1301	1301	1301
FDLOO5 SMD12W-WWH Taiwan chip (165MM)	1696	1696	1696
FDLOO5 SMD12W-CW Taiwan chip	1696	1696	1696
FDLOO5 SMD20W-WWH Taiwan chip (200MM)	3111	3111	3111
FDLOO5 SMD20W-CW Taiwan chip	3111	3111	3111
FM3161 HP 18W-WWH Cree Led	6787	6787	6787
FM3161 HP 18W-CW Cree Led	6787	6787	6787
HD-5010-13-WWH Osram chip (86*75)	2094	2094	2094
HD-5010-13-CW Osram chip	2094	2094	2094
HD-5010-14-WWH Osram chip (115*105)	3167	3167	3167
HD-5010-14-CW Osram chip	3167	3167	3167
HD-5010-14-WWH Osram chip (140*125)	3959	3959	3959
HD-5010-14-CW Osram chip	3959	3959	3959
HD-5010-18-WWH Osram chip (215*200)	7860	7860	7860
HD-5010-18-CW Osram chip	7860	7860	7860
LETI 100 ROUND BLACK OPAL GX53 LED LAMP 3W	2451	2451	2451
LETI 100 SQUARE BLACK OPAL GX53 LED LAMP3W 3C1.000.000	2451	2451	2451
LUCIA WHITE OPAL	1803	1803	1803
LUCIA BLACK OPAL	1803	1803	1803
LUCIA-GD WHITE OPAL	1803	1803	1803
LUCIA-GD BLACK OPAL	1803	1803	1803
REMI/LUCIA WHITE OPAL	2163	2163	2163
REMI/LUCIA BLACK OPAL	2163	2163	2163
REMI/LUCIA-EL WHITE OPAL	2163	2163	2163
REMI/LUCIA-EL BLACK OPAL	2163	2163	2163
REMI/LUCIA-GD WHITE OPAL	2163	2163	2163



Handwritten signatures and initials are present at the bottom of the page, including a large signature on the left and several initials and smaller signatures on the right.

	REMI/LUCIA-GD BLACK OPAL		2163	2163	2163	
	MADDI BULKHEAD WHITE OPAL		1803	1803	1803	
	MADDI BULKHEAD BLACK OPAL		1803	1803	1803	
	MADDI-VE BULKHEAD WHITE OPAL		2524	2524	2524	
	MADDI-VE BULKHEAD BLACK OPAL		1803	1803	1803	
	MADDI-HL BULKHEAD WHITE OPAL		1803	1803	1803	
	MADDI-HL BULKHEAD BLACK OPAL		1803	1803	1803	
	REMI/MADDI WHITE OPAL		2163	2163	2163	
	REMI/MADDI BLACK OPAL		2163	2163	2163	
	REMI/MADDI-VE WHITE OPAL		2163	2163	2163	
	REMI/MADDI-VE BLACK OPAL		2163	2163	2163	
	REMI/MADDI-HL WHITE OPAL		2163	2163	2163	
	REMI/MADDI-HL BLACK OPAL		2163	2163	2163	
	GABRI/MADDI 1L BLACK OPAL		7210	7210	7210	
	MINIGABRI/MADDI 1L BLACK OPAL		6489	6489	6489	
	MINIGABRI REMI/MADDI-VE 1L WHITE OPAL		6489	6489	6489	
	GELMI WHITE OPAL E27		2884	2884	2884	
	GELMI BLACK OPAL E27		2884	2884	2884	
	GELMI-EL WHITE OPAL E27		2884	2884	2884	
	GELMI-EL BLACK OPAL E27		2884	2884	2884	
	DANZI WHITE OPAL E27		2884	2884	2884	
	DANZI BLACK OPAL E27		2884	2884	2884	
	STUCCHI WHITE OPAL E27		3245	3245	3245	
	STUCCHI BLACK OPAL E27		3245	3245	3245	
	CECCHI WHITE OPAL E27		3245	3245	3245	
	CECCHI BLACK OPAL E27		3245	3245	3245	
	BISSO ANNA BLACK WITH OPAL DIFFUSER		3605	3605	3605	
	MIKROLOT ANNA BLACK W/OPAL DIFFUSER		3605	3605	3605	
	IESSE LANTERN BLACK W/OPAL DIFFUSER		3245	3245	3245	
	MIZAR/ANNA BLACK OPAL GX53 LED LAMP 3W		7210	7210	7210	
	System Sensor Product (Honeywell)					
	Photo Electric Smoke Detector		1875	1875	1875	
	Rate of Rise Heat Detector		1875	1875	1875	
	Fixed temperature Detector		2287	2287	2287	
	Base		371	371	371	
	Conv. MCP, Red, with LED, 470 Ohm, with BB, India		1483	1483	1483	
	Wall mount Horn+Strobe		4120	4120	4120	
	Ceiling mount Horn+Strobe		4120	4120	4120	
	Exit Light Samcon make					
	MODEL SLM 18		12360	12360	12360	
	MODEL ELS 28		12360	12360	12360	
	MODEL ETL 210H-4LA		12360	12360	12360	
21	LUMINARIES Accessories (PHILIPS, HIMSTAR, BAJAJ, HAVELLS, OSRAM, GE, CROMPTION, MIDEA, ORIENT, RATHI, PREMIER, WIPRO, OHMS or ISI/CE Eqv.)					
	500 watt halogen rod	मोट	232	232	232	
	1000 watt halogen rod	"	278	278	278	
	70Watt SON Lamp (Sodium Vapour)	"	834	834	834	
	150 watt sodium vapour bulb	"	1298	1298	1298	
	250 watt sodium vapour bulb	"	1700	1700	1700	
	20-40 watt FTL rod	"	80	80	80	
	20-40 watt FTL Copper chowk.	"	258	258	258	
	20-40W FTL Electronic Chowk with high power factor & instant flicker free start	"	412	412	412	
	Acryle cover for 4x20 FTL	"	989	989	989	
	FTL starter	"	19	19	19	
21	8 W to 11W, C.F.L. Direct fit	"	232	232	232	
	13 to 22W, C.F.L. Direct fit	"	299	299	299	
	15-100 watt bulb. (ISI)	मोट	26	26	26	
	PL-S 9W/86 (CFL)	"	165	165	165	



Handwritten signatures and notes at the bottom of the page, including a large signature on the left and several smaller ones on the right, some with dates like '29/11/82'.

	PL-S 11W/86 (CFL)	"	175	175	175	
	PL-L 36W/86 (CFL)	"	417	417	417	
	125W HPL-N (Mercury Vapour)	"	371	371	371	
	250W HPL-N	"	876	876	876	
	Solar LED bulb					
	12V/2W LED bulb	"	361	361	361	
	12V/3W LED bulb	"	412	412	412	
	12V/4W LED bulb	"	464	464	464	
	COPPER CONDUCTOR /WIRE /CABLE (PER COIL=90 RM) NS marked					
	1/18 size p.v.c. insulated copper wire/ cable	क्वाथल	967	967	967	
	3/22 " " "	"	1156	1156	1156	
	3/20 " " "	"	1839	1839	1839	
	7/22 " " "	"	2574	2574	2574	
22	7/20 " " "	"	4202	4202	4202	
	7/18 " " "	"	6619	6619	6619	
	7/16 " " "	"	13658	13658	13658	
	19/18 " " "	"	18386	18386	18386	
	19/16 " " "	"	36771	36771	36771	
	2\20 " " "	"	1397	1397	1397	
	2\22 " " "	"	946	946	946	
	Multistrand Flexible wire for house wiring (90meter per coil) NS marked Eqv.					
	1.0 mm PVC insulated Copper wire	क्वाथल	1051	1051	1051	
	1.5 mm PVC insulated Copper wire	"	1681	1681	1681	
	2.5 mm PVC insulated Copper wire	"	2469	2469	2469	
	4.0 mm PVC insulated Copper wire	"	3992	3992	3992	
	6.0 mm PVC insulated Copper wire	"	6304	6304	6304	
	10.0mm PVC insulated Copper wire	"	10506	10506	10506	
23	Concentric cable NS marked Eqv.					
	4mm size concentric cable	र.मी	24	24	24	
	6mm size " "	र.मी	27	27	27	
	10mm size concentric cable	र.मी	41	41	41	
	16mm size " "	र.मी	70	70	70	
	25mm size " "	र.मी	93	93	93	
	RG6 Coaxial cable	र.मी	24	24	24	
	RG59 Coaxial cable	र.मी	27	27	27	
	UTP cat -5 networking cable	र.मी	27	27	27	
24	Telephone Drop wire/pair cable NS marked Eqv.					
	² / ₂₀ Telephone drop wire	क्वाथल	989	989	989	
	² / ₂₂ " "	क्वाथल	670	670	670	
	2- pair cable wire (2×2×0.45) mm Heavy	र.मी	14	14	14	
	3- pair cable wire (3×2×0.45) mm Heavy	"	20	20	20	
	5- pair cable wire (5×2×0.45) mm Heavy	"	32	32	32	
	10- pair cable wire (10×2×0.45) mm Heavy	"	62	62	62	
	15- pair cable wire (15×2×0.45) mm Heavy	"	91	91	91	
	20- pair cable wire (20×2×0.45) mm Heavy	"	119	119	119	
	1mm drop wire	"	10	10	10	
	1-4 Line EPABX , with 1set programmable master telephone set of corresponding brand Pansonic, Creative, Matrix Or Eqv.	सेट	7648	7648	7648	
	2-6 Line EPABX "	"	18411	18411	18411	
	3-8 Line EPABX "	"	20538	20538	20538	
	4-12 Line EPABX "	"	36823	36823	36823	
	6-16 Line EPABX "	"	49569	49569	49569	
	8-24 Line EPABX "	"	84975	84975	84975	
	8-48 Line EPABX "	"	90923	90923	90923	
	8-72 Line EPABX "	"	97288	97288	97288	
	Other Accessories					
25	6" size Dome light glass	गोटा	65	65	65	
	8" size " " "	"	76	76	76	



नेपाल सरकार
पुर मन्त्रालय
जिल्ला प्रशासन कार्यालय
नुवाकोट

[Handwritten signatures and notes at the bottom of the page]

	wall bracket glass	"	65	65	65
	Fan regulator	"	271	271	271
27	Panel board double door type with locking arrangement with 2 coat of red oxide metal prime & 3 stage quality paint before final coat of enamel paint (Three phase, Neutral link, earth link) TPNE copper busbar including necessary accessories for internal wiring at the board .) (Rates of MCCB / MCB & measuring instrument are not included here .) Ankur metal or Equivalent				
	60/75/100 AMP, 9"x36"x48" size	सेट	21414	21414	21414
	60/75/100 AMP "12"x36"x48" size	"	25493	25493	25493
	60/75/100 AMP 9"x48"x60" size	"	35690	35690	35690
	60/75/100 AMP 12"x49"x60" size	"	42488	42488	42488
	150/200 AMP 9"x38"x52" size	"	23793	23793	23793
	150/200 AMP 12"x38"x52" size	"	23793	23793	23793
	150/200 AMP 9"x42"x56" size	"	26496	26496	26496
	150/200 AMP 12"x42"x56" size	"	28179	28179	28179
	250/300AMP 12"x48"x60" size	"	34505	34505	34505
	250/300AMP 12"x52"x62" size	"	38626	38626	38626
400 AMP 12"x52"x66" size	"	41118	41118	41118	
29	Panel Board measurement instrument				
	0-500 volt meter	पिस	1023	1023	1023
	60/100 Amp meter .	"	979	979	979
	Panel Indicator	"	237	237	237
	2 Amp glass fuse with holder 12 mm size	"	134	134	134
	AMP meter selector switch	"	649	649	649
	volt meter selector switch	"	711	711	711
	60/100 Amp C.T. coil per set 3 Pcs	"	1432	1432	1432
	150-200AMP C.T coil. 3 PC / Set	गोटा	1782	1782	1782
	250-300 AMP " " "	"	2421	2421	2421
	400/500/600AMP " " "	"	3554	3554	3554
	Kilo watt hour energy meter single phase	पिस	2271	2271	2271
	Kilo watt hour energy meter 3 phase direct	"	10228	10228	10228
	30	Trailing Protected Industrial Plug IP44			
16A 3P+E 400V Industrial plug		सेट	541	541	541
32 A 3p +N+E " Plug		सेट	803	803	803
32 A 3P+N+E water tight Plug IP67		सेट	1545	1545	1545
31	Access Controller with record using card and pin, Having capacity 1000 cards and 25000events,responding distance 5 cm to 15 cm, dimensin 120 x88 x18 mm built in two relay operating door	सेट	20600	20600	20600
	Access Controller with record using card and pin, Having capacity 1000 cards and 25000events,responding distance 5 cm to 15 cm, dimension 120 x88 x18 mm built in two relay operating door (Chinese)	सेट	13905	13905	13905
33	CABLE SHOE				
	16 sq.mm cable shoe	गोटा	64	64	64
	25 sq.mm " "	"	83	83	83
	35 sq.mm " "	"	64	64	64
	50 sq.mm " "	"	75	75	75
	70 sq.mm " "	"	92	92	92
	95 sq.mm " "	"	143	143	143
	150 sq.mm " "	"	215	215	215
	195 sq.mm " "	"	305	305	305
250 sq.mm " "	"	485	485	485	



Handwritten signatures and notes at the bottom of the page, including the number '29' and various scribbles.

34	Copper Conductor Armoured Power Cables NS marked or eqv.				
	a) 2 Core				
	1.5 mm ²	र.मी	103	103	103
	2.5 mm ²	"	139	139	139
	4.0 mm ²	"	191	191	191
	6.0 mm ²	"	247	247	247
	10.0 mm ²	"	371	371	371
	16.0 mm ²	"	494	494	494
	25.0 mm ²	"	721	721	721
	35.0 mm ²	"	958	958	958
	50.0 mm ²	"	1339	1339	1339
	b) 3 Core	"			
	1.5 mm ²	"	129	129	129
	2.5 mm ²	"	180	180	180
	4.0 mm ²	"	258	258	258
	6.0 mm ²	"	330	330	330
	10.0 mm ²	"	494	494	494
	16.0 mm ²	"	690	690	690
	25.0 mm ²	"	1051	1051	1051
	35.0 mm ²	"	1391	1391	1391
34	50.0 mm ² Copper Conductor Armoured	"	1906	1906	1906
	70.0 mm ²	"	2678	2678	2678
	95.0 mm ²	"	3605	3605	3605
	120.0 mm ²	"	4532	4532	4532
	150.0 mm ²	"	5562	5562	5562
	c) 3.5 Core				
	25.0 mm ²	र.मी	1257	1257	1257
	35.0 mm ²	"	1597	1597	1597
	50.0 mm ²	"	2245	2245	2245
	70.0 mm ²	"	3090	3090	3090
95.0 mm ²	"	4120	4120	4120	
120.0 mm ²	"	5408	5408	5408	
150.0 mm ²	"	6386	6386	6386	
185.0 mm ²	"	7931	7931	7931	
240.0 mm ²	"	10403	10403	10403	
300.0 mm ²	"	13184	13184	13184	
400.0 mm ²	"	17304	17304	17304	
	d) 4 Core				
	1.5 mm ²	र.मी	155	155	155
	2.5 mm ²	"	221	221	221
	4.0 mm ²	"	319	319	319
	6.0 mm ²	"	412	412	412
	10.0 mm ²	"	618	618	618
	16.0 mm ²	"	901	901	901
	25.0 mm ²	"	1339	1339	1339
	35.0 mm ²	"	1803	1803	1803
	50.0 mm ²	"	2575	2575	2575
	70.0 mm ²	"	3502	3502	3502
34	95.0 mm ² Copper Conductor Armoured	"	4738	4738	4738
	120.0 mm ²	"	5974	5974	5974
	150.0 mm ²	"	7416	7416	7416
	185.0 mm ²	"	9064	9064	9064
	240.0 mm ²	"	12360	12360	12360
	300.0 mm ²	"	14832	14832	14832
	400.0 mm ²	"	20085	20085	20085
35	Copper Conductor Unarmoured Power Cables NS marked or Eqv.				
	a) 1-core				
	10 sq. mm.	र.मी	43	43	43
	16 sq. mm.	"	65	65	65
	25 sq. mm.	"	76	76	76
	35 sq. mm.	"	91	91	91
	50 sq. mm.	"	121	121	121
	70 sq. mm.	"	158	158	158



Handwritten signatures and notes at the bottom of the page, including a large signature on the left and several smaller ones and initials on the right.

	95 sq. mm.	"	214	214	214
	120 sq. mm.	"	260	260	260
	150 sq. mm.	"	308	308	308
	b) 2- core				
	1.5 sq.mm Copper Conductor Unarmoured	र.मी	72	72	72
	2.5 sq.mm	"	103	103	103
	4 sq.mm	"	144	144	144
	6 sq.mm	"	196	196	196
	10 sq.mm	"	309	309	309
	16 sq.mm	"	427	427	427
	25 sq.mm	"	659	659	659
	35 sq.mm	"	896	896	896
	50 sq.mm	"	1236	1236	1236
	70 sq.mm	"	1236	1236	1236
	95 sq.mm	"	2318	2318	2318
	120 sq.mm	"	3039	3039	3039
	150 sq.mm	"	3811	3811	3811
	c) 3-core				
	1.5 sq.mm. 3- core copper conductor	र.मी	93	93	93
	2.5 sq.mm	"	134	134	134
	4 sq.mm	"	196	196	196
	6 sq.mm	"	278	278	278
	10 sq.mm	"	438	438	438
	16 sq.mm	"	639	639	639
	25 sq.mm	"	979	979	979
	35 sq.mm	"	1318	1318	1318
	50 sq.mm	"	1854	1854	1854
	70 sq.mm	"	2575	2575	2575
	95 sq.mm	"	3502	3502	3502
	120 sq.mm	"	4429	4429	4429
	150 sq.mm	र.मी	5459	5459	5459
	d) 3.5 core				
	25 sq.mm	र.मी	1205	1205	1205
	35 sq.mm Copper Conductor Unarmoured	"	1545	1545	1545
	50 sq.mm	"	2163	2163	2163
	70 sq.mm	"	3013	3013	3013
	95 sq.mm	"	4069	4069	4069
	120 sq.mm	"	5356	5356	5356
	150 sq.mm	"	6335	6335	6335
	e) 4-core Copper Conductor Unarmoured				
	1.5 sq.mm	र.मी	113	113	113
	2.5 sq.mm	"	170	170	170
	4 sq.mm	"	252	252	252
	6 sq.mm	"	350	350	350
	10 sq.mm	"	556	556	556
	16 sq.mm	"	845	845	845
	25 sq.mm	"	1318	1318	1318
35	35 sq.mm	"	1772	1772	1772
	50 sq.mm	"	2472	2472	2472
	70 sq.mm	"	3451	3451	3451
	95 sq.mm	"	4687	4687	4687
	120 sq.mm	"	5923	5923	5923
	150 sq.mm	"	7365	7365	7365
	185 sq.mm	"	9064	9064	9064
	240 Sq. mm	"	12257	12257	12257
	300 Sq. mm	"	14832	14832	14832
	400 Sq. mm	"	20085	20085	20085
	Aluminum conductor Armoured (Power) cable NS marked or eqv.				
	a) 2-core				
	1.5 sq.mm	र.मी	-	-	-
	2.5 sq.mm	र.मी	93	93	93
	4 sq.mm	"	118	118	118
	6 sq.mm	"	134	134	134
	10 sq.mm	"	160	160	160
	16 sq.mm	"	180	180	180
36	25 sq.mm	"	216	216	216




Handwritten signatures and notes at the bottom of the page, including the name 'Surya' and various initials and dates.

35 sq.mm	"	247	247	247	
50 sq.mm	"	319	319	319	
70 sq.mm	"	397	397	397	
95 sq.mm	"	505	505	505	
b) 3-core					
2.5 sq.mm. Aluminum conductor Armoured	र.मी	108	108	108	
4 sq.mm	"	134	134	134	
6 sq.mm	"	149	149	149	
10 sq.mm	"	180	180	180	
16 sq.mm	"	206	206	206	
25 sq.mm Aluminum conductor Armoured	"	278	278	278	
35 sq.mm	"	335	335	335	
50 sq.mm	"	427	427	427	
70 sq.mm	"	541	541	541	
95 sq.mm	"	494	494	494	
120 sq.mm	"	834	834	834	
150 sq.mm	"	1004	1004	1004	
185 sq.mm	"	1236	1236	1236	
240 sq.mm	"	1514	1514	1514	
300 sq.mm	"	1854	1854	1854	
400 sq.mm	"	2318	2318	2318	
c) 3.5 core					
25 sq.mm.	र.मी	319	319	319	
35 sq.mm	"	371	371	371	
50 sq.mm	"	489	489	489	
70 sq.mm	"	628	628	628	
95 sq.mm	"	803	803	803	
120 sq.mm Aluminum conductor Armoured	"	979	979	979	
150 sq.mm	र.मी	1174	1174	1174	
185 sq.mm	"	1421	1421	1421	
240 sq.mm	"	1772	1772	1772	
300 sq.mm	"	2215	2215	2215	
36 400 sq.mm	"	2781	2781	2781	
d) 4-core					
2.5 sq.mm	र.मी	124	124	124	
4 sq.mm	"	155	155	155	
6 sq.mm	"	180	180	180	
10 sq.mm	"	196	196	196	
16 sq.mm	"	252	252	252	
25 sq.mm	"	340	340	340	
35 sq.mm	"	402	402	402	
50 sq.mm	"	548	548	548	
70 sq.mm	"	700	700	700	
95 sq.mm	"	901	901	901	
120 sq.mm	"	1082	1082	1082	
150 sq.mm	"	1370	1370	1370	
185 sq.mm	"	1627	1627	1627	
240sq.mm	"	2039	2039	2039	
300 sq.mm Aluminum conductor Armoured	"	2524	2524	2524	
400sq.mm	"	3193	3193	3193	
37 Aluminium conductor unarmoured (power) cable NS marked or eqv.					
a) 1-core					
16 sq.mm	र.मी	52	52	52	
25 sq.mm	"	72	72	72	
35 sq.mm	"	88	88	88	
50 sq.mm	"	113	113	113	
70 sq.mm	"	144	144	144	
95 sq.mm	"	196	196	196	
120 sq.mm	"	237	237	237	
150 sq.mm	"	391	391	391	
185 sq.mm	"	361	361	361	
240 sq.mm	"	443	443	443	
300 sq.mm	"	536	536	536	
b) 2-core Aluminium conductor unarmoured					




Handwritten signatures and initials at the bottom of the page, including a large signature on the left and several initials on the right.

	2.5 sq.mm	र.मी	52	52	52	
	4 sq.mm	"	62	62	62	
	6 sq.mm	र.मी	77	77	77	
	10 sq.mm	"	98	98	98	
	16 sq.mm	"	103	103	103	
	25 sq.mm	"	144	144	144	
	35 sq.mm	"	185	185	185	
	50 sq.mm	"	237	237	237	
	70 sq.mm	"	299	299	299	
	95 sq.mm 2 core	"	402	402	402	
	c) 3-core					
	2.5 sq.mm	र.मी	62	62	62	
	4 sq.mm	"	72	72	72	
	6 sq.mm	"	88	88	88	
	10 sq.mm	"	124	124	124	
	16 sq.mm	"	144	144	144	
	25 sq.mm	"	206	206	206	
	35 sq.mm	"	258	258	258	
	50 sq.mm	"	340	340	340	
	70 sq.mm	"	453	453	453	
	95 sq.mm	"	597	597	597	
37	120 sq.mm	"	742	742	742	
	150 sq.mm	"	886	886	886	
	185 sq.mm	"	1112	1112	1112	
	240 sq.mm	"	1380	1380	1380	
	300 sq.mm Aluminium conductor unarmoured	"	1751	1751	1751	
	d) 3.5-core					
	25 sq.mm	र.मी	258	258	258	
	35 sq.mm	"	309	309	309	
	50 sq.mm	"	412	412	412	
	70 sq.mm	"	567	567	567	
	95 sq.mm	"	742	742	742	
	120 sq.mm	"	927	927	927	
	150 sq.mm	"	1112	1112	1112	
	185 sq.mm	"	1391	1391	1391	
	240 sq.mm	"	1751	1751	1751	
	300 sq.mm	"	2163	2163	2163	
	e) 4-core core aluminium unarmoured					
	2.5 sq.mm	र.मी	72	72	72	
	4 sq.mm	"	82	82	82	
	6 sq.mm	"	98	98	98	
	10 sq.mm	"	134	134	134	
	16 sq.mm	र.मी	196	196	196	
	25 sq.mm	"	288	288	288	
	35 sq.mm	"	350	350	350	
	50 sq.mm	"	484	484	484	
	70 sq.mm 4	"	639	639	639	
	95 sq.mm	"	845	845	845	
	120 sq.mm	"	1030	1030	1030	
	150 sq.mm	"	1288	1288	1288	
	185 sq.mm	"	1597	1597	1597	
	240 sq.mm	"	2009	2009	2009	
	300 sq.mm	"	2472	2472	2472	
38	Security Gate System					
	Metal Detector (ब्लाक स्कोपियन कम्पनी)	गोटा	16995	16995	16995	
39	Air Conditioning system, Daikin, Mitsubishi heavy or Japanese eqv					
	0.75 TR capacity Wall Mounted split type Air Conditioning system	सेट	-	-	-	
	1.0 TR capacity Wall Mounted split type Air Conditioning system	सेट	-	-	-	
	Air Conditioning system, McQuay, Panasonic, Fujiaire, Malaysian or Eqv Company					
	0.75 TR capacity Wall Mounted split type AirConditioning system	सेट	-	-	-	



Handwritten signatures and initials are present at the bottom of the page, including a large signature on the left and several initials on the right.

41	1.0 TR capacity Wall Mounted split type Air Conditioning system	सेट	-	-	-	
	1.5 TR capacity Wall Mounted split type Air Conditioning system	सेट	-	-	-	
	2.0 TR capacity Wall Mounted split type Air Conditioning system	सेट	-	-	-	
	Air Conditioning system, whirlpool or Eqv Company					
	0.75 TR capacity Wall Mounted split type Air	सेट	-	-	-	
	1.0 TR capacity Wall Mounted split type Air	सेट	-	-	-	
	1.5 TR capacity Wall Mounted split type Air	सेट	-	-	-	
	2.0 TR capacity Wall Mounted split type Air	सेट	-	-	-	
	42	General Lightig ANCHOR, C/G, Eqv.				
		1 x 40 W FTL Patti fitting	सेट	252	252	252
	1 x 20 W FTL Patti fitting	सेट	232	232	232	
	1 x 40 W FTL Box Fitting	सेट	427	427	427	
	1 x 20 W FTL Box fitting	सेट	417	417	417	
	9/11W Mini mirror light with electronic Blast suitable for PL lamp	सेट	355	355	355	
43	GEWISS /BEC PVC Conduit product of Italy					
	RK Range					
	16 mm medium rigid conduit DX 25 316	Mtr.	88	88	88	
	20 mm medium rigid conduit DX 25 320	"	124	124	124	
	25 mm medium rigid conduit DX 25 325	"	175	175	175	
	32 mm medium rigid conduit DX 25 332	"	252	252	252	
	40 mm medium rigid conduit DX 25 340	"	345	345	345	
	50 mm medium rigid conduit DX 25 350	"	530	530	530	
	63 mm medium rigid conduit DX 25 363	"	999	999	999	
	16 mm heavy rigid conduit DX 25 716	"	165	165	165	
	20 mm heavy rigid conduit DX 25 720	"	216	216	216	
	25 mm heavy rigid conduit DX 25 725	"	288	288	288	
	32 mm heavy rigid conduit DX 25 732	"	433	433	433	
	40 mm heavy rigid conduit DX 25 740	"	587	587	587	
	50 mm heavy rigid conduit DX 25 750	"	793	793	793	
	63 mm heavy rigid conduit DX 25 763	"	1488	1488	1488	
	16 mm polymer cable gland GW 52 043 with fixing nut and screws	"	196	196	196	
	20 mm polymer cable gland GW 52 044 with fixing nut and screws	"	247	247	247	
	25 mm polymer cable gland GW 52 045 with fixing nut and screws	"	376	376	376	
	32 mm polymer cable gland GW 52 046 with fixing nut and screws	"	623	623	623	
	40 mm polymer cable gland GW 52 047 with fixing nut and screws	"	747	747	747	
	50 mm polymer cable gland GW 52 048 with fixing nut and screws	"	963	963	963	
	63 mm polymer cable gland GW 52 049 with fixing nut and screws	"	1200	1200	1200	
	16 mm shockproof polymer saddle collar clip GW 50 605	"	31	31	31	
	20 mm shockproof polymer saddle collar clip GW 50 606	"	36	36	36	
	25 mm shockproof polymer saddle collar clip GW 50 607	"	41	41	41	
	32 mm shockproof polymer saddle collar clip GW 50 608	"	62	62	62	
	40 mm shockproof polymer saddle collar clip GW 50 630	"	98	98	98	
	50 mm shockproof polymer saddle collar clip GW 50 631	"	118	118	118	
	16 mm conduit coupler DX 40 016	"	36	36	36	
	20 mm conduit coupler DX 40 020	"	46	46	46	
	44	25 mm conduit coupler DX 40 025	"	57	57	57
		32 mm conduit coupler DX 40 032	"	103	103	103
	40 mm conduit coupler DX 40 040	"	139	139	139	
	50 mm conduit coupler DX 40 050	"	242	242	242	
	63 mm conduit coupler DX 40 063	"	458	458	458	
	16 mm tight bend DX 40 116	"	57	57	57	
	20 mm tight bend DX 40 120	"	82	82	82	



Handwritten signatures and notes at the bottom of the page, including a large signature on the left and several smaller ones on the right, some with dates like '2073'.

	25 mm tight bend DX 40 125	"	129	129	129
	32 mm tight bend DX 40 132	"	237	237	237
	40 mm tight bend DX 40 140	"	335	335	335
	50 mm tight bend DX 40 150	"	603	603	603
	63 mm tight bend DX 40 163	"	2359	2359	2359
	4 way junction box DX 45 004	"	670	670	670
	7 way junction box DX 45 007	"	803	803	803
	10 way junction box DX 45 010	"	1020	1020	1020
	Closing cap for junction box DX 47 000	"	118	118	118
	16 mm inspectionable T bend DX 40216	"	118	118	118
	20 mm inspectionable T bend DX 40220	"	149	149	149
	25 mm inspectionable T bend DX 40225	"	196	196	196
	32 mm inspectionable T bend DX 40232	"	237	237	237
	16 mm inspectionable bend DX 40 316	"	98	98	98
	20 mm inspectionable bend DX 40 320	"	118	118	118
	25 mm inspectionable bend DX 40 325	"	155	155	155
	32 mm inspectionable bend DX 40 332	"	185	185	185
45	GEWISS/BEC Cable Tray with Cover and Accessories BRN Range				
	65X35 mm2 hot deep galvanised steel cable tray MV 40 100	R. Ft.	819	819	819
	95X35 mm2 hot deep galvanised steel cable tray MV 40 101	"	973	973	973
	125X35 mm2 hot deep galvanised steel cable tray MV 40 102	"	1174	1174	1174
	155X35 mm2 hot deep galvanised steel cable tray MV 40 103	"	1318	1318	1318
	185X35 mm2 hot deep galvanised steel cable tray MV 40 104	"	1540	1540	1540
	215X35 mm2 hot deep galvanised steel cable tray MV 40 105	"	1710	1710	1710
	245X35 mm2 hot deep galvanised steel cable tray MV 40 106	"	2137	2137	2137
	305X35 mm2 hot deep galvanised steel cable tray MV 40 108	"	2513	2513	2513
	365X35 mm2 hot deep galvanised steel cable tray MV 40 110	"	3090	3090	3090
	395X35 mm2 hot deep galvanised steel cable tray MV 40 111	"	3281	3281	3281
	65X50 mm2 hot deep galvanised steel cable tray MV 40 120	"	984	984	984
	95X50 mm2 hot deep galvanised steel cable tray MV 40 121	"	1179	1179	1179
	125X50 mm2 hot deep galvanised steel cable tray MV 40 122	"	1298	1298	1298
	155X50 mm2 hot deep galvanised steel cable tray MV 40 123	"	1468	1468	1468
	185X50 mm2 hot deep galvanised steel cable tray MV 40 124	"	1663	1663	1663
	215X50 mm2 hot deep galvanised steel cable tray MV 40 125	"	1859	1859	1859
	245X50 mm2 hot deep galvanised steel cable tray MV 40 126	"	2276	2276	2276
	305X50 mm2 hot deep galvanised steel cable tray MV 40 128	"	2657	2657	2657
46	365X50 mm2 hot deep galvanised steel cable tray MV 40 130	"	3456	3456	3456
	395X50 mm2 hot deep galvanised steel cable tray MV 40 131	"	3749	3749	3749
	515X50 mm2 hot deep galvanised steel cable tray MV 40 135	"	4584	4584	4584
	95X65 mm2 hot deep galvanised steel cable tray MV 40 141	"	1313	1313	1313
	215X65 mm2 hot deep galvanised steel cable tray MV 40 145	"	2122	2122	2122
	305X65 mm2 hot deep galvanised steel cable tray MV 40 148	"	2781	2781	2781
	395X65 mm2 hot deep galvanised steel cable tray MV 40 151	"	3852	3852	3852
	515X65 mm2 hot deep galvanised steel cable tray MV 40 155	"	4836	4836	4836
	605X65 mm2 hot deep galvanised steel cable tray MV 40 157	"	5449	5449	5449
	125X80 mm2 hot deep galvanised steel cable tray MV 40 162	"	1494	1494	1494
	215X80 mm2 hot deep galvanised steel cable tray MV 40 165	"	2271	2271	2271
	305X80 mm2 hot deep galvanised steel cable tray MV 40 168	"	2884	2884	2884



Handwritten signatures and notes at the bottom of the page, including the word 'अनुमति' (Approval) and various scribbles.

	395X80 mm2 hot deep galvanised steel cable tray MV 40 171	"	4151	4151	4151
	515X80 mm2 hot deep galvanised steel cable tray MV 40 175	"	5016	5016	5016
47	Intrusion Detection System Make Honeywell or equivalent				
	Main Controller	सेट	38851	38851	38851
	CONTROL,FIRE/BURG COMMERCIAL VISTA-128FBP				
	Smoke & Heat Detector	सेट	10545	10545	10545
	Wireless Smoke and Head Detector				
	Door Contact	सेट	2678	2678	2678
	Wireless Door Contact with transmitter				
	Motion Detector	सेट	4178	4178	4178
	Wireless Passive Infrared, Pet Immune Motion Detector				
	Panic Switch	सेट	4921	4921	4921
	Wireless Panic Transmitter				
	Key	सेट	4780	4780	4780
	Wireless Key to Arm and Disarm the System				
	Window Contact	सेट	2812	2812	2812
Wired door Contact with transmitter slim					
	Earth Quake Detector(JDS Inc, USA)	पिस	3601	3601	3601
	Quake Alarm				
48	Automatic Motor Operator for water motor				
	Upto 1/2 HP single phase motor	सेट	4120	4120	4120
	Upto 1 HP single phase motor	सेट	5665	5665	5665
	Upto 5 HP three phase motor	सेट	9270	9270	9270
49	CCTV System				
	Out door high speed Dome Integrated CAMERA Multi Protocal ,480 TVL,128 preset points , automatic surveillance,360 degrees horizontal rotation , AC 240V power supply , integrated heating system , highest angle speed 360 degree/ sec ,weather resistance, water resistance, robust type.				
	CANON Integrated camera chip, normal colour, 23 times optical Zoom, 10 times digital zoom	सेट	56650	56650	56650
	CANON Integrated camera chip, day & night, 23 times optical Zoom, 10 times digital zoom	सेट	58916	58916	58916
	Indoor high speed Dome Integrated CAMERA				
	CANON Integrated camera chip, normal colour, 23 times optical Zoom, 10 times digital zoom	सेट	54384	54384	54384
	CANON Integrated camera chip, day & night, 23 times optical Zoom, 10 times digital zoom	सेट	56650	56650	56650
50	VISTA Box camera with adoptor, IR view distance 25mm Mirror shutter;with mirror image switchable,white balance; auto,Horizontal resolution ; 480 TV line , system signal; NTSC/PALBlacklight compression :ON/OFF(Switchable) , AGC; ON/OFF	सेट	15450	15450	15450
	7" Sphirical Shilded with bracket included chip excluded Camera		8364	8364	8364
	i) 8 Channel DVR MJPEG Compression Type 8 Channel ionput 2 Channel output USB2.0Interface , Hard Disc > 200G, Multi-Record ,Motion Detector Function , Remote Control	सेट	33990	33990	33990
	ii) 16 Channel Alarm input , 16 Channel Record 8 channel Alarm output , Internate Explore, MPG-4 Record	सेट	50985	50985	50985
	17" LCD Monitor SAMSUNG or Korean Eqv.	सेट	10815	10815	10815
51	Electrical Equipments				
	Earthing Materials (ISI or other International Standard)				
	6 mm thick 600mm× 600 mm G.I. Plate	No.	2829	2829	2829



Handwritten signatures and notes at the bottom of the page, including a large signature on the left and several smaller ones on the right.

	Funnelling Mechanism with cover (mild steel)	set	618	618	618
	3.2 mm thick 600mm× 600 mm Copper Plate	No.	9517	9517	9517
	Copper wire (10 SWG)	Mtr.	155	155	155
	Service wire (Al)				
	2.5 mm ²	Mtr.	18	18	18
	4.0 mm ²	"	22	22	22
	6.0 mm ²	"	28	28	28
	Lightening Arrestor for 3 Phase .				
	0.5 KV	Set	1236	1236	1236
	11 KV	Set	4326	4326	4326
	Cross Arms V Channel.	No	3090	3090	3090
	Stay set with accessories.				
	GI wire	No	1182	1182	1182
	GI Plate	"	1185	1185	1185
	Gay Insulator.	"	56	56	56
	Elbow		103	103	103
	Rod , Nut	No	445	445	445
	Grip	"	49	49	49
	Overhead Insulators (0.4KV)				
	Sackle Insulator	No	31	31	31
	D-Iron	"	93	93	93
	Nut Bolt (3" with 8 mm Ø)	"	15	15	15
	Nut Bolt (6" with 8 mm Ø) to clamp on Poles	"	23	23	23
	Overhead Insulators with fixing accessories (11KV)				
	Pin Insulator	No	185	185	185
	Disc Insulator	"	989	989	989
	Cross Arms V Channel.	"	2719	2719	2719
	Sqarrel ACSR conductor 20mm ²	Rm.	17	17	17
	weasel ACSR conductor 30 mm ²	"	25	25	25
	Rabbit ACSR conductor 50 mm ²	"	41	41	41
	Dog ACSR conductor 100 mm ²	"	82	82	82
	Supply of aluminium ABC cable				
	25mm square 4 core ABC cable	Rm.	175	175	175
	50 mm square 4 core ABC cable	"	291	291	291
	95 mm square 4 core ABC cable	"	570	570	570
	Alternator 3 Phase Brush less with compounded Excitation. (KEL)				
52	AMF with ATS palel for DG Ankur metal or Equivalent				
	5KVA AMF with ATS palel	set	22660	22660	22660
	7.5KVA AMF with ATS palel	"	28840	28840	28840
	10KVA AMF with ATS palel	"	36050	36050	36050
	15KVA AMF with ATS palel	"	46350	46350	46350
	20KVA AMF with ATS palel	"	66950	66950	66950
	25KVA AMF with ATS palel	"	77250	77250	77250
	30KVA AMF with ATS palel	"	92700	92700	92700
53	Solar system\Backup Power				
	Pure sine wave inverter				
	675 VA inverter	set	11483	11483	11483
	875 VA inverter	"	12601	12601	12601
	1500 VA inverter	"	18987	18987	18987
	3 KVA inverter	"	55947	55947	55947
	Exide Battery				
	tubular inverter Battery				
	80 AH inverter Battery	set	9935	9935	9935
	100 AH inverter Battery	"	11958	11958	11958
	150 AH inverter Battery	"	16698	16698	16698
	200 AH inverter Battery	"	20745	20745	20745
	75 AH tubular inverter Battery	"	12731	12731	12731
	100 AH tubular inverter Battery	"	16966	16966	16966
	150 AH tubular inverter Battery	"	24967	24967	24967
	200 AH tubular inverter Battery	"	31477	31477	31477
	Solar Panel	watt	144	144	144
54	Angel Eyes solar street light absorb energy				



नेपाल सरकार
 गृह मन्त्रालय
 स्थानीय प्रशासन कार्यालय
 नुवाकोट

[Handwritten signatures and initials]

	AST 1205 (12 W pv 05w led, 12.8v 5.2 Ah motion sensor)	set	29465	29465	29465	
	AST 1805 (18 W pv 05w led, 12.8v 7.8 Ah motion sensor)	"	39743	39743	39743	
	AST 2505 (25 W pv 05w led, 12.8v 7.8 Ah motion sensor)	"	45112	45112	45112	
	AST 3612 (36 W pv 012w led, 12.8v 13 Ah motion sensor)	"	62814	62814	62814	
	AE 2S18B8 (AE 2 off - grid power system, pv 18w 12.8v 7.8 Ah motion Sensor)	"	35746	35746	35746	
	AE 2S25B10 (AE 2 off - grid power system, pv 25w 12.8v 10.4 Ah motion Sensor)	"	44882	44882	44882	
	AE 2S36B13 (AE 2 off - grid power system, pv 36w 12.8v 13 Ah motion Sensor)	"	55961	55961	55961	
55	MCB/ISOLATOR ORIENT or equivalent					
	B CURVE MCB SP 6A-32A	pole	239	239	239	
	B CURVE MCB SP 40A	pole	281	281	281	
	B CURVE MCB SP 50A-63A	pole	281	281	281	
	C CURVE MCB SP 0.5-4A	pole	281	281	281	
	C CURVE MCB SP 6-32A	pole	239	239	239	
	C CURVE MCB SP 40A	pole	446	446	446	
	C CURVE MCB SP 50-63A	pole	446	446	446	
	C CURVE MCB SPN 0.5-4A	pole	479	479	479	
	C CURVE MCB SPN 6-32A	pole	513	513	513	
	C CURVE MCB SPN 40A	pole	561	561	561	
	C CURVE MCB SPN 50-63A	pole	561	561	561	
	C CURVE MCB DP 0.5-4A	pole	617	617	617	
	C CURVE MCB DP 6-32A	pole	564	564	564	
	C CURVE MCB DP 40A	pole	617	617	617	
	C CURVE MCB DP 50-63A	pole	617	617	617	
	C CURVE MCB TP 0.5-4A	pole	925	925	925	
	C CURVE MCB TP 6-32A	pole	847	847	847	
	C CURVE MCB TP 40A	pole	925	925	925	
	C CURVE MCB TP 50-63A	pole	925	925	925	
	C CURVE MCB TPN 0.5-4A	pole	1206	1206	1206	
	C CURVE MCB TPN 6-32A	pole	1103	1103	1103	



नेपाल सरकार
गृह मन्त्रालय
निकाश प्रशासन कार्यालय
नुवाकोट

[Handwritten signatures and initials]

C CURVE MCB TPN 40A	pole	1206	1206	1206
C CURVE MCB TPN 50-63A	pole	1206	1206	1206
C CURVE MCB FP 0.5-4A	pole	1290	1290	1290
C CURVE MCB FP 6-32A	pole	1180	1180	1180
C CURVE MCB FP 40A	pole	1290	1290	1290
C CURVE MCB FP 50-63A	pole	1290	1290	1290
ISOLATOR DP 40A	pole	551	551	551
ISOLATOR DP 63A	pole	551	551	551
ISOLATOR DP 80-100A	pole	576	576	576
ISOLATOR DP 125A	pole	611	611	611
ISOLATOR FP 40A	pole	902	902	902
ISOLATOR FP 63A	pole	902	902	902
ISOLATOR FP 80-100A	pole	998	998	998
ISOLATOR FP 125A	pole	998	998	998
RCCB DP 25A 30mA	pole	3547	3547	3547
RCCB DP 40A 30mA	pole	3547	3547	3547
RCCB DP 63A 30mA	pole	3547	3547	3547
RCCB DP 25A 100mA	pole	3345	3345	3345
RCCB DP 40A 100mA	pole	3345	3345	3345
RCCB DP 63A 100mA	pole	3345	3345	3345
RCCB DP 25A 300mA	pole	3345	3345	3345
RCCB DP 40A 300mA	pole	3345	3345	3345
RCCB DP 63A 300mA	pole	3345	3345	3345
RCCB FP 25A 30mA	pole	4155	4155	4155
RCCB FP 40A 30mA	pole	4155	4155	4155
RCCB FP 63A 30mA	pole	4155	4155	4155
RCCB FP 25A 100mA	pole	4004	4004	4004
RCCB FP 40A 100mA	pole	4004	4004	4004
RCCB FP 63A 100mA	pole	4004	4004	4004
RCCB FP 25A 300mA	pole	4004	4004	4004
RCCB FP 40A 300mA	pole	4004	4004	4004
RCCB FP 63A 300mA	pole	4004	4004	4004
56 Solar component				
Solar PV Module	Per watt	123	123	123
Solar Tubular Battery (200Ah@c20,12v)	Nos	29767	29767	29767
Solar Tubular Battery (150 Ah@c20,12v)	Nos	22763	22763	22763
Solar Tubular Battery (100 Ah@c20,12v)	Nos	15759	15759	15759
Solar Gel Battery (100 Ah@c20,12v)	Nos	31868	31868	31868
Solar Gel Battery (75 Ah@c20,12v)	Nos	24339	24339	24339
Solar Gel Battery (40 Ah@c20,12v)	Nos	14008	14008	14008
Charge controller (60Ah/24V)	Nos	31518	31518	31518
Charge controller 45Ah/12-24-48 V	Nos	23201	23201	23201
Charge controller 10a/12-24 V	Nos	2627	2627	2627
Charge controller 20a/12-24 V	Nos	3940	3940	3940
Solar dusk to down controller 20A/12Vwith driver curcuit	Nos	4378	4378	4378
Solar street light 20W/10W- 12V DC with autodimming system	Nos	14884	14884	14884
Solar street light 40W/20W- 12V DC with autodimming system	Nos	30643	30643	30643
Ms pole 6 m high with rustproof enamel paint dimension 4" for buttom 3 m 3" for top 3 m	Nos	16197	16197	16197
Ms pole 9 m high with rustproof enamel paint dimension 4" for buttom m 6" for top 3 m	Nos	20137	20137	20137
40 watt solar street light	Nos	14008	14008	14008
20 watt solar street light	Nos	8405	8405	8405
12 watt solar street light	Nos	5428	5428	5428
Pure sine wave inverter 250 VA /12 V	Nos	7004	7004	7004
Pure sine wave inverter 400 VA /12 V	Nos	13133	13133	13133
pure sine wave inverter 1400 VA	nos	22763	22763	22763
Ms light Arms	Set	2189	2189	2189
SPV mountaining frame	set	5691	5691	5691
Battery box	Set	4378	4378	4378
Battery stand	Set	4378	4378	4378



नेपाल सरकार

गृह मन्त्रालय

निकासा प्रशासन कार्यालय

नुवाकोट



Sanitary Works

बिदुर, नुवाकोट

आ. ब २०८१/८२

SANITARY WORK						
सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२	
1	Porcelain Clay Sanitaryware (Hindware, Paryware, Somany, cera or eqv. कम्पनीका सामानहरु)					
	White glazed porcelain pan					
	i)530mm size white glazed without siphon	सेट	2524	2524	2770	
	ii)500 mm size white glazed without siphon	"	2741	2741	3010	
	iii)580 mm size orrisa Pan	"	3371	3371	3371	
	iii)580 mm size white glazed Indian pan	"	1049	1049	1049	
	iv) Siphon 'p' or 's' type	"	590	590	590	
	v) Asian Pan 51x40 Rectangular	"	2524	2524	2524	
	Porcelain Clay Cistern					
	i) white glazed porcelain clay 10 lit cistern complete set (internal part of cistern pvc fittings)	"	3559	3559	3559	
	ii) White glazed porcelain clay 10 lit. Cistern cover only.	"	667	667	667	
	iii) White glazed porcelain clay 12.5 lit. cistern complete set (Brass fittings siphon with plunger plate)	"	3698	3698	3698	
	Commode					
	i) White glaze porcelain clay regular commode with 'p' trap	सेट	1587	1587	1587	
	ii) White glazed porcelain clay EWC regular commode with 's' \ p trap	"	1825	1825	1825	
	iii)(b) White glazed porcelain clay EWC Constellation commode with 'P' ' & 's' ' trap and seat cover set.(Hindware, Paryware, Somany, cera or eqv.)		18119	18119	18119	
	iv) White glazed porcelain clay One Piece commode with 'P' & 'S' trap and slow falling seat cover complete set.(Hindware, Paryware, Somany, cera or eqv.)	"	28875	28875	28875	
	iv) White glazed porcelain clay One Piece commode with 'P' & 's' trap and slow falling seat cover complete set.(Bolan, Tita, Akwa or eqv.)	"	20389	20389	20389	
	viii)(c) White glazed porcelain clay Ewc wall mounted commode without cistern all complete set..(Bolan, Tita, Akwa or eqv.)	"	5252	5252	5252	
	ix) White glazed porcelain clay Ewc floor mounted commode without cistern all complete set.	"	8656	8656	8656	
	x) 600 to 900 mm Grab bar	"	6062	6062	6062	
	Bidet set					
	i) Porcelain clay white glaze Bidet.	सेट	3692	3692	3692	
	Urinal set					
	i) Porcelain clay white glaze large flat back urinal 61×41×38 cm size (Hindware, Paryware, Somany, cera or eqv.)	सेट	4174	4174	4174	
	ii) Porcelain clay small Urinal (46.5×35.5×26.5) cm size .(Hindware, Paryware, Somany, cera or eqv.)		1880	1880	1880	



नेपाल सरकार
गृह मन्त्रालय
जिल्ला प्रशासन कार्यालय
नुवाकोट

Handwritten signatures and initials at the bottom of the page.

iv) White glazed porcelain clay corner Urinal (35×35×44)cm size with complete set.(Hindware, Paryware, Somany, cera or eqv.)	"	1619	1619	1619	
vi) Wall mounted Urinal with sensor complete set.(Duravit, Grohe, American standard and equivalent)	"	100291	100291	100291	
Porcelain Clay Urinal Squatting Plate					
i) white glaze squatting plate Small Size (45×35)cm	सेट	1212	1212	1212	
ii) Porcelain clay white glaze squatting plate large size	"	1454	1454	1454	
iii) Porcelain clay super color squatting plate large size.	"	2831	2831	2831	
iv) Urinal Spreader	"	915	915	915	
Wash basin					
i) Porcelain clay white glaze wash basin (500×400) cm size regular.	सेट	1095	1095	1095	
iii) Porcelain clay white glaze wash basin (50×40) cm	"	1481	1481	1481	
iv) Do but wash basin (45×32)cm	"	1065	1065	1065	
vi) white glazed porcelain clay Corner basin 40x40 complete set	सेट	1201	1201	1201	
vii) white glazed porcelain clay U-counter basin complete.(Duravit, Grohe, American standard or equiv)	"	8348	8348	8348	
ix) white glazed porcelain clay 0-counter wash basin, complete. (Duravit, Grohe, American standard or equiv)	"	13776	13776	13776	
x)(a) White glazed porcelain clay Semi pedestal large counter wash basin 750*500 mm with complete set.(Duravit, Grohe, American standard or equivalent)	"	9785	9785	9785	
x)(b) White glazed porcelain clay Semi pedestal large counter wash basin 750*500 mm with complete set.	"	6232	6232	6232	
d) White glaze porcelain clay Basin for disable with grab bar all complete	"	20549	20549	20549	
Pedestal:					
i) Porcelain clay white glaze pedestal	"	1378	1378	1378	
iii) White glazed Porcelain clay half pedestal complete set.	"	1670	1670	1670	
iv) First color glazed Porcelain clay half pedestal complete set.	"	1973	1973	1973	
v) Two piece pedestal with Basin" complete set.(Duravit, Grohe, American standard or equivalent)	"	13313	13313	13313	
Urinal Partition					
White glaze porcelain clay (68×30)cm division plate	"	1741	1741	1741	
Lab sink					
i) Porcelain clay white glaze large size	"	2222	2222	2222	
ii) Porcelain clay white glaze small size	"	1653	1653	1653	
iii) Porcelain clay janitor sink 58×71×43.5 size	"	27553	27553	27553	
Kitchen sink					
i) Porcelain clay large	सेट	3763	3763	3763	
ii) Porcelain clay small	"	3409	3409	3409	
iii) drain board white 53x45	"	1304	1304	1304	
iii) Soap dish	"	661	661	661	
iv) White glaze foot rest	"	419	419	419	
v) White glaze Toilet paper holder	"	1157	1157	1157	



नेपाल सरकार
गृह मन्त्रालय
सिन्धु प्रशासन कार्यालय
धुवाकोट

Handwritten signatures and initials at the bottom of the page.

2	PVC Cistern Set				
	i) single flush	सेट	1973	1973	1973
	ii) Deluxe single flush	"	2204	2204	2204
	iii) Dual flush 6/3 lit. cistern complete set.	"	2966	2966	2966
	iv) concealed cistern with plate complete set.(Viega, Geberit, American standard or equivalent)	"	16862	16862	16862
	v) 32 mm pvc bottel trap set.	पिस	476	476	476
	vi) 1.5x45 cm pvc pipe connector set.	"	143	143	143
	vi) Bakelite toilet seat cover set.	"	276	276	276
3	Stainless Steel Accessories etc.				
	Stainless steel Deep sink 45×45×30 size	"	18185	18185	18185
	Stainless steel Orissa pan LP 210 size	"	8486	8486	8486
	Stainless steel wash basin model 251 12" round size with pedestal	"	13262	13262	13262
	Stainless steel wash basin 500 mm model 277 with complete set	"	10276	10276	10276
	Stainless steel commode S trap with self closing complete set	"	17554	17554	17554
	Wall mixer (single lever) bath faucet with hand shower(Grohe, Hansgrohe, American standard or equivalent)	"	14634	14634	14634
	Bath tub (single lever)with hand shower(Grohe, Hansgrohe, American standard or equivalent)	"	18432	18432	18432
	External Shower Wall mixer (single control) bath faucet with hand shower(Grohe, Hansgrohe, American standard or equivalent)	"	25764	25764	25764
	Wall mixer (single control) bath faucet with hand shower(conceal system)(Grohe, Hansgrohe, American standard or equivalent)	"	15952	15952	15952
	Wall mixer (single control) shower faucet (conceal system)(Jaquare, Somany, Essel or equivalent)	"	4182	4182	4182
	conceal mixer faucet(Jaquare, Somany, Essel or equivalent)	"	6455	6455	6455
	Stainless steel Angle valve(Grohe, Hansgrohe, American standard or equivalent)	"	827	827	827
	Stainless steel two way Angle valve(Jaquare, Somany, Essel or equivalent)	"	1157	1157	1157
	Stainless steel bowl 19"×16" diamond board 37" long	"	2673	2673	2673
	Stainless steel bowl with diamond board 37" long	"	3660	3660	3660
	Stainless steel bowl with ordinary board 37" long	"	2314	2314	2314
	Stainless steel double bowl with double drain board 36" * 18 "size	"	13917	13917	13917
	Stainless steel double bowl with single drain board ordinary	"	5786	5786	5786
	Stainless steel p trap bottle trap for basin	"	2324	2324	2324
	Stainless steel Kitchen sink mixture(Jaquar, Somany, Essel or equivalent)	"	8408	8408	8408
	Stainless steel Kitchen sink faucet(Jaquar, Somany, Essel or equivalent)	"	5565	5565	5565
	Stainless steel Kitchen sink mixture(Jaquar, Somany, Essel or equivalent)	"	8408	8408	8408
	Stainless steel 1500mm flexible hose pipe(connection pipe)	"	1462	1462	1462



Handwritten signatures and initials at the bottom of the page, including a large signature on the left and several smaller ones on the right.

	Stainless steel Hose ringer 1200 mm	..	1274	1274	1274	
	Stainless steel commode spray with hose pipe (Grohe, hansgrohe, American standard or equivalent)	..	1798	1798	1798	
	Stainless steel basin mixer(single control)(Grohe, hansgrohe, American standard or equivalent)	..	6943	6943	6943	
	Stainless steel single faucet for basin(Jaquar, Somany, Essel or equivalent)	..	4425	4425	4425	
	Stainless steel Sink 700*450*200	..	24246	24246	24246	
	Stainless steel Sink table top1200*600*300	..	33504	33504	33504	
	Steel Split clamp with washer all complete					
	75 mm dia	पिस	331	331	331	
	110 mm dia	..	441	441	441	
	160 mm dia	..	771	771	771	
	Stainless steel telephonic shower(Jaquare, Somany, Essel or equivalent)	गोटा	1240	1240	1240	
	Stainless steel shower with sliding bar(Jaquare, Somany, Essel or equivalent)	..	2976	2976	2976	
	Stainless steel shower with sliding bar(Grohe, hansgrohe, American standard or equivalent)	..	9785	9785	9785	
	Stainless steel bottle trap (Viega, Somany, Jaquar or equivalent)	..	647	647	647	
	Stainless steel towel bar 450 mm	..	1240	1240	1240	
	Stainless steel water tank fitting with all complete set (304 grade steel)					
	Capacity 500 ltr	set	12124	12124	12124	
	Capacity 1000 ltr	..	17699	17699	17699	
	Capacity 1500 ltr	..	27212	27212	27212	
	Capacity 2000 ltr	..	32743	32743	32743	
	Sinks Other Types:					
	Super lab sink					
	i) super lab sink large size	..	4313	4313	4313	
	ii) super lab sink small size	..	3401	3401	3401	
	Super kitchen sink					
	i) super kitchen sink large size	..	7465	7465	7465	
	ii) super kitchen sink small size	..	6756	6756	6756	
	Modern Sanitaryware:Grohe, Hansgrohe, American Standard or eqv.					
	iv) Hand dryer Germany	..	19397	19397	19397	
	v) Hand Dryer Chinese	..	7164	7164	7164	
	vi) Indian Mark Brand Flush valve	..	5731	5731	5731	
	xii)Auto sensor for basin - Grohe, hansgrohe, American standard or equiv.	..	35267	35267	35267	
	xv) European pattern liquid soap container stainless steel	..	6062	6062	6062	
	xvii)Looking Mirror Modi guard 450x600mm (18"x 24")	..	1459	1459	1459	
	European Pattern C.P. Grab Bar for disable					
	a) 30cm long bend type	..	4786	4786	4786	
	b) 45 cm long bend type	..	5012	5012	5012	
	c) 60 cm long bend type	..	6418	6418	6418	
	5 C.P. Accessories(jaquar, somany, essel or equivalent)					
	1) Toilet paper holder	..	510	510	510	



Handwritten signatures and initials are present at the bottom of the page, including a large signature on the right and several smaller ones on the left.

2) Soap dish	"	510	510	510	
3) Towel rod ½"×18" size	"	510	510	510	
4) Towel rod ¾" ×24" size	"	567	567	567	
5) Glass shelf	"	680	680	680	
6) C.P. bottle trap	"	1246	1246	1246	
7) 32 mm×60cm long C.P flush pipe	"	510	510	510	
8) 15 mm flush cock push type	"	1133	1133	1133	
9) 15 mm dia. C.P. shower arm	"	976	976	976	
10) 15 mm dia. C.P. spreader	"	940	940	940	
11) 15 mm dia. C.P. wall mixture	"	5435	5435	5435	
i) 3" dia. Shower rose , revolving type	"	906	906	906	
ii) 4" dia. Shower rose , revolving type	"	1020	1020	1020	
iii) Shower rose ordinary	"	567	567	567	
iv) Shower rod 12" long	"	283	283	283	
C.P. 15 mm dia. Angle Valve	"	1244	1244	1244	
C.P. 15 mm dia Concealed Stop Cock	"	1807	1807	1807	
C.P. 15mm Bib Cock	"	1361	1361	1361	
C.P. 15 mm dia swan neck Pillar Cock	"	1331	1331	1331	
C.P. 15 mm dia Stop Cock	"	1331	1331	1331	
C.P. 15 mm dia Sink Cock	"	1309	1309	1309	
C.P. 15 mm dia Sink Mixture	"	4472	4472	4472	
C.P. 32 mm dia Flush Valve	"	5404	5404	5404	
C.P. 32 mm dia Waste Coupling for basin	"	424	424	424	
C.P. 32 mm dia Waste Coupling for Urinal	"	689	689	689	
C.P. Basin Mixture	सेट	4640	4640	4640	
15 mm dia Bath Tub Spout with Wall Hinge	"	1731	1731	1731	
C.P. Exclusive Shower Arm with Hinge	"	2014	2014	2014	
15 mm bath tub spout with bottom attachment of telephonic shower	"	4169	4169	4169	
15 mm wall mixture lever type telephonic shower of flexible type heavy.	"	6849	6849	6849	
C.P. flexible pipe	रोटा	181	181	181	
C.P. Grating					
i) 4" dia.	"	50	50	50	
ii) 5" dia.	"	62	62	62	
i) C.P. Toilet Paper Holder	"	929	929	929	
ii) C.P. Soap Dish(Polyurethane)	"	1042	1042	1042	
iii) C.P. Towel Rod 18"	"	1578	1578	1578	
iv) C.P. Towel Rod 24"	"	1663	1663	1663	
v) C.P. Glass Shelf 22"	"	2260	2260	2260	
vi) C.P. Coat Hook Double	"	812	812	812	
C.P. बाट निर्मित सामग्रीहरू(jaquar, somany, essel or equivalent)	"				
i) C.P. Toilet Paper Holder	"	969	969	969	
ii) C.P. Soap Dish(Polyurethane)	"	843	843	843	
iv) C.P. Towel Rod 24"	"	1643	1643	1643	
v) C.P. Glass Shelf 22"	"	2232	2232	2232	
vi) C.P. Coat Hook Double	"	758	758	758	
ix) C.P. Angle Cock					
15mm C.P. Angle Cock	"	927	927	927	
15 mm C.P. Angle Cock Long Thread	"	986	986	986	
x) C.P. Conceal Stop Cock					
i) 15 mm Reduced body	"	1136	1136	1136	
ii) 15 mm Extra Heavy Body	"	1390	1390	1390	



Handwritten signatures and initials are present at the bottom of the page, including a large signature on the left and several smaller ones on the right.

xi) C.P. Bib Cock	"				
i) 15mm C.P. Auto Closing Bib Cock With Aerator	"	2612	2612	2612	
ii) 15mm C.P. Bib Cock	"	952	952	952	
iii) 15mm C.P. Bib Cock with nozzle	"	1054	1054	1054	
xii) C.P. Pillar Cock	"				
i) 15 mm C.P. Pillar Cock With Aerator	"	1263	1263	1263	
ii) 15mm Auto Closing Pillar Cock With Aerator	"	2527	2527	2527	
i) 15mm C.P. Sink Cock	"	1600	1600	1600	
ii) C.P. Sink Mixer	"	3966	3966	3966	
iii) 15 mm C.P. Sink Mixer With Revolving Spout	"	3456	3456	3456	
xv) C.P. Bottle Trap 32mm	"	1852	1852	1852	
32 mm C.P. Conceal Flush Valve Dual Flow	"	3874	3874	3874	
xvii) C.P. Waste Coupling	"				
32 mm C.P. Waste Coupling H/T	"	446	446	446	
32 mm C.P. Waste Coupling F/T	"	446	446	446	
xviii) 15 mm Urinal Auto-Closing Valve with Built-in Control Cock	"	2694	2694	2694	
xix) 15 mm C.P. Wall Mixer					
15 mm C.P. Wall Mixer With Lower Bend Pipe	"	4463	4463	4463	
15 mm C.P. Wall Mixer With Upper Bend Pipe	"	4463	4463	4463	
xx) C.P. Basin Mixer	"				
15 mm C.P. Basin Mixer Central Hole With 450mm Long Braided Hoses	"	3706	3706	3706	
15 mm C.P. Basin Mixer Single Lever With 450mm Long Braided Hoses	"	3891	3891	3891	
xxi) 15mm Bath Tub Spout with wall flange	"				
15mm Bath Tub Spout with wall Flange	"	1263	1263	1263	
15mm Bath Tub Spout with button attachment	"	2021	2021	2021	
xxii) C.P. Casted Shower Arm with Flange	"				
15 mm Casted Shower Arm Light	"	673	673	673	
15 mm Casted Shower Arm Heavy	"	1094	1094	1094	
xxiii) 15 mm Telephonic Hand Shower					
With 1.50 m. PVC Tube	"	1791	1791	1791	
With 1.5 Flexible Tube	"				
xxiv) Auto closing urinal flush valve					
15mm presmatic auto closing urinal flush valve	रोटा	3224	3224	3224	
xxiv) Other accessories					
15mm Wall Mixer Single Lever for Telephonic Shower Arrangement	रोटा	4834	4834	4834	
15 mm Braided Hose for E.W.C.	"	298	298	298	
15 mm Health Faucet (Commode Spray)	"	1146	1146	1146	
15 mm pillar cock with 200 mm extended lever handle	"	1515	1515	1515	
15 mm Bib cock with 200 mm extended lever handle	"	1598	1598	1598	
Single lever surgical purpose elbow action basin mixer with extended operating lever	"	5956	5956	5956	



	Single lever surgical purpose elbow action Sink mixer with extended operating lever	"	5776	5776	5776
	Sensor mixer for wash basin (Battery operated)	"	20481	20481	20481
	Wall mounted Sensor mixer for operatation theater (Battery operated)	"	20481	20481	20481
	Sensor conceal type flushing valve for Western commode (battery operated)	"	16221	16221	16221
	Sensor valve for Urinal	"	10651	10651	10651
	Basin cock Sensor	"	14418	14418	14418
	15mm U shaped sink cock	"	1712	1712	1712
	Sink Mixture with U shape swinging spout	"	3358	3358	3358
	15mm metallic Health Faucet (Commode Spray)	"	2171	2171	2171
7	Electric & Solar Geyser				
	i) 10 lit. cap. electric water heater	गोटा	11241	11241	11241
	ii) 25 lit cap. " " "	"	17331	17331	17331
	iii) 35 lit cap " " "	"	21546	21546	21546
	iv) 50 lit cap " " "	"			
	v) 15.0 Ltr wate heater including copper pipe connector with coupling and other necessary fittings complete American.	सेट	12124	12124	12124
8	C.I. Manhole Cover including frame.				
8.1	Square Frame (in outer dia)				
	Medium Duty				
	i) 10" × 10" (4 Kg.)	सेट	669	669	669
	ii) 12" × 12" (5 Kg.)	"	836	836	836
	iii) 14" × 14" (7 Kg.)	"	1171	1171	1171
	v) 16" × 16" (10 Kg.)	"	1673	1673	1673
	vi) 18" × 18" (14 Kg.)	"	2509	2509	2509
	viii) 20" × 20" (16 Kg.)	"	2677	2677	2677
	ix) 22" × 22" (20 Kg.)	"	3346	3346	3346
	x) 24" × 24" (24 Kg.)	"	4294	4294	4294
	xi) 27" × 27" (31 Kg.)	"	5186	5186	5186
	Heavy Duty				
	iii) 14" × 14" (14 Kg.)	"	2342	2342	2342
	ix) 22" × 22" (22 Kg.)	"	3681	3681	3681
	xi) 27" × 27" (45 Kg.)	"	7528	7528	7528
8.2	Rounded Manhole Cover (Outer dia.)				
	Medium class				
	i) 18" dia. Round Manhole cover with square frame (60 Kg.)	सेट	9092	9092	9092
	ii) 20" dia. Round Manhole cover with square frame (70 Kg.)	"	12123	12123	12123
	iii) 20" dia. Round Manhole cover with square frame (100 Kg.)	"	15154	15154	15154
	iv) 22" dia. Medium class. (125 Kg.)	"	19397	19397	19397
	v) 22" dia. Heavy class. (208Kg.)	"	28974	28974	28974
	vi) 24" dia. Medium class. (40 Kg.)	"	6207	6207	6207
	vii) 24" dia. Heavy class (Load Test 8 Ton) (50 Kg.)	"	7759	7759	7759
	viii) 24" Round Manhole cover with square frame (IS:1726) (70 Kg.)	"	11153	11153	11153
	ix) 26" Round Manhole cover with square frame (IS:1726) (85 Kg.)	"	13578	13578	13578
	x) 28" Round Manhole cover with square frame (IS:1726) (116 Kg.)	"	17942	17942	17942
	xi) 28" Round Manhole cover with square frame (IS:1726) (116 Kg.)	"	17942	17942	17942
8.3	C.I. Tank Cover Locking Types				
	Round				
	18" (8 Kg.)	सेट	1673	1673	1673



	20" (12 Kg.)	..	2454	2454	2454
	22" (14 Kg.)	..	2788	2788	2788
	24" (16 Kg.)	..	3346	3346	3346
	28" (24 Kg.)	..	5019	5019	5019
	Square				
	18" x 18" (13 Kg.)	सेट	2788	2788	2788
	24" x 24" (50 Kg.)	..	10038	10038	10038
	Rectangular				
	18" x 24" (27 Kg.)	सेट	5577	5577	5577
8.4	C.I. Gully Gratings & Jali				
	Round Jali Strip Medium Duty				
	4"	सेट	100	100	100
	5"	..	134	134	134
	6"	..	178	178	178
	10"	..	613	613	613
	Square Jali Strip Medium Duty				
	4" x 4"	सेट	89	89	89
	5" x 5"	..	112	112	112
	6" x 6"	..	134	134	134
	9" x 9"	..	390	390	390
	10" x 10"	..	502	502	502
	12" x 12"	..	725	725	725
	C.I. Gully Gratings				
	i) 15"×18" Medium (18 Kg.)	सेट	3681	3681	3681
	ii) 15"×18" Heavy (25 Kg.)	सेट	5019	5019	5019
	Grit Cover				
	फलामे एङ्गलको फ्रेममा फलामे पतियो जाली बनाई फेब्रिकेशन कार्य गरी, एक कोट Red oxide paint लगाई जडान गर्ने काम (विभिन्न साइजमा)	के.जी.	162	162	162
	Aluminum Grating 4" dia.	गोटा	42	42	42
9	G.I. Water Tank (17 Gauge)				
	i) 100 gls	गोटा	8317	8317	8317
	ii) 200 gls	..	13066	13066	13066
	iii) 300 gls	..	16434	16434	16434
	iv) 400 gls	..	19730	19730	19730
	v) 500 gls	..	23036	23036	23036
	G.I. Water Tank (16 BWG TATA Sheet)				
	i) 100 gls	गोटा	8773	8773	8773
	ii) 200 gls	..	13267	13267	13267
	iii) 300 gls	..	17615	17615	17615
	iv) 400 gls	..	21106	21106	21106
	v) 500 gls	..	24597	24597	24597
10	Roof Top PVC Water Tank				
	i) 200 lit – 5000 lit cap.	ली.	11	11	11
	ii) 5000 lit – 10,000 lit cap	..	12	12	12
	iii) Horizontal PVC water tank	..	12	12	12
11	Water Pumps/Hand Pumps				
	6 No. hand pump	गोटा	1582	1582	1582
	Water Pump :				
	i) ½ H.P. Water Pump (Multi stage pump)	सेट	10885	10885	10885
	ii) ½ H.P. water pump mono block type	..	6258	6258	6258
	iii) 1.0 H.P. water pump Multistage	..	14258	14258	14258
	iv) 1.0 H.P. water pump (mono block type)	..	9465	9465	9465
	v) 2.0 H.P. water pump	..	22587	22587	22587
	vi) 2.0 H.P. 3 phase water pump	..	23847	23847	23847
	vii) 5.0 HP 3 phase water pump	..	28656	28656	28656
	Jet Water Pump				
	i) 1.10 H.P.	सेट	21630	21630	21630
	ii) Double Stage jet 1.10 H.P.	..	25956	25956	25956
	ii) 1.5 H.P.	..	29201	29201	29201
	Super Suction				



	i) ½ H.P.	सेट	8922	8922	8922
	ii) 0.75 H.P.	"	8328	8328	8328
	iii) 1.0 H.P.	"	14276	14276	14276
	Water Pump (Grundfoss, pentair, Pedrello or equiv)				
	i) 1.0 H.P. Single pump set with Boaster (Pressure Pump) with 25 lit. Pressure Tank.	सेट	18202	18202	18202
	ii) 2 H.P. single pump set "	"	29233	29233	29233
	Fire pump				
	Submersible Pump (Italian)				
	i) 1.0 H.P.	"	26089	26089	26089
	ii) 2.0 H.P.	"	48397	48397	48397
	Electric Water Pump (Chinese)				
	i) ½ H.P.	"	1703	1703	1703
	ii) ¾ H.P.	"	2219	2219	2219
	iii) 1.0 H.P.	"	3270	3270	3270
	Submersible Pump Sarvo/Bimal or equivalent				
	i) ½ H.P open well type	"	16655	16655	16655
	ii) 1.1 H.P open well type	"	24388	24388	24388
	iii) 1.5 H.P open well type	"	29741	29741	29741
	Vertical Submersible Pump Sarvo/Bimal or equivalent				
	i) 1.1 H.P.	"	27254	27254	27254
	iii) 1.5 H.P.	"	32932	32932	32932
12	Fire fighting equipment and accessories (safeguard india or equiv)				
	swinging nose nozzle with 20mm hydraulic rubber branded nose length 30m winding up to 170° U-shape hose reel carrier with drum set	सेट	-	-	-
	Gun metal two way collection head with 63 mm dia Instantaneous type inlet with built in check meter fore fine bridge connection to under ground tank or to fine reel, minimax	"	-	-	-
	IS 5290, hose box size 30"×24"×10", 63 mm hose reel with 30m length or (15×2m) Gun metal branch pope with nozzles coupling set, (Hose box 5063, hose pipe = 7500, nozzles coupling 2500, landing valve =8500	"	-	-	-
	Stainless steel Horizontal monoblock of pressure 70 m head with 30 mm inlet and outlet 25 mm built in pressure device and thermal over load protection, 0.75 kw single phase	"	-	-	-
13	Fire extinguisher ABC stored Pressure आपतकालिन आगलागी हुँदा प्रयोग गरिने सामग्री (safeguard india or equivalent)				
	i) 1 kg size ABC stored pressure type Fire extinguisher	गोटा	-	-	-
	ii) 2 kg size ABC " " "	गोटा	-	-	-
	iii) 3.0kg size ABC " " "	"	-	-	-
	iii) 5.0kg size ABC " " "	"	-	-	-
	iv) ABC store pressure type 1.0kg cap of fire extinguisher refill	युनिट	-	-	-
	v) ABC sore pressure type 2.0kg cap of fire extinguisher re-fill	"	-	-	-
	vi) ABC sore pressure type 5 kg cap of fire extinguisher re-fill	"	-	-	-
	vii) 4.5 kg size ABC stored pressure type fire extinguisher	"	-	-	-
	viii) 2.5 kg size ABC " " "	"	-	-	-
	ix) Co ₂ Type fire extinguisher 6.80 lit	"	-	-	-
	x) Foam type fire extinguisher 9 lit capacity	गोटा	-	-	-



14	Insulation for hot water pipe 'Acroflex'				
	15mm Insulation 6 mm wall thickness	र.मी	-	-	-
	20mm Insulation 6 mm wall thickness	"	-	-	-
	25mm Insulation 6 mm wall thickness	"	-	-	-
	32mm Insulation 6 mm wall thickness'	"	-	-	-
15	ACRYLIC GLASS SHELF				
	i) Acrylic glass shelf best quality	सेट	-	-	-
	ii) Acrylic glass shelf ordinary	"	-	-	-
	iii) Shower curtain	"	-	-	-
16	Water Purification System				
	Euro Guard Water purification system (one litre per minute)	युनिट	-	-	-
	Euro-guard water purification system (hi-flow 3 lit/min)	"	-	-	-
	AQUA-ALO water purifier (1.0 lit/min)	"	-	-	-
	AQUA-power water purifier	"	-	-	-
	RO feed pump	सेट	-	-	-
	Fire Sprinkler	"	-	-	-
	Supply, installation, testing and commissioning of Aeration system (FRP Tray type)	"	-	-	-
	Supply, installation, testing and commissioning of Dual Media Filter (DMF) FRP vessel with multiport valve, filter media and required accessories complete set (144"x14" Ø)	"	-	-	-
	Supply, installation, testing and commissioning of Dosing Pump 0.5 HP (Groundfos or equivalent)	"	-	-	-
	Filter Media for existing filtration system		-	-	-
	Pebbles	के.जी.	-	-	-
	Coarse silex	"	-	-	-
	Gravel	"	-	-	-
	Golden sand	"	-	-	-
	Anthracite	"	-	-	-
	MNo2	"	-	-	-
	Activated Carbon	"	-	-	-
	Motor starter switch	"	-	-	-
	Pressure sensor switch for water tank(Italian)	"	-	-	-
17	विभिन्न साइजको Bath tub .fiber (Duravit, grohe, American standard or equiv)				-
	a) Bath tub – 3'6" Medium	सेट	-	-	-
	Bath tub – 3'6" Heavy	"	-	-	-
	b) Bath tub – 4'0" Medium	"	6705	6705	6705
	Bath tub 4'0" Heavy	"	7787	7787	7787
	c) Bath Tub – 4'6" Medium	"	8111	8111	8111
	Bath tub – 4'6" Heavy	"	8137	8137	8137
	d) Bath tub – 5'0" Medium	"	8868	8868	8868
	Bath tub 5'0" Heavy	"	29355	29355	29355
	e) Bath Tub – 5'6" Medium	"	7957	7957	7957
	Bath tub – 5'6" Heavy	"	9373	9373	9373
	f) Bath Tub – 6'0" Medium	"	12875	12875	12875
	Bath tub – 6'0" Heavy	"	36823	36823	36823
18	Shower Tray 3'0"×3'0"	गोटा	500	500	500
	Pipes and fittings				
19	PPR Pipe (Poly propylene random co- polymer pipe Panchakanya , Nepatop or Eqv.)				
	1) PP-R Pipe (PN-10)				
	20mm outer, 1.9 mm thick, 0.107 kg/m	र.मि	63	63	63


 नेपाल सरकार
 गृह मन्त्रालय
 जिल्ला प्रशासन कार्यालय
 नुवाकोट



25mm 2.3 mm thick 0.164kg/m	"	95	95	95
32mm 2.9 mm thick 0.26kg/m	"	152	152	152
40mm 3.7 mm thick 0.412kg/m	"	239	239	239
50mm 4.6 mm thick 0.638kg/m	"	372	372	372
63 mm 8.6 mm thick 0.638kg/m	"	588	588	588
75 mm	"	820	820	820
90 mm	"	1181	1181	1181
110 mm	"	1751	1751	1751
2) PP-R Pipe (PN-16)				
20mm 2.80 mm thick 0.148kg/m	"	84	84	84
25mm 3.50 mm thick 0.26kg/m	"	131	131	131
32mm 3.7 mm thick 0.230kg/m	"	209	209	209
40mm 5.50 mm thick 0.575kg/m	"	335	335	335
50mm 6.90 mm thick 0.896kg/m	"	521	521	521
63 mm 4.6 mm thick 0.638kg/m	"	820	820	820
75 mm	"	1169	1169	1169
90 mm	"	1670	1670	1670
110 mm	"	2501	2501	2501
3) PP-R Pipe (PN-20)				
20mm 3.4 mm thick 0.172 kg/m	"	100	100	100
25mm 4.20 mm thick 0.266kg/m	"	155	155	155
32mm 5.40 mm thick 0.434kg/m	"	252	252	252
40mm 6.70mm thick 0.671kg/m	"	390	390	390
50mm 8.30 mm thick 1.04kg/m	"	605	605	605
63mm 8.6mm thick 1.04kg/m	"	960	960	960
75 mm	"	1361	1361	1361
90 mm	"	1955	1955	1955
110 mm	"	2915	2915	2915
PP-R Pipe Accessories :				
Elbow (90^o)				
20mm	गोटा	13	13	13
25mm	"	27	27	27
32mm	गोटा	45	45	45
40mm	"	95	95	95
50mm	"	159	159	159
63 mm	"	280	280	280
75 mm	"	526	526	526
90 mm	"	888	888	888
110 mm	"	1653	1653	1653
Equal Tee				
20mm	"	18	18	18
25mm	"	32	32	32
32mm	"	56	56	56
40mm	"	109	109	109
50mm	"	185	185	185
63mm	"	337	337	337
75 mm	"	584	584	584
90 mm	"	1069	1069	1069
110 mm	"	1858	1858	1858
Coupler				
20mm	गोटा	11	11	11
25mm	"	13	13	13
32mm	"	27	27	27
40mm	"	52	52	52
50mm	"	86	86	86
63 mm	"	151	151	151
75 mm	"	292	292	292
90 mm	"	432	432	432
110 mm	"	788	788	788
45 Degree Elbow				
20 mm	"	18	18	18
25 mm	"	30	30	30
32 mm	"	46	46	46
40 mm	"	86	86	86
50 mm	"	144	144	144
63 mm	"	238	238	238
75 mm	"	467	467	467
90 mm	"	788	788	788
110 mm	"	1378	1378	1378



Handwritten signatures and initials at the bottom of the page, including a large signature on the left and several initials on the right.

Union (Plastic)				
20mm	गोट्टा	70	70	70
25mm	"	119	119	119
32mm	"	192	192	192
40mm	"	290	290	290
50mm	"	456	456	456
63mm	"	544	544	544
Reducing Coupler				
25mm*20mm	"	14	14	14
32mm*20mm	"	19	19	19
32mm*25mm	"	21	21	21
40mm*20mm	"	31	31	31
40mm*25mm	"	37	37	37
40mm*32mm	"	44	44	44
50mm*20mm	"	58	58	58
50mm*25mm	"	64	64	64
50mm*32mm	"	69	69	69
50mm*40mm	"	76	76	76
63mm*32mm	"	117	117	117
63mm*40mm	"	122	122	122
63mm*50mm	"	131	131	131
75mm*40mm	"	195	195	195
75mm*50mm	"	239	239	239
75mm*63mm	"	241	241	241
90mm*50mm	"	483	483	483
90mm*63mm	"	521	521	521
90mm*75mm	"	614	614	614
110mm*75mm	"	818	818	818
110mm*90mm	"	949	949	949
Reducing Tee				
25*20*25 mm	"	26	26	26
32*20*32 mm	"	42	42	42
32*25*32 mm	"	45	45	45
40*20*40 mm	"	66	66	66
40*25*40 mm	"	69	69	69
40*32*40 mm	"	76	76	76
50*20*50 mm	"	88	88	88
50*25*50 mm	"	93	93	93
50*32*50 mm	"	151	151	151
50*40*50 mm	"	161	161	161
63*32*63 mm	"	199	199	199
63*40*63 mm	"	193	193	193
63*50*63 mm	"	214	214	214
75*50*75 mm	"	439	439	439
75*63*75 mm	"	458	458	458
90*63*90 mm	"	926	926	926
90*75*90 mm	"	993	993	993
110*75*110 mm	"	1622	1622	1622
110*90*110 mm	"	1700	1700	1700
Reducing Elbow				
25mm*20mm	"	22	22	22
32mm*20mm	"	32	32	32
32mm*25mm	"	41	41	41
High Footed Pipe Clip				
20mm	गोट्टा	14	14	14
25mm	"	17	17	17
32mm	"	22	22	22
40mm	"	25	25	25
50mm	"	34	34	34
63 mm	"	39	39	39
Low Footed Pipe Clip				
20mm	"	7	7	7
25mm	"	8	8	8
32mm	"	14	14	14
40mm	"	19	19	19
50mm	"	30	30	30
63 mm	"	38	38	38
"Y" type Pipe Clip				
20mm	"	25	25	25
25mm	"	25	25	25



Handwritten signatures and initials at the bottom of the page, including a large signature on the right and several smaller ones on the left.

32mm	"	34	34	34
40 mm	"	48	48	48
End Plug (short)				
20mm	"	14	14	14
25mm	"	22	22	22
32mm	"	34	34	34
End Plug with Ring				
20mm	"	25	25	25
End Plug (long)				
20mm	"	10	10	10
End Cap				
20mm	"	14	14	14
25mm	"	22	22	22
32mm	"	34	34	34
40mm	"	53	53	53
50mm	"	88	88	88
63 mm	"	164	164	164
75 mm	"	246	246	246
Cross Tee				
20mm	"	25	25	25
25mm	"	36	36	36
32mm	"	64	64	64
Short Passover				
20mm	"	70	70	70
25mm	"	99	99	99
32mm	"	143	143	143
Long Bypass				
20mm	"	93	93	93
25mm	"	135	135	135
32mm	"	191	191	191
Male Tee				
20mmx1/2"	"	145	145	145
25mmx1/2"	"	142	142	142
25mmx3/4"	"	176	176	176
32mmx1/2"	"	219	219	219
32mmx3/4"	"	224	224	224
32mmx1"	"	401	401	401
Female Tee				
20mmx1/2"	"	108	108	108
25mmx1/2"	"	122	122	122
25mmx3/4"	"	160	160	160
32mmx1/2"	"	181	181	181
32mmx3/4"	"	200	200	200
32mmx1"	"	323	323	323
Male elbow				
20mmx1/2"	"	139	139	139
25mmx1/2"	"	143	143	143
25mmx3/4"	"	174	174	174
32mmx1/2"	"	188	188	188
32mmx3/4"	"	205	205	205
32mmx1"	"	396	396	396
Female elbow				
20mmx1/2"	"	105	105	105
25mmx1/2"	"	148	148	148
25mmx3/4"	"	136	136	136
32mmx1/2"	"	200	200	200
32mmx3/4"	"	229	229	229
32mmx1"	"	281	281	281
Male Coupling				
20mmx1/2"	"	136	136	136
20mmx3/4"	"	163	163	163
25mmx1/2"	"	130	130	130
25mmx3/4"	"	164	164	164
32mmx1/2"	"	182	182	182
32mmx3/4"	"	23	23	23
32mmx1"	"	385	385	385
40mmx1-1/4"	"	548	548	548
50mmx1-1/2"	"	828	828	828
63mmx2"	"	1201	1201	1201




Handwritten signatures and initials at the bottom of the page, including a large signature on the left and several smaller ones on the right.

75mmx2-1/2"	"	329	329	329
Female Coupling				
20mmx1/2"	"	102	102	102
20mmx3/4"	"	125	125	125
25mmx1/2"	"	114	114	114
25mmx3/4"	"	128	128	128
32mmx1/2"	"	123	123	123
32mmx3/4"	"	131	131	131
32mmx1"	"	300	300	300
40mmx1-1/4"	"	482	482	482
50mmx1-1/2"	"	626	626	626
63mmx2"	"	922	922	922
75mmx2-1/2"	"	1822	1822	1822
Male Union				
20mmx1/2"	"	245	245	245
25mmx3/4"	"	352	352	352
32mmx1"	"	506	506	506
40mmx1 ^{1/4} "	"	977	977	977
50mmx1/2"	"	1342	1342	1342
63mmx2"	"	3117	3117	3117
Female Union				
20mmx1/2"	"	238	238	238
25mmx3/4"	"	346	346	346
32mmx1"	"	487	487	487
40mmx1 ^{1/4} "	"	746	746	746
50mmx1/2"	"	1253	1253	1253
63mmx2"	"	2372	2372	2372
Stop Valve				
a) 20 mm	"	288	288	288
b) 25 mm	"	381	381	381
c) 32 mm	"	462	462	462
d) 40mm	"	610	610	610
e)50 mm	"	1013	1013	1013
f) 63 mm	"	1461	1461	1461
Male base elbow				
20mm x 1/2"	"	139	139	139
25mm x 3/4"	"	180	180	180
Female base elbow				
20mm x 1/2"	"	147	147	147
25mm x 1/2"	"	175	175	175
25mm x 3/4"	"	162	162	162
Metal Ball valve (double)				
20mmx1/2"	"	657	657	657
25mmx3/4"	"	887	887	887
32mmx1"	"	1284	1284	1284
40mmx1-1/4"	"	3257	3257	3257
50mmx1-1/2"	"	4586	4586	4586
Metal Ball valve (Single)				
20mmx1/2"	"	648	648	648
25mmx3/4"	"	872	872	872
32mmx1"	"	1274	1274	1274
Conceal Valve (Lux)				
20mm	"	755	755	755
Conceal Valve (Nor)				
20mm	"	719	719	719
Ball Valve (Plastic)				
20mm	"	112	112	112
25mm	"	151	151	151
32mm	"	244	244	244
40mm	"	478	478	478
50mm	"	614	614	614
63 mm	"	1091	1091	1091
Ball Valve (Brass)				
20mm	"	311	311	311
25mm	"	441	441	441
32mm	"	738	738	738
40mm	"	1762	1762	1762



Handwritten signatures and initials are present at the bottom of the page, including a large signature on the left and several smaller ones on the right.

21	CPVC Pipes & Fittings for hot and cold water distribution system CPVC						
	means Chlorinated Poly Vinyl Chloride as per ASTM are as per ASTM F 442, CPVC SOLVENT are as per ASTM F-493 2846 (Flowguard : astral, ashivad, ajay, marvel or eqv.						
	CPVC Pipe SDR 13.5 (22.5 Kg/cm2)						
		1/2" dia	Rm	115	115	121	
		3/4" dia	"	160	160	168	
		1" dia	"	210	210	220	
		1-1/4" dia	"	261	261	274	
		1-1/2" dia	"	366	366	384	
		2" dia	"	559	559	587	
	CPVC Pipe SDR 11 (28.1 Kg/cm2)						
		1/2" dia	"	133	133	140	
		3/4" dia	"	178	178	187	
		1" dia	"	248	248	261	
		1-1/4" dia	"	300	300	315	
		1-1/2" dia	"	418	418	438	
		2" dia	"	677	677	711	
	CPVC Pipe SDR 11.0 (Hilltake, Panchakanya, Mangalam flow life or eqv.)						
		1/2" dia	Rm	126	126	132	
		3/4" dia	"	168	168	177	
		1" dia	"	234	234	246	
		1-1/4" dia	"	289	289	303	
	1-1/2" dia	"	402	402	422		
	2" dia	"	679	679	713		
CPVC Ball Valve (CTS Sockets)							
	1/2"	"	365	365	384		
	3/4"	"	486	486	510		
	1"	"	588	588	617		
	1-1/4"	"	1371	1371	1440		
	1-1/2"	"	1643	1643	1725		
	2"	"	2117	2117	2223		
CPVC Reducer Brass Coupling		गोटा					
	3/4" X 1/2"	"	138	138	145		
	1" X 1/2"	"	181	181	190		
CPVC Tee		गोटा					
	1/2"	"	36	36	38		
	3/4"	"	77	77	80		
	1"	"	117	117	123		
	1-1/4"	"	220	220	231		
	1-1/2"	"	320	320	336		
	2"	"	687	687	721		
CPVC Reducer Tee		गोटा					
	1/2" x 1/2" x 3/4"	"	70	70	74		
	3/4" x 3/4" x 1/2"	"	107	107	113		
	3/4" x 1/2" x 3/4"	"	134	134	141		
	3/4" x 1/2" x 1/2"	"	153	153	161		
	1" x 1" x 3/4"	"	161	161	169		
	1-1/2" x 1-1/2" x 1"	"	251	251	263		
	2" x 2" x 1"	"	436	436	458		
	1-1/4" x 1-1/4" x 1/2"	"	142	142	149		
	1-1/4" x 1-1/4" x 1"	"	153	153	161		
	2" x 2" x 1/2"	"	428	428	450		
	1" x 1" x 1/2"	"	100	100	105		
CPVC Brass FPT Tee		गोटा					
	1/2" x 1/2" x 1/2"	"	120	120	126		
	3/4" x 3/4" x 1/2"	"	125	125	131		



Handwritten signatures and initials at the bottom of the page, including a large signature on the left and several smaller ones on the right.

	1" x 1" x 1/2"	"	139	139	146
	1-1/4" x 1-1/4" x 1-1/4"	"	501	501	526
	1-1/4" x 1-1/4" x 1/2"	"	272	272	286
CPVC Elbow 90°		गोटा			
	1/2"	"	25	25	27
	3/4"	"	52	52	55
	1"	"	95	95	100
	1-1/4"	"	179	179	188
	1-1/2"	"	267	267	281
	2"	"	572	572	601
CPVC Reducer Elbow 90°					
	3/4" X 1/2"	"	53	53	56
CPVC Brass FPT Elbow 90°		गोटा			
	1/2" x 1/2"	"	84	84	88
	3/4" x 1/2"	"	97	97	102
	3/4" x 3/4"	"	111	111	117
	1" X 1/2"	"	215	215	225
	1" X 1"	"	596	596	626
	1-1/4" x 1-1/4"	"	774	774	813
CPVC Elbow 45°		गोटा			
	1/2"	"	30	30	31
	3/4"	"	54	54	57
	1"	"	77	77	81
	1-1/4"	"	136	136	143
	1-1/2"	"	197	197	207
	2"	"	427	427	448
CPVC Male Adapter (CPVC Threads)		गोटा			
	1/2"	"	22	22	23
	3/4"	"	39	39	41
	1"	"	59	59	62
	1-1/4"	"	106	106	111
	1-1/2"	"	149	149	156
	2"	"	290	290	305
CPVC Reducing Male Adapter (CPVC Threads)		गोटा			
	3/4" x 1/2"	"	41	41	43
CPVC Male Adapters (Brass Threads)					
	1/2"	"	206	206	216
	3/4"	"	267	267	280
	1"	"	421	421	443
	1-1/4"	"	926	926	972
	1-1/2"	"	1080	1080	1134
	2"	"	2224	2224	2335
CPVC Reducing Male Adapter (Brass Threads)					
	3/4" x 1/2"	"	229	229	241
CPVC Female Adapter (CPVC Threads)					
	1/2"	"	31	31	32
	3/4"	"	51	51	54
	1"	"	77	77	80
CPVC Female Adapters Brass Threads		गोटा			
	1/2"	"	198	198	208
	3/4"	"	269	269	282
	1"	"	349	349	367
	1-1/4"	"	917	917	963
	1-1/2"	"	1020	1020	1071
	2"	"	1994	1994	2093
CPVC Caps					
	1/2"	"	13	13	14
	3/4"	"	25	25	26
	1"	"	37	37	39



Handwritten signatures and initials are present at the bottom of the page, including a large signature on the left and several smaller ones on the right.

	1-1/4"	"	72	72	76	
	1-1/2"	"	106	106	111	
	2"	"	225	225	237	
CPVC Union						
	1/2"	"	270	270	284	
	3/4"	"	398	398	418	
	1"	"	471	471	495	
	1-1/4"	"	862	862	905	
	1-1/2"	"	942	942	990	
	2"	"	1352	1352	1420	
CPVC Cross Tee						
	1/2"	"	49	49	51	
	3/4"	"	106	106	111	
CPVC Step Over Bend						
	1/2"	"	63	63	66	
	3/4"	"	104	104	109	
CPVC Ball Valve (CTS Sockets)						
	1/2"	"	661	661	694	
	3/4"	"	805	805	846	
	1"	"	921	921	967	
	1-1/4"	"	1879	1879	1973	
	1-1/2"	"	2391	2391	2510	
	2"	"	3075	3075	3229	
CPVC Flow Guard Adhesive Solution						
	50ML	"	199	199	209	
	118ML	"	329	329	346	
	237ML	"	533	533	559	
	473ML	"	838	838	880	
	946ML	"	1471	1471	1545	
Plastic Strap						
	1/2"	"	5	5	5	
	3/4"	"	5	5	6	
	1"	"	8	8	8	
	1-1/4"	"	11	11	12	
	1-1/2"	"	15	15	15	
	2"	"	18	18	19	
Metal Strap						
	1/2"	"	13	13	14	
	3/4"	"	16	16	17	
	1"	"	21	21	22	
	1-1/4"	"	25	25	26	
	1-1/2"	"	27	27	28	
	2"	"	29	29	31	
Tee Holder						
	1/2" X 1/2" X 1/2"	"	5	5	6	
	3/4" X 3/4" X 1/2"	"	8	8	8	
Elbow Holder						
	1/2" X 1/2"	"	5	5	6	
	1/2" X 3/4"	"	7	7	7	
Snap Fix Repair Coupling						
	1/2"	"	229	229	241	
	3/4"	"	248	248	261	
End plug threaded 1/2"						
		"	11	11	12	
21 MS SEAMLESS PIPES						
	-PIPES: ASTM-A-106 Gr.'B'/SA-1 106Gr.'B'/SA-53/API 5L Gr.'B'/IS:1239					
	MS PIPE SEAMLESS SIZE OD (MM)					
	21.3 mm OD 1/2" SCH.40, 2.77 mm thickness					
		"	420	420	441	



Handwritten signatures and initials at the bottom of the page, including a large signature on the left and several initials and a signature on the right.

	26.7mm OD 3/4" SCH.40, 2.87 mm thickness	"	503	503	528
	33.4 mm OD 1" SCH.40, 3.38mm thickness	"	631	631	662
	42.2mm OD 1.1/4" SCH.40, 3.56mm thickness	"	778	778	817
	48.3 mm OD 1.5" SCH.40, 3.68 mm thickness	"	890	890	935
	60.3mm OD 2" SCH.40, 3.91 mm thickness	"	1144	1144	1201
	73mm OD 3" SCH.40,5.16 .mm thickness	"	1757	1757	1845
	88.9mm OD 3.5" SCH.40, 5.49 mm thickness	"	2300	2300	2415
	101.6mm OD 4" SCH.40, 5.74 mm thickness	"	2972	2972	3121
	114.3mm OD 5" SCH.40, 6.02 mm thickness	"	3275	3275	3438
	141.3mm OD 6" SCH.40, 6.557 mm thickness	"	4434	4434	4656
	168.3mm OD 4" SCH.40, 7.11 mm thickness	"	5756	5756	6044
22	ASTRAL FOAMCORE UNDER GROUND PIPING SYSTEMS (GOLDEN BROWN)				
	Single Socket (R/R)	Mtr	410	410	410
	Single Socket (R/R)	"	762	762	762
	Single Socket (R/R)	"	821	821	821
	Single Socket Self Fit	"	1058	1058	1058
	Single Socket Self Fit	"	1294	1294	1294
	Single Socket Self Fit	"	1778	1778	1778
	Single Socket Self Fit	"	2093	2093	2093
	Single Socket Self Fit	"	2795	2795	2795
	Single Socket Self Fit	"	3331	3331	3331
	Long Radius Bend - 45 Degree	Pc	1083	1083	1083
	Long Radius Bend - 45 Degree	"	1977	1977	1977
	Long Radius Bend - 45 Degree	"	3569	3569	3569
	Long Radius Bend - 45 Degree	"	6921	6921	6921
	Long Radius Bend - 60 Degree	"	1193	1193	1193
	Long Radius Bend - 60 Degree	"	2186	2186	2186
	Long Radius Bend - 60 Degree	"	4010	4010	4010
	Long Radius Bend - 60 Degree	"	7593	7593	7593
	Long Radius Bend - 90 Degree	"	585	585	585
	Long Radius Bend - 90 Degree	"	1413	1413	1413
	Long Radius Bend - 90 Degree	"	2606	2606	2606
	Long Radius Bend - 90 Degree	"	4874	4874	4874
	Long Radius Bend - 90 Degree	"	8980	8980	8980
	Fab. Coupler	"	168	168	168
	Fab. Coupler	"	404	404	404
	Fab. Coupler	"	869	869	869
	Fab. Coupler	"	1700	1700	1700
	Fab. Coupler	"	3127	3127	3127
	End Cap	"	360	360	360
	End Cap	"	592	592	592
	End Cap	"	945	945	945
	End Cap	"	1380	1380	1380
	Equal Tee	"	10303	10303	10303
	Equal Tee	"	5929	5929	5929
	Equal Tee	"	3291	3291	3291
	Gully Trap with grating	"	962	962	962
	Rodding Point	"	570	570	570
	Adjustable Bend 7 Degree to 37.5 Degree	"	608	608	608
	Adjustable Bend 7 Degree to 87.5 Degree	"	834	834	834
	Inspection Chamber Body	"	3000	3000	3000




Handwritten signatures and initials at the bottom of the page, including a large signature on the right and several smaller ones on the left.

	Inspection Chamber Riser	"	1490	1490	1490
	Inspection Chamber Lid with Cover	"	2829	2829	2829
	Inspection Chamber Body	"	8284	8284	8284
	Inspection Chamber Riser	"	2634	2634	2634
	Inspection Chamber Lid with Cover	"	4395	4395	4395
23	GEBERIT				
	Geberit Products				
	Concealled Cisterns 9cm	"	7431	7431	7431
	Concealled Cisterns Kombo fix 8cm	"	9103	9103	9103
	Dual Flush Actuator Plate Shiny Chrome	"	3646	3646	3646
	Concealled Cisterns 12cm	"	9140	9140	9140
	Dual Flush Actuator Plate Shiny Chrome	"	3646	3646	3646
	Traps for Wash Basins	"	1004	1004	1004
	Sensor for Urinal 9V DC	"	25764	25764	25764
	Sensor for Urinal 230V AC	"	25764	25764	25764
	control box for urinal sensor	"	7078	7078	7078
	Sensor Faucet Cold / Mixed water 6V DC	"	32159	32159	32159
	Sensor Faucet Cold / Mixed water 230V AC	"	32159	32159	32159
24	PVC Lead Free White Pipes SCHEDULE 40				
	"LEAD FREE" PVC PLUMBING SYSTEMS (100% SAFE FOR DRINKING WATER) PVC PIPES are as per ASTM D 1785, PVC FITTINGS are as per ASTM D 2466, PVC BRASS SCH 80 FITTINGS are as per ASTM D 2467, PVC SOLVENT as per ASTM D 2564				
	PVC Lead Free White Pipes SCH 40 (..... Kg/cm2)	m.			
	1/2" dia. (42.19 Kg/cm2)	"	114	114	120
	3/4" dia. (33.75 Kg/cm2)	"	147	147	154
	1" dia. (31.64 Kg/cm2)	"	226	226	237
	1-1/4" dia. (26.01 Kg/cm2)	"	279	279	293
	1-1/2" dia. (23.20 Kg/cm2)	"	342	342	359
	2" dia. (19.69 Kg/cm2)	"	485	485	509
	2-1/2" dia. (21.09 Kg/cm2)	"	678	678	712
	3" dia. (18.28 Kg/cm2)	"	856	856	899
	4" dia. (15.47 Kg/cm2)	"	1256	1256	1319
	6" dia. (12.66 Kg/cm2)	"	2616	2616	2747
	PVC Tee - Soc	गोटा			
	1/2"	"	32	32	33
	3/4"	"	44	44	46
	1"	"	69	69	73
	1-1/4"	"	109	109	114
	1-1/2"	"	143	143	150
	2"	"	221	221	232
	2-1/2"	"	633	633	664
	3"	"	831	831	872
	4"	"	1503	1503	1578
	6"	"	8336	8336	8753
	PVC Reducer Tee - Soc	गोटा			
	3/4 x 1/2	"	63	63	66
	1 x 1/2	"	97	97	102
	1 x 3/4	"	97	97	102
	1-1/2 X 1/2	"	329	329	346
	1-1/2 X 3/4	"	329	329	346
	1-1/2 X 1	"	329	329	346
	1-1/2 X 1-1/4	"	329	329	346
	2 X 1/2	"	406	406	426
	2 X 3/4	"	406	406	426
	2 X 1	"	406	406	426



Handwritten signatures and initials at the bottom of the page, including a large signature on the left and another on the right.

	2 X 1-1/4	"	406	406	426
	2 X 1-1/2	"	406	406	426
	2-1/2 X 1/2	"	1043	1043	1095
	2-1/2 X 3/4	"	1043	1043	1095
	2-1/2 X 1	"	1043	1043	1095
	2-1/2 X 1-1/4	"	1043	1043	1095
	2-1/2 X 1-1/2	"	1043	1043	1095
	2-1/2 X 2	"	1043	1043	1095
	3 X 1/2	"	1523	1523	1599
	3 X 3/4	"	1523	1523	1599
	3 X 1	"	1523	1523	1599
	3 X 1-1/4	"	1523	1523	1599
	3 X 1-1/2	"	1523	1523	1599
	3 X 2	"	1523	1523	1599
	3 X 2-1/2	"	1523	1523	1599
	6 X 1-1/4	"	8007	8007	8408
	6 X 1-1/2	"	8007	8007	8408
	6 X 2	"	8007	8007	8408
	6 X 2-1/2	"	8007	8007	8408
	6 X 3	"	8007	8007	8408
	6 X 4	"	8007	8007	8408
	PVC Brass Tee - Soc x Fipt SCH 80	गोटा			
	1/2"		161	161	169
	3/4"		292	292	306
	3/4" X 1/2"		237	237	249
	1" X 1/2"		420	420	441
	PVC 90° Elbow - Soc	गोटा			
	1/2"	"	26	26	27
	3/4"	"	30	30	31
	1"	"	53	53	56
	1-1/4"	"	93	93	97
	1-1/2"	"	109	109	114
	2"	"	167	167	176
	2-1/2"	"	496	496	521
	3"	"	594	594	624
	4"	"	1216	1216	1277
	6"	"	5121	5121	5377
	PVC Brass 90° Elbow Soc x Fipt SCH 80	गोटा			
	1/2"	"	173	173	181
	3/4"	"	242	242	254
	3/4" X 1/2"	"	250	250	263
	PVC 45° Elbow - Soc	गोटा			
	1/2"	"	55	55	58
	3/4"	"	86	86	90
	1"	"	102	102	107
	1-1/4"	"	143	143	150
	1-1/2"	"	180	180	189
	2"	"	234	234	246
	2-1/2"	"	669	669	702
	3"	"	1040	1040	1091
	4"	"	1866	1866	1959
	6"	"	5135	5135	5392
	PVC Coupling - Soc	गोटा			
	1/2"	"	17	17	18
	3/4"	"	26	26	27
	1"	"	41	41	43
	1-1/4"	"	56	56	59
	1-1/2"	"	76	76	79




Handwritten signatures and notes at the bottom of the page, including a large signature on the left and another on the right.

	2"	"	117	117	123
	2-1/2"	"	247	247	259
	3"	"	386	386	405
	4"	"	604	604	634
	6"	"	2420	2420	2541
PVC Reducer Coupling - Soc		गोटा			
	3/4 X 1/2	"	42	42	44
	1 X 3/4	"	73	73	77
	1-1/2 X 1-1/4	"	131	131	137
	2 X 1-1/2	"	208	208	218
	4 x 2	"	1392	1392	1462
	4 X 3	"	1392	1392	1462
	6 X 4	"	2895	2895	3040
PVC Reducer Bushing - (Flush Style)		गोटा			
	3/4 X 1/2	"	35	35	37
	1 X 1/2	"	50	50	52
	1 X 3/4	"	50	50	52
	1-1/4 X 1/2	"	86	86	90
	1-1/4 X 3/4	"	86	86	90
	1-1/4 X 1	"	86	86	90
	1-1/2 X 1/2	"	90	90	95
	1-1/2 X 3/4	"	90	90	95
	1-1/2 X 1	"	90	90	95
	1-1/2 X 1-1/4	"	90	90	95
	2 X 1/2	"	165	165	173
	2 X 3/4	"	165	165	173
	2 X 1	"	165	165	173
	2 X 1-1/4	"	165	165	173
	2 X 1-1/2	"	165	165	173
	2-1/2 X 1-1/4	"	232	232	244
	2-1/2 X 1-1/2	"	232	232	244
	2-1/2 X 2	"	232	232	244
	3 X1-1/2	"	344	344	361
	3 X2	"	344	344	361
	3 X2-1/2	"	344	344	361
	4 X 2	"	676	676	710
	4 X 3	"	676	676	710
	6 X 2	"	2271	2271	2384
	6 X 3	"	2271	2271	2384
	6 X 4	"	2271	2271	2384
PVC Cap - Soc		गोटा			
	1/2"	"	24	24	26
	3/4"	"	30	30	31
	1"	"	42	42	44
	1-1/4"	"	60	60	63
	1-1/2"	"	66	66	69
	2"	"	79	79	83
	2-1/2"	"	254	254	266
	3"	"	278	278	292
	4"	"	633	633	664
	6"	"	2498	2498	2623
PVC Union - Soc With EPDM O-Ring Seal		गोटा			
	1/2"	"	254	254	266
	3/4"	"	291	291	305
	1"	"	298	298	313
	1-1/4"	"	960	960	1008
	1-1/2"	"	1001	1001	1051
	2"	"	1350	1350	1418



Handwritten signatures and initials at the bottom of the page, including a large signature on the left and several initials on the right.

	2-1/2"	"	1889	1889	1984	
	3"	"	3018	3018	3169	
	4"	"	4178	4178	4387	
	PVC Male Adaptor - Soc x MBSP		गोटा			
	1/2"	"	46	46	48	
	3/4"	"	54	54	57	
	1"	"	71	71	75	
	1-1/4"	"	87	87	92	
	1-1/2"	"	121	121	127	
	2"	"	156	156	163	
	2-1/2"	"	545	545	573	
	3"	"	648	648	680	
	4"	"	1025	1025	1076	
	6"	"	2359	2359	2477	
	PVC Brass Male Adapter - Soc x Mipt SCH 80		गोटा			
	1/2"	"	262	262	275	
	3/4"	"	350	350	368	
	1"	"	527	527	553	
	PVC Female Adaptor - Soc x FBSP		गोटा			
	1/2"	"	59	59	62	
	3/4"	"	61	61	64	
	1"	"	64	64	67	
	1-1/4"	"	167	167	175	
	1-1/2"	"	245	245	257	
	2"	"	238	238	249	
	PVC Brass Female Adapter - Soc x Fipt SCH 80		गोटा			
	1/2"	"	220	220	231	
	3/4"	"	311	311	327	
	1"	"	399	399	419	
	PVC Ball Valve - Soc		गोटा			
	1/2"	"	881	881	925	
	3/4"	"	1048	1048	1100	
	1"	"	1466	1466	1539	
	1-1/4"	"	1985	1985	2084	
	1-1/2"	"	3027	3027	3178	
	2"	"	3828	3828	4019	
	2-1/2"	"	6323	6323	6640	
	3"	"	10018	10018	10519	
	4"	"	16556	16556	17383	
	6"	"	35961	35961	37759	
	PVC Adhesive Solution (Med. Bonded 705)		गोटा			
	118ML	"	306	306	321	
	237ML	"	439	439	461	
	473ML	"	795	795	834	
	946ML	"	1308	1308	1373	
	PVC Adhesive Solution (Heavy Bonded 717)		गोटा			
	118ML	"	492	492	517	
	237ML	"	649	649	681	
	473ML	"	1138	1138	1194	
	946ML	"	1969	1969	2068	
25	Rainwater Collection System sintex or Prince Brand Roof					
	140 mm Dia.					
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.		Rm.	159	159	167



Handwritten signatures and initials at the bottom of the page, including a large signature on the left and several initials and dates in the center and right.

	JOINT BRACKET To connect two lengths of roof water	Pc.	257	257	269	
	RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	Pc.	352	352	369	
	90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	Pc.	432	432	454	
	90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	Pc.	432	432	454	
	SHORT STOP END To close the end of roof water pipe line.	Pc.	95	95	100	
	STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	Pc.	305	305	320	
	SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	Pc.	77	77	80	
	TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	Pc.	50	50	53	
	CLAMP To ensure perfect fixing between pipe and fittings.	Pc.	32	32	33	
	RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	Pc.	77	77	81	
	RUBBER GASKET To provide leak proof joints.	Pc.	30	30	31	
	75 mm dia.					
	PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	Pc.	63	63	66	
	RUBBER SEALS To ensure, leak proof joint of single socket elbow.	Pc.	38	38	40	
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	Pc.	126	126	132	
	180 mm dia.					
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	Pc.	302	302	317	
	JOINT BRACKET To connect two lengths of roof water	Pc.	358	358	376	
	RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	Pc.	518	518	543	
	90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	Pc.	592	592	622	



90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	Pc.	592	592	622	
SHORT STOP END To close the end of roof water pipe line.	Pc.	140	140	147	
STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water.	Pc.	424	424	445	
SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	Pc.	108	108	113	
TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	Pc.	91	91	95	
CLAMP To ensure perfect fixing between pipe and fittings.	Pc.	51	51	54	
RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	Pc.	110	110	115	
RUBBER GASKET To provide leak proof joints.	Pc.	41	41	43	
110 mm dia.				0	
PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	Pc.	68	68	72	
RUBBER SEALS To ensure, leak proof joint of single socket elbow.	Pc.	44	44	46	
SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	Pc.	243	243	255	
250 mm dia.					
ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	Pc.	585	585	614	
JOINT BRACKET To connect two lengths of roof water	Pc.	614	614	644	
RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	Pc.	965	965	1013	
90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	Pc.	1387	1387	1456	
90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	Pc.	1387	1387	1456	
SHORT STOP END To close the end of roof water pipe line.	Pc.	302	302	317	
STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	Pc.	802	802	842	
SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	Pc.	300	300	315	
TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	Pc.	164	164	172	



Handwritten signatures and initials at the bottom of the page, including a large signature on the left and several smaller ones in the center and right.

Handwritten signature and initials on the right side of the page, including a large signature and the letters 'YH' below it.

CLAMP To ensure perfect fixing between pipe and fittings.	Pc.	122	122	128	
RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	Pc.	318	318	334	
RUBBER GASKET To provide leak proof joints.	Pc.	166	166	174	
160 mm dia.					
PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	Pc.	82	82	86	
RUBBER SEALS To ensure, leak proof joint of single socket elbow.	Pc.	191	191	200	
SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	Pc.	437	437	459	
ASTRAL "DWV" UPVC DRAIN, WASTE & VENT SYSTEM and Ashirvad SWR Systems					
ASTRAL DWV FOAM CORE PIPING SYSTEM (ABOVE GROUND) GREY					
FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4 75mm	per mtr.	247	247	259	
FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-8	"	438	438	459	
FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	"	262	262	275	
FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-8	"	470	470	494	
FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4 110mm	"	447	447	470	
FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-8	"	673	673	707	
FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	"	473	473	497	
FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-8	"	696	696	731	
FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-2 160 mm dia	"	959	959	1007	
FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4	"	1196	1196	1256	
FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-2	"	1022	1022	1073	
FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	"	1350	1350	1418	
ASTRAL DWV AND ASHIRVAD SWR FITTINGS (ABOVE GROUND) GREY					
DWV Bend 45 Degree 75 mm size	pcs	140	140	147	
DWV Bend 87.5 Degree	"	177	177	186	
DWV Bend 87.5 Degree with Door	"	81	81	85	
DWV Socket Plug	"	189	189	199	
DWV Cleansing Pipe	"	114	114	120	
DWV Coupler	"	202	202	212	
DWV Single Tee	"	222	222	233	
DWV Single Tee with Door	"	349	349	367	
DWV Cross Tee	"	491	491	516	
DWV Cross Tee with Door	"	361	361	379	
DWV Double 'Y'	"	481	481	505	
DWV Double 'Y' with Door	"	226	226	237	
DWV Single 'Y'	"	288	288	302	
DWV Single 'Y' with Door	"	12	12	12	
DWV Pipe Clip	"	25	25	26	
DWV Vent Cowel	"	230	230	241	
DWV Bend 45 Degree 110mm size	"	282	282	296	
DWV Bend 87.5 Degree	"	323	323	339	
DWV Bend 87.5 Degree with Door	"	103	103	108	




Handwritten signatures and initials at the bottom of the page, including a large signature on the left and several initials on the right.




DWV Socket Plug	"	370	370	389	
DWV Cleansing Pipe	"	206	206	216	
DWV Coupler	"	684	684	718	
DWV Double 'Y'	"	808	808	848	
DWV Double 'Y' with Door	"	566	566	595	
DWV Cross Tee	"	642	642	674	
DWV Cross Tee with Door	"	370	370	389	
DWV Single Tee	"	437	437	458	
DWV Single Tee with Door	"	453	453	476	
DWV Single 'Y'	"	475	475	499	
DWV Single 'Y' with Door	"	47	47	49	
DWV Vent Cowel	"	161	161	169	
DWV Reducer 110*75 mm	"	36	36	37	
DWV Pipe Clip size 110mm	"	436	436	457	
DWV W.C. Connectore (Straight type)	"	348	348	366	
DWV W.C. Connectore (Bend type)	"	174	174	183	
DWV Nahani Trap - 3" Height without Jali 75 mm	"	24	24	25	
DWV Nahani Trap Jali	"	539	539	565	
DWV P-Trap with Leap Ring 10*110 mm	"	773	773	812	
DWV P-Trap with Leap Ring 25*110 mm	"	232	232	243	
DWV Multi Floor Trap 4" w/o Jali 75 mm	"	470	470	494	
DWV Reducer 60*110 mm	"	449	449	472	
DWV Coupler size 160mm	"	1077	1077	1131	
DWV Single Tee	"	1157	1157	1215	
DWV Single Tee with Door	"	2016	2016	2116	
DWV Single 'Y'	"	2118	2118	2223	
DWV Single 'Y' with Door	"	742	742	779	
DWV Bend 87.5 Degree	"	988	988	1037	
DWV Bend 87.5 Degree with Door	"	864	864	907	
DWV Bend 45 Degree	"				
FOAMCORE PIPING SYSTEMS (UNDER GROUND) GOLDEN BROWN COLOR					
FOAMCORE Plain Both End (3mtrs length) SN-8 110 mm	per mtr.	584	584	613	
FOAMCORE Single Socket (R/R) (3mtrs length) SN-8	"	606	606	636	
FOAMCORE Double Socket (R/R) (3mtrs length) SN-8	"	630	630	661	
FOAMCORE Single Socket Self Fit (3mtrs length) SN-8	"	593	593	623	
FOAMCORE Double Socket Self Fit (3mtrs length) SN-8	"	604	604	634	
FOAMCORE Plain Both End (3mtrs length) SN-4 160 mm	"	1078	1078	1132	
FOAMCORE Single Socket (R/R) (3mtrs length) SN-4	"	1120	1120	1176	
FOAMCORE Double Socket (R/R) (3mtrs length) SN-4	"	1163	1163	1221	
FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	1096	1096	1151	
FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	1116	1116	1172	
FOAMCORE Plain Both End (3mtrs length) SN-4 200 mm	"	1688	1688	1772	
FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	1718	1718	1804	
FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	1746	1746	1834	
FOAMCORE Plain Both End (3mtrs length) SN-4	"	2801	2801	2941	
FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	2849	2849	2992	
FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	2899	2899	3044	

Handwritten signatures and initials at the bottom of the page, including a large signature on the left and several initials on the right.

	FOAMCORE Plain Both End (3mtrs length) SN-2 315 mm	"	3709	3709	3894	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-2	"	3773	3773	3962	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-2	"	3838	3838	4030	
	FOAMCORE Plain Both End (3mtrs length) SN-4	"	4583	4583	4812	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	4663	4663	4896	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	4743	4743	4980	
	FOAMCORE Plain Both End (6mtrs length) SN-8	"	583	583	612	
	FOAMCORE Single Socket (R/R) (6mtrs length) SN-8	"	598	598	628	
	FOAMCORE Double Socket (R/R) (6mtrs length) SN-8	"	613	613	643	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-8	"	594	594	624	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-8	"	605	605	635	
	FOAMCORE Plain Both End (6mtrs length) SN-4	"	1077	1077	1131	
	FOAMCORE Single Socket (R/R) (6mtrs length) SN-4	"	1109	1109	1164	
	FOAMCORE Double Socket (R/R) (6mtrs length) SN-4	"	1139	1139	1196	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	1097	1097	1152	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	"	1116	1116	1172	
	FOAMCORE Plain Both End (6mtrs length) SN-4	"	1688	1688	1772	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	1718	1718	1804	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	"	1747	1747	1835	
	FOAMCORE Plain Both End (6mtrs length) SN-4	"	2801	2801	2941	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	2849	2849	2992	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	"	2898	2898	3043	
	FOAMCORE Plain Both End (6mtrs length) SN-2	"	3709	3709	3894	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-2	"	3773	3773	3962	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-2	"	3838	3838	4030	
	FOAMCORE Plain Both End (6mtrs length) SN-4	"	4583	4583	4812	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	4663	4663	4896	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	"	4743	4743	4980	
	ASTRAL FOAMCORE PIPING SYSTEMS (UNDER GROUND) GOLDEN BROWN COLOR					
	DWV Coupler SN-8 110mm	per pc	294	294	309	
	DWV Coupler SN-4 160 mm	"	708	708	743	
	DWV Coupler SN-4 200 mm	"	1447	1447	1520	
	DWV Coupler SN-4 250 mm	"	2697	2697	2832	
	DWV Coupler SN-2 315mm	"	4338	4338	4555	
	DWV Coupler SN-4 315 mm	"	4736	4736	4973	
	DWV Long Radius Bend - 90 Degree SN-8 110mm	"	1001	1001	1051	
	DWV Long Radius Bend - 90 Degree SN-4 160 mm	"	2787	2787	2926	
	DWV Long Radius Bend - 90 Degree SN-4 200mm	"	5205	5205	5465	
	DWV Long Radius Bend - 90 Degree SN-4 250 mm	"	11668	11668	12251	
	DWV Long Radius Bend - 90 Degree SN-4 315 mm	"	27705	27705	29090	
26	Multilayer Composite Pipe (Sanghai, or eqv.)					
	Cold Water Pipe (White)					
	12-16 mm ½"	Rm	101	101	101	
	14-18 mm ½"	"	111	111	111	
	16-20 mm ½"	"	119	119	119	


 नेपाल सरकार
 गृह मन्त्रालय
 कानून प्रशासन कार्यालय
 नुवाकोट



20-25 mm ¾"	"	180	180	180
26-32 mm 1"	"	281	281	281
32-40 mm 1¼"	"	446	446	446
41-50 mm 1½"	"	653	653	653
Hot Water Pipe (Orange)				
12-16 mm ½"	Rm	111	111	111
14-18 mm ½"	"	123	123	123
16-20 mm ½"	"	141	141	141
20-25 mm ¾"	"	208	208	208
26-32 mm 1"	"	302	302	302
32-40 mm 1¼"	"	465	465	465
Gas Lines Pipe (Yellow)				
12-16 mm ½"	Rm	87	87	87
14-18 mm ½"	"	87	87	87
MULTILAYER COMPOSITE Fittings				
a. Equal Straight Union				
½"ø (16mm ø)	गोटा	133	133	133
½"ø (18mm ø)	"	140	140	140
½"ø (20mm ø)	"	154	154	154
¾"ø (25 mm ø)	"	225	225	225
1"ø (32 mm ø)	"	351	351	351
1¼"ø (40 mm ø)	"	1296	1296	1296
1½"ø (50 mm ø)	"	1958	1958	1958
b. Unequal Straight Union				
25 - 16 mm ø	"	252	252	252
25 - 18 mm ø	"	261	261	261
25 - 20 mm ø	"	275	275	275
32 - 16 mm ø	"	338	338	338
32 - 18 mm ø	"	356	356	356
32 - 20 mm ø	"	383	383	383
32 - 25 mm ø	"	410	410	410
40 - 32 mm ø	"	1121	1121	1121
50 - 20 mm ø	"	1634	1634	1634
50 - 32 mm ø	"	1958	1958	1958
50 - 40 mm ø	"	1845	1845	1845
c. Male Union				
16mm x ½"M	गोटा	95	95	95
18mm x ½"M	"	110	110	110
20mm x ½"M	"	126	126	126
25mm x ½"M	"	153	153	153
25mm x ¾"M	"	194	194	194
25mm x 1"M	"	248	248	248
32mm x ¾"M	"	284	284	284
32mm x 1"M	"	311	311	311
32mm x 1½"M	"	315	315	315
40mm x 1"M	"	995	995	995
40mm x 1½"M	"	1030	1030	1030
50mm x 1"M	"	1563	1563	1563
50mm x 1¼"M	"	1590	1590	1590
50mm x 1½"M	"	2160	2160	2160
50mm x 2"M	"	1623	1623	1623
d. Female Straight Union				
16mm x ½"F	गोटा	104	104	104
18mm x ½"F	"	113	113	113
20mm x ½"F	"	122	122	122
25mm x ½"F	"	162	162	162
25mm x ¾"F	"	194	194	194
25mm x 1"F	"	198	198	198
32mm x ½"F	"	203	203	203
32mm x ¾"F	"	207	207	207
32mm x 1"F	"	293	293	293
40mm x 1½"F	"	1168	1168	1168
50mm x 1¼"F	"	1575	1575	1575
50mm x 1½"F	"	2160	2160	2160
50mm x 2"F	"	1638	1638	1638
e. Equal Elbow				
½"ø (16mm ø)	गोटा	126	126	126
½"ø (18mm ø)	"	153	153	153
½"ø (20mm ø)	"	207	207	207



नेपाल सरकार
गृह मन्त्रालय
सिन्धु प्रशासन कार्यालय
नुवाकोट

Handwritten signatures and notes at the bottom of the page, including a large signature on the left and a date '29/11/2011' on the right.

	¾" ø (25 mm ø)	"	315	315	315
	1" ø (32 mm ø)	"	509	509	509
	1¼" ø (40 mm ø)	"	1656	1656	1656
	1½" ø (50 mm ø)	"	2565	2565	2565
f. Unequal Elbow					
	40 - 32 mm ø	"	1836	1836	1836
	50 - 20 mm ø	"	2115	2115	2115
	50 - 40 mm ø	"	2156	2156	2156
g. Female Elbow					
	16mm x ½"F	गोटा	167	167	167
	18mm x ½"F	"	185	185	185
	20mm x ½"F	"	203	203	203
	25mm x ½"F	"	225	225	225
	25mm x ¾"F	"	279	279	279
	25mm x 1"F	"	306	306	306
	32mm x ¾"F	"	329	329	329
	32mm x 1"F	"	410	410	410
	50mm x 1¼"F	"	2115	2115	2115
h. Male Elbow					
	25mm x ¾"M	"	225	225	225
	25mm x 1"M	"	293	293	293
	32mm x ¾"M	"	221	221	221
	32mm x 1"M	"	374	374	374
	40mm x 1"M	"	1215	1215	1215
	50mm x 1"M	"	1732	1732	1732
i. Equal Tee					
	½"ø (16mm ø)	गोटा	225	225	225
	½"ø (18mm ø)	"	252	252	252
	½"ø (20mm ø)	"	315	315	315
	¾" ø (25 mm ø)	"	455	455	455
	1" ø (32 mm ø)	"	711	711	711
	1¼" ø (40 mm ø)	"	2658	2658	2658
	1½" ø (50 mm ø)	"	3884	3884	3884
j. Unequal Tee					
	20 mm x 16 mm x 20 mm	"	203	203	203
	20 mm x 18 mm x 20 mm	"	225	225	225
	25 mm x 16 mm x 25 mm	"	338	338	338
	25 mm x 18 mm x 25 mm	"	383	383	383
	25 mm x 20 mm x 25 mm	"	396	396	396
	32 mm x 16 mm x 32 mm	"	653	653	653
	32 mm x 18 mm x 32 mm	"	675	675	675
	32 mm x 20 mm x 32 mm	"	702	702	702
	32 mm x 25 mm x 32 mm	"	720	720	720
	40 mm x 32 mm x 32 mm	"	1967	1967	1967
	40 mm x 32 mm x 40 mm	"	2278	2278	2278
	50 mm x 20 mm x 50 mm	"	3105	3105	3105
	50 mm x 32 mm x 32 mm	"	2047	2047	2047
	50 mm x 32 mm x 50 mm	"	3137	3137	3137
	50 mm x 40 mm x 40 mm	"	3147	3147	3147
	50 mm x 40 mm x 50 mm	"	3595	3595	3595
k. Female Tee					
	16mm x ½"F x 16mm	गोटा	225	225	225
	18mm x ½"F x 18mm	"	234	234	234
	20mm x ½"F x 20mm	"	252	252	252
	25mm x ½"F x 25mm	"	237	237	237
	25mm x ¾"F x 25mm	"	261	261	261
	25mm x 1"F x 25mm	"	338	338	338
	32mm x ½"F x 32mm	"	365	365	365
	32mm x ¾"F x 32mm	"	374	374	374
	32mm x 1"F x 32mm	"	507	507	507
	40mm x ¾"F x 32mm	"	1496	1496	1496
	50mm x ¾"F x 40mm	"	2219	2219	2219
l. Equal Ball Valve Union					
	½"ø (16mm ø)	गोटा	262	262	262
	½"ø (18mm ø)	"	291	291	291
	½"ø (20mm ø)	"	383	383	383
	¾" ø (25 mm ø)	"	635	635	635
	1" ø (32 mm ø)	"	882	882	882
	1¼" ø (40 mm ø)	"	2882	2882	2882



	1½" ø (50 mm ø)	"	4159	4159	4159
m. Female Ball Valve Union					
	16mm x ½"F	गोटा	244	244	244
	18mm x ½"F	"	280	280	280
	20mm x ½"F	"	313	313	313
	20mm x ¾"F	"	351	351	351
	25mm x ¾"F	"	653	653	653
	25mm x 1"F	"	666	666	666
	32mm x 1"F	"	702	702	702
n. Plug					
	1¼" ø (40 mm ø)	"	1440	1440	1440
	1½" ø (50 mm ø)	"	1980	1980	1980
p. Wall Plated Female Elbow					
	16mm x ½"F	गोटा	189	189	189
	18mm x ½"F	"	207	207	207
	20mm x ½"F	"	225	225	225
q. Nipple					
	N 1/2F*1/2F	गोटा	49	49	49
	N 1/2M*1/2M	"	49	49	49
	N 3/4F*1/2F	"	68	68	68
	N 1F*1/2F	"	77	77	77
	N 1F*3/4F	"	87	87	87
	N 3/4M*1/2M	"	68	68	68
	N 1M*1/2M	"	77	77	77
	N 1M*3/4M	"	87	87	87
	N 1/2F*1/2M	"	59	59	59
	N 1/2F*3/4M	"	68	68	68
	N 1/2F*1M	"	107	107	107
	N 1/2M*3/4F	"	68	68	68
	N 1/2M*1F	"	112	112	112
	N 3/4F*3/4M	"	87	87	87
	N 3/4F*1M	"	96	96	96
	N 3/4M*1F	"	127	127	127
27	Supplying laying & jointing of Nepal Plastic (Blue colour slotted)Pvc pipe for different size of Ordinary Boring work by manually				
	a.1) 1.5" Pvc pipe ordinary Boring with necessary materials etc. upto 150'	र.मि	486	486	486
	a.2) Failure chagre per well	संख्या	1350	1350	1350
	b.1) 2" Pvc pipe ordinary Boring with necessary materials etc. upto 150'	र.मि	693	693	693
	b.2) Failure chagre per well	संख्या	3600	3600	3600
	c.1) 3" Pvc pipe ordinary Boring with necessary materials etc. upto 150'	र.मि	1323	1323	1323
	c.2) Failure chagre per well	संख्या	4680	4680	4680
	d.1) 4" Pvc pipe ordinary Boring with necessary materials etc.	र.मि	1872	1872	1872
	d.2) Failure chagre per well	संख्या	5400	5400	5400
	Submercible pump installation fixing position with GI touching wire all complete work	संख्या	1575	1575	1575
28	R.C.C. Hume Pipe & Hume Pipe Collar				
	PIPES				
	a) NP-2				
	150 mm dia.	र.मि	592	592	592
	200 mm dia.	"	775	775	775
	250 mm dia.	"	974	974	974
	300 mm dia.	"	1316	1316	1316
	350 mm dia.	"	1459	1459	1459
	375 mm dia.	"	1596	1596	1596
	400 mm dia.	"	1826	1826	1826
	450 mm dia.	"	1938	1938	1938
	500 mm dia.	"	2178	2178	2178
	600 mm dia.	"	2856	2856	2856
	700 mm dia.	"	3749	3749	3749
	750 mm dia.	"	4055	4055	4055



Handwritten signatures and notes at the bottom of the page, including a large signature on the left and a signature with a date '29/11/2011' on the right.

800 mm dia.	"	4529	4529	4529
900 mm dia.	"	6120	6120	6120
1000 mm dia.	"	7140	7140	7140
1200 mm dia.	"	8711	8711	8711
1500 mm dia.	"	18309	18309	18309
b) NP-3				
150 mm dia.	र.मि	1331	1331	1331
200 mm dia.	"	1775	1775	1775
250 mm dia.	"	2224	2224	2224
300 mm dia.	"	3509	3509	3509
350 mm dia.	"	3585	3585	3585
375 mm dia.	"	3825	3825	3825
400 mm dia.	"	4080	4080	4080
450 mm dia.	"	4809	4809	4809
500 mm dia.	"	5110	5110	5110
600 mm dia.	"	6314	6314	6314
700 mm dia.	"	7625	7625	7625
750 mm dia.	"	8762	8762	8762
800 mm dia.	"	9563	9563	9563
900 mm dia.	"	12393	12393	12393
1000 mm dia.	"	13770	13770	13770
1200 mm dia.	"	16402	16402	16402
1500 mm dia.	"	25775	25775	25775
R.C.C. Hume Pipe Collar				
a) NP-2				
150 mm dia.	गोटा	148	148	148
200 mm dia.	"	194	194	194
250 mm dia.	"	240	240	240
300 mm dia.	"	326	326	326
350 mm dia.	"	357	357	357
375 mm dia.	"	398	398	398
400 mm dia.	"	459	459	459
450 mm dia.	"	485	485	485
500 mm dia.	"	546	546	546
600 mm dia.	"	719	719	719
700 mm dia.	"	938	938	938
750 mm dia.	"	1010	1010	1010
800 mm dia.	"	1122	1122	1122
900 mm dia.	"	1530	1530	1530
1000 mm dia.	"	1785	1785	1785
1200 mm dia.	"	2173	2173	2173
1500 mm dia.	"	4565	4565	4565
b) NP-3				
150 mm dia.	"	332	332	332
200 mm dia.	"	444	444	444



Handwritten signatures and initials are present below the table, including a large signature on the left and several smaller ones on the right.

250 mm dia.	॥	556	556	556	
300 mm dia.	॥	791	791	791	
350 mm dia.		893	893	893	
375 mm dia.		949	949	949	
400 mm dia.	॥	1020	1020	1020	
450 mm dia.	॥	1142	1142	1142	
500 mm dia.	॥	1275	1275	1275	
600 mm dia.	॥	1571	1571	1571	
700 mm dia.	॥	1897	1897	1897	
750 mm dia.	॥	2188	2188	2188	
800 mm dia.	॥	2387	2387	2387	
900 mm dia.	॥	3091	3091	3091	
1000 mm dia.	॥	3443	3443	3443	
1200 mm dia.	॥	4100	4100	4100	
1500 mm dia.	॥	6426	6426	6426	
R.C.C.Spigot Pipes (Socket System)					
a) NP-2					
150 mm dia.	र.मि	-	-	-	
200 mm dia.	॥	-	-	-	
250 mm dia.	॥	-	-	-	
300 mm dia.	॥	-	-	-	
350 mm dia.	॥	-	-	-	
400 mm dia.	॥	-	-	-	
450 mm dia.	॥	-	-	-	
500 mm dia.	॥	-	-	-	
600 mm dia.	॥	-	-	-	
700 mm dia.	॥	-	-	-	
750 mm dia.	॥	-	-	-	
800 mm dia.	॥	-	-	-	
900 mm dia.	॥	-	-	-	
1000 mm dia.	॥	-	-	-	
1200 mm dia.	॥	-	-	-	
b) NP-3					
150 mm dia.	र.मि	1505	1505	1505	
200 mm dia.	॥	2040	2040	2040	
250 mm dia.	॥	2555	2555	2555	
300 mm dia.	॥	3672	3672	3672	
350 mm dia.	॥	-	-	-	
400 mm dia.	॥	4697	4697	4697	
450 mm dia.	॥	5273	5273	5273	
500 mm dia.	॥	5880	5880	5880	
600 mm dia.	॥	7262	7262	7262	
700 mm dia.	॥	8772	8772	8772	
800 mm dia.	॥	10996	10996	10996	
900 mm dia.	॥	14260	14260	14260	
1000 mm dia.	॥	15851	15851	15851	
1200 mm dia.	॥	18860	18860	18860	
1500 mm dia.	॥	30330	30330	30330	
1600 mm dia.	॥	34986	34986	34986	
1800 mm dia.	॥	46594	46594	46594	



Handwritten signatures and initials in black ink, including a large signature that appears to be 'S. S. S. S.' and several other scribbles.

29	High Density Polythene Pipe(PE:100) NS-40				
	Pipes of different sizes, series & pressure as per NS Standard				
	HDPE Pipe	Kg	280	290	290
Double wall Corrugated (SN8) pipes for Sewage and Rain water(Non Pressure Pipes)					
1	100 mm dia	मिटर	520	520	520
2	150mm dia	"	1040	1040	1040
3	200mm dia	"	1560	1560	1560
4	250mm dia	"	1976	1976	1976
5	300mm dia	"	3286	3286	3286
6	400mm dia	"	4233	4233	4233
7	500mm dia	"	5564	5564	5564
8	600mm dia	"	8705	8705	8705
9	800mm dia	"	12870	12870	12870
10	1000mm dia	"	17888	17888	17888
30	UPVC (Pipe NS 206/046				
30.1	A) pipe 2.5 kg / cm ² pressure				
	a) 90 mm	र.मी	141	141	154
	b) 110 mm	"	209	209	229
	c) 125 mm	"	266	266	292
	d) 140 mm	"	328	328	361
	e) 160 mm	"	429	429	472
	f) 180 mm	"	549	549	604
	g) 200 mm	"	671	671	737
30.2	B) PVC Pipe 4 kg / cm ²				
	a) 63mm	र.मी	112	112	122
	b) 75 mm	"	154	154	169
	c) 90 mm	"	219	219	241
	d) 110 mm	"	301	301	331
	e) 125 mm	"	415	415	456
	f) 140 mm	"	527	527	579
	g) 160 mm	"	683	683	750
	h) 180 mm	"	877	877	964
	i) 200 mm	"	1064	1064	1169
30.3	C) PVC Pipe 6 Kg/ cm ² pressure				
	a) 40 mm	र.मी	66	66	72
	b) 50 mm	"	99	99	109
	c) 63 mm	"	159	159	174
	d) 75 mm	"	222	222	243
	e) 90 mm	"	320	320	351
	f) 110 mm	"	462	462	508
	g) 125 mm	"	616	616	677
	h) 140 mm	"	766	766	842
	i) 160 mm	"	982	982	1080
	j) 180 mm	र.मी	1252	1252	1377
	k) 200 mm	"	1534	1534	1687
30.4	C) PVC Pipe 10 Kg/ cm ² pressure				
	a) 20 mm	र.मी	25	25	27
	b) 25 mm	"	40	40	43
	c) 32mm	"	65	65	71
	a) 40 mm	"	98	98	108
	b) 50 mm	"	155	155	170
	c) 63 mm	"	246	246	270
	d) 75 mm	"	351	351	386
	e) 90 mm	"	501	501	550
	f) 110 mm	"	742	742	816
	g) 125 mm	"	950	950	1045
	h) 140 mm	"	1199	1199	1318
	i) 160 mm	"	1542	1542	1696
	j) 180 mm	"	1966	1966	2162
	k) 200 mm	"	2431	2431	2674
30.5	UPVC fittings :				
	Coupler				



Handwritten signatures and initials are present at the bottom of the page, including a large signature on the left and several smaller ones on the right.

50 mm	गोटा	31	31	34
75 mm	"	75	75	82
110 mm	"	128	128	140
Bend 87.5 degree				
50 mm	गोटा	46	46	50
75 mm	"	108	108	119
110 mm	"	200	200	220
Bend 45 degree				
50 mm	गोटा	45	45	49
75 mm	"	88	88	96
110 mm	"	158	158	173
Single Tee				
50 mm	गोटा	68	68	74
75 mm	"	147	147	161
110 mm	"	279	279	306
Pipe clip				
50 mm	गोटा	14	14	15
75 mm	"	28	28	30
110 mm	"	37	37	40
Bend 87.5 degree with door				
75 mm	गोटा	139	139	152
110 mm	"	242	242	265
Single Tee with door				
75 mm	गोटा	198	198	218
110 mm	"	369	369	405
Double Tee				
75 mm	गोटा	322	322	354
110 mm	"	510	510	560
Double Tee with door				
75 mm	गोटा	427	427	470
110 mm	"	662	662	728
Vent cowl				
75 mm	गोटा	53	53	57
110 mm	"	87	87	96
Socket plug				
75 mm	गोटा	66	66	72
110 mm	"	108	108	118
Single "Y"				
75 mm	गोटा	168	168	184
110 mm	"	363	363	399
Single "Y" with door				
75 mm	गोटा	230	230	253
110 mm	"	438	438	481
Double "Y"				
75 mm	गोटा	253	253	278
110 mm	"	499	499	549
Double "Y" with door				
75 mm	गोटा	325	325	357
110 mm	"	523	523	575
Cleaning pipe				
75 mm	"	147	147	162
110 mm	"	284	284	312
Reducer				
110x 75 mm	"	131	131	144
75X50 mm	"	69	69	75
P -Trap				
125mmx110mm	"	539	539	592
110mmx110mm	"	505	505	556
75mmx75mm	"	193	193	212
Multi-Floor -Trap				
110mmx75mm	"	280	280	308
Nahani-Trap				
110mmx75mm	"	255	255	280



Handwritten signatures and initials at the bottom of the page.

	W.C. Connector (bent type)	"	261	261	286
	Square tile with jali	"	84	84	91
	Round jali	"	38	38	42
	End cap 50mm	"	25	25	27
31.0	G.I Pipe threaded , 6 m. length with Cap				
	a) Light class				
	i. ½" (15 mm)	र.मी	134	134	147
	ii. ¾" (20 mm)	"	184	184	202
	iii. 1" (25 mm)	"	259	259	284
	iv. 1 ¼" (32 mm)	"	333	333	366
	v. 1 ½" (40 mm)	"	413	413	453
	vi. 2" (50 mm)	"	632	632	694
	vii. 2 ½" (65 mm)	"	719	719	790
	viii. 3" (80 mm)	"	845	845	929
	ix. 4" (100 mm)	"	1215	1215	1336
	x. 5" (125 mm)	"	1843	1843	2027
	xi. 6" (150 mm)	"	2266	2266	2492
	xii. 8" (200 mm)	"	3265	3265	3591
	b) Medium class				
	i. ½" (15 mm)	र.मी	164	164	180
	ii. ¾" (20 mm)	"	206	206	226
	iii. 1" (25 mm)	"	314	314	345
	iv. 1 ¼" (32 mm)	"	410	410	451
	v. 1 ½" (40 mm)	र.मि	471	471	518
	vi. 2" (50 mm)	"	646	646	710
	vii. 2 ½" (65 mm)	"	827	827	909
	viii. 3" (80 mm)	"	1027	1027	1129
	ix. 4" (100 mm)	"	1994	1994	2193
	x. 5" (125 mm)	"	2073	2073	2280
	xi. 6" (150 mm)	"	2508	2508	2759
	xii. 8" (200 mm)	"	3835	3835	4218
	c) Heavy duty				
	i. ½" (15 mm)	र.मि	195	195	214
	ii. ¾" (20 mm)	"	244	244	267
	iii. 1" (25 mm)	"	346	346	380
	iv. 1 ¼" (32 mm)	"	471	471	518
	v. 1 ½" (40 mm)	"	544	544	598
	vi. 2" (50 mm)	"	799	799	879
	vii. 2 ½" (65 mm)	"	998	998	1097
	viii. 3" (80 mm)	"	1177	1177	1294
	ix. 4" (100 mm)	"	1811	1811	1992
	x. 5" (125 mm)	"	2336	2336	2569
	xi. 6" (150 mm)	"	2188	3495	3844
	xii. 8" (200 mm)	"	4075	4075	4482
32.0	G.I. Pipe fittings ISI or NS Standard				
	a) G.M. Gate valve				
	i. ½"	रोटा	970	970	970
	ii. ¾"	"	1208	1208	1208
	iii. 1"	"	1945	1945	1945
	iv. 1 ¼"	"	2775	2775	2775
	v. 1 ½"	"	3495	3495	3495
	vi. 2"	"	5565	5565	5565
	vii. 2 ½"	"	11506	11506	11506
	viii. 3"	"	14306	14306	14306
	ix. 4"	"	23432	23432	23432
	b) G.M Check valve				
	i. ½"	रोटा	900	900	900
	ii. ¾"	"	1210	1210	1210
	iii. 1"	"	1790	1790	1790
	iv. 1 ¼"	"	2645	2645	2645
	v. 1 ½"	"	3060	3060	3060



Handwritten signatures and initials at the bottom of the page, including a large signature on the left and several initials on the right.

vi.	2"	"	5075	5075	5075
vii.	2 ½ "	"	10311	10311	10311
viii.	3"	"	13771	13771	13771
ix.	4"	"	19461	19461	19461
c) G.I. Elbow					
i.	½ "	गोटा	52	52	52
ii.	¾ "	"	94	94	94
iii.	1"	"	147	147	147
iv.	1 ¼ "	"	221	221	221
v.	1 ½ "	"	312	312	312
vi.	2"	"	468	468	468
vii.	2 ½ "	"	812	812	812
viii.	3"	"	1263	1263	1263
ix.	4"	"	2176	2176	2176
x.	5"	"	5387	5387	5387
xi.	6"	"	6483	6483	6483
d) G.I. Tee					
i.	½ "	गोटा	81	81	81
ii.	¾ "	"	128	128	128
iii.	1"	"	187	187	187
iv.	1 ¼ "	"	299	299	299
v.	1 ½ "	"	413	413	413
vi.	2"	"	676	676	676
vii.	2 ½ "	"	1062	1062	1062
viii.	3"	"	1436	1436	1436
ix.	4"	"	2609	2609	2609
x.	5"	"	7220	7220	7220
xi.	6"	"	8367	8367	8367
e) G.I. Union					
i.	½ "	गोटा	171	171	171
ii.	¾ "	"	240	240	240
iii.	1"	"	352	352	352
iv.	1 ¼ "	"	484	484	484
v.	1 ½ "	"	599	599	599
vi.	2"	"	891	891	891
vii.	2 ½ "	"	1824	1824	1824
viii.	3"	"	2457	2457	2457
ix.	4"	"	3236	3236	3236
x.	5"	"	7220	7220	7220
xi.	6"	"	8735	8735	8735
f) G.I. Socket					
i.	½ "	गोटा	47	47	47
ii.	¾ "	"	73	73	73
iii.	1"	"	100	100	100
iv.	1 ¼ "	"	155	155	155
v.	1 ½ "	"	209	209	209
vi.	2"	"	308	308	308
vii.	2 ½ "	"	558	558	558
viii.	3"	"	824	824	824
ix.	4"	"	1427	1427	1427
x.	5"	"	3564	3564	3564
xi.	6"	"	4791	4791	4791
g) C.I. Plug					
i.	½ "	गोटा	30	30	30
ii.	¾ "	"	40	40	40
iii.	1"	"	50	50	50
iv.	1 ¼ "	"	99	99	99
v.	1 ½ "	"	125	125	125
vi.	2"	"	150	150	150
vii.	2 ½ "	"	215	215	215
viii.	3"	"	440	440	440



Handwritten signatures and notes at the bottom of the page, including a large signature on the left and another on the right with the word 'DANCUS' written above it.

i.	½ "	गोटा	152	152	152
ii.	¾ "	"	223	223	223
iii.	1 "	"	253	253	253
iv.	1 ¼ "	"	414	414	414
v.	1 ½ "	"	509	509	509
vi.	2 "	"	764	764	764
vii.	2 ½ "	"	1031	1031	1031
viii.	3 "	"	1527	1527	1527
ix.	4 "	"	1823	1823	1823
18" Long					
i.	½ "	गोटा	228	228	228
ii.	¾ "	"	281	281	281
iii.	1 "	"	381	381	381
iv.	1 ¼ "	"	620	620	620
v.	1 ½ "	"	761	761	761
vi.	2 "	"	1146	1146	1146
vii.	2 ½ "	"	1549	1549	1549
viii.	3 "	"	2267	2267	2267
ix.	4 "	"	2766	2766	2766
G.I./G.I. Flange					
i.	1 ¼ "	गोटा	971	971	971
ii.	1 ½ "	"	1195	1195	1195
iii.	2 "	"	1466	1466	1466
iv.	2 ½ "	"	1713	1713	1713
v.	3 "	"	1908	1908	1908
vi.	4 "	"	2368	2368	2368
vii.	5 "	"	3385	3385	3385
viii.	6 "	"	3517	3517	3517
ix.	8 "	"	7006	7006	7006
G.I./HDP Flange					
i.	1 ¼ "	गोटा	1046	1046	1046
ii.	1 ½ "	"	1333	1333	1333
iii.	2 "	"	1575	1575	1575
iv.	2 ½ "	"	1839	1839	1839
v.	3 "	"	1966	1966	1966
vi.	4 "	"	2425	2425	2425
vii.	5 "	"	3385	3385	3385
viii.	6 "	"	3535	3535	3535
ix.	8 "	"	7690	7690	7690
GI Endcap					
i.	1 "	गोटा	128	128	128
ii.	1 ¼ "	"	237	237	237
iii.	1 ½ "	"	290	290	290
iv.	2 "	"	345	345	345
v.	2 ½ "	"	508	508	508
CI Plug					
i.	1 "	गोटा	119	119	119
ii.	1 ¼ "	"	220	220	220
iii.	1 ½ "	"	270	270	270
iv.	2 "	"	321	321	321
v.	2 ½ "	"	472	472	472
GI Stainer					
i.	1 "	गोटा	581	581	581
ii.	1 ¼ "	"	784	784	784
iii.	1 ½ "	"	1083	1083	1083
iv.	2 "	"	1384	1384	1384
v.	2 ½ "	"	1755	1755	1755
vi.	3 "	"	2372	2372	2372
HDPE Saddle clamp					
i.	1 "	गोटा	141	141	141
ii.	1 ¼ "	"	141	141	141
iii.	1 ½ "	"	183	183	183



Handwritten signatures and initials at the bottom of the page, including a large signature on the left and several smaller ones on the right.


iv.	2"	"	242	242	242	
v.	2 ½ "	"	272	272	272	
vi.	3"	"	301	301	301	
Non returning CI Valve						
i.	3"	"	13794	13794	13794	
ii.	4"	"	18392	18392	18392	
iii.	5"	"	23716	23716	23716	
iv.	6"	"	27588	27588	27588	
HDP/HDP Flange set with adaptor						
i.	1 ¼"	गोटा	865	865	865	
ii.	1 ½ "	"	1102	1102	1102	
iii.	2"	"	1302	1302	1302	
iv.	2 ½ "	"	1520	1520	1520	
v.	3"	"	1625	1625	1625	
vi.	4"	"	2005	2005	2005	
vii.	5"	"	3178	3178	3178	
viii.	6"	"	2921	2921	2921	
ix.	8"	"	6356	6356	6356	
Brass tap ½"						
i.	½ " (Wt. 400 gm)	गोटा	914	914	914	
ii.	½ " ordinary	गोटा	207	207	207	
Globe Valve (GM)						
i.	½ "	गोटा	931	931	931	
ii.	¾"	"	1517	1517	1517	
iii.	1"	"	1874	1874	1874	
iv.	1 ¼"	"	2977	2977	2977	
v.	1 ½ "	"	3747	3747	3747	
vi.	2"	"	4678	4678	4678	
vii.	2 ½ "	"	9190	9190	9190	
viii.	3"	"	15185	15185	15185	
ix.	4"	"	24553	24553	24553	
Float Valve						
i.	½ "	गोटा	1144	1144	1144	
ii.	¾"	"	1293	1293	1293	
iii.	1"	"	1569	1569	1569	
iv.	1 ¼"	"	2713	2713	2713	
v.	1 ½ "	"	4075	4075	4075	
vi.	2"	"	5426	5426	5426	
C.I. Air valve (Heavy)						
i.	½ "	गोटा	3788	3788	3788	
ii.	¾"	"	5224	5224	5224	
iii.	1"	"	5793	5793	5793	
Brass Union with Adopter						
i.	½ "	गोटा	247	247	247	
ii.	¾"	"	379	379	379	
iii.	1"	"	575	575	575	
iv.	1 ¼"	"	747	747	747	
v.	1 ½ "	"	1333	1333	1333	
vi.	2"	"	1977	1977	1977	
Saddle Ferrule						
i.	1 ½ "	गोटा	356	356	356	
ii.	2"	"	471	471	471	
iii.	2 ½ "	"	1316	1316	1316	
iv.	3"	"	1741	1741	1741	
v.	4"	"	2483	2483	2483	
Flow Regulating Valve (G.M.)						
i.	½ "	गोटा	1333	1333	1333	
C.I Sluice Valve						
i.	1 ½ "	गोटा	6903	6903	6903	
ii.	2"	"	9207	9207	9207	
iii.	2 ½ "	"	11501	11501	11501	



	iv. 3"	"	13804	13804	13804	
	v. 4"	"	18401	18401	18401	
	v. 5"	"	27967	27967	27967	
	v. 6"	"	33565	33565	33565	
	v. 8"	"	46992	46992	46992	
	Brass Ferrule Cock					
	i. ½ "	गोटा	1517	1517	1517	
	ii. ¾"	"	1977	1977	1977	
	iii. 1"	"	2902	2902	2902	
	Ball valve					
	a) 15mm	गोटा	517	517	517	
	b) 20 mm	"	655	655	655	
	c) 25 mm	"	879	879	879	
	d) 32 mm	"	1060	1060	1060	
	e) 40 mm	"	2052	2052	2052	
	f) 50 mm	"	3368	3368	3368	
33.0	Supplying of Rec ring for construction of well					
33.1	Ring					
	i) 28" dia. R.C.C. ring 20 cm ht ,5 cm thick	गोटा	563	563	591	
	ii) 36" dia. R.C.C. ring 20 cm ht ,5 cm thick	"	697	697	732	
	iii) 42" dia. R.C.C. ring 20 cm ht ,5 cm thick	"	811	811	852	
	iv) 48" dia. R.C.C. ring 20 cm ht ,5 cm thick	"	1074	1074	1128	
33.2	Supplying & fixing of metal frame and Rec cover					
	i) 28" dia. 60m thick R.C.C. ring cover with metal frame	गोटा	1700	1700	1785	
	i) 36" dia. 60m thick R.C.C. ring cover with metal frame	"	2250	2250	2363	
	i) 42" dia. 60m thick R.C.C. ring cover with metal frame	"	2470	2470	2594	
	i) 48" dia. 60m thick R.C.C. ring cover with metal frame	"	2950	2950	3098	
34.0	ईनार खन्को लागि R.C.C. रिङ्ग आपूर्ति गरि माटो खन्ने ,आवश्यक फील्डर सामग्री राख्ने तथा जडान समेतको सबै कार्यहरु (२० देखि २५फीट सम्म को गहीराइमा ढक्कन बाहेक)					
	i) 28" dia. R.C.C. Ring	र.मी	3892	3892	4086	
	ii) 36" dia. R.C.C. Ring	"	4940	4940	5187	
	iii) 42" dia. R.C.C. Ring	"	5750	5750	6037	
	iv) 48" dia. R.C.C. Ring	"	7093	7093	7447	
34.1	२५ फीट देखि माथीको गहीराइ भएमा					
	ईनार खन्को लागि R.C.C. रिङ्ग आपूर्ति गरि माटो खन्ने ,आवश्यक फील्डर सामग्री राख्ने तथा जडान समेतको सबै कार्यहरु (२५ फीट देखि माथीको गहीराइ भएमा मात्र ढक्कन बाहेक)					
	i) 28" dia. R.C.C. Ring	र.मी	5223	5223	5484	
	ii) 36" dia. R.C.C. Ring	"	8832	8832	9273	
	iii) 42" dia. R.C.C. Ring	"	10690	10690	11224	
	iv) 48" dia. R.C.C. Ring	"	12843	12843	13485	
35.0	Sanitary Tools					
a	Adjustable spanner					
	10"	Pc	248	248	260	
	12"	Pc	468	468	491	
	15"	Pc	1348	1348	1415	
	18"	Pc	1595	1595	1675	
b	Blow Torch					
	1/2 pint	Pc	1392	1392	1461	
	1 pint	Pc	1716	1716	1802	
c	Building Trowel					
		Pc	77	77	81	
d	Chain Pipe wrench					



	50mm	Pc	1595	1595	1675
	75mm	Pc	1898	1898	1992
	100mm	Pc	2228	2228	2339
	150mm	Pc	3135	3135	3292
	200mm	Pc	5335	5335	5602
e	Chain Pulley in Ton				
	3 ton	Pc	17050	17050	17903
	5 ton	Pc	28160	28160	29568
f	Stone Chisel 1"x12"	Pc	358	358	375
g	Die teeth oil with cane (250 ml size)	Pc	275	275	289
h	Smooth steel file half round				
	8"	Pc	523	523	549
	10"	Pc	1001	1001	1051
i	Flat file 10"	Pc	523	523	549
	Hacksaw Blade				
	Single	Pc	4	4	5
	double	Pc	9	9	9
j	Hacksaw Frame 6mm	Pc	187	187	196
k	Handle die set				
	25 mm	Pc	3108	3108	3263
	50 mm	Pc	3520	3520	3696
	60 mm	Pc	9350	9350	9818
l	Heating Plate				
	80 mm	Pc	935	935	982
	100 mm	Pc	1073	1073	1126
	125 mm	Pc	1375	1375	1444
	150 mm	Pc	1639	1639	1721
	200 mm	Pc	2651	2651	2784
	250 mm	Pc	3212	3212	3373
	300 mm	Pc	3751	3751	3939
m	Iron Brush 12"	Pc	72	72	75
n	Iron Pan (madium)	Pc	253	253	266
o	Pick Axe 1.7 Kg.	Pc	418	418	439
p	Pipe Cutter				
	15-50 mm	Pc	1980	1980	2079
	65-80 mm	Pc	3080	3080	3234
	100 mm	Pc	4950	4950	5198
	125 mm	Pc	5500	5500	5775
	150 mm	Pc	9790	9790	10280
q	Pipe Jack Machine (Heavy)	Pc	31350	31350	32918
r	Pipe Vice				
	2"	Pc	2420	2420	2541
	3"	Pc	3520	3520	3696
	4"	Pc	5308	5308	5573
	5"	Pc	9845	9845	10337
s	Pipe Wrench				
	10"	Pc	308	308	323
	12"	Pc	572	572	601
	14"	Pc	682	682	716
	18"	Pc	1084	1084	1138
	24"	Pc	1496	1496	1571
	36"	Pc	5280	5280	5544
	48"	Pc	9350	9350	9818
t	Plumb Bob Line	Pc	88	88	92
u	Rachet Die Set				
	1/2"-1"	Pc	4180	4180	4389
	1 1/4"-2"	Pc	7810	7810	8201
	2 1/2"-3"	Pc	17050	17050	17903
v	Round File 10"	Pc	358	358	375
w	Screw Driver 12"	Pc	198	198	208
x	Shovel 1.5 Kg	Pc	358	358	375
y	Slide wrench				
	10"	Pc	352	352	370
	12"	Pc	473	473	497
	15"	Pc	1381	1381	1450
z	Spade	Pc	429	429	450
A	Spare Die Teeth				
	15 mm	Pc	572	572	601




Handwritten signatures and initials at the bottom of the page, including a large signature on the left and several smaller ones on the right.

	20 mm	Pc	572	572	601
	25 mm	Pc	572	572	601
	32 mm	Pc	908	908	953
	40 mm	Pc	1551	1551	1629
	50 mm	Pc	1568	1568	1646
	65 mm	Pc	1815	1815	1906
	80 mm	Pc	2035	2035	2137
	B Telflon Cover				
	5'x5'	Pc	303	303	318
	7'x7'	Pc	413	413	433
	C Telflon Cloth	m	3328	3328	3494
	D Telflon Tape 10 mm roll	Roll	17	17	17
	E Thermochrome Crayon				
	Indian	Pc	743	743	780
	Germany	Pc	1485	1485	1559
	F Tool Box (14"x8"x22")	Pc	2041	2041	2143
36	Anaerobic treatment for waste water (sintex/ equivalent)As per ASTM-D-2583 (. Should be FRP based Septic tank along with fixed film aeration tank, Should operate in zero load as well. Exterior/Interior surface shall be reasonably smooth No fibers loosely attached minimum Internal Vacuum test As per UL-1316/CSI Each tank to withstand internal partial vacuum without rupture as under Vacuum as per equation in Std. UL-1316Clause18 Deformation test As per Product Specifications ≤37.5 mm Interior surface shall be resin rich with no exposed fibers & should be free of De lamination,Cracks etc.,)				
	800 lts for 4 persons	nos	63750	63750	63750
	1200 lts for 6 people	nos	79050	79050	79050
	1600 lts for 10 persons	nos	95200	95200	95200
37	Irrigation Works excluding pipes including installation (Rainbird or equivalent)				
1	Supply flexible,kink resistant pressure compensating inline tubing and resistance to UV damage and algae growth brown in colour with discharge 0.9GPH XF series pressure rating 0.58 to 4.1 bar wall thickness 1.2mm	Rm	150	150	150
2	Supplyof Xeri bug emitter pressure compensating with selfpiercing barbs,flow rates 1.89LPH to7.57LPH UV resistant colour coded with working pressure 1.0to 3.5bar	Nos	30	30	30
3	SPRINKLERS & ACCESSORIES				
	Unispray	No.	660	660	660
	Providing of Pop up spray head having and two piece stem ratchet (0 to 360 degrees)nozzle capable of covering 1.2*8.5 Bars with a STRIP NOZZLE discharge rate of 0.075ps.The Spray Head body, stem, nozzle ,ratchet and screen shall be constructed f heavy-duty, ultraviolet resistant plastic and stainless steel with multifunctional wiper seal with small exposed cover 15SST	No.	1200	1200	1200
	Providing of Shrub spray head having variable adjustable arc (0 to 360 degrees)nozzle capable of covering 4.5-5.4m at 2.0 Bars with a discharge rate of 0.23- 0.33lps.The Spray nozzle and screen shall be constructed heavy-duty, ultraviolet resistant plastic and stainless steel with multifunctional wiper seal with small exposed cover PA series	No.	1200	1200	1200
	gear rotors 5004	No.			



Handwritten signatures and initials at the bottom of the page, including a large signature that appears to be 'Surya' and other smaller marks.

	Providing of 1/2" Pop up Connecting Swing joint Assembly . The tubing shall be made of polyethylene having wall thickness of 2.3mm ,a working pressure of 5.5 kg/cm2 at 43°C and a surge pressure of 16.6 kg/cm2. The fittings shall be made of UV resistant thermo plastic. SA Series	No.	390	390	390	
	Providing of 3/4" Pop up Connecting Swing joint Assembly . The tubing shall be made of polyethylene having wall thickness of 2.3mm ,a working pressure of 5.5 kg/cm2 at 43°C and a surge pressure of 16.6 kg/cm2. The fittings shall be made of UV resistant thermo plastic. SA	No.	480	480	480	
	Providing and fixing of HDPE service saddle of varying size		850	850	850	
4	VALVES & ACCESSORIES					
	Providing and fixing PVC Ball Valve ,security pivot to maintain lever in space,double water tight joint,direct injection stem non mechanical ,with a base which permits maximum penetration into the valve of size 63mm.	No.	1800	1800	1800	
	Providing & fixing of a double acting Air release valve 3/4" made of high strength aluminium / plastic with fibre glass reinforced . The Air release valve shall be capable of both releasing and admitting air from and into the line. The working pressure shall be 5 bar.	No.	2100	2100	2100	
	12" Rectangular Valve Box with greenlid and corrugated structure with unique shovel access slot and bolt hole knockout	No.	7500	7500	7500	
	6"Round box.	No.	1250	1250	1250	
	Quick coupling valve made up of solid brass with locking cover corrosion resistant and stainless steel spring 3RC	No.	13500	13500	13500	
	Key threads into top of QCV to provide water access 33DK	No.	9750	9750	9750	



Handwritten signatures and initials are present below the table, including a large signature on the right and several smaller ones on the left and center.