निर्णय नं. २ : श्रमिकको ज्यालादर सम्बन्धी

श्रमिकहरुको ज्याला दर निर्धारण गर्ने सम्बन्धमा विभिन्न सरोकारवाला (श्रमिक संगठनहरु, निर्माण व्यवसायी संघ, उद्योग वाणिज्य संघ, विकास निर्माणका क्रियाकलाप गर्ने सरकारी कार्यालयहरु) पक्षहरु सँगको परामर्श, नेपाल राष्ट्र बैंकबाट प्रकाशित ज्यालादर सूचांक तथा उपभोक्ता मूल्य सूचांक, हालको बजार मुल्य र श्रमिकहरुको उपलब्धतालाई समेत आधार मान्दा श्रमिकको उमेर (१६ वर्ष पुगेको) र दैनिक काम गर्ने अवधि (८ घण्टा) लाई आधार आ.व.०७८।७९ का लागि नुवाकोट जिल्लाभर लागु हुनेगरी देहाय बमोजिम श्रमिकहरुको ज्यालादर निर्धारण गर्ने निर्णय गरियो ।

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
१.	**दक्ष कामदार (Skilled Labour)**					
क.	ब्लाष्टर	प्रति दिन प्रति व्यक्ति	1180	1200	1260	
ख.	रक डिलर/हेभी ड्राईभर /वेल्डर/ प्लम्वर /विष्फोटक पदार्थ हुवानीगर्ने ज्यामी/ डकर्मी/ नकर्मी/ सिकर्मी/ वज्रकर्मी/ चित्रकारी/ हेभी सिनियर अपरेटर/ कम्प्युटर अपरेटर	प्रति दिन प्रति व्यक्ति	980	1000	1050	
२	**अर्ददक्ष कामदार (Semi Skill Labour)**					
क.	अर्ददक्ष कामदार (Semi Skill Labour)	प्रति दिन प्रति व्यक्ति	730	760	800	
३	**अदक्ष कामदार (Unskill Labour)**					
क.	ज्यामी/भरीया/ज्यामी नाईके/ जुनियर अपरेटर /उत्प्रेरक/ /हेभी हेल्पर /सर्भे हेल्पर/अवाले /ईट्टा वनाउने/क्याम्पर वर्कर/साधारण हेल्पर/ल्याव व्वाय /नर्सरी नाईके	प्रति दिन प्रति व्यक्ति	700	730	765	
ख.	मौसम रेकर्डर / हेरालु/माली/चौकीदार/पियन पाले/चेन मैन/टेप मैन/स्टाफ मैन/हलुका कामदार	प्रति दिन प्रति व्यक्ति	480	500	525	
ग.	लेन्थ वर्करहरु (सडकमा काम गर्ने)	प्रति दिन प्रति व्यक्ति	460	480	505	
घ.	निर्माण सुपरभाइजर		560	560	590	
घ.१	निर्माण सुपरभाइजर प्राविधिक			700	800	
ङ	लाईट ड्राईभर		640	660	695	
च.	प्याच वर्कर (Patch Worker)		560	570	600	
छ.	लेन्थ वर्कर सुपरभाईजर		630	640	670	
ज.	मेहत्तर/स्वपिर (झाडु लगाउने)		530	540	565	

नोटः *विद्युत कार्यको हकमा नेपाल विद्युत प्राधिकरणको तहगत शुरु तलब स्केल अनुसार हुनेछ ।*

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	

निर्णय नं. ३ ढुवानी दर सम्वन्धि :

यस जिल्लामा स्थानीय स्तरमा उपलव्ध हुने ढुवानीको विभिन्न श्रोत साधनलाई आधार मानी आ.व.२०७८/७९ का लागि निम्न अनुसार ढुवानीको दर निर्धारण गर्ने निर्णय गरियो ।

ढुवानी ज्याला

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
१.	**जिल्ला भित्र भरिया द्वारा सामान ढुवानी**					
क.	सजिलो सामानहरु (सिमेन्ट, गिट्टी, ईट्टा, माटो, वालुवा) आदी	प्रति कि.मी. /क्वीन्टल	80	90	95	
ख.	असजिलो सामानहरु (टुटफुट हुने समेत) जस्तै जस्तापाता, डण्डी, जि.आई.तथा कालो पाईपहरु, आईरन एङ्गल, ग्लास, सटरहरु, ट्रस, ऐना, बाथरुमका फुट्ने सामानहरु	प्रति कि.मी. /क्वीन्टल	95	105	110	
२.	**ट्रक वा ट्र्याक्टरवाट ढुवानी (लोड अनलोड बाहेक)**					
क.	पक्की सडक सामान ढुवानी	प्रति कि.मी./ क्वीन्टल	4.10	4.10	4.20	
ख.	कच्ची सडक सामान ढुवानी	प्रति कि.मी./ क्वीन्टल	8.30	8.30	8.40	
ग.	असजिलो सामान (HDPE pipe)	प्रति कि.मी./ क्वीन्टल	9.04	9.04	9.15	
३.	**विद्युत ढुवानी (ट्रान्सफरमर तथा टुट फुट हुने सामान सहित)**					
क.	कच्ची सडक	प्रति कि.मी/ प्रति टिप	100.00	100.00	105	
ख.	पक्की सडक	प्रति कि.मी/ प्रति टिप	80.00	80.00	85.00	
ग.	बोकानी	प्रति कि.मी./ क्वीन्टल	335.00	340.00	350.00	
४.	**लोड अनलोड**					
क.	सजिलो सामानहरु (सिमेन्ट, गिट्टी, ईट्टा, माटो, वालुवा) आदी	प्रति केजी.	0.40	0.40	0.45	
ख.	असजिलो सामानहरु (टुटफुट हुने समेत) जस्तै जस्तापाता, डण्डी, जि.आई.तथा कालो पाईपहरु, आईरन एङ्गल, ग्लास, सटरहरु, ट्रस, ऐना, बाथरुमका फुट्ने सामानहरु	प्रति केजी.	0.70	0.70	0.75	
ग.	फलाम तथा काठको पोल बोकानी ज्यामीद्धारा	प्रति कि.मी. /केजी.	2.40	2.40	2.50	

निर्णय नं.४ : सरकारी कार्यालयमा आवश्यक हुने वायो-ईन्जिनियरिङ्ग एवं अन्य मालसामान सम्वन्धि आ.व.०७८/०७९ को लागि तपसिल अनुसारको दररेट कायम गर्ने निर्णय गरियो ।

सि.नं.	सामाग्री र प्रजातिहरुको नाम	एकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
1	**भु-संरक्षण सम्वन्धी कार्य**					
1.1	**Grass Seeds**					
	जई	Kg	85	85	85	
	भेच	,,	175	175	175	
	नेपीयर	set	3	5	5	
	वर्सिम	Kg	190	190	190	
	घासको बिउ र औषधि जिल्ला भित्र ढुवानी गर्दा (ढुवानी) डोकोबाट	,,	1.25	1.25	1.25	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	घासको बिउ जिल्ला बाहिरबाट ढुवानी गर्दा (ढुवानी)	,,	1.25	1.25	1.25	
	२०० गेजको विरुवा उमार्ने कालो ४ प्वाल भएको विभिन्न साइजका पोली थैला	"	400	400	400	
	माटो भर्ने खाली वोरा	गोटा	15	15	15	
	बांस काटेको सिंगो घना	घना	450	450	450	
	बांसको कटिङ स्टमप विरुवा (१५ महिने नर्सरी राखेका) १ ' ६ " देखि २ ' लामो	प्रति कटिंग	60	60	250	
2.0	**Vegetation/Shrubs Cuttings/Slip/Plants/etc.**					
	अम्रिसो राइजोम (तिनवटाको १ सेट)	set	80	80	25	
	अलैंची गानो	,,	11	11	11	
	अलैंची बिरुवा	,,	11	11	11	
	हार्डउड कटिङस् (बैंस) पेन्सिल साइज	,,	7	7	7	
	नेपियर कटिङस्	,,	4	4	4	
	NB_{21} घाँस	Slip	3	3	3	
	निगालो राईजोम	set	60	60	60	
	बासको बेर्ना (कटीग राईजोमं)	,,	700	700	500	
	वांसको विरुवा पोलिथिनमा उमारेको	गोटा	60	60	60	
	बाबियो ताइवानी दुबो	,,	4	4	4	
	सिजनल फूल ८ इन्च पोली	गोटा	27	27	30	
	गुलाफ फूल ८ इन्च पोली	,,	160	160	160	
	हेज ८ इन्च पोली	,,	35	35	35	
	कार्पेट दुबो	व.फी.	35	35	35	
	कार्पेट दुबो को लागी छाप्ने कार्यको ज्याला	,,	25	25	25	
	स्थानीय स्तरमा उत्पादीत बिरुवा फलफुल बाहेक	,,	10	10	10	
	गोठे मल तयारी	के.जी.	5	5	10	
	डाले घासको बिरुवा	गोटा	10	10	10	
	मोलाटो बिरवा	,,	3	3	3	
	नरीवल डोरी	के.जी.	130	130	130	
	नाइलन डोरी	,,	300	300	300	
	लौठ सल्ला (नेपाली) बिउबाट	गोटा	90	90	120	
	लौठ सल्ला (नेपाली) कटिङ	गोटा			60	
	लौठ सल्ला (अमेरिकन)	गोटा	140	140	140	
	बोधिचित्तको विरुवा	गोटा	650	650	650	
	रुद्राक्षको विरुवा	गोटा	950	950	500	
	लप्सीको विरुवा (ग्राफ्टिङ)	गोटा	440	440	440	
	चिराईतोको विरुवा	गोटा	10	10	10	
	तेजपातको विरुवा	गोटा	30	30	30	
	टिमुरको विरुवा (३ फिट पोलीव्यागको)	गोटा		70	70	
	कपूर (४ फिट)	गोटा	770	770	770	
	कल्की बोटल ब्रस (४ फिट)	गोटा	660	660	660	
	ज्याकारण्डा गोल्डमोहोर (४ फिट)	गोटा	660	660	660	
	असारे (४ फिट)	गोटा	660	660	660	
	पैयु (४ फिट)	गोटा	460	460	460	
	धूपी (३ फिट)	गोटा	500	500	500	
	बगमबेले (४ फिट)	गोटा	660	660	660	
	काइयो (४ फिट)	गोटा	660	660	660	
	रक्त कमल (४ फिट)	गोटा	1320	1320	1320	
	समी (४ फिट)	गोटा	1100	1100	1100	
	बर (४ फिट)	गोटा	1320	1320	1320	
	पीपल (४ फिट)	गोटा	1320	1320	1320	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	५ फिटसम्मको करविर बिरुवा	गोटा	1200	1200	1200	
	५ फिटसम्मको तिकोमा बिरुवा	गोटा	1200	1200	1200	
	५ फिटसम्मको चापको बिरुवा	गोटा	1300	1300	1300	
	अन्य जडिबुटीको बिरुवा	गोटा	15	15	15	
	सतूवा	गोटा			20	
2.1	**फलफूलको बिरुवा**	गोटा				
	आंप	गोटा			125	
	लिचि	गोटा			115	
	कटहर	गोटा			45	
	अम्बा	गोटा			60	
	अनार	गोटा			100	
	दांते ओखर पोलिव्याग	गोटा			120	
	दांते ओखर पोलिव्याग बाहेक	गोटा			60	
	नास्पाती कलमी	गोटा			185	
	सून कागती पोलिव्याग (बिजु)	गोटा			61	
	एभोकाडो	गोटा			170	
	सुन्तला	गोटा			65	
	कागती पोलिव्याग बाहेक	गोटा			30	
3.0	**बन कार्यालयबाट सम्पादन गरिने कार्यहरु (काठ लोड अनलोड तथा ढुवानी आदि)**					
	चीरान काठ (लोड वा अनलोड)	क्यू.फि.	30	30	40	
	ठुला बिरुवा रोपन (४ फीटसम्को)	प्रती बिरुवा	145	145	145	
	अग्ला बिरुवा रोपन (४ इन्च देखि ६ इन्चसम्मको)	,,	250	250	250	
	अग्ला बिरुवा रोपन (६ फिट देखि ८ फिटसम्मको)	,,	240	240	240	
	बिरुवा खरिद					
	४ फिट सम्म उचाई भएको बिरुवा	"	880	880	880	
	५ फिट सम्म उचाई भएको बिरुवा	"	1250	1250	1250	
	६ फिट सम्म उचाई भएको बिरुवा	"	1500	1500	1500	
	६ फिट भन्दा अग्लो बिरुवा	"	1870	1870	1870	

५	**काठ कटान, मुछान, घाटगद्धी सम्वन्धि दररेट (प्रति क्यू.फिट) (चालू आ.ब.२०७८/०७९ को लागि)**					
क्र.सं.	**रुख कटान, मुछान खर्च रु.**	**यार्डिङ्ग खर्च रु.**	**वोक्रा ताछ्ने/रिङ्ग काट्ने खर्च रु.**	**पाईलिङ्ग खर्च रु.**	**नम्बरि□ खर्च रु.**	**कैफियत**
क.	60	25	10	15	5	

६	**गाडी मार्फत काठ ढुवानी (प्रती क्यू.फि.) (चालू आ.ब.२०७८/०७९ को लागि)**				
क्र.सं.	**दुरी (कि.मी.)**	**दर रु.**	**लोड अनलोड खर्च रु.**	**जम्मा खर्च रु.**	
क.	०-५ सम्म	30.00	25.00	55.00	
ख.	५.१-१० सम्म	35.00	25.00	60.00	
ग.	१०.१-१५ सम्म	45.00	25.00	70.00	
घ	१५.१-२० सम्म	25.00	25.00	50.00	
ङ	२०.१ देखि माथि	55.00	25.00	80.00	

७	**ज्यामी मार्फत काठ ढुवानी (प्रती क्यू.फि.)**					
क्र.सं.	**दुरी (मीटर)**					
क.	०-५० सम्म			9.00	9.00	
ख.	५०.१-१०० सम्म			15.00	15.00	
ग.	१०० भन्दा बढी हरेक ५० मिटरको लागि			7.50	7.50	

८	**दाउरा कटान, मुछान तथा चट्टा निर्माण दररेट (प्रती चट्टा) (चालू आ.ब.२०७८/०७९ को लागि)**

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
क्र.सं.	क्षेत्र	कटान,मुछान खर्च रु.	चट्टा निर्माण खर्च रु.		जम्मा खर्च रु.	कैफियत
क.	सम्पूर्ण	5000	1500		6500	
९	गाडी मार्फत दाउरा ढुवानी (प्रती चट्टा) (चालू आ.ब.२०७८/०७९ को लागि)					
क्र.सं.	दुरी (कि.मी.)	दर रु.	लोड खर्च रु.	अनलोड खर्च रु.	जम्मा खर्च रु.	कैफियत
क.	०-५ सम्म	1725	2500	1200	5425	
ख.	५.१-१० सम्म	2080	2500	1200	5780	
ग.	१०.१-१५ सम्म	2330	2500	1200	6030	
घ	१५.१-२० सम्म	2595	2500	1200	6295	
ङ	२०.१ देखि माथि	2825	2500	1200	6525	
१०	ज्यामी मार्फत दाउरा ढुवानी (प्रती चट्टा) (20*5*5) (क्यू.फि.)					
क्र.सं.	दुरी (मीटर)					
क.	०-५० सम्म			625	625	
ख.	५०.१-१०० सम्म			1025	1025	
ग.	१०० भन्दा बढी हरेक ५० मिटरको लागि			50.0	50.0	
११	विरुवा ढुवानी					
क्र.सं.	विवरण			दर रु.(प्रती विरुवा)	दर रु.(प्रती विरुवा)	कैफियत
क.	लोड अनलोड			5.00	5.00	
ख.	पक्की बाटो ढुवानी (प्रती कि.मी.)			10.00	1.10	
ग.	कच्ची बाटो ढुवानी (प्रती कि.मी.)			1.02	1.20	
१२	विद्यूत प्राधिकरणको MS Channel मा प्वाल खोप्ने (चालू आ.ब.२०७८/०७९ को लागि)					
क्र.सं.	विवरण				दर रु.(प्रती प्वाल)	
क.	१२ मि.मि.सम्मको				50.00	
ख.	१२ मि.मि भन्दा माथिको				60.00	

<u>निर्णय नं. ५</u>, मेसिन, औजार तथा उपकरणको भाडादर सम्बन्धि : मेसिन प्रयोग गरी सडक निर्माण गर्दा वा अन्य कार्य गर्नुपर्दा तपसिल अनुसारको दररेट कायम गर्ने र डोजर, एक्साभेटर, रोलर, ग्रेडर आदिको दररेट सडक विभागबाट कायम गरिएको प्रतिघण्टाको भाडादर अनुसार हुने निर्णय गरियो । (Website of Heavy Equipment Division - www.dor.gov.np)

सि.नं.	कामको विवरण	एकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
1	Heavy Equipment प्रयोग गरि विभीन्न प्रकारको माटो तथा चट्टान काट्ने कार्य ।					
1.1	सबै प्रकारको माटोमा पहिरो हटाउने । कार्य (OS,HS, BMS, MS,SR)	घ.मी.	55.00	55.00	55.00	
1.2	सबै प्रकारको माटो काटने कार्य । (OS,HS, BMS, MS,SR)	घ.मी.	83.00	83.00	83.00	
1.3	मध्यम प्रकारको चट्टान (MR) काट्ने कार्य।	घ.मी.	500.00	500.00	450.00	
1.4	कडा प्रकारको चट्टान (HR) काट्ने कार्य ।	घ.मी.	750.00	750.00	900.00	

नोट: माथि निर्णय नं. ३ मा उल्लेख भएको सबै प्रकारको माटो काट्ने कार्यको Abbreviation तपसिलमा उल्लेख गरिएको छ :
OS - Ordinary Soil,
HS - Hard Soil,
BMS - Boulder Mixed Soil,
MS - Marshy Soil,
SR - Soft Rock,
MR- Medium Rock,
HR - Hard Rock

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	

निर्णय नं. ६

आर्थिक वर्ष ०७८/०७९ मा नुवाकोट जिल्ला भित्र गरिने सार्वजनिक निर्माण कार्यको लागि आवश्यक पर्ने विभिन्न किसिमका निर्माण सामाग्रीहरु (सिभिल कार्य /स्यानिटरी कार्य र ईलेक्ट्रिक कार्य) को दररेट निम्न अनुसार कायम गर्ने निर्णय गरियो ।

CIVIL WORKS

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
1	**विभिन्न किसिमको ईंटा**					
	क) मेशिनबाट उत्पादित ईंटा (छानेको)	हजार	21810	21810	22900	
	ख) मेशिनबाट उत्पादित ईंटा (१-नं.)	,,	16550	16550	17375	
	ग) स्थानीय चिम्नी भट्टाको ईंटा (१-नं.)	,,	13300	13300	13965	
	ग) स्थानीय चिम्नी भट्टाको ईंटा (२-नं.)	,,	11600	11600	12180	
	घ) तराई को १ नं.ईटा	,,	18050	18050	18050	
	ङ) स्थानीय ठाडो भट्टाको ईट्टा	,,	7500	7500	7500	
	(ङ) सिमेन्ट को ईटा					
	BK108N	,,	15450	15450	15450	
	BK118As	,,	16274	16274	16274	
	च) **Concrete block**					
	size (40*15*20) cm	गोटा	37	37	37	
	size (40*10*20) cm	गोटा	32	32	32	
	size (39*14*19) cm(Ocm or equivalent)	गोटा	50	50	50	
	Cellular light weight concrete(CLC) block					
	Size 24"*8"*4"	गोटा	162	162	162	
	Size 24"*8"*6"	,,	236	236	236	
2	**क्ले टायलहरु**					
2.1	**छानामा छाउने**					
	क) मेशिनबाट उत्पादित टायल	गोटा	18	18	18	
	ख) चिम्नी भट्टाको टायल	,,	16	16	16	
	ग) मेशिनबाट उत्पादित धुरी	,,	32	32	32	
	घ) चिम्नी भट्टाको धुरी	,,	26	26	26	
2.2	**भुईमा/ कौसीमा छाप्ने टायल:**					
	क) मेशिनबाट उत्पादित क्ले टायल	गोटा	10	10	10	
	ख) चिम्नी भट्टाको क्ले टायल	,,	9	9	9	
3	**ढुंगाको काम (Stone work)**					
3.1	**Rubble Stone**					
	क) फोरुवा ढुंगा (खानीको)	घ.मि.	1500	1550	1600	
	(ख) ठुलो साइजको खोलाको ढुंगा (River Stone)	घ.मि.	1300	1350	1400	
3.2	**छाप्ने ढुङ्गा (Flag stone)**					
	क) १" सम्म बाक्लो सर्फेस ड्रेस गरेको छाप्ने ढुङ्गा	व.फि	82	84	84	
	ख) १$^{१}/_{२}$" सम्म बाक्लो ,, ,,	,,	99	105	105	
	ग) २" सम्म बाक्लो ढुङ्गा ,, ,,	व.फि	115	120	120	
	घ) २$^{१}/_{२}$" सम्म बाक्लो ढुङ्गा ,, ,,	,,	125	130	130	
	ङ) २$^{१}/_{२}$" - ३" सम्म बाक्लो ढुङ्गा ,,	,,	154	160	160	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	च) २$^{१}/_{२}$" - ३" सम्म बाक्लो ढुङ्गा मेसिनले काटेको	,,				
4	**विभिन्न प्रकारको बालुवा**					
	क) खानीकोबालुवा (Quarry sand)	घ.मि.	1870	1870	1965	
	ख) खोला/नदीको बालुवा (River sand)	,,	1870	1870	1965	
	ग) भवनको भूँई कोठामा पुर्न, सोलिङ्गको Void filling गर्न प्रयोग गरिने बालुवा	,,	880	880	925	
5	**क्रसरबाट उत्पादित विभिन्न साइजको रोडा**	घ.मि.	1870	1870	1965	
6	**फुटालेको ढुङ्गाको गिट्टी**					
	क) सबै साइजको गिट्टी	घ.मि.	1870	1870	1965	
7	**सडकको Sub-base/base course का लागि प्रयोग गरिने निर्माण सामाग्री**					
	क) विभिन्न साईजको खोलाको ग्राभेल	घ.मी.	1350	1350	1400	
	ख) स्थानीय खानी ग्राभेल	घ.मी.	1170	1170	1220	
	ग) ढुगांको धुलो (Stone dust)	घ.मी.	805	805	830	
8	**विभिन्न साइजका खोलाको Screening गरेको River pebbles(gravel)**					
	क) ४०-८० मि.मि. साईज	घ.मी.	1630	1630	1630	
	ख) ५-४० मि.मि. साईज	घ.मी.	1615	1615	1615	
9	**फिल्टर सामाग्री**					
	४०% गिट्टी ६०% बालुवा मिश्रणको फिल्टर प्रयोजन	घ.फि.	70	70	70	
10	**सडक कालो पत्रे गर्ने कामको सामाग्रीहरु**					
	i) ८०/१०० ग्रेडको विटुमीन	के.जी	81	82	99.1	
	ii)CRMB-DIGO 55 Bitumen	,,	80	81	98	
	iii) Bitumen VG-10 (New M.S.drum Packed)	,,			99.1	
	iv) Bitumen VG-30 (New M.S.drum Packed)	,,			100.7	
	v) Packed bitumen emulsion को काम					
	छिटो जम्ने (RS 60%)	,,	68	68	87	
	छिटो जम्ने (RS 65%)	,,	72	72	92.3	
	छिटो जम्ने (RS 70%)	,,	76	76	97.7	
	मध्यम जम्ने (MS 60%)	,,	69	69	87.9	
	मध्यम जम्ने (MS 65%)	,,	74	74	92.0	
	ढीलो जम्ने (SS60%)	,,	70	70	89.2	
	Slurry Seal with 60% bitumen	,,	74	74	92.5	
	Cut Back (MC 30)	,,	0	0	137.9	
	Cut Back (MC 70)	,,	0	0	129.3	
	Cut Back (MC 800)		0	0	126.4	
	vi) सडक कालोपत्रे गर्दा विटुमीन नउप्कीनको लागी प्रयोग गर्ने सामान Anti stripping agent	,,	328	330	380	
	vii) कालेपत्रे सडक Pot hole टाल्नको लागी प्रयोग गरिने Pre-coated Aggregate सामाग्री	,,	30	30	30	
	viii) कालोपत्रे सडकमा रेखांकन गर्न प्रयोग गरिने Thermo Plastic Road marking सामाग्री					
	a) B.S. Grade	के.जि	170	170	170	
	b) Most Grade	”	188	188	188	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	c) Glass beads	”	154	154	154	
11	**विभिन्न कम्पनीबाट उत्पादित सिमेन्टहरु**					
11.1	नेपालवाट उत्पादित विभिन्न ब्रान्डका ओ.पि.सी. सिमेन्ट NS #49 (प्रतिवोरा ५० के.जी.)	ब्याग	841	841	800	
11.2	भारतवाट उत्पादित विभिन्न ब्रान्डका ओ.पि.सी. सिमेन्ट (प्रतिवोरा ५० के.जी.)	"	-	-	-	
11.3	हेटौडा सिमेन्ट (५० के.जी. ओ.पि.सी.)	”	-	-	-	
11.3	उदयपुर सिमेन्ट (५० के.जी. ओ.पि.सी.)	”	-	-	-	
11.3	नेपालवाट उत्पादित विभिन्न ब्रान्डका पि.पि.सी. सिमेन्ट (प्रतिवोरा ५० के.जी.)	”	750	740	700	
11.4	सेतो सिमेन्ट (40kg/bag)	”	1230	1230	1230	
11.5	लोड अनलोड चार्ज	”	10	12	12	
12	**Ready made Premix Concrete (Supplying laying all complete work)**					
12.1	Panchakanya , MAW or equivalent					
	M 15	घ. मि	13800	13800	13800	
	M 20	,,	14400	14400	14400	
	M 25	,,	15000	15000	15000	
	M 30	,,	16000	16000	16000	
13	**फलामको डण्डीहरु :**					
	(क) विभिन्न साइजका TMT Bar					
	a) 8 mm dia	के.जी	94	94	98.7	
	b) 10,12,16,20, 25mm dia	,,	91.5	91.5	96.08	
	c) 28,32 mm dia	,,	92.5	92.5	97.13	
	(ख) विभिन्न साइजको TOR Steel					
	a) 8mm dia TOR steel	,,	88.94	88.94	93.39	
	b) 10-25mm TOR steel	,,	85.84	85.84	90.13	
	c) 28-32mm TOR steel	,,	88.94	88.94	93.39	
	(ग) विभिन्न साइजका TOR Steel					
	a) 4.75, 7 mm dia	,,	94.15	94.15	98.86	
	(घ) Binding Wire (डण्डी बाँध्नेतार)	,,	101.77	101.77	111.95	
14	**विभिन्न किसिमका काठहरु**					
	(ख) ८' देखि १२' सम्मको सालकाठ नेपाली	क्यू.फि.	6260	6260	6260	
	(ग) १२ फिट देखि माथिको साल काठ नेपाली	क्यू.फि.	6550	6550	6550	
	(घ) साज काठ	क्यू.फि.	2500	2500	2500	
	(ङ) जामुन काठ	क्यू.फि.	2135	2135	2135	
	(च) सल्लाको काठ	क्यू.फि.	1130	1130	1130	
	(छ) सिसौं काठ	क्यू.फि.	2300	2300	2300	
	(ज) जंगली सिसौं काठ ,,	क्यू.फि.	5270	5270	5270	
	(झ) स्थानीय कुकाठ (फर्मा प्रयोजनको लागि Mixed wood)	क्यू.फि.	950	950	950	
	(ञ) स्थानिय साल काठ	क्यू.फि.	2000	2000	2000	
	(ट) काठ दाउरा	के.जी	12	12	12	
14.2	**कुदिएको काठको काम तयारी**					
	i) भऱ्याङ्गको रेलिङ्ग तथा बार्दली आदिमा कुँदिएको स्थानीय सीसौ काठको हुक्का (2'-6"x3"x3")	गोटा	821	821	821	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	ii) भऱ्याङ्गको रेलिङ्ग तथा बार्दली आदिमा कुँदिएको जंगली स्पेशल सीसौ काठको हुक्का (2'-6"x3"x3")	,,	895	895	895	
	iii) भऱ्याङ्गको रेलिङ्ग तथा बार्दली आदिमा कुँदिएको सीसौ काठको हेण्ड रेल (3"x4")	र.फि.	746	746	746	
	iv) भऱ्याङ्गको रेलिङ्गको घुम्ने ठाउँमा कुँदिएको सीसौ काठको गोलो हेण्ड रेल (3"x4")	गोटा	3282	3282	3282	
	v) देवी देवताको मुर्ति कुँदिएको ४' देखि ५' लामो (३"x ८") साल काठमा टुँडाल बनाउने काम	,,	10443	10443	10443	
	vi) देवी देवताको मुर्ति कुँदिएको ६' देखि ७' लामो (३"x ८") साल काठमा टुँडाल बनाउने काम	,,	11935	11935	11935	
	vii) विभिन्न बुट्टा तथा देवी देवताको मुर्ति कुँदिएको साल काठको झ्याल ढोका बनाउने काम (खापाको माटाई ४० मि.मि. देखि ५० मि.मि. सम्म)	व.फि.	2238	2238	2238	
	viii) घोडाको आकृति गरि कुँदिएको ४"x ५" साइजको ३' देखि ४' लामो साल काठको तयारी टुँडाल बनाउने काम ।	गोटा	5221	5221	5221	
	ix) सामान्य प्रकारको कुँदिएको सालको काठको आँखी झ्याल तयारी	व.फि.	746	746	746	
	x) मध्यम प्रकारको कुँदिएको सालको काठको आँखी झ्याल तयारी	,,	1044	1044	1044	
	xi) विशेष प्रकारको कुँदिएको सालको काठको आँखी झ्याल तयारी लक सहीत	,,	2238	2238	2238	
	xii) विशेष प्रकारको कुँदिएको सालको काठको आँखी झ्याल तयारी लक नभएको	,,	1417	1417	1417	
	xiii) ३"x १.५" साइजको सालको काठको कुँदिएको पली तयारी गर्ने काम	र.फि.	522	522	522	
	xiv) कुँदिएको विभिन्न बुट्टा राखी बनाएको साल काठको ४"x ५"को कार्नेस बिम आदि तयारी गर्ने कार्य	,,	895	895	895	
	xv) ४"x ५"को साल काठको नाग बुट्टा कुँदि तयारी गरी जडान गर्ने कार्य	,,	746	746	746	
15	**Wooden Parquet Flooring**					
	i) Shisam wood 150mm*30mm*8mm	व.फि.	179	179	179	
	ii)Wall panelling (with wood frame) sisam wood. (75mm*16mm)	,,	597	597	597	
16	**विभिन्न मोटाईको प्लाइउडहरु**					
16.1	**Commercial**					
	(क) ३ मी.मी	व.फि	20	20	20	
	३.५ मी.मी.	,,	23	23	23	
	(ख) ४ मी.मी	,,	24	24	24	
	(ग) ६ मी.मी	,,	38	38	38	
	(घ) ८ मी.मी	,,	42	42	42	
	(ङ) १२ मी.मी	,,	64	64	64	
	(च) १९ मी.मी B/B	,,	93	93	93	
	छ) १८ मी.मी PLY	,,	96	96	96	
16.2	**P/F. Water Proof**					
	क) ४ मी.मी	व.फि	40	40	40	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	ख) ६ मी.मी	व.फि	55	55	55	
	ग) ८ मी.मी.	,,	60	60	60	
	घ) ९ मी.मी.	,,	66	66	66	
	(ङ)१२ मी.मी	,,	76	76	76	
	च) १९ मी.मी PLY		125	125	125	
	छ) १९ मी.मी B/B	,,	105	105	105	
16.3	**Natural Teak Plywood**					
	One side lamination					
	(क) ३ मी .मी	व.फि	58	58	58	
	(ख) ४ मी. मी (Group Match of in 5 pcs)	,,	76	76	76	
	४ मी. मी (Regular)	,,	66	66	66	
	४ मी. मी (Crown)	,,	44	44	44	
	४ मी. मी (Beri)	,,	50	50	50	
	४ मी. मी (Whitest line)	,,	40	40	40	
	४ मी. मी (Beach)	,,	47	47	47	
	४ मी. मी (Recon 18 No.)	,,	37	37	37	
	(ग) ६ मी.मी	,,				
16.4	**DECORATIVE (THICKER)**					
	6 OST	व.फि	-	-	-	
	6 BST	,,	-	-	-	
	9 OST	,,	-	-	-	
	9 BST	,,	-	-	-	
	12 OST	,,	-	-	-	
	12 BST	,,	-	-	-	
	19 B/B OST	,,	-	-	-	
	19 B/B BST	,,	-	-	-	
	18 OST	,,	-	-	-	
	18 BST	व.फि	-	-	-	
17	**Ready made Door**					
17.1	**38 mm th. Redimade solid core door shutter**					
	Plain	व.फि	233	233	233	
	One side teak	,,	262	262	262	
	Both side teak	,,	294	294	294	
	One side teak waterProof	,,	286	286	286	
	Both side teak waterProof	,,	317	317	317	
17.2	**30 to 32 mm th. Redimade solid core door shutter**					
	Plain	व.फि	190	190	190	
	One side teak	,,	213	213	213	
	Both side teak	,,	239	239	239	
	One side teak waterProof	,,	233	233	233	
	Both side teak waterProof	,,	258	258	258	
17.3	**Ready made Teak wood Doors (Seasoned and Poisoned treated)** (excluding the cost of fitting, transportation, Painting)					

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	Readymade door shutter Recon, ordinary (1 side teak)	Sqft	183	183	183	
	Readymade door shutter Recon, Special (1 side teak)	,,	248	248	248	
	Readymade door shutter Recon, ordinary (1 side teak)	,,	209	209	209	
	Readymade door shutter Recon, Special (1 side teak)	,,	281	281	281	
17.4	**Wooden Listy**					
	1/2" wide	र.फि.	14	14	14	
	3/4" wide	,,	18	18	18	
	1.5" wide	,,	29	29	29	
	Decorative	,,	40	40	40	
17.5	**Infill Material Thai Gypsum, Shera or equivalent**					
	Frame C - Studs(0.55mm*0.75mm*3m)	गोटा	431	431	431	
	Frame U - Studs(0.55mm*0.75mm*3m)	,,	431	431	431	
	Board 9 mm	,,	2524	2524	2524	
	Roofing Board 6mm (1.5mX.6m)	,,	695	695	695	
	Fiber mess tape (for 90mm/roll)	,,	340	340	340	
	PU sasuage rod	,,	2039	2039	2039	
18	**Prelaminated Particle Board**					
18.1	**Plain Particle Board (Exteriors Grade)**					
	(क) ९ मी .मी	व.फि	37	37	37	
	(ख) १२ मी. मीं.	,,	41	41	41	
	(ग) १८ मी.मीं.	,,	53	53	53	
	(घ) २५ मी.मी	,,	71	71	71	
18.2	**One side lamination Melamined faced (Exteriors Grade)**					
	(क) ९ मी .मी	व.फि	74	74	74	
	(ख) १२ मी. मीं.	,,	83	83	83	
	(ग) १८ मी.मीं.	,,	98	98	98	
	(घ) २५ मी.मी	,,	127	127	127	
18.3	**Both side lamination Melamined faced (Exteriors Grade)**					
	(क) ९ मी .मी	व.फि	83	83	83	
	(ख) १२ मी. मीं.	,,	95	95	95	
	(ग) १८ मी.मीं.	,,	110	110	110	
	(घ) २५ मी.मी	,,	139	139	139	
18.4	**Plain Particle Board (Interiors Grade)**					
	(क) ९ मी .मी	व.फि	27	27	27	
	(ख) १२ मी. मीं.	,,	31	31	31	
	(ग) १८ मी.मीं.	,,	46	46	46	
	(घ) २५ मी.मी	,,	59	59	59	
18.5	**One side lamination Melamined faced (Interiors Grade)**					
	(क) ३ मी .मी	व.फि	40	40	40	
	(ख) ६ मी .मी	,,	57	57	57	
	(ग) ९ मी .मी	,,	65	65	65	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	(घ) १२ मी. मीं.	,,	74	74	74	
	(ङ) १८ मी.मीं.	,,	86	86	86	
	(च) २५ मी.मी	,,	107	107	107	
18.6	**Both side lamination Melamined faced (Interiors Grade)**					
	(क) ३ मी .मी	व.फि	46	46	46	
	(ख) ६ मी .मी	,,	62	62	62	
	(ग) ९ मी .मी	,,	74	74	74	
18.7	**One side lamination Melamined faced (Interiors Grade)MDF**					
	(क) ३ मी .मी	व.फि	46	46	46	
	(ख) ४ मी .मी	,,	53	53	53	
	(ग) ६ मी .मी	,,	65	65	65	
	(घ) ९ मी .मी	,,	85	85	85	
	(ड.) १२ मी .मी	,,	95	95	95	
	(च) १८ मी .मी	,,	122	122	122	
	(छ)२५ मी .मी	,,	169	169	169	
18.8	**Both side lamination Melamined faced (Interiors Grade)MDF Century & equivailent**					
	(क) ३ मी .मी	व.फि	53	53	53	
	(ख) ४ मी .मी	,,	59	59	59	
	(ग) ६ मी .मी	,,	73	73	73	
	(घ) ९ मी .मी	,,	91	91	91	
	(ड.) १२ मी .मी	,,	101	101	101	
	(च) १८ मी .मी	,,	128	128	128	
	(छ)२५ मी .मी	,,	173	173	173	
18.9	**Alstone Hybrid Board (WPC Board) Century & equivailent**					
	(क) ६ मी .मी (१२२० x २४४०)	व.फि	168	168	168	
	(ख) १२ मी .मी	,,	269	269	269	
	(ग) १८ मी .मी	,,	407	407	407	
19	**Other HardBoard/ Sunmica & Formaica)**					
19.1	(क) सनमाईका (4' x 8')	पाता	486	486	486	
	(ख) फोरमाईका	व.फि	75	75	75	
	(ग) हार्डबोर्ड (Hard board) 12 mm thick	,,	44	44	44	
19.2	Alstone Hybrid Board					
	(क) ६ मी .मी size (1220*2440) mm	व.फि	162	162	162	
	(ख) १२ मी .मी size (1221*2440) mm	,,	307	307	307	
	(ग)१८ मी .मी size (1222*2440) mm	,,	427	427	427	
20	**Iron Square Pipe/Black Pipe/Channel/ Angle/I-Beam/Black Sheet/MS Plate**					
	i) Iron Square Pipe	के.जी	87	87	95	
	ii) विभिन्न साइजको MS Angle	,,	93	93	102	
	iii) विभिन्न साइजको Black Pipe	,,	87	87	95	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	iv) विभिन्न साइजको Channel	,,	95	95	104	
	v) विभिन्न साइजको I-Beam	,,	97	97	106	
	vi) विभिन्न साइजको MS plate	,,	92	92	101	
	vii) विभिन्न साइजको MS Square solid bar up to 16mm	के.जी	93	93	102	
	viii) विभिन्न मोटाइको Black sheet	,,	88	88	96	
21	**G.I. Wire**					
	i) 8 gauge					
	a) medium class	,,	100	100	110	
	b) heavy duty	,,	105	105	115	
	c) Comercial wire	,,	93	93	102	
	ii) 10 gauge					
	a) medium class	,,	100	100	110	
	b) heavy duty	,,	105	105	115	
	c) Comercial wire	,,	93	93	102	
	iii) 12 gauge					
	a) medium class	,,	100	100	110	
	b) heavy duty	,,	105	105	115	
	c) Comercial wire	,,	93	93	102	
22	**मेशिनबाट बुनिएका, Mechanically selvedged double Twist wire mesh को गेवियन वाकस तयारी**					
	क) MBG/10x12/3.0/3.9/2.4/ZN (MBG=Maccaferi Box Gabion)	M2	306	275	275	
	१.५×१×०.५/०	गोटा	1692	1523	1523	
	२×१×0.५/०	,,	2302	2072	2072	
	३×१×०.५/०	,,	3286	2957	2957	
	४×१×.५/०	,,	4146	3731	3731	
	१.५×१×१/०	,,	2460	2214	2214	
	२×१×१/१	,,	3268	2941	2941	
	३×१×१/२	,,	4639	4175	4175	
	४×१×१/३	,,	5974	5377	5377	
	ख) MBG/10x12/2.7/3.4/2.2/ZN	M2	287	258	258	
	१.५×१×०.५०	गोटा	1573	1416	1416	
	२×१×०.५०	,,	2150	1935	1935	
	३×१×०.५०	,,	3045	2741	2741	
	४×१×.५०	,,	3841	3457	3457	
	१.५×१×१	,,	2269	2042	2042	
	२×१×१	,,	3045	2741	2741	
	३×१×१	,,	4299	3869	3869	
	४×१×१	,,	5414	4873	4873	
	ग) MJG/10x12/3.0/3.9/2.4/ZN					
	३×२×०.५०	गोटा	6800	6120	6120	
	४×२×०.५०	,,	8590	7731	7731	
	५×२×०.५०	,,	10662	9596	9596	
	६×२×.५०	,,	12734	11461	11461	
	३×२×१	,,	9354	8419	8419	
	४×२×१	,,	11769	10592	10592	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	५×२×१	,,	14545	13091	13091	
	६×२×१	,,	17300	15570	15570	
	घ) MJG/10x12/2.7/3.4/2.2/ZN					
	३×२×०.५०	गोटा	5562	5006	5006	
	४×२×०.५०	,,	7038	6334	6334	
	५×२×०.५०	,,	8717	7845	7845	
	६×२×.५०	,,	1126	1013	1013	
	३×२×१	,,	7646	6881	6881	
	४×२×१	,,	9627	8664	8664	
	५×२×१	,,	11892	10703	10703	
	६×२×१	,,	14157	12741	12741	
	ङ) MRM/6x8/2.2/2.7/2.2/ZN	M2	239	215	215	
	३×२×०.१७	गोटा	3332	2999	2999	
	४×२×०.१७	,,	4317	3885	3885	
	५×२×०.१७	,,	5283	4755	4755	
	६×२×०.१७	,,	6284	5656	5656	
	३×२×०.२३	,,	3626	3263	3263	
	४×२×०.२३	,,	4697	4227	4227	
	५×२×०.२३	,,	5801	5221	5221	
	६×२×०.२३	,,	6821	6139	6139	
	३×२×०.३०	,,	3937	3543	3543	
	४×२×०.३०	,,	5076	4568	4568	
	५×२×०.३०	,,	6268	5641	5641	
	६×२×०.३०	,,	7423	6681	6681	
	Note:					
	MBG = Maccaferi Box Gabion					
	MJG = Maccaferi Jumbo Gabion					
	MRM = Maccaferi Reno Mettress					
	WMN = Wire Mesh Netting					
	10x12/3.0/3.9/2.4/ZN = Mesh type/Mesh wire dia./Selvedge wire dia./Lacing wire dia./Type of coating					
	ZN = Heavy galvanized					
	PVC = PVC coated					
23	**Barbed Wire (काँढेतार)**					
	12 guage commercial,Medium duty	के.जी	98	98	98	
	U-hook for barbed wire fencing	गोटा	1	1	1	
	Fabrication of chain link mesh of size					
	1"x1" 12 guage	बर्ग मी.	697	697	697	
	1.5"x1.5" 12 guage	,,	652	652	652	
	2"x2" 10 guage	,,	517	517	517	
	3"x3" 10 guage	,,	423	423	423	
	4"x4" 10 guage	,,	337	337	337	
24	**सादा तथा रंगिन जस्ता पाता (Plain/Corrugated Galvanized/Colour Iron Sheet)**					
	(क) सेतो सादा जस्तापाता (G P Sheet)					
	0.2 mm (30 guage light)	बण्डल	4200	4200	4200	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	0.22 mm (30 guage Medium)	,,	4600	4600	4600	
	0.24 mm (30 guage Heavy)	,,	4900	4900	4900	
	0.26 mm (28 guage light)	,,	5150	5150	5150	
	0.28 mm (28 guage Medium)	,,	5500	5500	5500	
	0.31 mm (28 guage Heavy)	,,	6025	6025	6025	
	0.35 mm (26 guage light)	,,	6675	6675	6675	
	0.38 mm (26 guage Medium)	,,	7000	7000	7000	
	0.41 mm (26 guage Heavy)	,,	7675	7675	7675	
	0.45 mm (24 guage light)	,,	8330	8330	8330	
	0.50 mm (24 guage Medium)	,,	9150	9150	9150	
	0.52 mm (24 guage Heavy)	,,	9475	9475	9475	
	0.75 mm	,,	13600	13600	13600	
	(ख) रंगिन जस्तापाता					
	0.2 mm (30 guage light)	बण्डल	5500	5500	5500	
	0.22 mm (30 guage Medium)	,,	5875	5875	5875	
	0.24 mm (30 guage Heavy)	,,	6200	6200	6200	
	0.26 mm (28 guage light)	,,	6540	6540	6540	
	0.28 mm (28 guage Medium)	,,	6925	6925	6925	
	0.31 mm (28 guage Heavy)		7445	7445	7445	
	0.35 mm (26 guage light)	,,	8230	8230	8230	
	0.38 mm (26 guage Medium)	,,	8640	8640	8640	
	0.41 mm (26 guage Heavy)	,,	9350	9350	9350	
	0.45 mm (24 guage light)	,,	10000	10000	10000	
	0.50 mm (24 guage Medium)	,,	10900	10900	10900	
	0.52 mm (24 guage Heavy)	,,	11275	11275	11275	
	0.75 mm	,,	15830	15830	15830	
	(ग) ग्याल्भानाइज्ड कोरुगेटेड जस्तापाता **(CG I Sheet)**					
	0.2 mm (30 guage light)	बण्डल	4200	4200	4200	
	0.22 mm (30 guage Medium)	,,	4550	4550	4550	
	0.24 mm (30 guage Heavy)	,,	4860	4860	4860	
	0.26 mm (28 guage light)	,,	5110	5110	5110	
	0.28 mm (28 guage Medium)	,,	5450	5450	5450	
	0.31 mm (28 guage Heavy)	,,	5960	5960	5960	
	0.35 mm (26 guage light)	,,	6625	6625	6625	
	0.38 mm (26 guage Medium)	,,	6950	6950	6950	
	0.41 mm (26 guage Heavy)	,,	7600	7600	7600	
	0.45 mm (24 guage light)	,,	8270	8270	8270	
	0.50 mm (24 guage Medium)	,,	9100	9100	9100	
	0.52 mm (24 guage Heavy)	,,	9420	9420	9420	
	0.75 mm	,,	13600	13600	13600	
	घ) जस्ता पाता को धुरी (Ridge Cover) Specified thickness are thickness of base metal.					
	0.20 mm	बण्डल	1430	1430	1430	
	0.22 mm	,,	1550	1550	1550	
	0.24 mm	,,	1660	1660	1660	
	0.26 mm	,,	1740	1740	1740	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	0.28 mm	,,	1860	1860	1860	
	0.31 mm	,,	2025	2025	2025	
	0.35 mm	,,	2240	2240	2240	
	0.38 mm	,,	2350	2350	2350	
	0.41 mm	,,	2570	2570	2570	
	ङ) ४ फिट * ८ फिट को जि.आई. प्लेन सिट					
	1.1 mm	पिस	2900	2900	2900	
	0.90 mm	,,	2400	2400	2400	
	0.80 mm	,,	2175	2175	2175	
	0.75 mm	,,	2040	2040	2040	
	0.70 mm	,,	1905	1905	1905	
	0.62 mm	,,	1705	1705	1705	
	0.55 mm	,,	1530	1530	1530	
	0.50 mm	,,	1390	1390	1390	
	0.48 mm	,,	1340	1340	1340	
	0.45 mm	,,	1270	1270	1270	
	0.40 mm	,,	1140	1140	1140	
	0.37 mm	,,	1060	1060	1060	
	0.35 mm	,,	1010	1010	1010	
	0.30 mm	,,	890	890	890	
	0.28 mm	,,	840	840	840	
	च)४ फिट * ८ फिट को रङ्गिन प्लेन सिट					
	0.90 mm	पिस	2645	2645	2645	
	0.80 mm	,,	2395	2395	2395	
	0.75 mm	,,	2285	2285	2285	
	0.70 mm	,,	2175	2175	2175	
	0.62 mm	,,	1950	1950	1950	
	0.55 mm	,,	1760	1760	1760	
	0.50 mm	,,	1620	1620	1620	
	0.48 mm	,,	1540	1540	1540	
	0.45 mm	,,	1490	1490	1490	
	0.40 mm	,,	1360	1360	1360	
	0.37 mm	,,	1260	1260	1260	
	0.35 mm	,,	1210	1210	1210	
	0.30 mm	,,	1070	1070	1070	
	0.28 mm	,,	1023	1023	1023	
	GI EXPANDED METAL MESH					
	1.20 mm मोटाई र 3' चौडाई भएको जाली	र.मि.	129	129	129	
	1.20 mm मोटाई र 4' चौडाई भएको जाली	,,	180	180	180	
	1.00 mm मोटाई र 3' चौडाई भएको जाली	,,	110	110	110	
	1.00 mm मोटाई र 4' चौडाई भएको जाली	,,	150	150	150	
	0.90 mm मोटाई र 3' चौडाई भएको जाली	,,	100	100	100	
	0.90 mm मोटाई र 4' चौडाई भएको जाली	,,	159	159	159	
25	**UPVC Roofing Sheet Sunrise or Equivalient brand (3mm thick)**					

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
25.1	UPVC Roofing Sheet with PMMA coating & Mesh (Regular)	व.मि.	1440	1440	1440	
25.2	UPVC Roofing Sheet with PMMA coating & Mesh (Tile)	,,	1496	1496	1496	
25.3	Ridge cover Regular Profile 1.10 R.m.	र.मि.	1288	1288	1288	
25.4	Ridge cover Tile Profile 0.78 R.m.	,,	1288	1288	1288	
25.5	UPVC Clip	गोटा	26	26	26	
25.6	self tapping screw 3"	,,	26	26	26	
25.7	self tapping screw 2.5"	,,	10	10	10	
25.8	self tapping screw 2"	,,	10	10	10	
25.9	self tapping screw 1.5"	,,	8	8	8	
26	**एल्मुनियम प्लेन सिट**					
	(क) २६ गेज	व.फि.	29	29	29	
	(ख) ३० गेज	”	27	27	27	
27	**विभिन्न प्रकारको जालीहरु (Netting)**					
	(क) मसिनो खालको Mosquito proof जाली	व.मी	119	119	119	
	(ख) वालुवा चाल्ने जाली	”	124	124	124	
	(ग) कुखुरे जाली (Chicken wire mesh)	”	76	76	76	
	(घ) ब्रास क्रसिङ्ग जाली	”	195	195	195	
	ड. स्टील जाली (crossing)	”	157	157	157	
	च मसिनो खालको steel Mosquito proof जाली	”	270	270	270	
28	**फलामबाट निर्मित सामानहरु**					
a	M.S. Grill बनाई जडान गर्ने काम	के.जी	144	144	144	
b	कोल्याप्सीबल गेट बनाई जडान गर्ने	व.फि.	515	515	515	
c	१६-१८ गेजको फलामे रोलिङ्ग सटर बनाई जडान गर्ने	व.फि.	360	360	360	
d	फलामे रोलिङ्ग सटर १६-१८ गेज जडान सहित स्ट्रीप सटर प्वाल भएको	”	453	453	453	
e	फलामे रोलिङ्ग सटर डण्डी प्रयोग गरी बनाइको साथै जडान गर्ने समेत	”	515	515	515	
f	१६ गेज पाताबाट कम्पाउण्ड वालको गेट बनाई जडान गर्ने (५० x ५०x ५ mm) को फ्रेम समेत)	,,	670	670	670	
g	३"-४" व्यासको Iron Black Pipeमा एङ्गल र पट्टि राखी खुडकिला सहितको **घुम्ने भऱ्याङ्ग** (Spiral Staircase)तयार गरी जडान समेत (भऱ्याङको नापी गर्दा floor to floor height लिने)	र.फि.	3142	3142	3142	
h	फलामे सामाग्रीको फेब्रिवेशन तथा जडान कार्य	के.जी.	46	46	46	
i	All type of general MS structural works	व.फी.	175	175	175	
j	Truss & roofing works Plain sheet 26 gauge	”	206	206	206	
k	Truss & roofing works colour sheet 26 gauge	”	242	242	242	
l	Black Pipe Tubular Truss fitting & fixing work	के.जी.	196	196	196	
m	Mild Steel Props for Concreting 2" dia 3.5 mm thick 3.5 m- 4.0 m length	गोटा	1998	1998	1998	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
n	Steel Structural (Light guage) frame work for building (as 90mm X 38mm wide SS C C-channel , 0.55mm thick , weight per square feet 2 kg with fabrication rebet,screw erection fitting and essembly charges) all complete work Panchakanya or equivalent company	व.फि.	793	793	793	
29	**Glass सीसा**					
29.1	**Plain सादा (सेतो)**					
	(क) ३ मी.मी.	व.फि.	52	52	52	
	(ख) ३.५ मी.मी.	व.फि.	58	58	58	
	(ग) ४ मी.मी.	व.फि.	66	66	66	
	(घ) ५ मी.मी. ”	”	89	89	89	
	(ङ) ६ मी.मी. ”	”	103	103	103	
	(च) ८ मी.मी. ”	”	173	173	173	
29.2	**Printed Glass (बुट्टेदार सिसा)**					
	(क) ३ मी.मी.	”	47	47	47	
	(ख) ४ मी.मी ” ”	”	55	55	55	
29.3	**Poly Fibre Glass**					
	(क) ६ मी.मी.	”	150	150	150	
29.4	**Black Color Glass**					
	(क) ३ मी.मी.	व.फि.	89	89	89	
	(ख) ४ मी.मी.	,,	96	96	96	
	(ग) ५ मी.मी.	”	109	109	109	
	(घ) ६ मी.मी.	”	150	150	150	
	(ङ) ८ मी.मी.	”	219	219	219	
	(च) १० मी.मी	”	314	314	314	
	(छ) १२ मी.मी	,,	355	355	355	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
29.5	**Tinted Float glass बाहिर बाट नदेखिने भित्रबाट देखिने**					
	(क) ५ मि.मि बाक्लो	व.फि.	107	107	107	
29.6	**छानामा प्रयोग गरिने बुट्टेदार ऐना Itching Glass with simple shade and texture**					
	(क) ४ मी.मी. बाक्लो	व.मि.	5753	5753	5753	
29.7	**विभिन्न रंगको Reflector Glass (शिशा)**					
	५ मी.मीं मोटो	व.फि.	171	171	171	
	Note: ४ फिट * ८ फिट भन्दा बढी साइजको सिसा भएमा ५० % थप रकम लाग्ने छ।					
30	**Corrugated/Plain Fiber Glass Sheet**					
	(क) ०.८ मी. मी. मोटो प्लेन	व.फि.	112	112	112	
	०.८ मी. मी. मोटो कोरोगेटेड	व.फि.	125	125	125	
	(ख) १.२ मी.मी. मोटो प्लेन	"	125	125	125	
	१.२ मी.मी. मोटो कोरोगेटेड	"	143	143	143	
	(ग) २ मी.मी. मोटो प्लेन	"	212	212	212	
	२ मी.मी. मोटो कोरोगेटेड	"	250	250	250	
	(घ) ३ मी. मी. मोटो प्लेन	"	287	287	287	
	३ मी. मी. मोटो कोरोगेटेड	"	375	375	375	
	(ङ) Fiber Glass छानाको लागि Alumunium strip (25 mm x 1.5 mm)	Rm	69	69	69	
	(च) Fiber Glass छानाको लागि Ribet nut	no.	7	7	7	
31	**झ्याल ढोकामा लाग्ने Fixture हरु**					
	Iron बाट बनेका					
	Hinge (कब्जा)					
	(क) ३" साइज	गोटा	15	15	15	
	(ख) ४" साइज	"	28	28	28	
	(ग) ५" साइज	"	43	43	43	
	(घ) ६" साइज	"	56	56	56	
	Locking Set (L-drop)					
	300 mm	गोटा	260	260	260	
	225 mm	"	227	227	227	
	150 mm	"	195	195	195	
	Aluminum बाट बनेका					
	Towerbolt (छेस्कीनी)					
	(क) ३" लामो	गोटा	20	20	20	
	(ख) ४" लामो	"	40	40	40	
	(ग) ६" लामो	"	67	67	67	
	(घ) ८" लामो	"	80	80	80	
	(ङ) १०" लामो	"	94	94	94	
	(च) १२" लामो	"	107	107	107	
	Handle (हतकल)					
	Ordinary	गोटा	32	32	32	
	Special	"	47	47	47	
	Brass बाट बनेका					
	Hinge (कब्जा)					

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	2"× $^{1}/_{2}$ "	गोटा	63	63	63	
	$2^{1}/_{2}$×$^{3}/_{4}$"	"	71	71	71	
	3" × $^{3}/_{4}$"	"	87	87	87	
	2" ×$^{3}/_{4}$"	"	71	71	71	
	$2^{1}/_{2}$"×$^{3}/_{4}$"	"	79	79	79	
	3"×$^{3}/_{4}$"	"	87	87	87	
	3"×1"	"	189	189	189	
	4"×1"	"	284	284	284	
	5"×1"	"	379	379	379	
	6"×1"	"	458	458	458	
	Towerbolt (छेस्कीनी)					
	(क) ३" लामो	गोटा	142	142	142	
	(ख) ४" लामो	,,	189	189	189	
	(ग) ६" लामो	,,	284	284	284	
	(घ) ८" लामो	,,	379	379	379	
	(ङ) १०" लामो	,,	473	473	473	
	(च) १२" लामो	"	568	568	568	
	Handle (हतकल)					
	6" Brass handle	गोटा	150	150	150	
	8" Brass handle	"	458	458	458	
	10" Brass handle	"	947	947	947	
	Brass 5"	"	142	142	142	
	Brass 6"	"	221	221	221	
	Locking Set (L-drop)					
	(क) ८" लामो	गोटा	947	947	947	
	(ख) १०" लामो	"	1562	1562	1562	
	(ग) १२" लामो	"	1735	1735	1735	
	Special Fittings					
	एल ड्रप :-					
	८" लामो	गोटा	1062	1062	1062	
	१०" लामो	"	1199	1199	1199	
	१२" लामो	"	1249	1249	1249	
	ह्याण्डल : -					
	८" लामो	"	1249	1249	1249	
	टावर बोल्ट : -					
	६" लामो	"	225	225	225	
	८" लामो	"	300	300	300	
	१०" लामो	"	375	375	375	
	डबल कलर (गोल्ड सिल्भर/ब्ल्याक सिल्भर)					
	एल ड्रप :-					
	८" लामो	गोटा	892	892	892	
	१०" लामो	"	1130	1130	1130	
	१२" लामो	"	1249	1249	1249	
	ह्याण्डल : -					
	६" लामो	"	250	250	250	
	८" लामो	"	375	375	375	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	Mortice Lock					
	Ordinary	गोटा	625	625	625	
	Chinese	”	416	416	416	
	Indian Godrej Company	”	2557	2557	2557	
	Brass		1130	1130	1130	
	Door Spring (Door Closer)					
	Ordinary	गोटा	178	178	178	
	hydraulic	”	1874	1874	1874	
	Other Door/Windows fixtures					
	Window I-hook	गोटा	18	18	18	
	Gate Hook					
	4" Gate hook	गोटा	31	31	31	
	5" Gate hook	,,	35	35	35	
	6" Gate hook	,,	42	42	42	
	Brass Gate hook		75	75	75	
	Door stopper					
	Diamond	गोटा				
	Butterfly	”	148	148	148	
	Bell catch 2" size	”	196	196	196	
	C.P. handle	”	425	425	425	
	Power coated handle	”	406	406	406	
	Brass coated handle	”	874	874	874	
	Door stopper, single brass stopper	सेट	100	100	100	
	Door stopper double brass stopper	”	178	178	178	
32	**बिबिध सामाग्रीहरु**					
	Hold fast different sizes (7 nos./Kg.)	के.जी.	125	125	125	
	Nails (different sizes)	के.जी.	112	112	112	
	सालका काठको खाधान्न राख्ने पुराना तख्ता(पुनः प्रयोग हुने)	घ.फि.	721	721	721	
	कवाडी फलामे सामानहरु(वन्चरो,घन,छिना आदि फलामे सामान)	के.जी.	26	26	26	
	प्रयोग गर्न नसकिने पुराना मेसीन(टाइपराइटर, ड्रीलीङ मेसीन,ड्रीलीङ विट)	के.जी.	21	21	21	
	Nut and Bolts	गोटा	29	29	29	
	Nut and Bolts (different sizes)	के.जी.	165	165	165	
	Sandpaper (खास्सी)	गोटा	6	6	6	
	विभिन्न साईजको जे-हुक, यु-हुक	केजी	137	137	137	
	२” साइज रुफिङ्ग नेल्स	गोटा	7	7	7	
	३” साइज रुफिङ्ग नेल्स	”	10	10	10	
	Screw Brass					
	20mm	गोटा	2	2	2	
	25mm	”	3	3	3	
	35mm	”	4	4	4	
	50mm	”	12	12	12	
	75mm	”	15	15	15	
	Screw Steel					
	20mm	”	1	1	1	
	25mm	”	2	2	2	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	35mm	"	2	2	2	
	50mm	"	7	7	7	
	75mm	"	8	8	8	
	विटुमीन वासर	गोटा	3	3	3	
	Roofing bitumen (रुफिङ्ग अलकत्रा)	के.जी.	93	93	93	
	५०० गेज प्लाष्टिक सिट	व.मी.	31	31	31	
	ISI Mark Trafelt (२०मी. × १मी.)	रोल	2472	2472	2472	
	Plasticfelt (२०मी. × १मी.)	"	2318	2318	2318	
	१८-२० फिट लामो बाँस	गोटा	204	204	204	
	मैन पालिस	के.जि.	206	206	206	
	अक्जालिक एसिड	"	118	118	118	
	जुट वा पोलिथिनको खाली बोरा	गोटा	18	18	18	
	माटो (ढुवानि बाहेक)	घ.मि.	268	268	268	
	सबग्रेडमा राख्ने माटो(In Capping layer Granular soil)	घ.मि.	464	464	464	
	भुस	के.जि.	5	5	5	
	गोवर	"	5	5	5	
	Staircase को 3/4" x 3/4" square pipe मा लगाउने Brass cap	गोटा	93	93	93	
	Staircase को 1" x 1" square pipe मा लगाउने Brass cap	गोटा	98	98	98	
	Tarpoline sheet (तारपोलिन सिट)	व.फि.	9	9	9	
	Water (पानी)					
	३ कि.मी. सम्म को दुरीमा	लिटर	0.26	0.26	0.26	
	३ कि.मी. देखि माथीको दुरीमा	लिटर	0.31	0.31	0.31	
33	**स्टेनलेस स्टील पाइप (257/kg)**					
	३/४" व्यास भएको १६ गेज मोटाई	मी.	194	194	194	
	१" व्यास भएको १६ गेज मोटाई	"	243	243	243	
	१ १/४" व्यास भएको १६ गेज मोटाई	"	309	309	309	
	१ १/२" व्यास भएको १६ गेज मोटाई	"	346	346	346	
	२" व्यास भएको १६ गेज मोटाई	"	508	508	508	
	स्टील रेलीङ. steel Raling को बार लगाउने कार्य(२ इन्च पाईपको vertical post & Hand rail तथा १ इन्च व्यासको तीन तह Horizontal pipe)	र.फी.	1168	1168	1168	
34	**मार्बल चिप्स**					
	(क) सेतो रंगको मार्बल चिप्स (२५ के.जि.प्रति बोरा)	बोरा	170	170	170	
	(ख) रंगीन मार्बल चिप्स (२५ के.जि.) प्रति बोरा	"	170	170	170	
	(ग) क्रेजी मार्बल (६ वर्ग फिट प्रति बोरा)	"	181	181	181	
	(घ) मार्बल पाउडर (२५ के.जि. प्रति बोरा)	"	153	153	153	
35	**मार्बल (Marble)**					
35.1	**राजस्थानी मार्वल**					
	१३ मी.मी बाक्लो राजस्थानी	ब.फि.	158	158	158	
	१६ मी.मी बाक्लो राजस्थानी	,,	164	164	164	
35.2	**ग्रेनाइट**					
	१२ मी.मी बाक्लो ग्रेनाइट	,,	297	297	297	
	१६ मी.मी बाक्लो ग्रेनाइट	ब.फि.	303	303	303	
	१९ मी.मी बाक्लो ग्रेनाइट	ब.फि.	346	346	346	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
35.3	**Kota Stone**					
	1" thick	व.फि.	142	142	142	
	3/4" thick	व.फि.	130	130	130	
35.4	Sand stone (for rubbing Marble)	गोटा	72	72	72	
36	**Porcelain Glazed/Terrazo Mosaic Tiles**					
36.1	**Porcelain Glazed Tiles**					
	ग्लेज टायल्स (१२ " x ८ ") सम्मको ।	व.फि.	-	-	-	
	ग्लेज टायल्स (१२ " x १२ ") माथिको ।	,,	-	-	-	
	Cotto Tiles	,,	126	126	126	
	Kajaria, Vermura,Somany, Orient Tile or equivalent	,,	85	85	85	
	Ordinary floor and wall Tile	,,	54	54	54	
	Border Tile (२ " x ८ ")	र.फि.	43	43	43	
	Border Tile (२ " x ८ ")	व.फि.	178	178	178	
	Indian Ceramic Wall Tile (31*45cm)	,,	180	180	180	
	Indian Ceramic Border Tile (31*45cm)	,,	180	180	180	
	Indian Ceramic Floor Tile (31*45cm)	,,	150	150	150	
	Flooring tile GVT Somany/Swastik/Victory / Espanoi or equivalent					
	24"X24" GVT	व.फु.	165	165	165	
	24"X24" GRES Virtified (Digital floor)	,,	144	144	144	
	12"X12" GRES homogeous Virtified parking tile	,,	106	106	106	
	24"X24" Virtified	,,	111	111	111	
	Flooring tile Everest/Victory /Swastik /Espanoi or equivalent					
	16"X16 "	व.फु.	98	98	98	
	12"X12"	,,	88	88	88	
	12"X12" (White/Ivery)	,,	77	77	77	
	2"X2"(Digital)	,,	129	129	129	
	12"X24" (Wall)	,,	134	134	134	
	12"X18" (Wall)	,,	103	103	103	
36.2	**LG Floors Tiles**					
	L.G. Deluxe Tiles (300x300x2mm)	व.फु.	-	-	-	
	L.G. Deco Tiles (450x450x3mm)	,,	-	-	-	
	L.G. Deco Wood (100x920x3mm)	,,	-	-	-	
	Fittings for Tiles	,,	14	14	14	
	Fittings for Tiles on stairs	,,	16	16	16	
	Dendrite for tiles	लि.	371	371	371	
36.3	**ELITE / FORBO FLOORING COATING**					
	ELITE MICRO FINISH FLOORING (INCLUDED ALL FINISH)	व.फि.	361	361	361	
	ELITE HERMETIC HEAT FLOORING (INCLUDED ALL FINISH)	,,	361	361	361	
	ELITE REFLECTOR FLOORING(INCLUDED ALL FINISH)	,,	383	383	383	
	SARLON VINYL ACOUSTIC FLOORING	,,	427	427	427	
	SCRATCH FABRIC FALSE CEILING	,,	232	232	232	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	SINGLE COAT GYP PLASTER UP TO 20MM THICKNESS	,,	62	62	62	
	Forbo marmoleum flooring 2mm thick all fitting work	,,	403	403	403	
37	**Plaster of Parish (POP)** cornice and molding making die, casting of cornice as per design and drawing including fixing in position using steel screws on resin glue finishing all complete					
	a) POP Molding 1" to 1½"	र.मि	238	238	238	
	b) Up to 5" wide	र.मि	285	285	285	
	c) Up to 8" wide	र.मि	393	393	393	
	d) Above 8" wide	र.मि	161	161	161	
37.1	**रंगरोगनका सामानहरु**					
	(क) कृषि चुनबाट उत्पादित सेतो चुन	के.जि.	19	19	19	
	(ख) विभिन्न प्रकारको रंगिन चुन	”	36	36	36	
	(ग) विभिन्न प्रकारको भारतिय चुन रंगिन	”	39	39	39	
	(घ) सिमेन्ट पेन्ट (Cement Paints)	के.जि.	74	74	74	Equaivalient Asian , Berger & other company.
	(थ) सिमेन्ट प्राइमर सेतो	”	268	268	268	
	छ) उड प्राइमर (Wood Primer)	लिटर	376	376	376	
	(ङ) साधारण सेन्थेटिक इनामेल पेन्ट	लिटर	525	525	525	
	च) नेपाल रेडको म्याट फिनिसिङ्ग	लिटर	506	506	506	
	(ज) कोरुगेटेड रुफ Paint	”	476	476	476	
	(झ) तयारी अल्मुनियम पेन्ट	”	546	546	546	
	(ञ) तयारी वार्नेस	”	440	440	440	
	(ट) तयारी वार्नेर सेन्थेटिक	”	340	340	340	
	(ठ) भारतिय थिनर	”	231	231	231	
	ड) उड एण्ड ग्लास पुटिन	के.जी	131	131	131	
	ढ) मेटल पुटिन	,,	155	155	155	
	ण) चुना पेन्ट गर्न राख्ने गम	,,	203	203	203	
	त) नेपाली थिनर	लिटर	218	218	218	
	(द) तारपिन तेल	”	214	214	214	
	(ध) रेड अकसाइड पेन्ट (Red oxide Paint)	”	262	262	262	
	(न) उड प्रिजरभेटिव पेन्ट	”	228	228	228	
	(प) Black Japan Paint	”	286	286	286	
	(फ) राम तिलक	के.जि.	56	56	56	
	(ब) गेरु रंग	के.जि.	137	137	137	
	(भ) चप्रा पालिस	के.जि.	916	916	916	
	(म) तयारी वासेवल डिस्तेम्पर	लि.	223	223	223	Equaivalient Asian , Berger & other company.
	य) तयारी प्लास्टिक्स इमल्सन पेन्ट (interior)	लि.	526	526	526	
	य) तयारी वेदरकोट पेन्ट (exterior)	लि.	631	631	631	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	(र) Road Marking Paint	"	579	579	579	
	(ल) लिनसिड आयल (linsed Oil)	"	196	196	196	
	(व) स्थानीय स्प्रीट	लि.	118	118	118	
	(स) मोविकल/फेविकल	के.जि.	262	262	262	
	(ष) Tata Red Oxide Paint	"	262	262	262	
	(ह) गट्टा चुन (ईण्डीयन)	"	22	22	22	
	(क्ष) Wall putty equaivalient Asian , Berger & other company.	के.जि.	69	69	69	
	(त्र) Plaster of Parish (POP)	के.जि.	23	23	23	
	wood keeper (chapara type)	लि.	550	550	550	
	Redoxide zink cromate primer For Bridge	लि.	463	463	463	
	Silk Breathless easy	लि.	1216	1216	1216	
	Road divider (polythene)	गोटा	1622	1622	1622	
	Dust bin (polythene) 165 ltr	गोटा	3083	3083	3083	
	Wall putty Epoxy flooring					
	wall plast wall putty (40kg)	Bag	1306	1306	1306	
	2mm Epoxy Floor coating with Ultrafresh -OPD (4layer & 5 component	व.मी.	2082	2082	2082	
	2mm Epoxy Antistatic Floor coating for OT((4 layer & 9 component	"	3688	3688	3688	
	Epoxy Paint for Operation theater	"	11509	11509	11509	
37.2	**Decorative Painting Material Acro & equivalents**					
A	**Specialized paints(Dr. wallz)**					
1	Acro Bio-guard (Anti bacterial Hospital Paint)	लिटर	1099	1099	1099	
2	Acro Ellastocrab (Anti carbonisation paint)	"	762	762	762	
B	**Texture paints**					
1	Mediterrano	के.जि	176	176	176	
2	Stucco Veneziano	"	1639	1639	1639	
3	Velvetino	"	4305	4305	4305	
4	Travertino	"	412	412	412	
5	Gtone plaster	"	121	121	121	
6	Colorato (Multi color)	"	921	921	921	
7	Pearl skin texture	"	149	149	149	
8	TS 52 Spray white	"	199	199	199	
9	Rustic	"	159	159	159	
10	Rockart	लिटर	159	159	159	
11	Manhattan	के.जि	238	238	238	
12	Sabbia	"	238	238	238	
13	Sandy Stone	"	174	174	174	
14	Insulplast	"	237	237	237	
15	Poly Under White	"	264	264	264	
16	Antica(Top coat)	"	1267	1267	1267	
17	T.C 100(Top coat)	"	728	728	728	
18	Dekorica White	"	2631	2631	2631	
19	Poly Plaster	"	107	107	107	
20	Granite tone	"	165	165	165	
21	Graffiato	"	159	159	159	
22	Elligance stone	"	189	189	189	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
23	Marmorino Base	के.जि	412	412	412	
24	Acro fine	लिटर	181	181	181	
25	Marmocastro base	के.जि	139	139	139	
26	Selva Granite	"	215	215	215	
27	Romart	"	239	239	239	
C	**Weathercoat paints**					
1	Guard	लिटर	503	503	503	
2	Guard -3x	"	588	588	588	
3	Shield	"	322	322	322	
4	Acrotex matt	"	510	510	510	
5	Ext wall Primer	"	238	238	238	
D	**Emulsion Paints**					
1	silk Emulsion paints	"	522	522	522	
2	Aqualin Int.Emulsion	"	280	280	280	
3	pearl Emulsion paints	"	772	772	772	
4	int. wall Primer	"	172	172	172	
E	Acrylic Washable Distemper	"	142	142	142	
F	Acro gold Enamel	"	512	512	512	
G	Universal primer (wood primer)	"	313	313	313	
H	Red oxide metal primer	"	276	276	276	
I	**Construction Chemical / waterproof coating system**					
	crack sill	"	387	387	387	
	crack fill A+B	"	170	170	170	
J	**Silicon Bases water repellent impregnation**					
	Acropreg	"	466	466	466	
	Acropreg W	"	619	619	619	
	Wall putty	के.जि	39	39	39	
37.3	Acro Texture ISO certified 9001-2008 (Silicone & Ceramic technology / All weather resistance / Fire retardant / Heat reflecting / Algae & Fungi resistant / Ultra violet resistant) for painting works					
1	**Acro Spanezia maestro finishes texture**					
1.1	Mediterrano texture	ब.फि	128	128	128	
1.2	Traventino texture	"	195	195	195	
1.3	Velvetino texture	"	167	167	167	
1.4	Gtone plaster and Colorato texture(Multicolour texture)	"	133	133	133	
1.5	Stucco veneziano texture	"	140	140	140	
1.6	Pearl skin texture	"	120	120	120	
1.7	Marmorino texture	"	156	156	156	
2	**Acro texture**					
2.1	Acro spray flat/Acro spray dews texture	ब.फि	75	75	75	
2.2	Featherglow/Royal touch/Superfine/Ceratex texture	"	74	74	74	
2.3	Rustic texture	"	99	99	99	
2.4	Rockart texture	"	93	93	93	
2.5	Graffiato texture	"	103	103	103	
2.6	Marmocastro texture	"	90	90	90	
2.7	Marmoplast texture	"	90	90	90	
2.8	Sabbia texture	"	112	112	112	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
2.9	Manhattan texture	"	112	112	112	
2.10	Sandy stone texture	"	154	154	154	
2.11	Selva Granite texture	"	116	116	116	
2.12	Elligance stone texture	"	107	107	107	
2.13	Granite tone texture	"	98	98	98	
2.14	Romaart texture	"	124	124	124	
2.15	Insulplast texture	"	135	135	135	
3	**Acro Bio-guard (Hospital Paint)**	"	54	54	54	
4	**Acro Ellastocarb(anti carbonisation paint)**	"	38	38	38	
1	**EXTERIOR SURFACE WEATHERCOAT PAINTS**					
	1.ACROGUARD 3X	ब.फि	23	23	23	
	2. ACROGUARD	"	21	21	21	
	3. ACROSHIELD	"	17	17	17	
	4. ACROTEX MATT	"	31	31	31	
2	**INTERIOR SURFACE EMULSION PAINTS**					
	1. ACROPEARL EMULSION PAINTS	ब.फि	24	24	24	
	2. ACROSILK EMULSION PAINTS	"	20	20	20	
	3. AQUALIN EMULSION PAINTS	"	16	16	16	
	4. AQUALIN ACRYLIC WASHABLE DISTEMPER	"	11	11	11	
	5. ACRO GOLD ENAMEL PAINTS	"	18	18	18	
	Expansion joint					
1	Horizontal Area fixing clips affixed aluminium joint covers VEDA FRANCE Series JDH 5.2.050 standard load.	RM	15450	15450	15450	
2	Clips Affixed Mill Finish Aluminium for standard and seismic joint covers VEDA FRANCE CJV-180 Alu.	RM	12875	12875	12875	
3	Extruded Aluminium Joint Covers VEDA FRANCE CJE- PF flat.	RM	14935	14935	14935	
4	Folded Joint Covers VEDA France Series CJP a silver anodized coating.	RM	18025	18025	18025	
5	Vertical Joints Standard and Seismic interior use VEDA FRANCE Series JDV 4.2	RM	25750	25750	25750	
6	Vertical Joints Exterior use VEDA FRANCE Series JDV 4.4 flat.	RM	13390	13390	13390	
7	Vertical Joints Exterior use VEDA FRANCE Series JDV 4.6 flat.	RM	19055	19055	19055	
8	Vertical Joints VEDA FRANCE Series JDV 4.10 / 4.12 flat	RM	28840	28840	28840	
9	Suspended Ceiling Joints VEDA FRANCE Series JDV 4.14	RM	12360	12360	12360	
10	Floor Joint VEDA FRANCE Series JDH 5.2 standard loads.	RM	21115	21115	21115	
11	Floor Joint VEDA FRANCE Series JDH 5.4 standard loads.	RM	33475	33475	33475	
12	Floor Joint VEDA FRANCE Series JDH 5.8 standard loads.	RM	36050	36050	36050	
13	Floor Joint VEDA FRANCE Series JDH 5.26 heavy loads.	RM	38625	38625	38625	
14	CAR Park Joint VEDA FRANCE Series JDH 5.30 standard loads(15 to 35mm)	RM	16480	16480	16480	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
15	CAR Park Joint VEDA FRANCE Series JDH 5.32 standard loads (40 to70mm)	RM	31930	31930	31930	
16	BED Affixed Control Joints VEDA FRANCE Series JF 1700	RM	19313	19313	19313	
17	BED Affixed Control Joints VEDA FRANCE Series JF LUXE 2700	RM	29355	29355	29355	
18	BED Affixed Control Joints VEDA FRANCE Series JF Deco.	RM	9270	9270	9270	
19	Adhesive Affixed Control Joints VEDA FRANCE Series JF 600/1	RM	1545	1545	1545	
20	Adhesive Affixed Control Joints VEDA FRANCE Series JF 600/2	RM	2060	2060	2060	
21	Adhesive Affixed Control Joints VEDA FRANCE Series JF 1600	RM	15450	15450	15450	
22	Stair Nosing VEDA France MDM VD 320/550/1010	RM	9785	9785	9785	
38	**Wall Paper**					
	Wall paper (10m.x 0.53m)	रोल	1236	1236	1236	
	Fittings for wall paper	व.फि	7	7	7	
	White glue for wall paper	लि.	108	108	108	
39	**Eradication of peepal & other plants**					
	a) Stem up to 1" thickness	गोटा	-	-	-	
	b) Stem up to 1"-2" thickness	"	-	-	-	
	c) Stem up to 2"-3" thickness	"	-	-	-	
	d) Stem up to 3"-4" thickness	"	-	-	-	
40	**Gypsum board**					
40.1	**Supplying and fixing of Thai gypsum board application work**					
	i) फल्स सिलिङ्ग गर्ने	व.फि	-	-	-	
	ii)Water resistant false ceiling	,,	-	-	-	
	iii)Wall partition	,,	119	119	119	
	iv)Wall paneling	,,	79	79	79	
	v)Metalized polited laminated Board (MPL) board	,,	76	76	76	
	12.5mm thick Gypsum Board False ceiling including all necessary material	,,	70	70	70	
41	**Calcium Silicate Board supplying & fitting all complete work**					
41.1	**Solid Infill wall (Shera, Everest or Thai Gypsum or equivalent**					
	Solid infill wall 3" with EPS AND Foam concrete	व.मी.	3793	3793	3793	
41.2	Solid Infill wall (Chinese or equivalent)					
	Solid infill wall 3"	व.मी.	1770	1770	1770	
41.3	Solid Infill wall WITH TWO SIDE .5MM MS plate, powder quoted infill with high presurred Polyrethen with 40 kg+-2 kg /cu mtr					
	Solid infill wall 50mm	व.मी.	3288	3288	3288	
42	**Interlocking Cement Concrete Block(** Not less than M20 RCC Block **)**					
	a) Curb stone (M 25)	र.मि.	1101	1101	1101	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	25 mm thick C.C. Tile (Grey color)					
	Burfi , Round , Boby Checker	Sqft	42	42	42	
	25 mm thick C.C. Tile (Red color)					
	Burfi , Round , Boby Checker	Sqft	44	44	44	
	50 mm thick CC Block (Grey color)					
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock	Sqft	51	51	51	
	50 mm thick CC Block (Red color)					
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock	Sqft	52	52	52	
	60 mm thick CC Block (Grey color)					
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock , Plus Interlock	Sqft	53	53	53	
	60 mm thick CC Block (Red color)					
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock , Plus Interlock	Sqft	55	55	55	
	70 mm thick CC Block (Red color)					
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock	Sqft	61	61	61	
	60 mm thick CC Block (Ocm or equivalent)					
	Brick type (23*11*6cm)non colour	Nos	10	10	10	
	Hexagon (22*22 cm) non colour	,,	23	23	23	
	Hexagon (22*22 cm) colour		25	25	25	
	Square paver (30*30*4.5cm)non colour	,,	32	32	32	
	Square paver (30*30*4.5cm)colour		34	34	34	
	inter block(24*13*6cm)	,,	14	14	14	
	Isave paver (20*16*6cm)	,,	16	16	16	
	supply of concrete Block different items United concrete or other Equivailent					
	Hollow Block (16"*8"*6")	Nos	78	78	78	
	Hollow Block (16"*8"*4")	,,	69	69	69	
	Corner Hollow Block (16"*8"*6")	,,	89	89	89	
	Lintel Block (16"*8"*6")	,,	89	89	89	
	Pavers Block (fish or other shape) 60mm thick	,,	20	20	20	
	concrete Brick (9"*4"*2.5")	,,	13	13	13	
	Concrete Prefabricated Frames M40 Concrete standard (इ्याल ढोकाका चौकोस, आर्क, भेन्टीलेसन)	प्रति रनिङ फुट	0	0	199	
43	**छानामा टाइलको वुट्टा काट्ने र पानी पट्टी कार्य**					
	(१.४) भागको मिश्रणको सिमेन्ट मसला तयार गरि खट राखि १"वाक्लो प्लाष्टरमा रुफिङ टाइलको वुट्टा काट्ने सामान सहित (तयारी)	व.मि.	-	-	-	
	१"×३" साइजको (१.४) भागको मिश्रणको मसला तयार गरि खट राखि वर्षादको पानी पट्टी बनाउने काम (तयारी)	र.मी	-	-	-	
44	**Heritage Wall Surface Texture (Interior and Exterior) including the cost supplying and fitting**					

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	i) Heritage granular	व.फि	100	100	100	
	ii) Heritage flakes	,,	124	124	124	
	iii) Heritage granite finish	,,	108	108	108	
	iv) Heritage Top coat (plastic lamination)	,,	29	29	29	
45	**UPVC Profile Door and Window/ Wall partition**					
	Supplying and installation of UPVC Profile: Sliding window frame 50*80mm; sash 58*36mm, Sliding Door frame 52*88; sash 80*42, Casement window frame 60*60mm:sash 60*78mm, Casement Door frame 60*60; sash 60*104mm white colour with reinforcement, 5mm thick clear float glass, insect net, patented standard hardware like: rollers, gaskets, brush seal, moon locks, push locks, drinage cover, etc.					
	UPVC को भ्याल, ढोका तथा wall partition का निर्माण सामाग्रीहरु					
	i) Single glazing					
1	UPVC Sliding window with net (frame 50*80 mm, sash 58*36 mm, white colour with 5mm glass)	Sqm	7215	7215	7215	
2	UPVC Sliding window without net (frame 60*60 mm, sash 66*42 mm, white colour with 5mm glass)	,,	6664	6664	6664	
3	UPVC Top Hung window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm glass)	,,	7493	7493	7493	
4	UPVC Casement window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm glass)	,,	7493	7493	7493	
5	UPVC Single Door with half panel half glass (frame 60*60 mm, sash 60*104 mm, white colour with 5mm glass)	,,	8214	8214	8214	
6	UPVC Single Door with full panel (frame 60*60 mm, sash 60*104 mm, white colour)	,,	8328	8328	8328	
7	UPVC Double Door (frame 60*60 mm, sash 60*104 mm, white colour with 5mm glass)	,,	8884	8884	8884	
8	UPVC Sliding Door with net (frame 52*88 mm, sash 88*42 mm, white colour with 5mm glass)	,,	8884	8884	8884	
9	UPVC Sliding Door without net (frame 60*60 mm, sash 88*42 mm, white colour with 5mm glass)	,,	8606	8606	8606	
10	UPVC Swing Door with half glass half uPVC panel (frame 60*60 mm)	,,	9991	9991	9991	
11	UPVC 88x60mm Sliding white colour window with 5mm glass pannele	Sqm	8626	8626	8626	
11	UPVC 60x64mm white colour casement window with 5mm glass pannele	,,	9796	9796	9796	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
12	UPVC110x64mm x9mmthick board and 5mm tjick glass pannel white colour	,,	10353	10353	10353	
12	UPVC60x60mm x9mmthick white colour partition board with 5mm glass	,,	10717	10717	10717	
13	UPVC60x60mm white colour swing door with 5mm glass pannel		6727	6727	6727	
	ii) Double glazing					
1	UPVC Sliding window with net (frame 50*80 mm, sash 58*36 mm, white colour with 5mm double glass)	Sqm	9435	9435	9435	
2	UPVC Sliding window without net (frame 60*60 mm, sash 66*42 mm, white colour with 5mm double glass)	,,	8935	8935	8935	
3	UPVC Top Hung window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm double glass)	,,	9718	9718	9718	
4	UPVC Casement window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm double glass)	,,	9718	9718	9718	
5	UPVC Single Door with half panel half glass (frame 60*60 mm, sash 60*104 mm, white colour with 5mm double glass)	,,	10439	10439	10439	
6	UPVC Double Door (frame 60*60 mm, sash 60*104 mm, white colour with 5mm double glass)	,,	10547	10547	10547	
7	UPVC Sliding Door with net (frame 52*88 mm, sash 88*42 mm, white colour with 5mm double glass)	,,	11103	11103	11103	
8	UPVC Sliding Door without net (frame 60*60 mm, sash 88*42 mm, white colour with 5mm double glass)	,,	10825	10825	10825	
9	Supply & fixing of 80*50 mm white colour casement window	,,	9611	9611	9611	
46	**Prefab Panel for wall Partition solid wall panel (ESWP) or Equivailent**					
46.1	Supply and erection of different mm th. cement base prefabricated Shera, thai gypsum,everst solid wall panel non asbestos including 1.1 mm thick GI chennel (50*25*20) mm with necessary accessories and fittings charge in **partation wall** all complete					
	a) 40 mm thick	,,				
	b) 50 mm thick	,,	232	232	232	
	c) 75 mm thick	Sq .m.	294	294	294	
46.2	**False ceiling/ partition/ external cladding of everest or equivallent fibre designer board**					

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	Supplying, making, fixing of false ceiling with everest fibre designer board in E-grid	Sqft	91	91	91	
	Supplying, making, fixing of 70mm thick exterior with full height of partirion with everest fibre cemnet board	Sqft	271	271	271	
	Supplying, making, fixing of 66mm thick exterior with full height of partirion with everest fibre cemnet board	Sqft	237	237	237	
	Supplying, making, fixing of 91mm thick exterior with full height of partirion with everest fibre cemnet board	Sqft	302	302	302	
	Supplying, making, fixing of external cladding with 9 mm HD/ 7.5mm everest sliding board	Sqft	266	266	266	
	Supplying, making, fixing of 50mm thick full height of partirion with everest RAPICON wall panels	Sqft	211	211	211	
	Supplying, making, fixing of 75mm thick full height of partirion with everest RAPICON wall panels	Sqft	279	279	279	
46.3	6 mm thick Flex-O- Board (Water proof cement board) 6mm thick for false ceiling	Sqft	-	-	-	
46.4	Cement board Aerocon C Board CK Birala , Everest or equivalent					
	6 mm thick	Sqft	33	33	33	
	8 mm thick	Sqft	41	41	41	
	10 mm thick	Sqft	52	52	52	
	12 mm thick	Sqft	62	62	62	
46.5	**Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire**					
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 2 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	Sqft	381	381	381	
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 3 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	Sqft	412	412	412	
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 4 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	Sqft	509	509	509	
	Joint less false celling chanel 0.55mm thick flange of 20 mm and another flange 30mm (conform to IS 4862 : 2000) all complete work Everest or equivalent	Sqft	109	109	109	
	Rapicon solid wall panel 50/75 mm thick conform to IS 14862 (density more than 1200kg /m3) Everest or equivalent					

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	50 mm thick	Sqft	255	255	255	
	75 mm thick	Sqft	337	337	337	
	External cladding with 9mm /7.5 mm siding board and GI steel frame work	Sqft	274	274	274	
	Full Height Partition (With 9mm thick Fiber Cement Heavy Duty Wall Board on exterior side and 10mm Standard FCB Interior side and 51mm G.I wall frame system) Exterior cum Interior Wall confirming to IS 14862:2000 & Type A Category IV of ISO 8336:1993	Sqft	278	278	278	
	Full Height Partition (With 8mm thick Fiber Cement Wall Board on both side and 51mm G.I wall frame system) Interior Wall confirming to IS 14862:2000 & Type A Category IV of ISO 8336:1993	Sqft	243	243	243	
	Full Height Partition (With 9mm thick Fiber Cement Wall Board exterior & 10mm Interior on interior side and 72mm G.I wall frame system) Exterior cum Interior confirming to IS 14862:2000 & Type A Category IV of ISO 8336:1993	Sqft	310	310	310	
	False Floor / Cavity Floor (With 15mm thick Heavy Duty Fiber Cement / 20mm Standard FCB Floor Board and Specified M.S frame system for design load) confirming to IS 14862 : 2000	Sqft	348	348	348	
47	**Aluminium &Steel Door & Window**					
47.1	Mention rates are including supplying of necessary chemicals, materials,fittings, labours as per manufacturer's specifications all complete or as per consultant's direction.					
	Aluminum fixed panel window with ventilation but without fly mesh shutter from section. (88×38×1.20) mm and 5 mm glass.	व.फि	499	499	499	
	Aluminum fixed panel window with ventilation but with fly mesh shutter from section. (88×38×1.20) mm and 5 mm glass.	,,	536	536	536	
	Aluminum sliding windows without ventilator from section (101×45×1.50) mm and 5 mm glass.	,,	523	523	523	
	Do but with ventilator from section (101×45×1.50)mm and 5 mm glass.	,,	561	561	561	
	Siding door with naturally anodized color section of (101×45×1.50)mm (40×45×1.5)mm & 5 mm glass.	,,	645	645	645	
	Siding door with naturally anodized color section of (78×38×1.30)mm (40×45×1.5)mm & 5 mm glass.	,,	403	403	403	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	Casement double panel aluminum windows with ventilation. Section size (88×45×1.10)mm, (38×34×1.10)mm & 5 mm glass.	,,	403	403	403	
	Casement double panel aluminum windows with ventilation. Section size (54×33×1.50)mm, (38×34×1.50)mm & 5 mm glass.	,,	499	499	499	
	Casement door of aluminum section in naturally anodized color. Section size (100×38×1.30) mm and 5 mm glass.	,,	447	447	447	
	Casement door of aluminum section in naturally anodized color. Section size (101×45×1.50) mm and 5 mm glass.	,,	611	611	611	
	Swing door door of aluminum section in naturally anodized color. Section size (101×45×1.50) mm and 5 mm glass.	,,	611	611	611	
	Siding windows 2 track in naturally anodized color section of (88×38×1.10)mm 5 mm glass.	,,	357	357	357	
	Siding windows 2 track in naturally anodized color section of (88×38×1.30)mm 5 mm glass.	,,	474	474	474	
	Fixed windows & partitions with fixed ventilators from 9mm board and section (101×45×1.50)mm	,,	474	474	474	
	Aluminium partition with 5 mm thick glass and 9 mm thick laminated board of section (101 x45x1.2)	,,	474	474	474	
	Aluminium partition with 5 mm thick glass and 9 mm thick laminated board of section (64 x38x1.2)	,,	449	449	449	
	दुई/तीन पैनेल भएको स्लाइडिङ झ्याल (८५X५०X१.२० मी.मी.) शिशा ५ मी.मी.समेत सादा	,,	492	492	492	
	दुई/तीन पैनेल भएको स्लाइडिङ झ्याल (८५X५०X१.२० मी.मी.) शिशा ५ मी.मी. जाली खापा समेत भएको ।	,,	542	542	542	
	दुई/तीन पैनेल भएको स्लाइडिङ झ्याल फिक्स भेन्टीलेसन भएको (८५X५०X१.२० मी.मी.) शिशा ५ मी.मी. सहित (सादा)	,,	542	542	542	
	दुई/तीन पैनेल भएको स्लाइडिङ झ्याल फिक्स भेन्टीलेसन भएको (८५X५०X१.२० मी.मी.) शिशा ५ मी.मी. जाली खापा सहित भएको ।	,,	492	492	492	
	102 series windows					
	Providing and fixing of aluminium windows of section (102 series) 1.2 mm th. Fitted with 5 mm clear glass without fly mesh shutter (window size 6'X4'6" or 27 sqft / window)	ब.फि	521	521	521	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	Providing and fixing of aluminium windows with top fixed glass of section (102 series) 1.2 mm th. Fitted with 5 mm clear glass without fly mesh shutter (window size 6'X5' or avg area 30 sqft/ window)	"	595	595	595	
	Providing and fix windows of section (102 series) 1.2 mm th. Fitted with 5 mm clear glass	"	438	438	438	
	Providing and fixing of aluminium fix windows of section (102 series) 1.2 mm th. Fitted with 5 mm clear fly mesh (size 2'X4'6")	"	140	140	140	
	90 series windows					
	Providing and fixing sliding windows of section 90 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6'*5' or avg area 30 sqft per window)	"	490	490	490	
	Providing and fixing sliding window with top fix glass of section 90 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6'*5' or avg area 30 sqft per window)	"	517	517	517	
	Providing and fixing aluminium fix windows of section 90 series 1.2 th. Fitted with 5 mm clear glass	"	412	412	412	
	Providing and fixing flymesh shutter of section 90 series 1 th. Fitted withss flymesh (2'*4'6")	"	140	140	140	
	78 series windows					
	Providing and fixing sliding windows of section 78 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6'*4'6" or avg area 27 sqft per window)	"	430	430	430	
	Providing and fixing sliding window with top fix glass of section 78 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6'*5' or avg area 30 sqft per window)	"	459	459	459	
	Providing and fixing aluminium fix windows of section 78 series 1.2 th. Fitted with 5 mm clear glass	"	385	385	385	
	Providing and fixing flymesh shutter of section 78 series 1 th. Fitted with SS flymesh (2'*4'6")	"	127	127	127	
	Casement window and doors					
	Providing and fixing aluminium casement windows of section 38 series 1.2 mm th. Fitted with 5 mm clear glass avg. area of each shutter 6.sq.ft	"	504	504	504	
	Providing and fixing aluminium casement doors of section 102 series 1.2 mm th. Fitted with 5 mm clear glass	"	547	547	547	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	Providing and fixing swing doors of section 102 series 1.2 mm th. Fitted with 5 mm clear glass	"	696	696	696	
	Partition work					
	Providing and fixing aluminum full height partation of section 64 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel aera 10 sqft	"	329	329	329	
	Providing and fixing aluminum low height partation of section 64 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel aera 6 sqft	"	350	350	350	
	Providing and fixing aluminum full height partation of section 102 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel aera 10 sqft	"	377	377	377	
	Providing and fixing aluminum low height partation of section 102 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel aera 6 sqft	"	469	469	469	
	Structure glazing					
	Providing and fixing aluminuim structure glazing of section size 61*50*1.3 m fitted with 5 m colour glass av. Panel area 6 sqft	"	525	525	525	
	Providing and fixing aluminuim structure glazing of section size 61*75*1.6 m fitted with 5 m colour glass av. Panel area 6 sqft	"	609	609	609	
	Providing and fixing aluminuim structure glazing of section size 61*100*2 m fitted with 5 m colour glass av. Panel area 6 sqft	"	740	740	740	
48	**Aluminium composite panel**					
48.1	**Providing and fixing aluminium composite panel in 25*38*1.1 m tube framing ALSTRONG, PRIME BOND,ALUTUF , INDO BOND or equivalent**					
	3 mm , .20 mm black core	*बर्फी*	350	350	350	
	3 mm , .25 mm black core	"	359	359	359	
	3 mm , .30 mm black core	"	372	372	372	
	4 mm , .25 mm black core	"	381	381	381	
	4 mm , .30 mm black core	"	372	372	372	
	4 mm , .50 mm black core	"	394	394	394	
	4 mm , .25 mm Vergin core	"	403	403	403	
	4 mm , .30 mm vergin core	"	372	372	372	
	4 mm , .50 mm vergin core	"	403	403	403	
48.2	फाइबरका निर्माण सामाग्रीहरुको विवरण					
1	**WPC Single Toilet Hollow Door Board**					

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	(Size up to 14 sq. ft.) (32 mm)	प्रति स्क्वायर फिट			660	
	Embossing Without Film	प्रति स्क्वायर फिट			765	
	With Hot-stamping Film	प्रति स्क्वायर फिट			810	
2	**WPC Single Room Hollow Door Board (Size from 15 sq. ft. to 18 sq. ft.) (32 mm)**					
	Embossing Without Film	प्रति स्क्वायर फिट			660	
	With Hot-stamping Film	प्रति स्क्वायर फिट			765	
	With Hot-stamping Film and Grooving	प्रति स्क्वायर फिट			810	
3	**WPC Double Hollow Door Board (Small) (Size from 19 sq. ft. to 22 sq. ft.)(32 mm)**					
	Embossing Without Film	प्रति स्क्वायर फिट			660	
	With Hot-stamping Film	प्रति स्क्वायर फिट			765	
	With Hot-stamping Film and Grooving	प्रति स्क्वायर फिट			810	
4	**WPC Double Hollow Door Board (Medium) (Size from 23 sq. ft. to 26 sq. ft.) (32 mm)**					
	Embossing Without Film	प्रति स्क्वायर फिट			660	
	With Hot-stamping Film	प्रति स्क्वायर फिट			765	
	With Hot-stamping Film and Grooving	प्रति स्क्वायर फिट			810	
5	**WPC Double Hollow Door Board (Big) (Size from 27 sq. ft. to 32 sq. ft.) (32 mm)**					
	Embossing Without Film	प्रति स्क्वायर फिट			660	
	With Hot-stamping Film	प्रति स्क्वायर फिट			765	
	With Hot-stamping Film and Grooving	प्रति स्क्वायर फिट			810	
6	**SMC Manhole Covers**					
	Frame*Cover : 880mm*700mm-Round-Yellow and Grey (50 Ton Capacity)	प्रति गोटा			32050	
	Frame*Cover : 725mm*600mm-Round-Yellow and Grey (40 Ton Capacity)	प्रति गोटा			23685	
	Frame*Cover : 670mm*570mm-Round-Yellow and Grey (30 Ton Capacity)	प्रति गोटा			14100	
	Frame*Cover : 400mm*300mm-Square-Yellow and Grey (7.5 Ton Capacity)	प्रति गोटा			7280	
	Frame*Cover : 400mm*300mm-Square-Yellow and Grey (5 Ton Capacity)	प्रति गोटा			3520	
	Frame*Cover : 670mm*570mm-Square Jali-Yellow and Grey (5 Ton Capacity)	प्रति गोटा			12270	
	Frame*Cover : 570mm*475mm-Square-Yellow and Grey (5 Ton Capacity)	प्रति गोटा			7850	
	Frame*Cover : 670mm*625mm-Square-Yellow and Grey (**Overlapping** 50 Ton Capacity)	प्रति गोटा			20000	
	Frame*Cover : 570mm*525mm-Square-Yellow and Grey (**Overlapping** 15 Ton Capacity)	प्रति गोटा			12000	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	Frame*Cover : 725mm*600mm-Round-Yellow and Grey (10 Ton Capacity)	प्रति गोटा			18300	
	Frame*Cover : 570mm*475mm-Square-Yellow and Grey (2 Ton Capacity)	प्रति गोटा			6730	
7	**Fiber Door-Single**					
	Single (Model : Khapa, Galaxy, Namaste D and Four Square)	प्रति स्क्वायर फिट			1090	
	Single (Model: Kalash, New Flower and Peacock)	प्रति स्क्वायर फिट			1315	
	Double (Model : Glass Art)	प्रति स्क्वायर फिट			1635	
	Double (Model : Old Murti)	प्रति स्क्वायर फिट			1850	
	Double (Model : New Murti)	प्रति स्क्वायर फिट			2050	
8	**Fiber Door Frame**					
	Thickness : 100 and 110 mm	प्रति रनिङ्ग फिट			435	
9	**Fiber Window or Ventilation Frame**					
	Thickness : 110 mm	प्रति रनिङ्ग फिट			455	
10	**Fiber Window Panel**					
	Non-Overlapping (Size: 4.5 sq. ft. to 7.5 sq. ft.)-Blue, Black , Green	प्रतिगोटा			4740	
	Non-Overlapping (Size: 4.5 sq. ft. to 7.5 sq. ft.)-Clear	प्रतिगोटा			4530	
	Overlapping (Size: 4.5 sq. ft. to 7.5 sq. ft.)-Blue, Black , Green	प्रतिगोटा			4980	
	Overlapping (Size: 4.5 sq. ft. to 7.5 sq. ft.)-Clear	प्रतिगोटा			4740	
11	**Fiber Window Net Panel**					
	Non-Overlapping (Size: 4.5 sq.ft. to 7.5 sq.ft.)	प्रतिगोटा			4500	
12	**Fiber Ventilation Panel**					
	(Size: 3 Sq.ft. to 4.5 sq.ft.)- Blue, Black, Green	प्रतिगोटा			3540	
	(Size: 3 Sq.ft. to 4.5 sq.ft.)- Clear	प्रतिगोटा			3360	
13	**Fiber Ventilation Net Panel**					
	(Size: 3 Sq.ft. to 4.5 sq.ft.)	प्रतिगोटा			3360	
14	**Fiber Plain Sheet**					
	(Thickness : 1.2 mm)-Red, Blue, Green and Clear	प्रति स्क्वायर फिट			100	
	(Thickness : 1.5 mm)-Red, Blue, Green and Clear	प्रति स्क्वायर फिट			120	
	(Thickness : 1.8 mm)-Red, Blue, Green and Clear	प्रति स्क्वायर फिट			145	
	(Thickness : 2 mm)-Red, Blue, Green and Clear	प्रति स्क्वायर फिट			155	
	(Thickness : 2.5 mm)-Red, Blue, Green and Clear	प्रति स्क्वायर फिट			195	
	(Thickness : 3 mm)-Red, Blue, Green and Clear	प्रति स्क्वायर फिट			240	
15	**Fiber Corrugated Sheet**					
	Fiber S span Thickness 2mm, width 42”	प्रति रनिङ्ग फिट			640	
	Normal Corrugation (Thickness : 0.6 mm)-Clear	प्रति रनिङ्ग फिट			125	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	Normal Corrugation (Thickness : 0.8 mm)-Clear	प्रति रनिङ्ग फिट			170	
	Fiber Heritage Sheet Width 34" Thickness 2 mm	प्रति रनिङ्ग फिट			485	
16	**Sandwich PUF Roofing Panel**					
	30mm Thickness	प्रति वर्ग फिट			285	
	40mm Thickness	प्रति वर्ग फिट			310	
	50mm Thickness	प्रति वर्ग फिट			335	
17	**Sandwich PUF Wall Panel**					
	40mm Thickness	प्रति वर्ग फिट			295	
	50mm Thickness	प्रति वर्ग फिट			320	
	75mm Thickness	प्रति वर्ग फिट			380	
	100 mm Thickness	प्रति वर्ग फिट			455	
	125 mm Thickness	प्रति वर्ग फिट			505	
	150mm Thickness	प्रति वर्ग फिट			560	
18	**Metal Tile Roofing Sheet**					
		प्रति बन्डल			22150	
		प्रति बन्डल			24550	
19	**CZU Chanel**					
	C Z U (2mm Thickness/	प्रति के.जी			205	
	C Z U (1.6mm Thickness/210mm)	प्रति के.जी			210	
20	**Ridge Cap** (0.4 Thickness)	प्रति रनिङ्ग फिट			200	
21	**Gutter**					
	0.50 mm Thickness (Size-18")	प्रति रनिङ्ग फिट			95	
	0.50 mm Thickness (Size-18")	प्रति रनिङ्ग फिट			165	
	0.40 mm Thickness (Size-12")	प्रति रनिङ्ग फिट			115	
	0.40 mm Thickness (Size-12")	प्रति रनिङ्ग फिट			165	
22	**Polycarbonate Corrugated Sheet**					
	1 mm Thickness	प्रति वर्ग फिट			100	
	1.25mm Thickness	प्रति वर्ग फिट			120	
	1.5 mm Thickness	प्रति वर्ग फिट			145	
	1.75mm Thickness	प्रति वर्ग फिट			165	
	2 mm Thickness	प्रति वर्ग फिट			190	
	2.5 mm Thickness	प्रति वर्ग फिट			230	
23	**Polycarbonate Plain Sheet**					
	1 mm Thickness	प्रति वर्ग फिट			85	
	1.5 mm Thickness	प्रति वर्ग फिट			130	
	2 mm Thickness	प्रति वर्ग फिट			175	
	2.5 mm Thickness	प्रति वर्ग फिट			215	
	3 mm Thickness	प्रति वर्ग फिट			260	
	4 mm Thickness	प्रति वर्ग फिट			350	
	5 mm Thickness	प्रति वर्ग फिट			435	
	6 mm Thickness	प्रति वर्ग फिट			525	
	8 mm Thickness	प्रति वर्ग फिट			700	
	10 mm Thickness	प्रति वर्ग फिट			880	
	12 mm Thickness	प्रति वर्ग फिट			1055	
49	**Water proofing (chemicals & Tretment)works**					
1	**CONCRETE ADMIXTURES (Chemical)**					
1.1	Water Reducing Admixture Concrete & Mortar [Lignosulphonate Based] Std. Conformance : ASTM C 494 - 1981 (Type A) / IS 2645 **Dose** 0.3 to 1.1 % by.wt. cement	Kg.	165	165	166	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
1.2	High Range Water Reducing Super Plasticizer for Concrete & Mortar [Napthalene Formladehyde Based] Std. Conformance : ASTM C 494 - 1981 (Type F) / IS 9103 -1999 Dose 0.2 to 3 % by wt of cement	Kg.	299	299	299	
1.3	Ultra High Range Water Reducing Super Plasticizer for Concrete & Mortar [Polycarboxylate Ether Based] Std. Conformance : ASTM C 494 - 1981 (Type F) **Dose** :0.2 to 1.6 % by wt of cement	Kg.	495	495	495	
1.5	Integral Waterproofing Additive for Concrete & Plaster Std. Conformance : ASTM C 494 - 1981 (Type G), IS 9103 -2007, IS 2645 Dose :0.4 to 2% by wt of cement	Kg.	303	303	303	
1.6	Integral Crystalline Waterproofing Powder Admixture Std. Conformance : ASTM C 494, IS 3085 -1997, DIN 1048 - 1991 Part 5 Dose : 0.5 to 2% by wt of cement	Kg.	935	935	935	
1.7	Integral Crystalline Waterproofing Liquid Admixture Std. Conformance : ASTM C 494, IS 3085 -1997, DIN 1048 - 1991 Part 5 Dose : 0.5 to 2% by wt of cement	Kg.	935	935	935	
1.8	Integral Waterproofing Powder Admixture Std. Conformance : ASTM C 494, IS 3085 -1997, DIN 1048 - 1991 Part 5 Dose :0.2 to 2 % by wt of cement	Kg.	1375	1375	1375	
1.9	Integral Waterproofing Powder Admixture for Mortars Std. Conformance : ASTM C 494, IS 3085 -1997, DIN 1048 - 1991 Part 5 Dose : 0.2 to 1 % by wt of cement	Kg.	165	165	165	
1.1	Accelerator & Spray Shotcrete / Concrete Plasticizer [Silicate Based]	Kg.	275	275	275	
1.11	Accelerator & Spray Shotcrete / Concrete Liquid Plasticizer [Alkali Free]	Kg.	385	385	385	
1.12	Accelerator & Spray Shotcrete / Concrete Powder Plasticizer [Alkali Free]	Kg.	330	330	330	
1.13	Retarding Superplasticiczer for Concrete [Napthalene Based] Std. Conformance : ASTM C 494 - 1981 (Type G / D), IS 9103 - 2007 Dose 0.2 to 3 % by wt of cement	Kg.	248	248	248	
1.14	Retarding Superplasticiczer for Concrete [Polycarboxylate Ether Based] Std. Conformance : ASTM C 494 - 1981 (Type G) Dose : 0.2 to 2.2 % by wt of cement	Kg.	495	495	495	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
1.15	Resin ,Multi /polyvcarboxylate ether cholride free less alkali super plasticizer and micro siloica in one ASTM C494 Dose :0.5 to 2.1 % by wt of cement	kg	650	650	650	
2	**CONCRETE ADMIXTURES (Mineral)**					
2.1	Silica Fume / Silica Cement Admixture / Micro Silica for High Performance Concrete Std. Conformance : ASTM C 1240 - 2005, IS 15388 - 2003 Dose :5 to 15 % by wt of cement	Kg.	315	315	315	
2.2	Processed FA Based Mineral Additives Dose :5 to 20 % by wt of cement	Kg.	94	94	94	
3	**JOINT SEALANTS & SYSTEMS**					
3.1	Two Component Gun Grade Polysulphide Sealant for Vertical Surfaces	Kg.	2396	2396	2396	
3.2	Two Component Pour Grade Polysulfide Sealant for Horizontal Surfaces	Kg.	2396	2396	2396	
3.3	One Component Low Viscosity Primer For Polysulfide Sealant	Kg.	3993	3993	3993	
3.4	Two Component Pour Grade Polyurethane Sealant for Joints	Kg.	2662	2662	2662	
3.5	Low Viscosity Primer For Polyurethane Sealant	Kg.	3993	3993	3993	
3.6	High Performance Hybrid Silyl Sealant (290 ml per set)	set	1597	1597	1597	
3.7	Butyl Tape for various Applications	RM	166	166	166	
3.8	Waterproofing Joint Tape [120 mm]	RM	666	666	666	
3.9	Waterproofing Joint Tape [200 mm]	RM	865	865	865	
3.10	NBR based Waterproofing Joint Tape [200 mm]	RM	5324	5324	5324	
3.11	Joint Tape Epoxy Adhesive	Kg.	3993	3993	3993	
3.12	Glass Fiber Joint Tape	RM.	300	300	300	
3.13	Waterproofing / Expansion Joint Tape [100 mm]	RM.	1997	1997	1997	
3.14	Waterproofing / Expansion Joint Tape [200 mm]	RM.	3594	3594	3594	
3.15	Construction Joint Tape [100 mm]	RM.	1065	1065	1065	
3.16	Construction Joint Tape [100 mm]	RM.	865	865	865	
3.17	Cross Linked Premoulded Compressive Joint Filler [25 mm]	Sq. M.	3261	3261	3261	
3.18	Cross Linked Premoulded Compressive Joint Filler [50 mm]	Sq. M.	6455	6455	6455	
3.19	Closed Cell Polymerbased Joint Filler [25 mm]	Sq. M.	1065	1065	1065	
3.2	Closed Cell Polymerbased Joint Filler [50 mm]	Sq. M.	1997	1997	1997	
4	**INDUSTRIAL FLOORING SOLUTIONS**					
4.1	Hardwearing, abrasion resistant monolithic industrial flooring compound [Metallic]	Kg.	146	146	146	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
4.2	Liquid Concrete Hardener & Dust Proofer	Kg.	499	499	499	
4.3	Anti Bacterial Floor & Wall Coating [Epoxy]	Kg.	2995	2995	2995	
4.4	Anti Bacterial Floor & Wall Coating [Polyurethane]	Kg.	3328	3328	3328	
4.5	Anti bacterial Floor & Wall Coating [Acrylic]	Kg.	2662	2662	2662	
4.6	Self Levelling Flooring System [Epoxy]	Kg.	1331	1331	1331	
4.7	Self Levelling Flooring System [Polyurethane]	Kg.	1997	1997	1997	
4.8	Self Levelling Cementitious Flooring System	Kg.	399	399	399	
5	**ENGINEERING GROUTS**					
5.1	General Purpose High Strength Free Flowing, Non Shrink Cementitious Grout [M40]	Kg.	146	146	146	
5.2	Ultra High Strength Free Flowing, Non Shrink Cementitious Grout [M60]	Kg.	135	135	135	
5.3	Hard wearing cementitious tile grout	Kg.	213	213	213	
5.4	Hard wearing epoxy based tile grout	Kg.	1331	1331	1331	
5.5	Super Plasticizer, Shrinkage Compensating Grout Admixture	Kg.	666	666	666	
5.6	High Strength Precision Grade, Non Shrink Structural Epoxy Anchorgrout	Kg.	3328	3328	3328	
5.7	Epoxy Acrylate High Strength Precision Grade, Non Shrink Structural Grout [400 Ml Cartridge]	Ml	5990	5990	5990	
5.8	Low Viscosity Injection Epoxy Grout	Kg.	8652	8652	8652	
5.9	Low Viscosity Polyurethane Injection Grout Dose : 231 cubic inchec per gallon	Kg.	18634	18634	18634	
5.10	Low Viscosity Acrylate Gel Injection Grout	Kg.	11314	11314	11314	
5.11	Low Viscosity Soil Stabilization Injection Grout	Kg.	18634	18634	18634	
6	**BONDING ADHESIVES (Polymer & Epoxy Resin)**					
6.1	Acrylic Bonding Agent For Concrete & Mortar	Kg.	865	865	865	
6.2	Versatile SBR Latex for Bonding, Grouting & Repair Mortars	Kg.	1131	1131	1131	
6.3	High Performanance Pure Acrylic Polymer for Concrete & Mortar Modification' & Bonding Adhesive	Kg.	1597	1597	1597	
6.4	Two Component Epoxy Resin Bonding Agent [For bonding new to old concrete]	Kg.	2396	2396	2396	
7	**FIBERS (Steel & Polypropylene)**					
7.1	FIBERMESH MF [Monofilament PP Fibers]	Kg.	1331	1331	1331	
7.2	FIBERMESH FB [Collated PP Fibers]	Kg.	1730	1730	1730	
7.3	FIBERMESH MACRO [Structural PP Fibers]	Kg.	2662	2662	2662	
7.4	Loose steel Fibers	Kg.	333	333	333	
7.5	Glued Steel Fibers	Kg.	466	466	466	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
7.6	Crimped Steel Fibers	Kg.	245	245	245	
8	**SURFACE TREATMENT**					
8.1	Protective, Decorative Anti Carbonation Coating	Kg.	1597	1597	1597	
8.2	Protective, Decorative Insulating Anti Carbonation Coating	Kg.	1797	1797	1797	
8.3	Concrete Penetrating Corrosion Inhibitor	Kg.	5990	5990	5990	
8.4	Protective Acrylic Sealer	Kg.	1997	1997	1997	
8.5	Protective Polyurethane Sealer	Kg.	2396	2396	2396	
8.6	Water Based Fire Retardant Coating	Kg.	1597	1597	1597	
8.7	High Performance Water Repellent Paint	Ltr.	11979	11979	11979	
8.8	Concentrated & Emulsified Chemical Mould Release Agent	Ltr.	666	666	666	
8.9	Ready to use Chemical Mould Release Agent	Ltr.	532	532	532	
8.10	Concrete Curing Aid	Kg.	532	532	532	
8.11	Resin,silica based multi function, water proofing and curing compound Dose :cover area: 0.15kg/m2	kg	700	700	700	
	CONCRETE REPAIRS					
9	Rust Remover & Passivator	Ltr.	1331	1331	1331	
9.1	Corrosion Inhibitor	Kg.	1331	1331	1331	
9.2	Micro Concrete [M55] for Permanant Repairs	Kg.	186	186	186	
9.3	Single Component Polymer Modified Cementitious Repair Mortar	Kg.	190	190	190	
9.4	Two Component Polymer Modified Cementitious Repair Mortar	Kg.	333	333	333	
9.5	Cementitious, Waterproof Crack Repair Mortar	Kg.	266	266	266	
9.6	Acrylic Based Crack Filling Putty	Kg.	1597	1597	1597	
9.7	Resin ,Polycoboxylate Base For ultra High Strenth Concrete Repairing Dose : Admixture 10% By Wt of Cement	Kg	700	700	700	
10	**PREPACKED MORTARS**					
10.1	Tile, Mabrble, Granite etc. Adhesive	Kg.	100	100	100	
10.2	Marble & Granite etc. Adhesive	Kg.	466	466	466	
10.3	Coarse and water resistant Readymix plastring Mortar	Kg.	90	90	90	
10.4	High Performanance Polymer Based Wall Putty (Skim Coat)	Kg.	70	70	70	
10.5	High Performanance Polymer Based Insulting Wall Putty (Skim Coat)	Kg.	90	90	90	
11	**WATERPROOFING SYSTEMS, Bal endura or equivalent**					
	INTEGRAL					
11.1	Integral Waterproofing Additive for Concrete & Plaster	Kg.	300	300	300	
11.2	Silica Cement Admixture / Microsilica / Silica Fume	Kg.	315	315	315	
	LIQUID APPLIED					

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
11.3	Single Pack Polymer Modified Flexible Waterproof Coating System Dose :Cover Area 30 Sq ft- 45 Sq ft/Kg 2 coat	Kg.	932	932	932	
11.4	Two Component Polymer Modified Flexible Acrylic Elastomeric Waterproof Coating System Dose :cover Area :5 Sqft-7 Sqft/Kg 2 coats	Kg.	666	666	666	
11.5	Two Component Polymer Modified Flexible Elastomeric Waterproof & Thermal Insulating Coating System Dose :consumption: 1.5 kg/m2	Kg.	998	998	998	
11.6	Heavy duty reinforced elastomeric acrylic water proof coating for terrace Dose :cover area: 6 sqft/litre 3 coat	Ltr.	750	750	750	
11.7	Arcylic elastomeric exterior water proof coating for exterior wall Dose :35 sqft/litre 2 coat	Ltr.	700	700	700	
11.8	Crystalline Based Waterproofing Systems	Kg.	363	363	363	
11.9	Fast Setting Plugging Compound for stopping running water	Kg.	424	424	424	
11.10	Polyurethane based Waterproofing Coating System	Kg.	1815	1815	1815	
11.11	Polymer Modified Bitumen based Waterproofing Coating System	Kg.	1452	1452	1452	
11.12	Epoxy Resin based Waterproofing Coating System	Kg.	1815	1815	1815	
11.13	Efflorescence Resistance Penetrating Primer Dose :Cover Area: 80 Sq ft /lt 1 coat	kg	600	600	600	
	PREFORMED					
11.14	Fiber Reinforced Polymer Modified Bituminous Membranes [3mm Plain]	Sq. M.	2178	2178	2178	
11.15	Fiber Reinforced Polymer Modified Bituminous Membranes [3mm Mineral / Sand Finish]	Sq. M.	2420	2420	2420	
11.16	Polymer Modified Self Adhesive Bituminous Membranes [1mm]	Sq. M.	1210	1210	1210	
11.17	Polymer Modified Self Adhesive Bituminous Membranes [2mm]	Sq. M.	1815	1815	1815	
11.18	Polymer Modified Self Adhesive Bituminous Membranes with Aluminium Cover	Sq. M.	1815	1815	1815	
11.19	1.2 mm High Polymer PVC Membranes	Sq. M.	2420	2420	2420	
11.2	PVC Adhesive	Kg.	3025	3025	3025	
11.21	1.2 mm EPDM Membranes	Sq. M.	2420	2420	2420	
11.22	EPDM Adhesive	Kg.	3025	3025	3025	
11.23	EPDM Primer	Kg.	3630	3630	3630	
11.24	2mm TPO Membranes	Sq. M.	4235	4235	4235	
11.25	Polythene & Polypropylene Polymer Compound Waterproof Membrane	Sq. M.	968	968	968	
11.26	100% Synthetic Rubber Roof Coating	Kg.	5445	5445	5445	
12	**SPECIALTY**					
12.1	Antistripping Agent for Bitumen	Kg.	484	484	484	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
12.2	Anti Termite [Imidacloprid 30.5%]	Kg.	9075	9075	9075	
12.3	Expanding Concrete Joint WATERSTOP	RM.	2420	2420	2420	
12.4	WB ADHESIVE Primer for Expanding Waterstop	2500	9075	9075	9075	
12.5	Swellable WATERSTOP	RM.	3025	3025	3025	
12.6	SEALGUARD PVC WATERSTOP - PVC Waterstops	RM.	3025	3025	3025	
12.7	Nodular Drain with Geotextile Roof Garden	Sq. M.	2420	2420	2420	
12.8	SEALGUARD GEOTEX [P] -Polyester Geotextile	Sq. M.	121	121	121	
12.9	THERMOSEAL XPS - Extruded Polystyrene Boards [25 mm]	Sq. M.	1331	1331	1331	
12.10	THERMOSEAL XPS - Extruded Polystyrene Boards [40 mm]	Sq. M.	2420	2420	2420	
13	**STRUCTURAL STRENGTHENING & SEISMIC RETROFITTING**					
13.1	Carbon Laminate [50 mm Wide 1.4 mm Thick]	R. M.	9680	9680	9680	
13.2	Carbon Laminate [75 mm Wide 1.4 mm Thick]	R. M.	12100	12100	12100	
13.3	FRP [Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 200 GSM	Sq. M.	12100	12100	12100	
13.4	FRP [Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 400 GSM	Sq. M.	18150	18150	18150	
13.5	FRP [Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 600	Sq. M.	24200	24200	24200	
13.6	FRP [Fiber Reinforced Polyer] GLASS FiberWRAP Sheet 900 GSM	Sq. M.	18150	18150	18150	
13.7	EPOXY PRIMER	Kg.	4235	4235	4235	
13.8	SATURANT	Kg.	3630	3630	3630	
13.9	LAMINATE ADHESIVE	Kg.	2420	2420	2420	
13.11	EPOXY TOPCOAT	Kg.	3630	3630	3630	
13.12	POLYURETHANE TOPCOAT	Kg.	4840	4840	4840	
13.13	Fiber anchor system 5to 10 mm	R. M.	2420	2420	2420	
13.14	Carbon Laminate [50 mm Wide 2 mm Thick]	R. M.	9680	9680	9680	
13.15	Carbon Laminate [75 mm Wide 2 mm Thick]	R. M.	12100	12100	12100	
14	**Soil Stabiliser / Admixture**					
14.1	Resin, sulfate resistant, admixture for medium strength concrete and for mud road / gravel road / eco brick tiles, hollow blocks production Dose :0.25 to0.4 % by wt of cement	kg	670	670	670	
15	**Concrete curing compound**					
15.10	*Concrete Curing Aid*	Kg.	453	453	453	
15.20	Resin,silica based multi function, water proofing and curing compound **Dose** :cover area: 0.15kg/m2	kg	721	721	721	
50	**परम्परागत निर्माण सामाग्रीहरु :-**					
	१) दचि अपा ठूलो ८"×२-३/८"×५"	गोटा	21	21	21	
	२) दचि अपा सानो ८३/८"×२-१/८"×४-१/४"	"	16	16	16	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	३) दचिअपा ठूलोको कुं	,,	25	25	25	
	४) दचिअपा सानोको कुँ अपा	,,	21	21	21	
	५) माँ अपा ठुलो ८-७/८"×२-१/४"×५-३/४"	,,	19	19	19	
	६) माँ अपा ठुलो 241x60x158 mm	,,	24	24	24	
	७) मा अपा सानो ८-३/८"×२"×५"	,,	15	15	15	
	८) धुरी चाङ्ग ठूलो ९-३/८"५-१/२"×३/४	,,	23	23	24	
	९) धुरी 230x295x25 mm	,,	-	-	-	
	१०) धुरी चाँङ्ग सानो	,,	18	18	18	
	११) झिगटी नयाँ ८-३/४"×४"	गोटा	11	11	11	
	१२) झिगंटी पूरानो	गोटा	7	7	7	
	१३) ढुकु	गोटा	40	40	40	
	१४) Snake body brick traditional	गोटा	25	25	25	
	१५) Snake neck brick ,,	गोटा	74	74	74	
	१६) Snake head brick ,,	गोटा	145	145	145	
	क)साना	,,	113	113	113	
	ख)ठुलो	,,	227	227	227	
	१७) पेटीकोलागि ढुङ्गा					
	क) १८"×१०"×४"	,,	680	680	680	
	१८) नागोल ईंटा	गोटा	19	19	19	
	१९)९"x ९"x १८ इन्च कुना ढुङ्गा	१ मि.	2266	2266	2266	
	२०) फःल्होह अपा ठुलो 375x225x100mm	गोटा	170	170	170	
	२१) फःल्होह अपा सानो 254x229x102mm	,,	142	142	142	
	२२) तीनकुनै तेलिया ईंटा (९"×९"×२-१/४"	,,	14	14	14	
	२३) तीनकुनै तेलिया ईंटा (६"×६"×२-१/४"	,,	10	10	10	
	२४) चारकुनै तेलिया ईंटा (८"×८"	,,	19	19	19	
	२५) तेलिया ईंटा (६"×६"	,,	14	14	14	
	२६) बुट्टेदारी कर्निश इटा (काशीमोहरु)	,,	28	28	28	
	२७) बुट्टेदारी कर्निश इटा कुना	,,	42	42	42	
	२८) बुट्टेदारी कर्निश इटा ठूलो 222x273x76mm	,,	170	170	170	
	२९) भ्याल माथिको कर्निश ईटा बुट्टेदारी	,,	34	34	34	
	३०) काठको कर्निश माथिको इटा ११×६×२.५"	,,	57	57	57	
	३१) कर्नर स्टोन : १०"×१०"×१४"	,,	1586	1586	1586	
	३२) क) विचको न्याहाकल्हँ १०"×७"×१४"	,,	1076	1076	1076	
	३३) नागोल ढुङ्गा १८"×१०"×५	,,	793	793	793	
	३४) भौ प्वा	गोटा	227	227	227	
	३५) तामा पाता.(नेपाली)	केजी	1076	1076	1076	
	तामा पाता (Indian)	केजी	1246	1246	1246	
	३६) पित्तल पाता	केजी	850	850	850	
	३७) पारो	ग्राम	170	170	170	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	३८) सूर्कि इटा कुटि धुलो बनाएको ।	टन	1360	1360	1360	
	३९) Wind bell हवा घण्टी ४"	गोटा	467	467	467	
	४०) न्हकंल्हो बीचको	१ गोटा	1700	1700	1700	
	४१) पेटीढुङ्गा ४"	१ मि.	2039	2039	2039	
	४२)पेटीढुङ्गा ५"	१ मि.	2493	2493	2493	
	४५)श्री गणेश	गोटा	1133	1133	1133	
	४६)कुमार	गोटा	1133	1133	1133	
	४७)ढुङ्गे धारा	गोटा	1133	1133	1133	
	४८) ल्हाकै सेट	गोटा	2266	2266	2266	
	४९)नागवेली बुटा	गोटा	25	25	25	
	५०) नागवेली बुटा कुना	गोटा	37	37	37	
	५१)स्वा बुटा	गोटा	35	35	35	
	५२) चीर बुटा	गोटा	25	25	25	
	५३)कार्नेसफयो	गोटा	22	22	22	
	५४)कार्नेस गजुर पली	गोटा	34	34	34	
	५५)ठुलो कलश	गोटा	170	170	170	
	५६)मसीनो सूर्कि	केजि	13	13	13	
	५७)खस्रो सुर्कि	केजि	8	8	8	
	५८)गट्टा चुन	के.जि.	25	25	25	
59	मा अपा (साइज 200x50x130)	गोटा	15	15	15	
60	दचि अपा (साइज 200x55x100)	,,	18	18	18	
61	त्वा अपा (साइज 110x55x180)	,,	18	18	18	
62	गोल अपा (साइज 120x55x80)	,,	18	18	18	
63	गणेश अपा (साइज 200x250x35)	,,	340	340	340	
64	कुमार अपा (साइज 200x250x35)	,,	340	340	340	
65	तारा अपा (साइज 200x250x55)	,,	340	340	340	
66	पञ्च बुद्ध अपा (साइज 170x230x55)	,,	340	340	340	
67	कलस अपा (साइज 100x140x40)	,,	57	57	57	
68	नागोल अपा (साइज 140x52x120)	,,	20	20	20	
69	कसिमो अपा (साइज 230x55x100)	,,	29	29	29	
70	सकली अपा (साइज 140x55x115)	,,	25	25	25	
71	पानबुट्टा अपा (साइज 140x55x115)	,,	25	25	25	
72	सानो फ बुट्टा अपा (साइज 180x55x30)	,,	29	29	29	
73	ठूलो फ बुट्टा अपा (साइज 230x55x110)	,,	29	29	29	
74	नयां फ बुट्टा अपा (साइज 230x55x110)	,,	29	29	29	
75	साना ग बुट्टा अपा (साइज 140x50x110)	,,	25	25	25	
76	ठूलो ग बुट्टा अपा (साइज 230x55x90)	,,	29	29	29	
77	पुम्हा बुट्टा अपा (साइज 180x55x70)	,,	29	29	29	
78	तिनकुने स्वाँ अपा (साइज 200x550x30)	,,	29	29	29	
79	तिनकुने पलि अपा (साइज 200x550x90)	,,	29	29	29	
80	साना स्वाँ अपा (साइज 140x50x110)	,,	25	25	25	
81	ठूलो स्वाँ अपा (साइज 2300x55x90)	,,	29	29	29	
82	नाग टाउको दांयाबांयाँ (साइज 100x150x50)	,,	142	142	142	
83	नाग घटी दांयाबांयाँ (साइज 140x60x70)	,,	74	74	74	
84	नाग जीउ (साइज 140x60x70)	,,	25	25	25	
85	नाग कन्या/पुरुष (साइज 180x380x55)	,,	567	567	567	
86	खाल नागोल (साइज 130x55x120)	,,	20	20	20	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
87	खाल फयो (साइज 130x55x135)	,,	20	20	20	
88	लहरा बुट्टा (साइज 125x45x140)	,,	25	25	25	
89	नग बेली (साइज 140x55x120)	,,	25	25	25	
90	मिखाफुसी (साइज 140x55x120)	,,	34	34	34	
91	पलियो दायां/बायां (साइज 130x55x120)	,,	25	25	25	
92	नयां पलिफो (साइज 185x52x80)	,,	29	29	29	
93	सिधा पलिफो (साइज 190x55x90)	,,	29	29	29	
94	२" सिह (साइज 95x5010)	,,	34	34	34	
95	२"गरुड (साइज 95x50x100)	,,	34	34	34	
96	धलिख्वा (साइज 95x50x100)	,,	34	34	34	
97	श्रीयन्त्र (साइज 70x700x80)	,,	45	45	45	
98	त्वा फयो (साइज 140x55x120)	,,	20	20	20	
99	तारा बुट्टा पुरानो (साइज 180x55x80)	,,	25	25	25	
100	तारा बुट्टा नयां (साइज 230x70x90)	,,	29	29	29	
101	स्वांफो तारां (साइज 220x55x90)	,,	29	29	29	
102	सिक्री बुट्टा (साइज 220x55x80)	,,	29	29	29	
103	न्हाय बुट्टा सानो (साइज 140x65x130)	,,	29	29	29	
104	न्हाय बुट्टा ठूलो (साइज 140x100x130)	,,	29	29	29	
105	न्गोल नगोल (साइज 2000x55x90)	,,	20	20	20	
106	ठी बुट्टा (साइज 210x55x75)	,,	29	29	29	
107	सानो/ठूलो (साइज	,,	29	29	29	
51	**Security System**					
	Steel Security Gate supply					
	Metal detector (black Scorpian Company)	गोटा	16995	16995	16995	
	Access Controller (Taiwanese)	गोटा	28840	28840	28840	
	Access Controller (Chainese)	गोटा	13905	13905	13905	
	Steel Security Door					
	Single leaf :- 50 mm, 70 mm, 100mm	Sqm	8683	8683	8683	
	Half leaf : - 50 mm, 70 mm, 100mm	Sqm	9930	9930	9930	
	Double leaf : - 50 mm, 70 mm, 100mm	Sqm	10419	10419	10419	
	Security System					
	i) Short range wireless intruder Alarm (including Host Unit-1, PIR moton detector-1, Door Sensor-1, Remote Controller -2) (घर कम्पाउण्ड सुरक्षा प्रविधि)	गोटा	34333	34333	34333	
	ii) Access Controller with record using Card and Pin (with 10 piece RFID Card.)	गोटा	20600	20600	20600	
	iii) Access Controller without record using Card and Pin (with 5 piece RFID Card.)	गोटा	12875	12875	12875	
	iv) Finger print access system with software	गोटा	36050	36050	36050	
	v) Securty from Panic Alarm	गोटा	36050	36050	36050	
	vi) GPS (Global Positioning System) Device with software	गोटा	25749	25749	25749	
	vii) Automatic motor operator for water pump Survo , Manglam or Equivalent (पानी भरिएपछि स्वचालित रुपमा on/off हुने प्रणाली)		0	0	0	
	Up to 1/2 H.P.	गोटा	4326	4326	4326	
	1.0 H.P.	गोटा	5948	5948	5948	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	5 H.P.	गोटा	9734	9734	9734	
52	**Bridge Materials**					
	Elastomeric Bearing Pad					
	Free Type	NOS	20554	20554	20554	
	Fix end Dowel Type	,,	48489	48489	48489	
	Expansion Joint Works					
	Single strip seal	Rm	9328	9328	9328	
	Slab seal(320*50)	,,	19277	19277	19277	
	Thimbles					
	iv) Φ 13 mm thimble	Pc	72	72	72	
	v) Φ 26 mm thimble	Pc	361	361	361	
	vi) Φ 32 mm thimble	Pc	618	618	618	
	vii) Φ 36 mm thimble	Pc	1236	1236	1236	
	viii) Φ 40 mm thimble	Pc	1545	1545	1545	
	ix) Φ 13 mm Bulldog grip	Pc	72	72	72	
	x) Φ 26 mm Bulldog grip	Pc	361	361	361	
	xi) Φ 32 mm Bulldog grip	Pc	541	541	541	
	xii) Φ 36 mm Bulldog grip	Pc	670	670	670	
	xiii) Φ 40 mm Bulldog grip	Pc	670	670	670	
	xiv) Steel wire Rope (Right hand ordinary lay,WSC wire strand core,Tensile strength of wire 1570 N/mm^2, Performed, 'A' Heavy Galvanized coating Nondrying lubrication oil and prestretched					
	xv) Wire mesh netting	m^2	412	412	412	
	xvi) Sign Board with Fittings (Size - 60cm X 90cm)	Pc	6695	6695	6695	
	xvii) Bolts, Nuts & Washers (Galvanised 4.6 grade)	Kg	258	258	258	
	xvii) Bolts, Nuts & Washers (Hotdip friction Grip)	Kg	361	361	361	
	High tensile friction grip nut bolts	kg	335	335	335	
	Galvanization					
	Zinc Above 98.5% purity	kg	309	309	309	
	Premix of Zinc amonium chloride	kg	595	595	595	
	Hydraucloric acid	Lit	41	41	41	
53	**Concrete Post (Size 4"*4")**					
	Length 7'	गोटा	874	874	874	
	Length 5'	,,	437	437	437	
	Length 3'	,,	219	219	219	
54	**Sheet pilling work :** Providing, preparing and installing of **piling of ms pipe** and sheets false work including necessary supports and removing after completion for foundation ,basement and shear wall	Sq.m.	2963	2963	2963	
55	Readymade RCC Door & windows frame (4"*2.75" of 1:1:1 concrete mixdesign safety plate all complete work.	Rft	232	232	232	
	" Ventilation	,,	232	232	232	
	" Arc frame semi circular	,,	464	464	464	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	SANITARY WORK					
सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
1	**Porcelain Clay Sanitaryware (Hindware, Paryware, Somany, cera or eqv. कम्पनीका सामानहरु)**					
	White glazed porcelain pan					
	i)530mm size white glazed without siphon	सेट	2524	2524	2524	
	ii)500 mm size white glazed without siphon	,,	2741	2741	2741	
	iii)580 mm size orrisa Pan	,,	3371	3371	3371	
	iii)580 mm size white glazed Indian pan	,,	1049	1049	1049	
	iv) Siphon 'p' or 's' type	,,	590	590	590	
	v) Asian Pan 51x40 Rectangular	,,	2524	2524	2524	
	Porcelain Clay Cistern					
	i) white glazed porcelain clay 10 lit cistern complete set (internal part of cistern pvc fittings)	,,	3559	3559	3559	
	ii) White glazed porcelain clay 10 lit. Cistern cover only.	,,	667	667	667	
	iii) White glazed porcelain clay 12.5 lit. cistern complete set (Brass fittings siphon with plunger plate)	,,	3698	3698	3698	
	Commode					
	i) White glaze porcelain clay regular commode with 'p' trap	सेट	1587	1587	1587	
	ii) White glazed porcelain clay EWC regular commode with 's ' \ p trap	,,	1825	1825	1825	
	iii)(b) White glazed porcelain clay EWC Constellation commode with 'P ' & 's ' trap and seat cover set.(Hindware, Paryware, Somany, cera or eqv.)		18119	18119	18119	
	iv) White glazed porcelain clay One Piece commode with 'P ' & 'S ' trap and slow falling seat cover complete set.(Hindware, Paryware, Somany, cera or eqv.)	,,	28875	28875	28875	
	iv) White glazed porcelain clay One Piece commode with 'P ' & 's ' trap and slow falling seat cover complete set.(Bolan, Tita, Akwa or eqv.)	,,	20389	20389	20389	
	viii)(c) White glazed porcelain clay Ewc wall mounted commode without cistern all complete set..(Bolan, Tita, Akwa or eqv.)	,,	5252	5252	5252	
	ix) White glazed porcelain clay Ewc floor mounted commode without cistern all complete set.	,,	8656	8656	8656	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	x) 600 to 900 mm Grab bar	,,	6062	6062	6062	
	Bidet set					
	i) Porcelain clay white glaze Bidet.	सेट	3692	3692	3692	
	Urinal set					
	i) Porcelain clay white glaze large flat back urinal 61×41×38 cm size (Hindware, Paryware, Somany, cera or eqv.)	सेट	4174	4174	4174	
	ii) Porcelain clay small Urinal (46.5×35.5×26.5) cm size .(Hindware, Paryware, Somany, cera or eqv.)		1880	1880	1880	
	iv)White glazed porcelain clay corner Urinal (35×35×44)cm size with complete set.(Hindware, Paryware, Somany, cera or eqv.)	,,	1619	1619	1619	
	vi) Wall mounted Urinal with sensor complete set.(Duravit, Grohe, American standard and equivalent)	,,	100291	100291	100291	
	Porcelain Clay Urinal Squatting Plate					
	i) white glaze squatting plate Small Size (45×35)cm	सेट	1212	1212	1212	
	ii) Porcelain clay white glaze squatting plate large size	,,	1454	1454	1454	
	iii) Porcelain clay super color squatting plate large size.	,,	2831	2831	2831	
	iv) Urinal Spreader	,,	915	915	915	
	Wash basin					
	i) Porcelain clay white glaze wash basin (500×400) cm size regular.	सेट	1095	1095	1095	
	iii) Porcelain clay white glaze wash basin (50×40) cm	,,	1481	1481	1481	
	iv) Do but wash basin (45×32)cm	,,	1065	1065	1065	
	vi) white glazed porcelain clay Corner basin 40x40 complete set	सेट	1201	1201	1201	
	vii) white glazed porcelain clay U-counter basin complete.(Duravit, Grohe, American standard or equiv)	,,	8348	8348	8348	
	ix) white glazed porcelain clay 0-counter wash basin, complete. (Duravit, Grohe, American standard or equiv)	,,	13776	13776	13776	
	x)(a) White glazed porcelain clay Semi pedestal large counter wash basin750*500 mm with complete set.(Duravit, Grohe, American standard or equivalent)	,,	9785	9785	9785	
	x)(b) White glazed porcelain clay Semi pedestal large counter wash basin750*500 mm with complete set.	,,	6232	6232	6232	
	d) White glaze porcelain clay Basin for disable with grab bar all complete	,,	20549	20549	20549	
	Pedestal:					

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	i) Porcelain clay white glaze pedestal	,,	1378	1378	1378	
	iii)White glazed Porcelain clay half pedestal complete set.	,,	1670	1670	1670	
	iv) First color glazed Porcelain clay half pedestal complete set.	,,	1973	1973	1973	
	v) Two piece pedestal with Basin" complete set.(Duravit, Grohe, American standard or equivalent)	,,	13313	13313	13313	
	Urinal Partition					
	White glaze porcelain clay (68×30)cm division plate	,,	1741	1741	1741	
	Lab sink					
	i) Porcelain clay white glaze large size	,,	2222	2222	2222	
	ii) Porcelain clay white glaze small size	,,	1653	1653	1653	
	iii) Porcelain clay janittor sink 58×71×43.5 size	,,	27553	27553	27553	
	Kitchen sink					
	i) Porcelain clay large	सेट	3763	3763	3763	
	ii) Porcelain clay small	,,	3409	3409	3409	
	iii) drain board white 53x45	,,	1304	1304	1304	
	iii) Soap dish	,,	661	661	661	
	iv) White glaze foot rest	,,	419	419	419	
	v) White glaze Toilet paper holder	,,	1157	1157	1157	
2	**PVC Cistern Set**					
	i) single flush	सेट	1973	1973	1973	
	ii) Deluxe single flush	,,	2204	2204	2204	
	iii) Dual flush 6/3 lit. cistern complete set.	,,	2966	2966	2966	
	iv) concealed cistern with plate complete set.(Viega, Geberit, American standard or equivalent)	,,	16862	16862	16862	
	v) 32 mm pvc bottel trap set.	पिस	476	476	476	
	vi) 1.5x45 cm pvc pipe connector set.	,,	143	143	143	
	vi) Bakellite toilet seat cover set.	,,	276	276	276	
3	**Stainless Steel Accessories etc.**					
	Stainless steel Deep sink 45×45×30 size	,,	18185	18185	18185	
	Stainless steel Orissa pan LP 210 size	,,	8486	8486	8486	
	Stainless steel wash basin model 251 12" round size with pedestal	,,	13262	13262	13262	
	Stainless steel wash basin 500 mm model 277 with complete set	,,	10276	10276	10276	
	Stainless steel commode S trap with self closing complete set	,,	17554	17554	17554	
	Wall mixer (single lever) bath faucet with hand shower(Grohe, Hansgrohe, American standard or equivalent)	,,	14634	14634	14634	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	Bath tub (single lever)with hand shower(Grohe, Hansgrohe, American standard or equivalent)	,,	18432	18432	18432	
	External Shower Wall mixer (single control) bath faucet with hand shower(Grohe, Hansgrohe, American standard or equivalent)	,,	25764	25764	25764	
	Wall mixer (single control) bath faucet with hand shower(conceal system)(Grohe, Hansgrohe, American standard or equivalent)	,,	15952	15952	15952	
	Wall mixer (single control) shower faucet (conceal system)(Jaquare, Somany, Essel or equivalent)	,,	4182	4182	4182	
	conceal mixer faucet(Jaquare, Somany, Essel or equivalent)	,,	6455	6455	6455	
	Stainless steel Angle valve(Grohe, Hansgrohe, American standard or equivalent)	,,	827	827	827	
	Stainless steel two way Angle valve(Jaquare, Somany, Essel or equivalent)	,,	1157	1157	1157	
	Stainless steel bowl 19"×16" diamond board 37" long	,,	2673	2673	2673	
	Stainless steel bowl with diamond board 37" long	,,	3660	3660	3660	
	Stainless steel bowl with ordinary board 37" long	,,	2314	2314	2314	
	Stainless steel double bowl with double drain board 36" * 18 "size	,,	13917	13917	13917	
	Stainless steel double bowl with single drain board ordinary	,,	5786	5786	5786	
	Stainless steel p trap bottle trap for basin	,,	2324	2324	2324	
	Stainless steel Kitchen sink mixture(Jaquar, Somany, Essel or equivalent)	,,	8408	8408	8408	
	Stainless steel Kitchen sink faucet(Jaquar, Somany, Essel or equivalent)	,,	5565	5565	5565	
	Stainless steel Kitchen sink mixture(Jaquar, Somany, Essel or equivalent)	,,	8408	8408	8408	
	Stainless steel 1500mm flexible hose pipe(connection pipe)	,,	1462	1462	1462	
	Stainless steel Hose ringer 1200 mm	,,	1274	1274	1274	
	Stainless steel commode spray with hose pipe (Grohe, hansgrohe, American standard or equivalent)	,,	1798	1798	1798	
	Stainless steel basin mixer(single control)(Grohe, hansgrohe, American standard or equivalent)	,,	6943	6943	6943	
	Stainless steel single faucet for basin(Jaquar, Somany, Essel or equivalent)	,,	4425	4425	4425	
	Stainless steel Sink 700*450*200	,,	24246	24246	24246	
	Stainless steel Sink table top1200*600*300	,,	33504	33504	33504	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	Steel Split clamp with washer all complete					
	75 mm dia	पिस	331	331	331	
	110 mm dia	,,	441	441	441	
	160 mm dia	,,	771	771	771	
	Stainless steel telephonic shower(Jaquare, Somany, Essel or equivalent)	गोटा	1240	1240	1240	
	Stainless steel shower with sliding bar(Jaquare, Somany, Essel or equivalent)	,,	2976	2976	2976	
	Stainless steel shower with sliding bar(Grohe, hansgrohe, American standard or equivalent)	,,	9785	9785	9785	
	Stainless steel bottle trap (Viega, Somany, Jaquar or equivalent)	,,	647	647	647	
	Stainless steel towel bar 450 mm	,,	1240	1240	1240	
	Stainless steel water tank fitting with all complete set (304 grade steel)					
	Capacity 500 ltr	set	12124	12124	12124	
	Capacity 1000 ltr	,,	17699	17699	17699	
	Capacity 1500 ltr	,,	27212	27212	27212	
	Capacity 2000 ltr	,,	32743	32743	32743	
	Sinks Other Types:					
	Super lab sink					
	i) super lab sink large size	,,	4313	4313	4313	
	ii) super lab sink small size	,,	3401	3401	3401	
	Super kitchen sink					
	i) super kitchen sink large size	,,	7465	7465	7465	
	ii) super kitchen sink small size	,,	6756	6756	6756	
4	**Modern Sanitaryware:Grohe, Hansgrohe, American Standard or eqv.**					
	iv) Hand dryer Germany	,,	19397	19397	19397	
	v) Hand Dryer Chinese	,,	7164	7164	7164	
	vi) Indian Mark Brand Flush valve	,,	5731	5731	5731	
	xii)Auto sensor for basin - Grohe, hansgrohe, American standard or equiv.	,,	35267	35267	35267	
	xv) European pattern liquid soap container stainless steel	,,	6062	6062	6062	
	xvii)Looking Mirror Modi guard 450x600mm (18"x 24")	,,	1459	1459	1459	
	European Pattern C.P. Grab Bar for disable					
	a) 30cm long bend type	,,	4786	4786	4786	
	b) 45 cm long bend type	,,	5012	5012	5012	
	c) 60 cm long bend type	,,	6418	6418	6418	
5	**C.P. Accessories(jaquar, somany, essel or equivalent)**					
	1) Toilet paper holder	,,	510	510	510	
	2) Soap dish	,,	510	510	510	
	3) Towel rod ½"×18" size	,,	510	510	510	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	4) Towel rod ¾" ×24" size	,,	567	567	567	
	5) Glass shelf	,,	680	680	680	
	6) C.P. bottle trap	,,	1246	1246	1246	
	7) 32 mm×60cm long C.P flush pipe	,,	510	510	510	
	8) 15 mm flush cock push type	,,	1133	1133	1133	
	9) 15 mm dia. C.P. shower arm	,,	976	976	976	
	10) 15 mm dia. C.P. spreader	,,	940	940	940	
	11) 15 mm dia. C.P. wall mixture	,,	5435	5435	5435	
	i) 3" dia. Shower rose , revolving type	,,	906	906	906	
	ii) 4" dia. Shower rose , revolving type	,,	1020	1020	1020	
	iii) Shower rose ordinary	,,	567	567	567	
	iv) Shower rod 12" long	,,	283	283	283	
	C.P. 15 mm dia. Angle Valve	,,	1244	1244	1244	
	C.P. 15 mm dia Concealed Stop Cock	,,	1807	1807	1807	
	C.P 15mm Bib Cock	,,	1361	1361	1361	
	C.P. 15 mm dia swan neck Pillar Cock	,,	1331	1331	1331	
	C.P. 15 mm dia Stop Cock	,,	1331	1331	1331	
	C.P. 15 mm dia Sink Cock	,,	1309	1309	1309	
	C.P. 15 mm dia Sink Mixture	,,	4472	4472	4472	
	C.P. 32 mm dia Flush Valve	,,	5404	5404	5404	
	C.P. 32 mm dia Waste Coupling for basin	,,	424	424	424	
	C.P. 32 mm dia Waste Coupling for Urinal	,,	689	689	689	
	C.P. Basin Mixture	सेट	4640	4640	4640	
	15 mm dia Bath Tub Spout with Wall Hinge	,,	1731	1731	1731	
	C.P. Exclusive Shower Arm with Hinge	,,	2014	2014	2014	
	15 mm bath tub spout with bottom attachment of telephonic shower	,,	4169	4169	4169	
	15 mm wall mixture lever type telephonic shower of flexible type heavy.	,,	6849	6849	6849	
	C.P. flexible pipe	गोटा	181	181	181	
	C.P. Grating					
	i) 4" dia.	,,	50	50	50	
	ii) 5" dia.	,,	62	62	62	
	i) C.P. Toilet Paper Holder	,,	929	929	929	
	ii) C.P. Soap Dish(Polyurethane)	,,	1042	1042	1042	
	iii) C.P. Towel Rod 18"	,,	1578	1578	1578	
	iv) C.P. Towel Rod 24"	,,	1663	1663	1663	
	v) C.P. Glass Shelf 22"	,,	2260	2260	2260	
	vi) C.P. Coat Hook Double	,,	812	812	812	
	C.P. बाट निर्मित सामाग्रीहरु(jaquar, somany, essel or equivalent)	,,				
	i) C.P. Toilet Paper Holder	,,	969	969	969	
	ii) C.P. Soap Dish(Polyurethane)	,,	843	843	843	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	iv) C.P. Towel Rod 24"	,,	1643	1643	1643	
	v) C.P. Glass Shelf 22"	,,	2232	2232	2232	
	vi) C.P. Coat Hook Double	,,	758	758	758	
	ix) C.P. Angle Cock					
	15mm C.P. Angle Cock	,,	927	927	927	
	15 mm C.P. Angle Cock Long Thread	,,	986	986	986	
	x) C.P. Conceal Stop Cock	,,				
	i) 15 mm Reduced body	,,	1136	1136	1136	
	ii) 15 mm Extra Heavy Body	,,	1390	1390	1390	
	xi) C.P. Bib Cock	,,				
	i) 15mm C.P. Auto Closing Bib Cock With Aerator	,,	2612	2612	2612	
	ii) 15mm C.P. Bib Cock	,,	952	952	952	
	iii) 15mm C.P. Bib Cock with nozzle	,,	1054	1054	1054	
	xii) C.P. Pillar Cock	,,				
	i) 15 mm C.P. Pillar Cock With Aerator	,,	1263	1263	1263	
	ii) 15mm Auto Closing Pillar Cock With Aerator	,,	2527	2527	2527	
	i) 15mm C.P. Sink Cock	,,	1600	1600	1600	
	ii) C.P. Sink Mixer	,,	3966	3966	3966	
	iii) 15 mm C.P. Sink Mixer With Revolving Spout	,,	3456	3456	3456	
	xv) C.P. Bottle Trap 32mm	,,	1852	1852	1852	
	32 mm C.P. Conceal Flush Valve Dual Flow	,,	3874	3874	3874	
	xvii) C.P. Waste Coupling	,,				
	32 mm C.P. Waste Coupling H/T	,,	446	446	446	
	32 mm C.P. Waste Coupling F/T	,,	446	446	446	
	xviii) 15 mm Urinal Auto-Closing Valve with Built-in Control Cock	,,	2694	2694	2694	
	xix) 15 mm C.P. Wall Mixer					
	15 mm C.P. Wall Mixer With Lower Bend Pipe	,,	4463	4463	4463	
	15 mm C.P. Wall Mixer With Upper Bead Pipe	,,	4463	4463	4463	
	xx) C.P. Basin Mixer	,,				
	15 mm C.P. Basin Mixer Central Hole With 450mm Long Braided Hoses	,,	3706	3706	3706	
	15 mm C.P. Basin Mixer Single Lever With 450mm Long Braided Hoses	,,	3891	3891	3891	
	xxi) 15mm Bath Tub Spout with wall flange	,,				
	15mm Bath Tub Spout with wall Flange	,,	1263	1263	1263	
	15mm Bath Tub Spout with button attachment	,,	2021	2021	2021	
	xxii) C.P. Casted Shower Arm with Flange	,,				
	15 mm Casted Shower Arm Light	,,	673	673	673	
	15 mm Casted Shower Arm Heavy	,,	1094	1094	1094	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	xxiii) 15 mm Telephonic Hand Shower					
	With 1.50 m. PVC Tube	,,	1791	1791	1791	
	With 1.5 Flexible Tube	,,				
	xxiv) Auto closing urinal flush valve					
	15mm presmatic auto closing urinal flush valve	गोटा	3224	3224	3224	
	xxiv) Other accessories					
	15mm Wall Mixer Single Lever for Telephonic Shower Arrangement	गोटा	4834	4834	4834	
	15 mm Braided Hose for E.W.C.	,,	298	298	298	
	15 mm Health Faucet (Commode Spray)	,,	1146	1146	1146	
	15 mm pillar cock with 200 mm extended lever handle	,,	1515	1515	1515	
	15 mm Bib cock with 200 mm extended lever handle	,,	1598	1598	1598	
	Single lever surgical purpose elbow action basin mixer with extended operating lever	,,	5956	5956	5956	
	Single lever surgical purpose elbow action Sink mixer with extended operating lever	,,	5776	5776	5776	
	Sensor mixer for wash basin (Battery operated)	,,	20481	20481	20481	
	Wall mounted Sensor mixer for operatation theater (Battery operated)	,,	20481	20481	20481	
	Sensor conceal type flushing valve for Western commode (battery operated)	,,	16221	16221	16221	
	Sensor valve for Urinal	,,	10651	10651	10651	
	Basin cock Sensor	,,	14418	14418	14418	
	15mm U shaped sink cock	,,	1712	1712	1712	
	Sink Mixture with U shape swinging spout	,,	3358	3358	3358	
	15mm metallic Health Faucet (Commode Spray)	,,	2171	2171	2171	
7	**Electric & Solar Geyser**					
	i) 10 lit. cap. electric water heater	गोटा	11241	11241	11241	
	ii) 25 lit cap. " " "	,,	17331	17331	17331	
	iii) 35 lit cap " " "	,,	21546	21546	21546	
	iv) 50 lit cap " " "	,,	-	-	-	
	v)15.0 Ltr wate heater including copper pipe connector with coupling and other necessary fittings complete American.	सेट	12123	12123	12124	
8	**C.I. Manhole Cover including frame.**					
8.1	**Square Frame (in outer dia)**					
	Medium Duty					
	i) 10" × 10" (4 Kg.)	सेट	669	669	669	
	ii) 12" × 12" (5 Kg.)	,,	836	836	836	
	iii) 14" × 14" (7 Kg.)	,,	1171	1171	1171	
	v) 16" × 16" (10 Kg.)	,,	1673	1673	1673	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	vi) 18" × 18" (14 Kg.)	,,	2509	2509	2509	
	viii) 20" × 20" (16 Kg.)	,,	2677	2677	2677	
	ix) 22" × 22" (20 Kg.)	,,	3346	3346	3346	
	x) 24" × 24" (24 Kg.)	,,	4294	4294	4294	
	xi) 27" × 27" (31 Kg.)	,,	5186	5186	5186	
	Heavy Duty					
	iii) 14" × 14" (14 Kg.)	,,	2342	2342	2342	
	ix) 22" × 22" (22 Kg.)	,,	3681	3681	3681	
	xi) 27" × 27" (45 Kg.)	,,	7528	7528	7528	
8.2	**Rounded Manhole Cover (Outer dia.)**					
	Medium class					
	i) 18" dia. Round Manhole cover with square frame (60 Kg.)	सेट	9092	9092	9092	
	ii) 20" dia. Round Manhole cover with square frame (70 Kg.)	,,	12123	12123	12123	
	iii) 20" dia. Round Manhole cover with square frame (100 Kg.)	,,	15154	15154	15154	
	iv) 22" dia. Medium class. (125 Kg.)	,,	19397	19397	19397	
	v) 22" dia. Heavy class. (208Kg.)	,,	28974	28974	28974	
	vi) 24" dia. Medium class. (40 Kg.)	,,	6207	6207	6207	
	vii) 24" dia. Heavy class (Load Test 8 Ton) (50 Kg.)	,,	7759	7759	7759	
	viii) 24" Round Manhole cover with square frame (IS:1726) (70 Kg.)	,,	11153	11153	11153	
	ix) 26" Round Manhole cover with square frame (IS:1726) (85 Kg.)	,,	13578	13578	13578	
	x) 28" Round Manhole cover with square frame (IS:1726) (116 Kg.)	,,	17942	17942	17942	
	xi) 28" Round Manhole cover with square frame (IS:1726) (116 Kg.)	,,	17942	17942	17942	
8.3	**C.I. Tank Cover Locking Types**					
	Round					
	18" (8 Kg.)	सेट	1673	1673	1673	
	20" (12 Kg.)	,,	2454	2454	2454	
	22" (14 Kg.)	,,	2788	2788	2788	
	24" (16 Kg.)	,,	3346	3346	3346	
	28" (24 Kg.)	,,	5019	5019	5019	
	Square					
	18" x 18" (13 Kg.)	सेट	2788	2788	2788	
	24" x 24" (50 Kg.)	,,	10038	10038	10038	
	Rectangular					
	18" x 24" (27 Kg.)	सेट	5577	5577	5577	
8.4	**C.I. Gully Gratings & Jali**					
	Round Jali Strip Mediun Duty					
	4"	सेट	100	100	100	
	5"	,,	134	134	134	
	6"	,,	178	178	178	
	10"	,,	613	613	613	
	Square Jali Strip Mediun Duty					
	4" x 4"	सेट	89	89	89	
	5" x 5"	,,	112	112	112	
	6" x 6"	,,	134	134	134	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	9" x 9"	,,	390	390	390	
	10" x 10"	,,	502	502	502	
	12" x 12"	,,	725	725	725	
	C.I. Gully Gratings					
	i) 15"×18" Medium (18 Kg.)	सेट	3681	3681	3681	
	ii) 15"×18" Heavy (25 Kg.)	सेट	5019	5019	5019	
	Grit Cover					
	फलामे एङ्गलको फ्रेममा फलामे पत्तिको जाली बनाई फेब्रिकेशन कार्य गरी, एक कोट Red oxide paint लगाई जडान गर्ने काम (बिभिन्न साइजमा)	के.जी.	162	162	162	
	Aluminum Grating 4" dia.	गोटा	42	42	42	
9	**G.I. Water Tank (17 Gauge)**					
	i) 100 gls	गोटा	8317	8317	8317	
	ii) 200 gls	,,	13066	13066	13066	
	iii) 300 gls	,,	16434	16434	16434	
	iv) 400 gls	,,	19730	19730	19730	
	v) 500 gls	,,	23036	23036	23036	
	G.I. Water Tank (16 BWG TATA Sheet)					
	i) 100 gls	गोटा	8773	8773	8773	
	ii) 200 gls	,,	13267	13267	13267	
	iii) 300 gls	,,	17615	17615	17615	
	iv) 400 gls	,,	21106	21106	21106	
	v) 500 gls	,,	24597	24597	24597	
10	**Roof Top PVC Water Tank**					
	i) 200 lit – 5000 lit cap.	ली.	11	11	11	
	ii) 5000 lit – 10,000 lit cap	,,	12	12	12	
	iii) Horizontal PVC water tank	,,	12	12	12	
11	**Water Pumps/Hand Pumps**					
	Indian Mark-III , Deep Well Hand Pump					
	6 No. hand pump	गोटा	1582	1582	1582	
	Water Pump :					
	i) ½ H.P. Water Pump (Multi stage pump)	सेट	10885	10885	10885	
	ii) ½ H.P. Water Pump mono block type	,,	6258	6258	6258	
	iii) 1.0 H.P. water pump Multistage	,,	14258	14258	14258	
	iv)1.0 H.P. water pump (mono block type)	,,	9465	9465	9465	
	v) 2.0 H.P. water pump	,,	22587	22587	22587	
	vi) 2.0 H.P.3 phase water pump	,,	23847	23847	23847	
	vii) 5.0 HP 3 phase water pump	,,	28656	28656	28656	
	Jet Water Pump					
	i) 1.10 H.P.	सेट	21630	21630	21630	
	ii) Double Stage jet 1.10 H.P.		25956	25956	25956	
	ii) 1.5 H.P.	,,	29201	29201	29201	
	Super Sunction					
	i) ½ H.P	सेट	8922	8922	8922	
	ii) 0.75 H.P.	,,	8328	8328	8328	
	iii) 1.0 H.P.	,,	14276	14276	14276	
	Water Pump (Grundfoss, pentair, i) 1.0" H.P. Single pump set with					
	Booster (Pressure Pump) with 25 lit	सेट	18202	18202	18202	
	ii) 2 H.P. single pump set " "	,,	29233	29233	29233	
	Fire pump					

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	Submersible Pump (Italian)					
	i) 1.0 H.P.	,,	26089	26089	26089	
	ii) 2.0 H.P.	,,	48397	48397	48397	
	Electric Water Pump (Chinese)					
	i) ½ H.P	,,	1703	1703	1703	
	ii) ¾ H.P.	,,	2219	2219	2219	
	iii) 1.0 H.P.	,,	3270	3270	3270	
	Submersible Pump Sarvo/Bimal or equivalent					
	i) ½ H.P open well type	,,	16655	16655	16655	
	ii) 1.1 H.P open well type	,,	24388	24388	24388	
	iii) 1.5 H.P open well type	,,	29741	29741	29741	
	Vertical Submersible Pump Sarvo/Bimal or equivalent	,,				
	i) 1.1 H.P	,,	27254	27254	27254	
	iii) 1.5 H.P	,,	32932	32932	32932	
12	**Fire fighting equipment and accessories (safeguard india or equiv)**					
	swinging nose nozzle with 20mm hydraulic rubber branded nose length 30rm winding up to 170^{o} U-shape hose reel carrier with drum set	सेट	-	-	-	
	Gun metal two way collection head with 63 mm dia Instantaneous type inlet with built in check meter fore fine bridge connection to under ground tank or to fine reel, minimax	,,	-	-	-	
	IS 5290, hose box size 30"×24"×10", 63 mm hose reel with 30m length or (15×2m) Gun metal branch pope with nozzles coupling set, (Hose box 5063, hose pipe = 7500, nozzles coupling 2500, landing valve =8500	,,	-	-	-	
	Stainless steel Horizontal monoblock of pressure 70 m head with 30 mm inlet and outlet 25 mm built in pressure device and thermal over load protection, 0.75 kw single phase	,,	-	-	-	
13	**Fire extinguisher ABC stored Pressure आपतकालिन आगलागी हुँदा प्रयोग गरिने सामाग्री (safeguard india or equivalent)**					
	i) 1 kg size ABC stored pressure type Fire extinguisher	गोटा	-	-	-	
	ii) 2 kg size ABC ,, ,, ,,	गोटा	-	-	-	
	iii) 3.0kg size ABC ,, ,, ,,	,,	-	-	-	
	iii) 5.0kg size ABC ,, ,, ,,	,,	-	-	-	
	iv) ABC store pressure type 1.0kg cap of fire extinguisher refill	युनिट	-	-	-	
	v) ABC sore pressure type 2.0kg cap of fire extinguisher re-fill	,,	-	-	-	
	vi) ABC sore pressure type 5 kg cap of fire extinguisher re-fill	,,	-	-	-	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	vii) 4.5 kg size ABC stored pressure type fire extinguisher	,,	-	-	-	
	viii) 2.5 kg size ABC ,, ,,	,,	-	-	-	
	ix) Co_2 Type fire extinguisher 6.80 lit	,,	-	-	-	
	x) Foam type fire extinguisher 9 lit capacity	गोटा	-	-	-	
14	**Insulation for hot water pipe 'Acroflex'**					
	15mm Insulation 6 mm wall thickness	र.मी	-	-	-	
	20mm Insulation 6 mm wall thickness	,,	-	-	-	
	25mm Insulation 6 mm wall thickness	,,	-	-	-	
	32mm Insulation 6 mm wall thickness	,,	-	-	-	
15	**ACRYLIC GLASS SHELF**					
	i) Acrylic glass shelf best quality	सेट	-	-	-	
	ii) Acrylic glass shelf ordinary	,,	-	-	-	
	iii) Shower curtain	,,	-	-	-	
16	**Water Purification System**		-	-	-	
	Euro Guard Water purification system (one litre per minute)	युनिट	-	-	-	
	Euro-guard water purification system (hi-flow 3 lit/min)	,,	-	-	-	
	AQUA-ALO water purifier (1.0 lit/min)	,,	-	-	-	
	AQUA-power water purifier	,,	-	-	-	
	RO feed pump	सेट	-	-	-	
	Fire Sprinkler	,,	-	-	-	
	Supply,installation, testing and commisioning of Aeration system (FRP Tray type)	,,	-	-	-	
	Supply, installation, testing and commisioning of Dual Media Filter (DMF) FRP vessel with multiport valve, filter media and required accessories complete set (144"x14" Ø)	,,	-	-	-	
	Supply, installation, testing and commisioning of Dosing Pump 0.5 HP (Groundfos or equivalent)	,,	-	-	-	
	Filter Media for existing filtration system		-	-	-	
	Pebbles	के.जी.	-	-	-	
	Coarse silex	,,	-	-	-	
	Gravel	,,	-	-	-	
	Golden sand	,,	-	-	-	
	Anthracite	,,	-	-	-	
	MNo2	,,	-	-	-	
	Activated Carbon	,,	-	-	-	
	Motor starter switch	,,	-	-	-	
	Pressure sensor switch for water tank(Italian)	,,	-	-	-	
17	**विभिन्न साइजको Bath tub .fiber (Duravit, grohe, American standard or equiv)**					

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	a) Bath tub – 3'6" Medium	सेट	-	-	-	
	Bath tub – 3'6" Heavy	,,	-	-	-	
	b) Bath tub – 4'0" Medium	,,	6705	6705	6705	
	Bath tub _ 4'0" Heavy	,,	7787	7787	7787	
	c) Bath Tub – 4'6" Medium	,,	8111	8111	8111	
	Bath tub – 4'6" Heavy	,,	8137	8137	8137	
	d) Bath tub – 5'0" Medium	,,	8868	8868	8868	
	Bath tub _ 5'0" Heavy	,,	29355	29355	29355	
	e) Bath Tub – 5'6" Medium	,,	7957	7957	7957	
	Bath tub – 5'6" Heavy	,,	9373	9373	9373	
	f) Bath Tub – 6'0" Medium	,,	12875	12875	12875	
	Bath tub – 6'0" Heavy	,,	36823	36823	36823	
18	**Shower Tray 3'0"×3'0"**	गोटा	500	500	500	
	Pipes and fittings					
19	**PPR Pipe (Poly propylene random co- polymer pipe Panchakanya , Nepatop or Eqv.)**					
	1) PP-R Pipe (PN-10)					
	20mm outer,1.9 mm thick, 0.107 kg/m	र.मि	63	63	63	
	25mm 2.3 mm thick 0.164kg/m	,,	95	95	95	
	32mm 2.9 mm thick 0.26kg/m	,,	152	152	152	
	40mm 3.7 mm thick 0.412kg/m	,,	239	239	239	
	50mm 4.6 mm thick 0.638kg/m	,,	372	372	372	
	63 mm 8.6 mm thick 0.638kg/m	,,	588	588	588	
	75 mm	,,	820	820	820	
	90 mm	,,	1181	1181	1181	
	110 mm	,,	1751	1751	1751	
	2) PP-R Pipe (PN-16)					
	20mm 2.80 mm thick 0.148kg/m	,,	84	84	84	
	25mm 3.50 mm thick 0.26kg/m	,,	131	131	131	
	32mm 3.7 mm thick 0.230kg/m	,,	209	209	209	
	40mm5.50 mm thick 0.575kg/m	,,	335	335	335	
	50mm6.90 mm thick 0.896kg/m	,,	521	521	521	
	63 mm 4.6 mm thick0.638kg/m	,,	820	820	820	
	75 mm	,,	1169	1169	1169	
	90 mm	,,	1670	1670	1670	
	110 mm	,,	2501	2501	2501	
	3) PP-R Pipe (PN-20)					
	20mm 3.4 mm thick 0.172 kg/m	,,	100	100	100	
	25mm 4.20 mm thick 0.266kg/m	,,	155	155	155	
	32mm 5.40 mm thick0.434kg/m	,,	252	252	252	
	40mm 6.70mm thick 0.671kg/m	,,	390	390	390	
	50mm 8.30 mm thick 1.04kg/m	,,	605	605	605	
	63mm 8.6mm thick 1.04kg/m	,,	960	960	960	
	75 mm	,,	1361	1361	1361	
	90 mm	,,	1955	1955	1955	
	110 mm	,,	2915	2915	2915	
	PP-R Pipe Accessories :					
	Elbow (90^0)					
	20mm	गोटा	13	13	13	
	25mm	,,	27	27	27	
	32mm	गोटा	45	45	45	
	40mm	,,	95	95	95	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	50mm	,,	159	159	159	
	63 mm	,,	280	280	280	
	75 mm	,,	526	526	526	
	90 mm	,,	888	888	888	
	110 mm	,,	1653	1653	1653	
	Equal Tee					
	20mm	,,	18	18	18	
	25mm	,,	32	32	32	
	32mm	,,	56	56	56	
	40mm	,,	109	109	109	
	50mm	,,	185	185	185	
	63mm	,,	337	337	337	
	75 mm	,,	584	584	584	
	90 mm	,,	1069	1069	1069	
	110 mm	,,	1858	1858	1858	
	Coupler					
	20mm	गोटा	11	11	11	
	25mm	,,	13	13	13	
	32mm	,,	27	27	27	
	40mm	,,	52	52	52	
	50mm	,,	86	86	86	
	63 mm	,,	151	151	151	
	75 mm	,,	292	292	292	
	90 mm	,,	432	432	432	
	110 mm	,,	788	788	788	
	45 Degree Elbow					
	20 mm	,,	18	18	18	
	25 mm	,,	30	30	30	
	32 mm	,,	46	46	46	
	40 mm	,,	86	86	86	
	50 mm	,,	144	144	144	
	63 mm	,,	238	238	238	
	75 mm	,,	467	467	467	
	90 mm	,,	788	788	788	
	110 mm		1378	1378	1378	
	Union (Plastic)					
	20mm	गोटा	70	70	70	
	25mm	,,	119	119	119	
	32mm	,,	192	192	192	
	40mm	,,	290	290	290	
	50mm	,,	456	456	456	
	63mm	,,	544	544	544	
	Reducing Coupler					
	25mm*20mm	,,	14	14	14	
	32mm*20mm	,,	19	19	19	
	32mm*25mm	,,	21	21	21	
	40mm*20mm	,,	31	31	31	
	40mm*25mm	,,	37	37	37	
	40mm*32mm	,,	44	44	44	
	50mm*20mm	,,	58	58	58	
	50mm*25mm	,,	64	64	64	
	50mm*32mm	,,	69	69	69	
	50mm*40mm	,,	76	76	76	
	63mm*32mm	,,	117	117	117	
	63mm*40mm	,,	122	122	122	
	63mm*50mm	,,	131	131	131	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	75mm*40mm	,,	195	195	195	
	75mm*50mm	,,	239	239	239	
	75mm*63mm	,,	241	241	241	
	90mm*50mm	,,	483	483	483	
	90mm*63mm	,,	521	521	521	
	90mm*75mm	,,	614	614	614	
	110mm*75mm		818	818	818	
	110mm*90mm		949	949	949	
	Reducing Tee					
	25*20*25 mm	,,	26	26	26	
	32*20*32 mm	,,	42	42	42	
	32*25*32 mm	,,	45	45	45	
	40*20*40 mm	,,	66	66	66	
	40*25*40 mm	,,	69	69	69	
	40*32*40 mm	,,	76	76	76	
	50*20*50 mm	,,	88	88	88	
	50*25*50 mm	,,	93	93	93	
	50*32*50 mm	,,	151	151	151	
	50*40*50 mm	,,	161	161	161	
	63*32*63 mm	,,	199	199	199	
	63*40*63 mm	,,	193	193	193	
	63*50*63 mm	,,	214	214	214	
	75*50*75 mm	,,	439	439	439	
	75*63*75 mm	,,	458	458	458	
	90*63*90 mm	,,	926	926	926	
	90*75*90 mm	,,	993	993	993	
	110*75*110 mm	,,	1622	1622	1622	
	110*90*110 mm		1700	1700	1700	
	Reducing Elbow					
	25mm*20mm	,,	22	22	22	
	32mm*20mm	,,	32	32	32	
	32mm*25mm	,,	41	41	41	
	High Footed Pipe Clip					
	20mm	गोटा	14	14	14	
	25mm	,,	17	17	17	
	32mm	,,	22	22	22	
	40mm	,,	25	25	25	
	50mm	,,	34	34	34	
	63 mm	,,	39	39	39	
	Low Footed Pipe Clip					
	20mm	,,	7	7	7	
	25mm	,,	8	8	8	
	32mm	,,	14	14	14	
	40mm	,,	19	19	19	
	50mm	,,	30	30	30	
	63 mm	,,	38	38	38	
	"Y" type Pipe Clip					
	20mm	,,	25	25	25	
	25mm	,,	25	25	25	
	32mm	,,	34	34	34	
	40 mm		48	48	48	
	End Plug (short)					
	20mm	,,	14	14	14	
	25mm	,,	22	22	22	
	32mm	,,	34	34	34	
	End Plug with Ring					

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	20mm	,,	25	25	25	
	End Plug (long)					
	20mm	,,	10	10	10	
	End Cap					
	20mm	,,	14	14	14	
	25mm	,,	22	22	22	
	32mm	,,	34	34	34	
	40mm	,,	53	53	53	
	50mm	,,	88	88	88	
	63 mm	,,	164	164	164	
	75 mm	,,	246	246	246	
	Cross Tee					
	20mm	,,	25	25	25	
	25mm	,,	36	36	36	
	32mm	,,	64	64	64	
	Short Passover					
	20mm	,,	70	70	70	
	25mm	,,	99	99	99	
	32mm	,,	143	143	143	
	Long Bypass					
	20mm	,,	93	93	93	
	25mm	,,	135	135	135	
	32mm	,,	191	191	191	
	Male Tee					
	20mmx1/2"	,,	145	145	145	
	25mmx1/2"	,,	142	142	142	
	25mmx3/4"	,,	176	176	176	
	32mmx1/2"	,,	219	219	219	
	32mmx3/4"	,,	224	224	224	
	32mmx1"	,,	401	401	401	
	Female Tee					
	20mmx1/2"	,,	108	108	108	
	25mmx1/2"	,,	122	122	122	
	25mmx3/4"	,,	160	160	160	
	32mmx1/2"	,,	181	181	181	
	32mmx3/4"	,,	200	200	200	
	32mmx1"	,,	323	323	323	
	Male elbow					
	20mmx1/2"	,,	139	139	139	
	25mmx1/2"	,,	143	143	143	
	25mmx3/4"	,,	174	174	174	
	32mmx1/2"		188	188	188	
	32mmx3/4"	,,	205	205	205	
	32mmx1"	,,	396	396	396	
	Female elbow					
	20mmx1/2"	,,	105	105	105	
	25mmx1/2"	,,	148	148	148	
	25mmx3/4"	,,	136	136	136	
	32mmx1/2"		200	200	200	
	32mmx3/4"	,,	229	229	229	
	32mmx1"	,,	281	281	281	
	Male Coupling					
	20mmx1/2"	,,	136	136	136	
	20mmx3/4"	,,	163	163	163	
	25mmx1/2"	,,	130	130	130	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	25mmx3/4"	,,	164	164	164	
	32mmx1/2"	,,	182	182	182	
	32mmx3/4"	,,	23	23	23	
	32mmx1"	,,	385	385	385	
	40mmx1-1/4"	,,	548	548	548	
	50mmx1-1/2"	,,	828	828	828	
	63mmx2"		1201	1201	1201	
	75mmx2-1/2"	,,	329	329	329	
	Female Coupling					
	20mmx1/2"	,,	102	102	102	
	20mmx3/4"	,,	125	125	125	
	25mmx1/2"	,,	114	114	114	
	25mmx3/4"		128	128	128	
	32mmx1/2"	,,	123	123	123	
	32mmx3/4"	,,	131	131	131	
	32mmx1"	,,	300	300	300	
	40mmx1-1/4"	,,	482	482	482	
	50mmx1-1/2"	,,	626	626	626	
	63mmx2"		922	922	922	
	75mmx2-1/2"	,,	1822	1822	1822	
	Male Union					
	20mmx1/2"	,,	245	245	245	
	25mmx3/4"	,,	352	352	352	
	32mmx1"	,,	506	506	506	
	40mmx1$^{1/4"}$	,,	977	977	977	
	50mmx1/2"	,,	1342	1342	1342	
	63mmx2"	,,	3117	3117	3117	
	Female Union					
	20mmx1/2"	,,	238	238	238	
	25mmx3/4"	,,	346	346	346	
	32mmx1"	,,	487	487	487	
	40mmx1$^{1/4"}$	,,	746	746	746	
	50mmx1/2"	,,	1253	1253	1253	
	63mmx2"	,,	2372	2372	2372	
	Stop Valve					
	a) 20 mm	,,	288	288	288	
	b) 25 mm	,,	381	381	381	
	c) 32 mm	,,	462	462	462	
	d) 40mm	,,	610	610	610	
	e)50 mm	,,	1013	1013	1013	
	f) 63 mm	,,	1461	1461	1461	
	Male base elbow					
	20mm x 1/2"	,,	139	139	139	
	25mm x 3/4"	,,	180	180	180	
	Female base elbow					
	20mm x 1/2"	,,	147	147	147	
	25mm x 1/2"	,,	175	175	175	
	25mm x 3/4"	,,	162	162	162	
	Metal Ball valve (double)					
	20mmx1/2"	,,	657	657	657	
	25mmx3/4"	,,	887	887	887	
	32mmx1"	,,	1284	1284	1284	
	40mmx1-1/4"	,,	3257	3257	3257	
	50mmx1-1/2"	,,	4586	4586	4586	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	Metal Ball valve (Single)					
	20mmx1/2"	,,	648	648	648	
	25mmx3/4"	,,	872	872	872	
	32mmx1"	,,	1274	1274	1274	
	Conceal Valve (Lux)					
	20mm	,,	755	755	755	
	Conceal Valve (Nor)					
	20mm	,,	719	719	719	
	Ball Valve (Plastic)					
	20mm	,,	112	112	112	
	25mm	,,	151	151	151	
	32mm	,,	244	244	244	
	40mm	,,	478	478	478	
	50mm	,,	614	614	614	
	63 mm	,,	1091	1091	1091	
	Ball Valve (Brass)					
	20mm	,,	311	311	311	
	25mm	,,	441	441	441	
	32mm	,,	738	738	738	
	40mm	,,	1762	1762	1762	
21	**CPVC Pipes & Fittings for hot and cold water distribution system** **CPVC means Chlorinated Poly Vinyl Chloride as per ASTM are as per ASTM F 442, CPVC SOLVENT are as per ASTM F-493 2846 (Flowguard : astral, ashivad, ajay, marvel or eqv.**					
	CPVC Pipe SDR 13.5 (22.5 Kg/cm2)					
	1/2" dia	Rm	115	115	115	
	3/4" dia	,,	160	160	160	
	1" dia	,,	210	210	210	
	1-1/4" dia	,,	261	261	261	
	1-1/2" dia	,,	366	366	366	
	2" dia	,,	559	559	559	
	CPVC Pipe SDR 11 (28.1 Kg/cm2)					
	1/2" dia	,,	133	133	133	
	3/4" dia	,,	178	178	178	
	1" dia	,,	248	248	248	
	1-1/4" dia	,,	300	300	300	
	1-1/2" dia	,,	418	418	418	
	2" dia	,,	677	677	677	
	CPVC Pipe SDR 11.0 (Hilltake, Panchakanya, Mangalam flow life or eqv.)					
	1/2" dia	Rm	126	126	126	
	3/4" dia	,,	168	168	168	
	1" dia	,,	234	234	234	
	1-1/4" dia	,,	289	289	289	
	1-1/2" dia	,,	402	402	402	
	2" dia	,,	679	679	679	
	CPVC Ball Valve (CTS Sockets)					
	1/2"	,,	365	365	365	
	3/4"	,,	486	486	486	
	1"	,,	588	588	588	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	1-1/4"	,,	1371	1371	1371	
	1-1/2"	,,	1643	1643	1643	
	2"	,,	2117	2117	2117	
	CPVC Reducer Brass Coupling	गोटा				
	3/4" X 1/2"	,,	138	138	138	
	1" X 1/2"	,,	181	181	181	
	CPVC Tee	गोटा				
	1/2"	,,	36	36	36	
	3/4"	,,	77	77	77	
	1"	,,	117	117	117	
	1-1/4"	,,	220	220	220	
	1-1/2"	,,	320	320	320	
	2"	,,	687	687	687	
	CPVC Reducer Tee	गोटा				
	1/2" x 1/2" x 3/4"	,,	70	70	70	
	3/4" x 3/4" x1/2"	,,	107	107	107	
	3/4" x 1/2" x 3/4"	,,	134	134	134	
	3/4" x 1/2" x 1/2"	,,	153	153	153	
	1" x 1" x 3/4"	,,	161	161	161	
	1-1/2" x 1-1/2" x 1"	,,	251	251	251	
	2" x 2" x 1"	,,	436	436	436	
	1-1/4" x 1-1/4" x 1/2"	,,	142	142	142	
	1-1/4" x 1-1/4" x 1"	,,	153	153	153	
	2" x 2" x 1/2"	,,	428	428	428	
	1" x 1" x 1/2"	,,	100	100	100	
	CPVC Brass FPT Tee	गोटा				
	1/2" x 1/2" x 1/2"	,,	120	120	120	
	3/4" x 3/4" x 1/2"	,,	125	125	125	
	1" x 1" x 1/2"	,,	139	139	139	
	1-1/4" x 1-1/4" x 1-1/4"	,,	501	501	501	
	1-1/4" x 1-1/4" x 1/2"	,,	272	272	272	
	CPVC Elbow 90º	गोटा				
	1/2"	,,	25	25	25	
	3/4"	,,	52	52	52	
	1"	,,	95	95	95	
	1-1/4"	,,	179	179	179	
	1-1/2"	,,	267	267	267	
	2"	,,	572	572	572	
	CPVC Reducer Elbow 90º					
	3/4" X 1/2"		53	53	53	
	CPVC Brass FPT Elbow 90º	गोटा				
	1/2" x 1/2"	,,	84	84	84	
	3/4" x 1/2"	,,	97	97	97	
	3/4" x 3/4"	,,	111	111	111	
	1" X 1/2"	,,	215	215	215	
	1" X 1"	,,	596	596	596	
	1-1/4" x 1-1/4"	,,	774	774	774	
	CPVC Elbow 45º	गोटा				
	1/2"	,,	30	30	30	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	3/4"	,,	54	54	54	
	1"	,,	77	77	77	
	1-1/4"	,,	136	136	136	
	1-1/2"	,,	197	197	197	
	2"	,,	427	427	427	
	CPVC Male Adapter (CPVC Threads)	गोटा				
	1/2"	,,	22	22	22	
	3/4"	,,	39	39	39	
	1"	,,	59	59	59	
	1-1/4"	,,	106	106	106	
	1-1/2"	,,	149	149	149	
	2"	,,	290	290	290	
	CPVC Reducing Male Adapter (CPVC Threads)	गोटा				
	3/4" x 1/2"	,,	41	41	41	
	CPVC Male Adapters (Brass Threads)					
	1/2"	,,	206	206	206	
	3/4"	,,	267	267	267	
	1"	,,	421	421	421	
	1-1/4"	,,	926	926	926	
	1-1/2"	,,	1080	1080	1080	
	2"	,,	2224	2224	2224	
	CPVC Reducing Male Adapter (Brass Threads)					
	3/4" x 1/2"	,,	229	229	229	
	CPVC Female Adapter (CPVC Threads)					
	1/2"		31	31	31	
	3/4"		51	51	51	
	1"		77	77	77	
	CPVC Female Adapters Brass Threads	गोटा				
	1/2"	,,	198	198	198	
	3/4"	,,	269	269	269	
	1"	,,	349	349	349	
	1-1/4"	,,	917	917	917	
	1-1/2"	,,	1020	1020	1020	
	2"	,,	1994	1994	1994	
	CPVC Caps					
	1/2"	,,	13	13	13	
	3/4"	,,	25	25	25	
	1"	,,	37	37	37	
	1-1/4"	,,	72	72	72	
	1-1/2"	,,	106	106	106	
	2"	,,	225	225	225	
	CPVC Union					
	1/2"	,,	270	270	270	
	3/4"	,,	398	398	398	
	1"	,,	471	471	471	
	1-1/4"	,,	862	862	862	
	1-1/2"	,,	942	942	942	
	2"	,,	1352	1352	1352	
	CPVC Cross Tee					

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	1/2"	,,	49	49	49	
	3/4"	,,	106	106	106	
	CPVC Step Over Bend					
	1/2"	,,	63	63	63	
	3/4"	,,	104	104	104	
	CPVC Ball Valve (CTS Sockets)					
	1/2"	,,	661	661	661	
	3/4"	,,	805	805	805	
	1"	,,	921	921	921	
	1-1/4"	,,	1879	1879	1879	
	1-1/2"	,,	2391	2391	2391	
	2"	,,	3075	3075	3075	
	CPVC Flow Guard Adhesive Solution					
	50ML	,,	199	199	199	
	118ML	,,	329	329	329	
	237ML	,,	533	533	533	
	473ML	,,	838	838	838	
	946ML	,,	1471	1471	1471	
	Plastic Strap					
	1/2"	,,	5	5	5	
	3/4"	,,	5	5	5	
	1"	,,	8	8	8	
	1-1/4"	,,	11	11	11	
	1-1/2"	,,	15	15	15	
	2"	,,	18	18	18	
	Metal Strap					
	1/2"	,,	13	13	13	
	3/4"	,,	16	16	16	
	1"	,,	21	21	21	
	1-1/4"	,,	25	25	25	
	1-1/2"	,,	27	27	27	
	2"	,,	29	29	29	
	Tee Holder					
	1/2" X 1/2" X 1/2"	,,	5	5	5	
	3/4" X 3/4" X 1/2"	,,	8	8	8	
	Elbow Holder					
	1/2" X 1/2"	,,	5	5	5	
	1/2" X 3/4"	,,	7	7	7	
	Snap Fix Repair Coupling					
	1/2"	,,	229	229	229	
	3/4"	,,	248	248	248	
	End plug threaded 1/2"	,,	11	11	11	
21	**MS SEAMLESS PIPES**					
	-PIPES: ASTM-A-106 Gr.'B'/SA-1 106Gr.'B'/SA-53/API 5L Gr.'B'/IS:123					
	MS PIPE SEAMLESS SIZE OD (MM)	,,				
	21.3 mm OD 1/2" SCH.40, 2.77 mm thickness	,,	411	411	411	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	26.7mm OD 3/4" SCH.40, 2.87 mm thickness	,,	493	493	493	
	33.4 mm OD 1" SCH.40, 3.38mm thickness	,,	618	618	618	
	42.2mm OD 1.1/4" SCH.40, 3.56mm thickness	,,	763	763	763	
	48.3 mm OD 1.5" SCH.40, 3.68 mm thickness	,,	873	873	873	
	60.3mm OD 2" SCH.40, 3.91 mm thickness	,,	1121	1121	1121	
	73mm OD 3" SCH.40,5.16 .mm thickness	,,	1723	1723	1723	
	88.9mm OD 3.5" SCH.40, 5.49 mm thickness	,,	2255	2255	2255	
	101.6mm OD 4" SCH.40, 5.74 mm thickness	,,	2914	2914	2914	
	114.3mm OD 5" SCH.40, 6.02 mm thickness	,,	3210	3210	3210	
	141.3mm OD 6" SCH.40, 6.557 mm thickness	,,	4347	4347	4347	
	168.3mm OD 4" SCH.40, 7.11 mm thickness	,,	5643	5643	5643	
22	**ASTRAL FOAMCORE UNDER GROUND PIPING SYSTEMS (GOLDEN BROWN)**					
	Single Socket (R/R)	Mtr	410	410	410	
	Single Socket (R/R)	,,	762	762	762	
	Single Socket (R/R)	,,	821	821	821	
	Single Socket Self Fit	,,	1058	1058	1058	
	Single Socket Self Fit	,,	1294	1294	1294	
	Single Socket Self Fit	,,	1778	1778	1778	
	Single Socket Self Fit	,,	2093	2093	2093	
	Single Socket Self Fit	,,	2795	2795	2795	
	Single Socket Self Fit	,,	3331	3331	3331	
	Long Radius Bend - 45 Degree	Pc	1083	1083	1083	
	Long Radius Bend - 45 Degree	,,	1977	1977	1977	
	Long Radius Bend - 45 Degree	,,	3569	3569	3569	
	Long Radius Bend - 45 Degree	,,	6921	6921	6921	
	Long Radius Bend - 60 Degree	,,	1193	1193	1193	
	Long Radius Bend - 60 Degree	,,	2186	2186	2186	
	Long Radius Bend - 60 Degree	,,	4010	4010	4010	
	Long Radius Bend - 60 Degree	,,	7593	7593	7593	
	Long Radius Bend - 90 Degree	,,	585	585	585	
	Long Radius Bend - 90 Degree	,,	1413	1413	1413	
	Long Radius Bend - 90 Degree	,,	2606	2606	2606	
	Long Radius Bend - 90 Degree	,,	4874	4874	4874	
	Long Radius Bend - 90 Degree	,,	8980	8980	8980	
	Fab. Coupler	,,	168	168	168	
	Fab. Coupler	,,	404	404	404	
	Fab. Coupler	,,	869	869	869	
	Fab. Coupler	,,	1700	1700	1700	
	Fab. Coupler	,,	3127	3127	3127	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	End Cap	,,	360	360	360	
	End Cap	,,	592	592	592	
	End Cap	,,	945	945	945	
	End Cap	,,	1380	1380	1380	
	Equal Tee	,,	10303	10303	10303	
	Equal Tee	,,	5929	5929	5929	
	Equal Tee	,,	3291	3291	3291	
	Gully Trap with grating	,,	962	962	962	
	Rodding Point	,,	570	570	570	
	Adjustable Bend 7 Degree to 37.5 Degree	,,	608	608	608	
	Adjustable Bend 7 Degree to 87.5 Degree	,,	834	834	834	
	Inspection Chamber Body	,,	3000	3000	3000	
	Inspection Chamber Riser	,,	1490	1490	1490	
	Inspection Chamber Lid with Cover	,,	2829	2829	2829	
	Inspection Chamber Body	,,	8284	8284	8284	
	Inspection Chamber Riser	,,	2634	2634	2634	
	Inspection Chamber Lid with Cover	,,	4395	4395	4395	
23	**GEBERIT**					
	Geberit Products					
	Concealled Cisterns 9cm	,,	7431	7431	7431	
	Concealled Cisterns Kombo fix 8cm	,,	9103	9103	9103	
	Dual Flush Actuator Plate Shiny Chrome	,,	3646	3646	3646	
	Concealled Cisterns 12cm	,,	9140	9140	9140	
	Dual Flush Actuator Plate Shiny Chrome	,,	3646	3646	3646	
	Traps for Wash Basins	,,	1004	1004	1004	
	Sensor for Urinal 9V DC	,,	25764	25764	25764	
	Sensor for Urinal 230V AC	,,	25764	25764	25764	
	control box for urinal sensor	,,	7078	7078	7078	
	Sensor Faucet Cold / Mixed water 6V DC	,,	32159	32159	32159	
	Sensor Faucet Cold / Mixed water 230V AC	,,	32159	32159	32159	
24	**PVC Lead Free White Pipes SCHEDULE 40**					
	"LEAD FREE" PVC PLUMBING SYSTEMS (100% SAFE FOR DRINKING WATER) PVC PIPES are as per ASTM D 1785, PVC FITTINGS are as per ASTM D 2466, PVC BRASS SCH 80 FITTINGS are as per ASTM D 2467, PVC SOLVENT as per ASTM D 2564					
	PVC Lead Free White Pipes SCH 40 (….. Kg/cm2)	m.				
	1/2" dia. (42.19 Kg/cm2)	,,	114	114	114	
	3/4"dia. (33.75 Kg/cm2)	,,	147	147	147	
	1" dia. (31.64 Kg/cm2)		226	226	226	
	1-1/4" dia. (26.01 Kg/cm2)	,,	279	279	279	
	1-1/2" dia. (23.20 Kg/cm2)	,,	342	342	342	
	2" dia. (19.69 Kg/cm2)		485	485	485	
	2-1/2" dia. (21.09 Kg/cm2)	,,	678	678	678	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	3" dia. (18.28 Kg/cm2)	,,	856	856	856	
	4" dia. (15.47 Kg/cm2)		1256	1256	1256	
	6" dia. (12.66 Kg/cm2)	,,	2616	2616	2616	
	PVC Tee - Soc	गोटा				
	1/2"	,,	32	32	32	
	3/4"	,,	44	44	44	
	1"	,,	69	69	69	
	1-1/4"	,,	109	109	109	
	1-1/2"	,,	143	143	143	
	2"	,,	221	221	221	
	2-1/2"	,,	633	633	633	
	3"	,,	831	831	831	
	4"	,,	1503	1503	1503	
	6"	,,	8336	8336	8336	
	PVC Reducer Tee - Soc	गोटा				
	3/4 x 1/2	,,	63	63	63	
	1 x 1/2	,,	97	97	97	
	1 x 3/4	,,	97	97	97	
	1-1/2 X 1/2	,,	329	329	329	
	1-1/2 X 3/4	,,	329	329	329	
	1-1/2 X 1	,,	329	329	329	
	1-1/2 X 1-1/4	,,	329	329	329	
	2 X 1/2	,,	406	406	406	
	2 X 3/4	,,	406	406	406	
	2 X 1	,,	406	406	406	
	2 X 1-1/4	,,	406	406	406	
	2 X 1-1/2	,,	406	406	406	
	2-1/2 X 1/2	,,	1043	1043	1043	
	2-1/2 X 3/4	,,	1043	1043	1043	
	2-1/2 X 1	,,	1043	1043	1043	
	2-1/2 X 1-1/4	,,	1043	1043	1043	
	2-1/2 X 1-1/2	,,	1043	1043	1043	
	2-1/2 X 2	,,	1043	1043	1043	
	3 X 1/2	,,	1523	1523	1523	
	3 X 3/4	,,	1523	1523	1523	
	3 X 1	,,	1523	1523	1523	
	3 X 1-1/4	,,	1523	1523	1523	
	3 X 1-1/2	,,	1523	1523	1523	
	3 X 2	,,	1523	1523	1523	
	3 X 2-1/2	,,	1523	1523	1523	
	6 X 1-1/4	,,	8007	8007	8007	
	6 X 1-1/2	,,	8007	8007	8007	
	6 X 2	,,	8007	8007	8007	
	6 X 2-1/2	,,	8007	8007	8007	
	6 X 3	,,	8007	8007	8007	
	6 X 4	,,	8007	8007	8007	
	PVC Brass Tee - Soc x Fipt SCH 80	गोटा				
	1/2"		161	161	161	
	3/4"		292	292	292	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	3/4" X 1/2"		237	237	237	
	1" X 1/2"		420	420	420	
	PVC 90º Elbow - Soc	गोटा				
	1/2"	,,	26	26	26	
	3/4"	,,	30	30	30	
	1"	,,	53	53	53	
	1-1/4"	,,	93	93	93	
	1-1/2"	,,	109	109	109	
	2"	,,	167	167	167	
	2-1/2"	,,	496	496	496	
	3"	,,	594	594	594	
	4"	,,	1216	1216	1216	
	6"	,,	5121	5121	5121	
	PVC Brass 90º Elbow Soc x Fipt SCH 80	गोटा				
	1/2"	,,	173	173	173	
	3/4"	,,	242	242	242	
	3/4" X 1/2"	,,	250	250	250	
	PVC 45º Elbow - Soc	गोटा				
	1/2"	,,	55	55	55	
	3/4"	,,	86	86	86	
	1"	,,	102	102	102	
	1-1/4"	,,	143	143	143	
	1-1/2"	,,	180	180	180	
	2"	,,	234	234	234	
	2-1/2"	,,	669	669	669	
	3"	,,	1040	1040	1040	
	4"	,,	1866	1866	1866	
	6"	,,	5135	5135	5135	
	PVC Coupling - Soc	गोटा				
	1/2"	,,	17	17	17	
	3/4"	,,	26	26	26	
	1"	,,	41	41	41	
	1-1/4"	,,	56	56	56	
	1-1/2"	,,	76	76	76	
	2"	,,	117	117	117	
	2-1/2"	,,	247	247	247	
	3"	,,	386	386	386	
	4"	,,	604	604	604	
	6"	,,	2420	2420	2420	
	PVC Reducer Coupling - Soc	गोटा				
	3/4 X 1/2	,,	42	42	42	
	1 X 3/4	,,	73	73	73	
	1-1/2 X 1-1/4	,,	131	131	131	
	2 X 1-1/2	,,	208	208	208	
	4 x 2	,,	1392	1392	1392	
	4 X 3	,,	1392	1392	1392	
	6 X 4	,,	2895	2895	2895	
	PVC Reducer Bushing - (Flush Style)	गोटा				
	3/4 X 1/2	,,	35	35	35	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	1 X 1/2	,,	50	50	50	
	1 X 3/4	,,	50	50	50	
	1-1/4 X 1/2	,,	86	86	86	
	1-1/4 X 3/4	,,	86	86	86	
	1-1/4 X 1	,,	86	86	86	
	1-1/2 X 1/2	,,	90	90	90	
	1-1/2 X 3/4	,,	90	90	90	
	1-1/2 X 1	,,	90	90	90	
	1-1/2 X 1-1/4	,,	90	90	90	
	2 X 1/2	,,	165	165	165	
	2 X 3/4	,,	165	165	165	
	2 X 1	,,	165	165	165	
	2 X 1-1/4	,,	165	165	165	
	2 X 1-1/2	,,	165	165	165	
	2-1/2 X 1-1/4	,,	232	232	232	
	2-1/2 X 1-1/2	,,	232	232	232	
	2-1/2 X 2	,,	232	232	232	
	3 X1-1/2	,,	344	344	344	
	3 X2	,,	344	344	344	
	3 X2-1/2	,,	344	344	344	
	4 X 2	,,	676	676	676	
	4 X 3	,,	676	676	676	
	6 X 2	,,	2271	2271	2271	
	6 X 3	,,	2271	2271	2271	
	6 X 4	,,	2271	2271	2271	
	PVC Cap - Soc	गोटा				
	1/2"	,,	24	24	24	
	3/4"	,,	30	30	30	
	1"	,,	42	42	42	
	1-1/4"	,,	60	60	60	
	1-1/2"	,,	66	66	66	
	2"	,,	79	79	79	
	2-1/2"	,,	254	254	254	
	3"	,,	278	278	278	
	4"	,,	633	633	633	
	6"	,,	2498	2498	2498	
	PVC Union - Soc With EPDM O-Ring Seal	गोटा				
	1/2"	,,	254	254	254	
	3/4"	,,	291	291	291	
	1"	,,	298	298	298	
	1-1/4"	,,	960	960	960	
	1-1/2"	,,	1001	1001	1001	
	2"	,,	1350	1350	1350	
	2-1/2"	,,	1889	1889	1889	
	3"	,,	3018	3018	3018	
	4"		4178	4178	4178	
	PVC Male Adaptor - Soc x MBSP	गोटा				
	1/2"	,,	46	46	46	
	3/4"	,,	54	54	54	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	1"	,,	71	71	71	
	1-1/4"	,,	87	87	87	
	1-1/2"	,,	121	121	121	
	2"	,,	156	156	156	
	2-1/2"	,,	545	545	545	
	3"	,,	648	648	648	
	4"	,,	1025	1025	1025	
	6"	,,	2359	2359	2359	
	PVC Brass Male Adapter - Soc x Mipt SCH 80	गोटा				
	1/2"	,,	262	262	262	
	3/4"	,,	350	350	350	
	1"	,,	527	527	527	
	PVC Female Adaptor - Soc x FBSP	गोटा				
	1/2"	,,	59	59	59	
	3/4"	,,	61	61	61	
	1"	,,	64	64	64	
	1-1/4"	,,	167	167	167	
	1-1/2"	,,	245	245	245	
	2"	,,	238	238	238	
	PVC Brass Female Adapter - Soc x Fipt SCH 80	गोटा				
	1/2"	,,	220	220	220	
	3/4"	,,	311	311	311	
	1"	,,	399	399	399	
	PVC Ball Valve - Soc	गोटा				
	1/2"	,,	881	881	881	
	3/4"	,,	1048	1048	1048	
	1"	,,	1466	1466	1466	
	1-1/4"	,,	1985	1985	1985	
	1-1/2"	,,	3027	3027	3027	
	2"	,,	3828	3828	3828	
	2-1/2"	,,	6323	6323	6323	
	3"	,,	10018	10018	10018	
	4"	,,	16556	16556	16556	
	6"	,,	35961	35961	35961	
	PVC Adhesive Solution (Med. Bonded 705)	गोटा				
	118ML	,,	306	306	306	
	237ML	,,	439	439	439	
	473ML	,,	795	795	795	
	946ML	,,	1308	1308	1308	
	PVC Adhesive Solution (Heavy Bonded 717)	गोटा				
	118ML	,,	492	492	492	
	237ML	,,	649	649	649	
	473ML	,,	1138	1138	1138	
	946ML	,,	1969	1969	1969	
25	**Rainwater Collection System sintex or Prince Brand Roof)**					
	140 mm Dia.					

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	Rm.	159	159	159	
	JOINT BRACKET To connect two lengths of roof water	Pc.	257	257	257	
	RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	Pc.	352	352	352	
	90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	Pc.	432	432	432	
	90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	Pc.	432	432	432	
	SHORT STOP END To close the end of roof water pipe line.	Pc.	95	95	95	
	STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	Pc.	305	305	305	
	SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	Pc.	77	77	77	
	TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	Pc.	50	50	50	
	CLAMP To ensure perfect fixing between pipe and fittings.	Pc.	32	32	32	
	RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	Pc.	77	77	77	
	RUBBER GASKET To provide leak proof joints.	Pc.	30	30	30	
	75 mm dia.					
	PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	Pc.	63	63	63	
	RUBBER SEALS To ensure, leak proof joint of single socket elbow.	Pc.	38	38	38	
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	Pc.	126	126	126	
	180 mm dia.					

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	Pc.	302	302	302	
	JOINT BRACKET To connect two lengths of roof water	Pc.	358	358	358	
	RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	Pc.	518	518	518	
	90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	Pc.	592	592	592	
	90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	Pc.	592	592	592	
	SHORT STOP END To close the end of roof water pipe line.	Pc.	140	140	140	
	STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water,	Pc.	424	424	424	
	SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	Pc.	108	108	108	
	TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	Pc.	91	91	91	
	CLAMP To ensure perfect fixing between pipe and fittings.	Pc.	51	51	51	
	RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	Pc.	110	110	110	
	RUBBER GASKET To provide leak proof joints.	Pc.	41	41	41	
	110 mm dia.					
	PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	Pc.	68	68	68	
	RUBBER SEALS To ensure, leak proof joint of single socket elbow.	Pc.	44	44	44	
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	Pc.	243	243	243	
	250 mm dia.					
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	Pc.	585	585	585	
	JOINT BRACKET To connect two lengths of roof water	Pc.	614	614	614	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	Pc.	965	965	965	
	90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	Pc.	1387	1387	1387	
	90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	Pc.	1387	1387	1387	
	SHORT STOP END To close the end of roof water pipe line.	Pc.	302	302	302	
	STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	Pc.	802	802	802	
	SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	Pc.	300	300	300	
	TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	Pc.	164	164	164	
	CLAMP To ensure perfect fixing between pipe and fittings.	Pc.	122	122	122	
	RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	Pc.	318	318	318	
	RUBBER GASKET To provide leak proof joints.	Pc.	166	166	166	
	160 mm dia.					
	PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	Pc.	82	82	82	
	RUBBER SEALS To ensure, leak proof joint of single socket elbow.	Pc.	191	191	191	
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	Pc.	437	437	437	
	ASTRAL "DWV" UPVC DRAIN, WASTE & VENT SYSTEM and Ashirvad SWR Systems					
	ASTRAL DWV FOAM CORE PIPING SYSTEM (ABOVE GROUND) GREY					
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4 75mm	per mtr.	247	247	247	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-8	"	438	438	438	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	"	262	262	262	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-8	"	470	470	470	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4 110mm	"	447	447	447	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-8	"	673	673	673	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	"	473	473	473	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-8	"	696	696	696	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-2 160 mm dia	"	959	959	959	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4	"	1196	1196	1196	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-2	"	1022	1022	1022	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	"	1350	1350	1350	
	ASTRAL DWV AND ASHIRVAD SWR FITTINGS (ABOVE GROUND) GREY					
	DWV Bend 45 Degree **75 mm size**	pcs	140	140	140	
	DWV Bend 87.5 Degree	"	177	177	177	
	DWV Bend 87.5 Degree with Door	"	81	81	81	
	DWV Socket Plug	"	189	189	189	
	DWV Cleansing Pipe	"	114	114	114	
	DWV Coupler	"	202	202	202	
	DWV Single Tee	"	222	222	222	
	DWV Single Tee with Door	"	349	349	349	
	DWV Cross Tee	"	491	491	491	
	DWV Cross Tee with Door	"	361	361	361	
	DWV Double 'Y'	"	481	481	481	
	DWV Double 'Y' with Door	"	226	226	226	
	DWV Single 'Y'	"	288	288	288	
	DWV Single 'Y' with Door	"	12	12	12	
	DWV Pipe Clip	"	25	25	25	
	DWV Vent Cowel	"	230	230	230	
	DWV Bend 45 Degree **110mm size**	"	282	282	282	
	DWV Bend 87.5 Degree	"	323	323	323	
	DWV Bend 87.5 Degree with Door	"	103	103	103	
	DWV Socket Plug	"	370	370	370	
	DWV Cleansing Pipe	"	206	206	206	
	DWV Coupler	"	684	684	684	
	DWV Double 'Y'	"	808	808	808	
	DWV Double 'Y' with Door	"	566	566	566	
	DWV Cross Tee	"	642	642	642	
	DWV Cross Tee with Door	"	370	370	370	
	DWV Single Tee	"	437	437	437	
	DWV Single Tee with Door	"	453	453	453	
	DWV Single 'Y'	"	475	475	475	
	DWV Single 'Y' with Door	"	47	47	47	
	DWV Vent Cowel	"	161	161	161	
	DWV Reducer 110*75 mm	"	36	36	36	
	DWV Pipe Clip 110mm size	"	436	436	436	
	DWV W.C. Connectore (Straight type)	"	348	348	348	
	DWV W.C. Connectore (Bend type)	"	174	174	174	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	DWV Nahani Trap - 3" Height without Jali75 mm	"	24	24	24	
	DWV Nahani Trap Jali	"	539	539	539	
	DWV P-Trap with Leap Ring 10*110 mm	"	773	773	773	
	DWV P-Trap with Leap Ring 25*110 mm	"	232	232	232	
	DWV Multi Floor Trap 4" w/o Jali 75 mm	"	470	470	470	
	DWV Reducer 60*110 mm	"	449	449	449	
	DWV Coupler **160mm size**	"	1077	1077	1077	
	DWV Single Tee	"	1157	1157	1157	
	DWV Single Tee with Door	"	2016	2016	2016	
	DWV Single 'Y'	"	2118	2118	2118	
	DWV Single 'Y' with Door	"	742	742	742	
	DWV Bend 87.5 Degree	"	988	988	988	
	DWV Bend 87.5 Degree with Door	"	864	864	864	
	DWV Bend 45 Degree	"				
	FOAMCORE PIPING SYSTEMS (UNDER GROUND) GOLDEN BROWN COLOR					
	FOAMCORE Plain Both End (3mtrs length) SN-8 110 mm	per mtr.	584	584	584	
	FOAMCORE Single Socket (R/R) (3mtrs length) SN-8	"	606	606	606	
	FOAMCORE Double Socket (R/R) (3mtrs length) SN-8	"	630	630	630	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-8	"	593	593	593	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-8	"	604	604	604	
	FOAMCORE Plain Both End (3mtrs length) SN-4 160 mm	"	1078	1078	1078	
	FOAMCORE Single Socket (R/R) (3mtrs length) SN-4	"	1120	1120	1120	
	FOAMCORE Double Socket (R/R) (3mtrs length) SN-4	"	1163	1163	1163	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	1096	1096	1096	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	1116	1116	1116	
	FOAMCORE Plain Both End (3mtrs length) SN-4 200 mm	"	1688	1688	1688	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	1718	1718	1718	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	1746	1746	1746	
	FOAMCORE Plain Both End (3mtrs length) SN-4	"	2801	2801	2801	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	2849	2849	2849	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	2899	2899	2899	
	FOAMCORE Plain Both End (3mtrs length) SN-2 315 mm	"	3709	3709	3709	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-2	"	3773	3773	3773	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-2	"	3838	3838	3838	
	FOAMCORE Plain Both End (3mtrs length) SN-4	"	4583	4583	4583	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	4663	4663	4663	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	4743	4743	4743	
	FOAMCORE Plain Both End (6mtrs length) SN-8	"	583	583	583	
	FOAMCORE Single Socket (R/R) (6mtrs length) SN-8	"	598	598	598	
	FOAMCORE Double Socket (R/R) (6mtrs length) SN-8	"	613	613	613	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-8	"	594	594	594	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-8	"	605	605	605	
	FOAMCORE Plain Both End (6mtrs length) SN-4	"	1077	1077	1077	
	FOAMCORE Single Socket (R/R) (6mtrs length) SN-4	"	1109	1109	1109	
	FOAMCORE Double Socket (R/R) (6mtrs length) SN-4	"	1139	1139	1139	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	1097	1097	1097	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	"	1116	1116	1116	
	FOAMCORE Plain Both End (6mtrs length) SN-4	"	1688	1688	1688	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	1718	1718	1718	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	"	1747	1747	1747	
	FOAMCORE Plain Both End (6mtrs length) SN-4	"	2801	2801	2801	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	2849	2849	2849	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	"	2898	2898	2898	
	FOAMCORE Plain Both End (6mtrs length) SN-2	"	3709	3709	3709	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-2	"	3773	3773	3773	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-2	"	3838	3838	3838	
	FOAMCORE Plain Both End (6mtrs length) SN-4	"	4583	4583	4583	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	4663	4663	4663	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	"	4743	4743	4743	
	ASTRAL FOAMCORE PIPING SYSTEMS (UNDER GROUND) GOLDEN BROWN COLOR					
	DWV Coupler SN-8 110mm	per pc	294	294	294	
	DWV Coupler SN-4 160 mm	"	708	708	708	
	DWV Coupler SN-4 200 mm	"	1447	1447	1447	
	DWV Coupler SN-4 250 mm	"	2697	2697	2697	
	DWV Coupler SN-2 315mm	"	4338	4338	4338	
	DWV Coupler SN-4 315 mm	"	4736	4736	4736	
	DWV Long Radius Bend - 90 Degree SN-8 110mm	"	1001	1001	1001	
	DWV Long Radius Bend - 90 Degree SN-4 160 mm	"	2787	2787	2787	
	DWV Long Radius Bend - 90 Degree SN-4 200mm	"	5205	5205	5205	
	DWV Long Radius Bend - 90 Degree SN-4 250 mm	"	11668	11668	11668	
	DWV Long Radius Bend - 90 Degree SN-4 315 mm	"	27705	27705	27705	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
26	**Multilayer Composite Pipe (Sanghai, or eqv.)**					
	Cold Water Pipe (White)					
	12-16 mm ½"	Rm	101	101	101	
	14-18 mm ½"	"	111	111	111	
	16-20 mm ½"	"	119	119	119	
	20-25 mm ¾"	"	180	180	180	
	26-32 mm 1"	"	281	281	281	
	32-40 mm 1¼"	"	446	446	446	
	41-50 mm 1½"	"	653	653	653	
	Hot Water Pipe (Orange)					
	12-16 mm ½"	Rm	111	111	111	
	14-18 mm ½"	"	123	123	123	
	16-20 mm ½"	"	141	141	141	
	20-25 mm ¾"	"	208	208	208	
	26-32 mm 1"	"	302	302	302	
	32-40 mm 1¼"	"	465	465	465	
	Gas Lines Pipe (Yellow)					
	12-16 mm ½"	Rm	87	87	87	
	14-18 mm ½"	"	87	87	87	
	MULTILAYER COMPOSITE Fittings					
	a. Equal Straight Union					
	½"ø (16mm ø)	गोटा	133	133	133	
	½"ø (18mm ø)	"	140	140	140	
	½"ø (20mm ø)	"	154	154	154	
	¾" ø (25 mm ø)	"	225	225	225	
	1" ø (32 mm ø)	"	351	351	351	
	1¼" ø (40 mm ø)	"	1296	1296	1296	
	1½" ø (50 mm ø)	"	1958	1958	1958	
	b. Unequal Straight Union					
	25 - 16 mm ø	"	252	252	252	
	25 - 18 mm ø	"	261	261	261	
	25 - 20 mm ø	"	275	275	275	
	32 - 16 mm ø	"	338	338	338	
	32 - 18 mm ø	"	356	356	356	
	32 - 20 mm ø	"	383	383	383	
	32 - 25 mm ø	"	410	410	410	
	40 - 32 mm ø	"	1121	1121	1121	
	50 - 20 mm ø	"	1634	1634	1634	
	50 - 32 mm ø	"	1958	1958	1958	
	50 - 40 mm ø	"	1845	1845	1845	
	c. Male Union					
	16mm x ½"M	गोटा	95	95	95	
	18mm x ½"M	"	110	110	110	
	20mm x ½"M	"	126	126	126	
	25mm x ½"M	"	153	153	153	
	25mm x ¾"M	"	194	194	194	
	25mm x 1"M	"	248	248	248	
	32mm x ¾"M	"	284	284	284	
	32mm x 1"M	"	311	311	311	
	32mm x 1½"M	"	315	315	315	
	40mm x 1"M	"	995	995	995	
	40mm x 1½"M	"	1030	1030	1030	
	50mm x 1"M	"	1563	1563	1563	
	50mm x 1¼"M	"	1590	1590	1590	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	50mm x 1½"M	"	2160	2160	2160	
	50mm x 2"M	"	1623	1623	1623	
	d. Female Straight Union					
	16mm x ½"F	गोटा	104	104	104	
	18mm x ½"F	"	113	113	113	
	20mm x ½"F	"	122	122	122	
	25mm x ½"F	"	162	162	162	
	25mm x ¾"F	"	194	194	194	
	25mm x 1"F	"	198	198	198	
	32mm x ½"F	"	203	203	203	
	32mm x ¾"F	"	207	207	207	
	32mm x 1"F	"	293	293	293	
	40mm x 1½"F	"	1168	1168	1168	
	50mm x 1¼"F	"	1575	1575	1575	
	50mm x 1½"F	"	2160	2160	2160	
	50mm x 2"F	"	1638	1638	1638	
	e. Equal Elbow					
	½"ø (16mm ø)	गोटा	126	126	126	
	½"ø (18mm ø)	"	153	153	153	
	½"ø (20mm ø)	"	207	207	207	
	¾" ø (25 mm ø)	"	315	315	315	
	1" ø (32 mm ø)	"	509	509	509	
	1¼" ø (40 mm ø)	"	1656	1656	1656	
	1½" ø (50 mm ø)	"	2565	2565	2565	
	f. Unequal Elbow					
	40 - 32 mm ø	"	1836	1836	1836	
	50 - 20 mm ø	"	2115	2115	2115	
	50 - 40 mm ø	"	2156	2156	2156	
	g. Female Elbow					
	16mm x ½"F	गोटा	167	167	167	
	18mm x ½"F	"	185	185	185	
	20mm x ½"F	"	203	203	203	
	25mm x ½"F	"	225	225	225	
	25mm x ¾"F	"	279	279	279	
	25mm x 1"F	"	306	306	306	
	32mm x ¾"F	"	329	329	329	
	32mm x 1"F	"	410	410	410	
	50mm x 1¼"F	"	2115	2115	2115	
	h. Male Elbow					
	25mm x ¾"M	"	225	225	225	
	25mm x 1"M	"	293	293	293	
	32mm x ¾"M	"	221	221	221	
	32mm x 1"M	"	374	374	374	
	40mm x 1"M	"	1215	1215	1215	
	50mm x 1"M	"	1732	1732	1732	
	i. Equal Tee					
	½"ø (16mm ø)	गोटा	225	225	225	
	½"ø (18mm ø)	"	252	252	252	
	½"ø (20mm ø)	"	315	315	315	
	¾" ø (25 mm ø)	"	455	455	455	
	1" ø (32 mm ø)	"	711	711	711	
	1¼" ø (40 mm ø)	"	2658	2658	2658	
	1½" ø (50 mm ø)	"	3884	3884	3884	
	j. Unequal Tee					

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	20 mm x 16 mm x 20 mm	"	203	203	203	
	20 mm x 18 mm x 20 mm	"	225	225	225	
	25 mm x 16 mm x 25 mm	"	338	338	338	
	25 mm x 18 mm x 25 mm	"	383	383	383	
	25 mm x 20 mm x 25 mm	"	396	396	396	
	32 mm x 16 mm x 32 mm	"	653	653	653	
	32 mm x 18 mm x 32 mm	"	675	675	675	
	32 mm x 20 mm x 32 mm	"	702	702	702	
	32 mm x 25 mm x 32 mm	"	720	720	720	
	40 mm x 32 mm x 32 mm	"	1967	1967	1967	
	40 mm x 32 mm x 40 mm	"	2278	2278	2278	
	50 mm x 20 mm x 50 mm	"	3105	3105	3105	
	50 mm x 32 mm x 32 mm	"	2047	2047	2047	
	50 mm x 32 mm x 50 mm	"	3137	3137	3137	
	50 mm x 40 mm x 40 mm	"	3147	3147	3147	
	50 mm x 40 mm x 50 mm	"	3595	3595	3595	
	k. Female Tee					
	16mm x ½"F x 16mm	गोटा	225	225	225	
	18mm x ½"F x 18mm	"	234	234	234	
	20mm x ½"F x 20mm	"	252	252	252	
	25mm x ½"F x 25mm	"	237	237	237	
	25mm x ¾"F x 25mm	"	261	261	261	
	25mm x 1"F x 25mm	"	338	338	338	
	32mm x ½"F x 32mm	"	365	365	365	
	32mm x ¾"F x 32mm	"	374	374	374	
	32mm x 1"F x 32mm	"	507	507	507	
	40mm x ¾"F x 32mm	"	1496	1496	1496	
	50mm x ¾"F x 40mm	"	2219	2219	2219	
	l. Equal Ball Valve Union					
	½"ø (16mm ø)	गोटा	262	262	262	
	½"ø (18mm ø)	"	291	291	291	
	½"ø (20mm ø)	"	383	383	383	
	¾" ø (25 mm ø)	"	635	635	635	
	1" ø (32 mm ø)	"	882	882	882	
	1¼" ø (40 mm ø)	"	2882	2882	2882	
	1½" ø (50 mm ø)	"	4159	4159	4159	
	m. Female Ball Valve Union					
	16mm x ½"F	गोटा	244	244	244	
	18mm x ½"F	"	280	280	280	
	20mm x ½"F	"	313	313	313	
	20mm x ¾"F	"	351	351	351	
	25mm x ¾"F	"	653	653	653	
	25mm x 1"F	"	666	666	666	
	32mm x 1"F	"	702	702	702	
	n. Plug					
	1¼" ø (40 mm ø)	"	1440	1440	1440	
	1½" ø (50 mm ø)	"	1980	1980	1980	
	p. Wall Plated Female Elbow					
	16mm x ½"F	गोटा	189	189	189	
	18mm x ½"F	"	207	207	207	
	20mm x ½"F	"	225	225	225	
	q. Nipple					
	N 1/2F*1/2F	गोटा	49	49	49	
	N 1/2M*1/2M	"	49	49	49	
	N 3/4F*1/2F	"	68	68	68	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	N 1F*1/2F	"	77	77	77	
	N 1F*3/4F	"	87	87	87	
	N 3/4M*1/2M	"	68	68	68	
	N 1M*1/2M	"	77	77	77	
	N 1M*3/4M	"	87	87	87	
	N 1/2F*1/2M	"	59	59	59	
	N 1/2F*3/4M	"	68	68	68	
	N 1/2F*1M	"	107	107	107	
	N 1/2M*3/4F	"	68	68	68	
	N 1/2M*1F	"	112	112	112	
	N 3/4F*3/4M	"	87	87	87	
	N 3/4F*1M	"	96	96	96	
	N 3/4M*1F	"	127	127	127	
27	**Supplying laying & jointing of Nepal Plastic (Blue colour slotted)Pvc pipe for different size of Ordinary Boring work by manually**					
	a.1) 1.5" Pvc pipe ordinary Boring with necessary materials etc. upto 150'	र.मि	486	486	486	
	a.2) Failure chagre per well	संख्या	1350	1350	1350	
	b.1) 2" Pvc pipe ordinary Boring with necessary materials etc. upto 150'	र.मि	693	693	693	
	b.2) Failure chagre per well	संख्या	3600	3600	3600	
	c.1) 3" Pvc pipe ordinary Boring with necessary materials etc. upto 150'	र.मि	1323	1323	1323	
	c.2) Failure chagre per well	संख्या	4680	4680	4680	
	d.1) 4" Pvc pipe ordinary Boring with necessary materials etc.	र.मि	1872	1872	1872	
	d.2) Failure chagre per well	संख्या	5400	5400	5400	
	Submercible pump installation fixing position with GI touching wire all complete work	संख्या	1575	1575	1575	
28	**R.C.C. Hume Pipe & Hume Pipe Collar**					
	PIPES					
	a) NP-2					
	150 mm dia.	र.मि	580	580	580	
	200 mm dia.	,,	760	760	760	
	250 mm dia.	,,	955	955	955	
	300 mm dia.	,,	1290	1290	1290	
	350 mm dia.	,,	1430	1430	1430	
	375 mm dia.	,,	1565	1565	1565	
	400 mm dia.	,,	1790	1790	1790	
	450 mm dia.	,,	1900	1900	1900	
	500 mm dia.	,,	2135	2135	2135	
	600 mm dia.	,,	2800	2800	2800	
	700 mm dia.	,,	3675	3675	3675	
	750 mm dia.	,,	3975	3975	3975	
	800 mm dia.	,,	4440	4440	4440	
	900 mm dia.	,,	6000	6000	6000	
	1000 mm dia.	,,	7000	7000	7000	
	1200 mm dia.	,,	8540	8540	8540	
	1500 mm dia.	,,	17950	17950	17950	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	b) NP-3					
	150 mm dia.	र.मि	1305	1305	1305	
	200 mm dia.	,,	1740	1740	1740	
	250 mm dia.	,,	2180	2180	2180	
	300 mm dia.	,,	3130	3130	3440	
	350 mm dia.	,,	3515	3515	3515	
	375 mm dia.	,,	3750	3750	3750	
	400 mm dia.	,,	4000	4000	4000	
	450 mm dia.	,,	4490	4490	4715	
	500 mm dia.	,,	5010	5010	5010	
	600 mm dia.	,,	6190	6190	6190	
	700 mm dia.	,,	7475	7475	7475	
	750 mm dia.	,,	8590	8590	8590	
	800 mm dia.	,,	9375	9375	9375	
	900 mm dia.	,,	12150	12150	12150	
	1000 mm dia.	,,	13500	13500	13500	
	1200 mm dia.	,,	16080	16080	16080	
	1500 mm dia.	,,	25270	25270	25270	
	R.C.C. Hume Pipe Collar					
	a) NP-2					
	150 mm dia.	गोटा	145	145	145	
	200 mm dia.	,,	190	190	190	
	250 mm dia.	,,	235	235	235	
	300 mm dia.	,,	320	320	320	
	350 mm dia.	,,	350	350	350	
	375 mm dia.	,,	390	390	390	
	400 mm dia.	,,	450	450	450	
	450 mm dia.	,,	475	475	475	
	500 mm dia.	,,	535	535	535	
	600 mm dia.	,,	705	705	705	
	700 mm dia.	,,	920	920	920	
	750 mm dia.	,,	990	990	990	
	800 mm dia.	,,	1100	1100	1100	
	900 mm dia.	,,	1500	1500	1500	
	1000 mm dia.	,,	1750	1750	1750	
	1200 mm dia.	,,	2130	2130	2130	
	1500 mm dia.	,,	4475	4475	4475	
	b) NP-3					
	150 mm dia.	,,	325	325	325	
	200 mm dia.	,,	435	435	435	
	250 mm dia.	,,	545	545	545	
	300 mm dia.	,,	775	775	775	
	350 mm dia.		875	875	875	
	375 mm dia.		930	930	930	
	400 mm dia.	,,	1000	1000	1000	
	450 mm dia.	,,	1120	1120	1120	
	500 mm dia.	,,	1250	1250	1250	
	600 mm dia.	,,	1540	1540	1540	
	700 mm dia.	,,	1860	1860	1860	
	750 mm dia.	,,	2145	2145	2145	
	800 mm dia.	,,	2340	2340	2340	
	900 mm dia.	,,	3030	3030	3030	
	1000 mm dia.	,,	3375	3375	3375	
	1200 mm dia.	,,	4020	4020	4020	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	1500 mm dia.	,,	6300	6300	6300	
	R.C.C.Spigot Pipes (Socket System)					
	a) NP-2					
	150 mm dia.	र.मि	-	-	-	
	200 mm dia.	,,	-	-	-	
	250 mm dia.	,,	-	-	-	
	300 mm dia.	,,	-	-	-	
	350 mm dia.	,,	-	-	-	
	400 mm dia.	,,	-	-	-	
	450 mm dia.	,,	-	-	-	
	500 mm dia.	,,	-	-	-	
	600 mm dia.	,,	-	-	-	
	700 mm dia.	,,	-	-	-	
	750 mm dia.	,,	-	-	-	
	800 mm dia.	,,	-	-	-	
	900 mm dia.	,,	-	-	-	
	1000 mm dia.	,,	-	-	-	
	1200 mm dia.	,,	-	-	-	
	b) NP-3					
	150 mm dia.	र.मि	1475	1475	1475	
	200 mm dia.	,,	2000	2000	2000	
	250 mm dia.	,,	2505	2505	2505	
	300 mm dia.	,,	3600	3600	3600	
	350 mm dia.	,,	-	-	-	
	400 mm dia.	,,	4605	4605	4605	
	450 mm dia.	,,	5170	5170	5170	
	500 mm dia.	,,	5765	5765	5765	
	600 mm dia.	,,	7120	7120	7120	
	700 mm dia.	,,	8600	8600	8600	
	800 mm dia.	,,	10780	10780	10780	
	900 mm dia.	,,	13980	13980	13980	
	1000 mm dia.	,,	15540	15540	15540	
	1200 mm dia.	,,	18490	18490	18490	
	1500 mm dia.	,,	29735	29735	29735	
	1600 mm dia.	,,	34300	34300	34300	
	1800 mm dia.	,,	45680	45680	45680	
29	**High Density Polythene Pipe NS-40**					
	Pipes of different sizes, series & pressure					
	HDP Pipe/ PE100PNG	Kg	265	265	275	
29.1	**2.5Kg/cm^2 Series II**					
	63 mm (0.403 Avg.wt. Kg/m)	Rm	107	107	111	
	75 mm (0.557 Avg.wt Kg/m)	,,	148	148	153	
	90 mm (0.799 Avg.wt Kg/m)	,,	212	212	220	
	110 mm (1.185 Avg.wt Kg/m)	,,	314	314	326	
	125 mm (1.530 Avg.wt Kg/m)	,,	405	405	421	
	140 mm (1.897 Avg.wt Kg/m)	,,	503	503	522	
	160 mm (2.453 Avg.wt Kg/m)	,,	650	650	675	
	180 mm (3.148 Avg.wt Kg/m)	,,	834	834	866	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	200 mm (3.875 Avg.wt Kg/m)	,,	1027	1027	1066	
	225 mm (4.822 Avg.wt Kg/m)	,,	1278	1278	1326	
	250 mm (6.012 Avg.wt Kg/m)	,,	1593	1593	1653	
	280 mm (7.471 Avg.wt Kg/m)	,,	1980	1980	2055	
	315 mm (9.417 Avg.wt Kg/m)	,,	2496	2496	2590	
	355 mm (11.957 Avg.wt Kg/m)	,,	3169	3169	3288	
	400 mm (15.221 Avg.wt Kg/m)		4034	4034	4186	
	450 mm (19.163 Avg.wt Kg/m)		5078	5078	5270	
29.2	**4 Kg/cm^2 Series III PN6**				0	
	40 mm (0.251 Avg.wt Kg/m)	Rm	67	67	69	
	50 mm (0.378 Avg.wt Kg/m)	,,	100	100	104	
	63 mm (0.585 Avg.wt Kg/m)	,,	155	155	161	
	75 mm (0.846 Avg.wt Kg/m)	,,	224	224	233	
	90 mm (1.220 Avg.wt Kg/m)	,,	323	323	336	
	110 mm (1.703 Avg.wt Kg/m)	,,	451	451	468	
	125 mm (2.289 Avg.wt Kg/m)	,,	607	607	629	
	140 mm (2.901 Avg.wt Kg/m)	,,	769	769	798	
	160 mm (3.773 Avg.wt Kg/m)	,,	1000	1000	1038	
	180 mm (4.762 Avg.wt Kg/m)	,,	1262	1262	1310	
	200 mm (5.890 Avg.wt Kg/m)	,,	1561	1561	1620	
	225 mm (7.445 Avg.wt Kg/m)	,,	1973	1973	2047	
	250 mm (9.187 Avg.wt Kg/m)	,,	2435	2435	2526	
	280 mm (11.455 Avg.wt Kg/m)	,,	3036	3036	3150	
	315 mm (14.508 Avg.wt Kg/m)	,,	3845	3845	3990	
	355mm (18.382 Avg.wt Kg/m)	,,	4871	4871	5055	
	400mm (23.343 Avg.wt Kg/m)	,,	6186	6186	6419	
	450mm (29.351Avg.wt Kg/m)	,,	7778	7778	8072	
29.3	**6 Kg/cm^2 Series IV PN10**					
	32 mm (0.226 Avg.wt Kg/m)	Rm	60	60	62	
	40 mm (0.350 Avg.wt Kg/m)	,,	93	93	96	
	50 mm (0.542 Avg.wt Kg/m)	,,	144	144	149	
	63 mm (0.850 Avg.wt Kg/m)	,,	225	225	234	
	75 mm (1.191 Avg.wt Kg/m)	,,	316	316	328	
	90 mm (1.717 Avg.wt Kg/m)	,,	455	455	472	
	110 mm (2.545 Avg.wt Kg/m)	,,	674	674	700	
	125 mm (3.293 Avg.wt Kg/m)	,,	873	873	906	
	140 mm (4.150 Avg.wt Kg/m)	,,	1100	1100	1141	
	160 mm (5.355 Avg.wt Kg/m)	,,	1419	1419	1473	
	180 mm (6.800 Avg.wt Kg/m)	,,	1802	1802	1870	
	200 mm (8.391 Avg.wt Kg/m)	,,	2224	2224	2308	
	225 mm (10.544 Avg.wt Kg/m)	,,	2794	2794	2900	
	250 mm (13.041 Avg.wt Kg/m)	,,	3456	3456	3586	
	280 mm (16.327 Avg.wt Kg/m)	,,	4327	4327	4490	
	315 mm (20.694 Avg.wt Kg/m)	,,	5484	5484	5691	
	355 mm (26.243 Avg.wt Kg/m)	,,	6954	6954	7217	
	400 mm (33.309 Avg.wt Kg/m)		8827	8827	9160	
	450 mm (42.065 Avg.wt Kg/m)		11147	11147	11568	
29.4	**10 Kg/cm^2 Series VI P16**					
	16 mm (0.092 Avg.wt Kg/m)	Rm	24	24	25	
	20 mm (0.134 Avg.wt Kg/m)	,,	36	36	37	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	25 mm (0.202 Avg.wt Kg/m)	,,	54	54	56	
	32 mm (0.334 Avg.wt Kg/m)	,,	89	89	92	
	40 mm (0.514 Avg.wt Kg/m)	,,	136	136	141	
	50 mm (0.796 Avg.wt Kg/m)	,,	211	211	219	
	63 mm (1.269 Avg.wt Kg/m)	,,	336	336	349	
	75 mm (1.782 Avg.wt Kg/m)	,,	472	472	490	
	90 mm (2.568 Avg.wt Kg/m)	,,	681	681	706	
	110 mm (3.801 Avg.wt Kg/m)	,,	1007	1007	1045	
	125 mm (4.962 Avg.wt Kg/m)	,,	1315	1315	1365	
	140 mm (6.209 Avg.wt Kg/m)	,,	1645	1645	1707	
	160 mm (8.079 Avg.wt Kg/m)	,,	2141	2141	2222	
	180 mm (10.256 Avg.wt Kg/m)	,,	2718	2718	2820	
	200 mm (12.620 Avg.wt Kg/m)	,,	3344	3344	3471	
	225 mm (16.014 Avg.wt Kg/m)	,,	4244	4244	4404	
	250 mm (19.757 Avg.wt Kg/m)	,,	5236	5236	5433	
	280 mm (24.708 Avg.wt Kg/m)	,,	6548	6548	6795	
	315 mm (31.16 Avg.wt Kg/m)	,,	8257	8257	8569	
	355 mm (39.635 Avg.wt Kg/m)	,,	10503	10503	10900	
	400 mm (50.344 Avg.wt Kg/m)	,,	13341	13341	13845	
	450 mm (63.598 Avg.wt Kg/m)	,,	16853	16853	17489	
Double wall Corrugated (SN8) pipes for Sewage and Rain water(Non Pressure Pipes)						
1	10 mm dia	मिटर	500.00	500.00	500.00	
2	150mm dia	,,	1000.00	1000.00	1000.00	
3	200mm dia	,,	1500.00	1500.00	1500.00	
4	250mm dia	,,	1900.00	1900.00	1900.00	
5	300mm dia	,,	3160.00	3160.00	3160.00	
6	400mm dia	,,	4070.00	4070.00	4070.00	
7	500mm dia	,,	4870.00	4870.00	5350.00	
8	600mm dia	,,	8370.00	8370.00	8370.00	
9	800mm dia	,,	13875.00	13875.00	12375.00	
10	1000mm dia	,,	20900.00	20900.00	17200.00	
30	**UPVC (Pipe NS 206/046**					
30.1	**A) pipe 2.5 kg /cm^2 pressure**					
	a) 90 mm	र.मी	141	141	141	
	b) 110 mm	"	209	209	209	
	c) 125 mm	"	266	266	266	
	d) 140 mm	"	328	328	328	
	e) 160 mm	"	429	429	429	
	f) 180 mm	"	549	549	549	
	g) 200 mm	"	671	671	671	
30.2	**B) PVC Pipe 4 kg / cm^2**					
	a) 63mm	र.मी	112	112	112	
	b) 75 mm	"	154	154	154	
	c) 90 mm	"	219	219	219	
	d) 110 mm	"	301	301	301	
	e) 125 mm	"	415	415	415	
	f) 140 mm	"	527	527	527	
	g) 160 mm	"	683	683	683	
	h) 180 mm	"	877	877	877	
	i) 200 mm	"	1064	1064	1064	
30.3	**C) PVC Pipe 6 Kg/ cm^2 pressure**					
	a) 40 mm	र.मी	66	66	66	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	b) 50 mm	"	99	99	99	
	c) 63 mm	"	159	159	159	
	d) 75 mm	"	222	222	222	
	e) 90 mm	"	320	320	320	
	f) 110 mm	"	462	462	462	
	g) 125 mm	"	616	616	616	
	h) 140 mm	"	766	766	766	
	i) 160 mm	"	982	982	982	
	j) 180 mm	र.मी	1252	1252	1252	
	k) 200 mm	,,	1534	1534	1534	
30.4	**C) PVC Pipe 10 Kg/ cm^2 pressure**					
	a) 20 mm	र.मी	25	25	25	
	b) 25 mm	,,	40	40	40	
	c) 32mm	,,	65	65	65	
	a) 40 mm	,,	98	98	98	
	b) 50 mm	,,	155	155	155	
	c) 63 mm	,,	246	246	246	
	d) 75 mm	,,	351	351	351	
	e) 90 mm	,,	501	501	501	
	f) 110 mm	,,	742	742	742	
	g) 125 mm	,,	950	950	950	
	h) 140 mm	,,	1199	1199	1199	
	i) 160 mm	,,	1542	1542	1542	
	j) 180 mm	,,	1966	1966	1966	
	k) 200 mm	,,	2431	2431	2431	
30.5	**UPVC fittings :**					
	Coupler					
	50 mm	गोटा	31	31	31	
	75 mm	"	75	75	75	
	110 mm	"	128	128	128	
	Bend 87.5 degree					
	50 mm	गोटा	46	46	46	
	75 mm	"	108	108	108	
	110 mm	"	200	200	200	
	Bend 45 degree					
	50 mm	गोटा	45	45	45	
	75 mm	"	88	88	88	
	110 mm	"	158	158	158	
	Single Tee					
	50 mm	गोटा	68	68	68	
	75 mm	"	147	147	147	
	110 mm	"	279	279	279	
	Pipe clip					
	50 mm	गोटा	14	14	14	
	75 mm	"	28	28	28	
	110 mm	"	37	37	37	
	Bend 87.5 degree with door					
	75 mm	गोटा	139	139	139	
	110 mm	"	242	242	242	
	Single Tee with door					

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	75 mm	गोटा	198	198	198	
	110 mm	"	369	369	369	
	Double Tee					
	75 mm	गोटा	322	322	322	
	110 mm	"	510	510	510	
	Double Tee with door					
	75 mm	गोटा	427	427	427	
	110 mm	"	662	662	662	
	Vent cowl					
	75 mm	गोटा	53	53	53	
	110 mm	"	87	87	87	
	Socket plug					
	75 mm	गोटा	66	66	66	
	110 mm	"	108	108	108	
	Single "Y"					
	75 mm	गोटा	168	168	168	
	110 mm	"	363	363	363	
	Single "Y" with door					
	75 mm	गोटा	230	230	230	
	110 mm	"	438	438	438	
	Double "Y"					
	75 mm	गोटा	253	253	253	
	110 mm	"	499	499	499	
	Double "Y" with door					
	75 mm	गोटा	325	325	325	
	110 mm	"	523	523	523	
	Cleaning pipe					
	75 mm	,,	147	147	147	
	110 mm	,,	284	284	284	
	Reducer					
	110x 75 mm	,,	131	131	131	
	75X50 mm	,,	69	69	69	
	P -Trap					
	125mmx110mm	,,	539	539	539	
	110mmx110mm	,,	505	505	505	
	75mmx75mm	,,	193	193	193	
	Multi-Floor -Trap					
	110mmx75mm	,,	280	280	280	
	Nahani-Trap					
	110mmx75mm	,,	255	255	255	
	W.C. Connector (bent type)	,,	261	261	261	
	Square tile with jali	,,	84	84	84	
	Round jali	,,	38	38	38	
	End cap 50mm	,,	25	25	25	
31.0	**G.I Pipe threaded , 6 m. length With Cap**					
	a) Light class					
	i. ½ " (15 mm)	र.मी	111	111	122	
	ii. ¾" (20 mm)	”	152	152	167	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	iii. 1" (25 mm)	"	214	214	235	
	iv. 1 ¼" (32 mm)	"	275	275	303	
	v. 1 ½ " (40 mm)	"	341	341	375	
	vi. 2" (50 mm)	"	522	522	574	
	vii. 2 ½ " (65 mm)	"	594	594	653	
	viii. 3" (80 mm)	"	698	698	768	
	ix. 4" (100 mm)	"	1004	1004	1104	
	x. 5" (125 mm)	"	1523	1523	1675	
	xi. 6" (150 mm)	"	1873	1873	2060	
	xii. 8" (200 mm)	"	2698	2698	2968	
	b) Medium class					
	i. ½ " (15 mm)	र.मी	132	132	145	
	ii. ¾" (20 mm)	"	166	166	183	
	iii. 1" (25 mm)	"	253	253	278	
	iv. 1 ¼" (32 mm)	"	330	330	363	
	v. 1 ½ " (40 mm)	र.मि	379	379	417	
	vi. 2" (50 mm)	"	520	520	572	
	vii. 2 ½ " (65 mm)	"	665	665	732	
	viii. 3" (80 mm)	"	826	826	909	
	ix. 4" (100 mm)	"	1604	1604	1764	
	x. 5" (125 mm)	"	1668	1668	1835	
	xi. 6" (150 mm)	"	2018	2018	2220	
	xii. 8" (200 mm)	"	3085	3085	3394	
	c) Heavy duty					
	i. ½ " (15 mm)	र.मि	157	157	173	
	ii. ¾" (20 mm)	"	196	196	216	
	iii. 1" (25 mm)	"	278	278	306	
	iv. 1 ¼" (32 mm)	"	379	379	417	
	v. 1 ½ " (40 mm)	"	438	438	482	
	vi. 2" (50 mm)	"	643	643	707	
	vii. 2 ½ " (65 mm)	"	803	803	883	
	viii. 3" (80 mm)	"	947	947	1042	
	ix. 4" (100 mm)	"	1457	1457	1603	
	x. 5" (125 mm)	"	1879	1879	2067	
	xi. 6" (150 mm)	"	1760	1760	1936	
	xii. 8" (200 mm)	"	3278	3278	3606	
32.0	**G.I. Pipe fittings ISI or NS Standard**					
	a) G.M. Gate valve					
	i. ½ "	गोटा	802	802	882	
	ii. ¾"	"	998	998	1098	
	iii. 1"	"	1608	1608	1768	
	iv. 1 ¼"	"	2294	2294	2523	
	v. 1 ½ "	"	2889	2889	3177	
	vi. 2"	"	4599	4599	5059	
	vii. 2 ½ "	,,	9509	9509	10460	
	viii. 3"	,,	11823	11823	13005	
	ix. 4"	,,	19365	19365	21301	
	b) G.M Check valve					
	i. ½ "	गोटा	744	744	818	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	ii. ¾"	,,	1000	1000	1100	
	iii. 1"	,,	1479	1479	1627	
	iv. 1 ¼"	,,	2186	2186	2405	
	v. 1 ½ "	,,	2529	2529	2782	
	vi. 2"	,,	4194	4194	4614	
	vii. 2 ½ "	,,	8521	8521	9373	
	viii. 3"	,,	11381	11381	12519	
	ix. 4"	,,	16084	16084	17692	
	c) G.I. Ebow					
	i. ½ "	गोटा	43	43	47	
	ii. ¾"	,,	78	78	85	
	iii. 1"	,,	121	121	134	
	iv. 1 ¼"	,,	183	183	201	
	v. 1 ½ "	,,	257	257	283	
	vi. 2"	,,	387	387	426	
	vii. 2 ½ "	,,	671	671	739	
	viii. 3"	,,	1044	1044	1148	
	ix. 4"	,,	1799	1799	1978	
	x. 5"	,,	4452	4452	4897	
	xi. 6"	,,	5358	5358	5893	
	d) G.I. Tee					
	i. ½ "	गोटा	67	67	73	
	ii. ¾"	,,	106	106	117	
	iii. 1"	,,	154	154	170	
	iv. 1 ¼"	,,	247	247	272	
	v. 1 ½ "	,,	342	342	376	
	vi. 2"	,,	559	559	615	
	vii. 2 ½ "	,,	878	878	965	
	viii. 3"	,,	1187	1187	1306	
	ix. 4"	”	2156	2156	2372	
	x. 5"	”	5967	5967	6564	
	xi. 6"	”	6915	6915	7606	
	e) G.I Union					
	i. ½ "	गोटा	141	141	155	
	ii. ¾"	,,	198	198	218	
	iii. 1"	,,	291	291	320	
	iv. 1 ¼"	,,	400	400	440	
	v. 1 ½ "	,,	495	495	545	
	vi. 2"	,,	737	737	810	
	vii. 2 ½ "	,,	1507	1507	1658	
	viii. 3"	,,	2030	2030	2233	
	ix. 4"	,,	2675	2675	2942	
	x. 5"	”	5967	5967	6564	
	xi. 6"	”	7219	7219	7941	
	f) G.I. Socket					
	i. ½ "	गोटा	39	39	43	
	ii. ¾"	,,	61	61	67	
	iii. 1"	,,	83	83	91	
	iv. 1 ¼"	,,	128	128	141	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	v. 1 ½ "	,,	173	173	190	
	vi. 2"	,,	255	255	280	
	vii. 2 ½ "	,,	462	462	508	
	viii. 3"	,,	681	681	749	
	ix. 4"	,,	1179	1179	1297	
	x. 5"	”	2945	2945	3240	
	xi. 6"	”	3960	3960	4356	
	g) C.I. Plug					
	i. ½ "	गोटा	25	25	27	
	ii. ¾"	,,	33	33	36	
	iii. 1"	,,	41	41	45	
	iv. 1 ¼"	,,	82	82	90	
	v. 1 ½ "	,,	103	103	114	
	vi. 2"	,,	124	124	136	
	vii. 2 ½ "	,,	178	178	195	
	viii. 3"	,,	364	364	400	
	ix. 4"	,,	698	698	768	
	h) Hex Nipple					
	i. ½ "	गोटा	47	47	51	
	ii. ¾"	,,	72	72	79	
	iii. 1"	,,	116	116	128	
	iv. 1 ¼"	,,	181	181	199	
	v. 1 ½ "	,,	229	229	252	
	vi. 2"	,,	341	341	375	
	vii. 2 ½ "	,,	625	625	687	
	viii. 3"	,,	807	807	888	
	ix. 4"	,,	1237	1237	1361	
	i) Reducing Tee					
	i. ¾"	गोटा	116	116	128	
	ii. 1"	,,	170	170	187	
	iii. 1 ¼"	,,	271	271	298	
	iv. 1 ½ "	,,	376	376	414	
	v. 2"	,,	614	614	676	
	vi. 2 ½ "	,,	967	967	1064	
	vii. 3"	,,	1307	1307	1438	
	viii. 4"	,,	2388	2388	2627	
	x. 5"	”	6570	6570	7227	
	xi. 6"	”	7605	7605	8366	
	i) Reducing Elbow					
	i. ¾"	गोटा	86	86	94	
	ii. 1"	,,	133	133	146	
	iii. 1 ¼"	,,	203	203	223	
	iv. 1 ½ "	,,	285	285	314	
	v. 2"	,,	426	426	469	
	vi. 2 ½ "	,,	736	736	809	
	vii. 3"	,,	1134	1134	1248	
	viii. 4"	,,	2008	2008	2209	
	x. 5"	”	4898	4898	5388	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	xi. 6"	"	5894	5894	6483	
	j) Reducing socket					
	i. ¾"	गोटा	67	67	74	
	ii. 1"	,,	90	90	99	
	iii. 1 ¼"	,,	140	140	154	
	iv. 1 ½ "	,,	188	188	207	
	v. 2"	,,	281	281	309	
	vi. 2 ½ "	,,	502	502	553	
	vii. 3"	,,	717	717	788	
	viii. 4"	,,	1293	1293	1422	
	x. 5"	"	3697	3697	4067	
	xi. 6"	"	4347	4347	4781	
	K) Short bend					
	i. ½ "	गोटा	116	116	127	
	ii. ¾"	,,	178	178	195	
	iii. 1"	,,	273	273	300	
	iv. 1 ¼"	,,	525	525	577	
	v. 1 ½ "	,,	793	793	873	
	vi. 2"	,,	1161	1161	1277	
	vii. 2 ½ "	,,	2980	2980	3277	
	viii. 3"	,,	4620	4620	5082	
	ix. 4"	,,	6546	6546	7200	
	l) Cross Tee					
	i. ½ "	गोटा	109	109	120	
	ii. ¾"	,,	155	155	171	
	iii. 1"	,,	244	244	269	
	iv. 1 ¼"	,,	424	424	467	
	v. 1 ½ "	,,	509	509	560	
	vi. 2"	,,	825	825	908	
	vii. 2 ½ "	,,	1392	1392	1531	
	viii. 3"	,,	2017	2017	2219	
	ix. 4"	,,	2723	2723	2995	
	M) Tanki nipple					
	i. ½ "	गोटा	128	128	141	
	ii. ¾"	,,	178	178	196	
	iii. 1"	,,	266	266	292	
	iv. 1 ¼"	,,	400	400	440	
	v. 1 ½ "	,,	509	509	560	
	vi. 2"	,,	825	825	908	
	vii. 2 ½ "	,,	1588	1588	1747	
	viii. 3"	,,	2115	2115	2326	
	ix. 4"	,,	2806	2806	3086	
	G.I. Nipple Medium Class ISI or NS					
	2" Long					
	i. ½ "	गोटा	21	21	23	
	ii. ¾"	,,	31	31	35	
	iii. 1"	,,	42	42	47	
	iv. 1 ¼"	,,	57	57	63	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	v. 1 ½ "	,,	69	69	76	
	vi. 2"	,,	106	106	117	
	3" Long					
	i. ½ "	गोटा	31	31	35	
	ii. ¾"	,,	47	47	51	
	iii. 1"	,,	63	63	69	
	iv. 1 ¼"	,,	85	85	93	
	v. 1 ½ "	,,	105	105	116	
	vi. 2"	,,	157	157	173	
	vii. 2 ½ "	,,	216	216	237	
	viii. 3"	,,	315	315	346	
	4" Long					
	i. ½ "	गोटा	42	42	47	
	ii. ¾"	,,	62	62	68	
	iii. 1"	,,	84	84	93	
	iv. 1 ¼"	,,	113	113	125	
	v. 1 ½ "	,,	138	138	151	
	vi. 2"	,,	211	211	232	
	vii. 2 ½ "	,,	289	289	318	
	viii. 3"	,,	421	421	463	
	ix. 4"	,,	541	541	595	
	6" Long					
	i. ½ "	गोटा	63	63	69	
	ii. ¾"	,,	94	94	103	
	iii. 1"	,,	126	126	138	
	iv. 1 ¼"	,,	171	171	188	
	v. 1 ½ "	,,	211	211	232	
	vi. 2"	,,	316	316	348	
	vii. 2 ½ "	,,	432	432	475	
	viii. 3"	,,	618	618	680	
	ix. 4"	,,	764	764	841	
	9" Long					
	i. ½ "	गोटा	94	94	104	
	ii. ¾"	,,	139	139	153	
	iii. 1"	,,	168	168	185	
	iv. 1 ¼"	,,	256	256	282	
	v. 1 ½ "	,,	344	344	378	
	vi. 2"	,,	474	474	521	
	vii. 2 ½ "	,,	640	640	704	
	viii. 3"	,,	947	947	1042	
	ix. 4"	,,	4059	4059	4465	
	12" Long					
	i. ½ "	गोटा	126	126	138	
	ii. ¾"	,,	184	184	203	
	iii. 1"	,,	209	209	230	
	iv. 1 ¼"	,,	342	342	377	
	v. 1 ½ "	,,	421	421	463	
	vi. 2"	,,	631	631	694	
	vii. 2 ½ "	,,	852	852	937	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	viii. 3"	,,	1262	1262	1388	
	ix. 4"	,,	1507	1507	1657	
	18" Long					
	i. ½ "	गोटा	189	189	208	
	ii. ¾"	,,	233	233	256	
	iii. 1"	,,	315	315	346	
	iv. 1 ¼"	,,	512	512	563	
	v. 1 ½ "	,,	629	629	692	
	vi. 2"	,,	947	947	1042	
	vii. 2 ½ "	,,	1280	1280	1408	
	viii. 3"	,,	1874	1874	2061	
	ix. 4"	,,	2286	2286	2514	
	G.I./G.I. Flange					
	i. 1 ¼"	गोटा	803	803	883	
	ii. 1 ½ "	,,	988	988	1087	
	iii. 2"	,,	1211	1211	1332	
	iv. 2 ½ "	,,	1416	1416	1557	
	v. 3"	,,	1577	1577	1735	
	vi. 4"	,,	1957	1957	2153	
	vii. 5"		2798	2798	3078	
	viii. 6"		2907	2907	3198	
	ix. 8"		5790	5790	6369	
	G.I./HDP Flange					
	i. 1 ¼"	गोटा	865	865	951	
	ii. 1 ½ "	,,	1102	1102	1212	
	iii. 2"	,,	1302	1302	1432	
	iv. 2 ½ "	,,	1520	1520	1672	
	v. 3"	,,	1625	1625	1787	
	vi. 4"	,,	2005	2005	2205	
	vii. 5"		2798	2798	3078	
	viii. 6"		2921	2921	3213	
	ix. 8"		6356	6356	6991	
	GI Endcap					
	i. 1"	गोटा	106	106	117	
	ii. 1 ¼"	,,	196	196	216	
	iii. 1 ½ "	,,	240	240	264	
	iv. 2"	,,	285	285	314	
	v. 2 ½ "	,,	420	420	462	
	CI Plug					
	i. 1"	गोटा	98	98	108	
	ii. 1 ¼"	,,	182	182	200	
	iii. 1 ½ "	,,	223	223	245	
	iv. 2"	,,	265	265	292	
	v. 2 ½ "	,,	390	390	429	
	GI Stainer					
	i. 1"	गोटा	480	480	528	
	ii. 1 ¼"	,,	648	648	713	
	iii. 1 ½ "	,,	895	895	985	
	iv. 2"	,,	1144	1144	1258	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	v. 2 ½ "	,,	1450	1450	1595	
	vi. 3"	,,	1960	1960	2156	
	HDPE Saddle clamp					
	i. 1"	गोटा	141	141	141	
	ii. 1 ¼"	,,	141	141	141	
	iii. 1 ½ "	,,	183	183	183	
	iv. 2"	,,	242	242	242	
	v. 2 ½ "	,,	272	272	272	
	vi. 3"	,,	301	301	301	
	Non returning CI Valve					
	i. 3"	,,	11400	11400	12540	
	ii. 4"	,,	15200	15200	16720	
	iii. 5"	,,	19600	19600	21560	
	iv. 6"	,,	22800	22800	25080	
	HDP/HDP Flange set with adaptor					
	i. 1 ¼"	गोटा	865	865	865	
	ii. 1 ½ "	,,	1102	1102	1102	
	iii. 2"	,,	1302	1302	1302	
	iv. 2 ½ "	,,	1520	1520	1520	
	v. 3"	,,	1625	1625	1625	
	vi. 4"	,,	2005	2005	2005	
	vii. 5"	,,	3178	3178	3178	
	viii. 6"	,,	2921	2921	2921	
	ix. 8"	,,	6356	6356	6356	
	Brass tap ½"					
	i. ½ " (Wt. 400 gm)	गोटा	755	755	831	
	ii. ½ " ordinary	गोटा	171	171	188	
	Globe Valve (GM)					
	i. ½ "	गोटा	770	770	846	
	ii. ¾"	,,	1254	1254	1379	
	iii. 1"	,,	1549	1549	1703	
	iv. 1 ¼"	,,	2461	2461	2707	
	v. 1 ½ "	,,	3097	3097	3407	
	vi. 2"	,,	3867	3867	4253	
	vii. 2 ½ "	,,	7595	7595	8355	
	viii. 3"	,,	12550	12550	13804	
	ix. 4"	,,	20292	20292	22321	
	Float Valve					
	i. ½ "	गोटा	945	945	1040	
	ii. ¾"	,,	1069	1069	1176	
	iii. 1"	,,	1297	1297	1426	
	iv. 1 ¼"	,,	2242	2242	2466	
	v. 1 ½ "	,,	3368	3368	3705	
	vi. 2"	,,	4484	4484	4932	
	C.I. Air valve (Heavy)					
	i. ½ "	गोटा	3130	3130	3443	
	ii. ¾"	,,	4318	4318	4750	
	iii. 1"	,,	4788	4788	5267	
	Brass Union with Adopter					

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	i. ½ "	गोटा	204	204	225	
	ii. ¾"	,,	314	314	345	
	iii. 1"	,,	475	475	523	
	iv. 1 ¼"	,,	618	618	679	
	v. 1 ½ "	,,	1102	1102	1212	
	vi. 2"	,,	1634	1634	1797	
	Saddle Ferrule					
	i. 1 ½ "	गोटा	295	295	324	
	ii. 2"	,,	390	390	428	
	iii. 2 ½ "	,,	1088	1088	1197	
	iv. 3"	,,	1439	1439	1583	
	v. 4"	,,	2052	2052	2257	
	Flow Regulating Valve (G.M.)					
	i. ½"	गोटा	1102	1102	1212	
	C.I Sluice Valve					
	i. 1 ½ "	गोटा	5705	5705	6275	
	ii. 2"	,,	7610	7610	8370	
	iii. 2 ½ "	,,	9505	9505	10455	
	iv. 3"	,,	11409	11409	12549	
	v. 4"	,,	15208	15208	16728	
	v. 5"	,,	23114	23114	25425	
	v. 6"	,,	27740	27740	30514	
	v. 8"	,,	38836	38836	42720	
	Brass Ferrule Cock					
	i. ½ "	गोटा	1254	1254	1379	
	ii. ¾"	,,	1634	1634	1797	
	iii. 1"	,,	2399	2399	2639	
	Ball valve					
	a) 15mm	गोटा	428	428	470	
	b) 20 mm	,,	542	542	596	
	c) 25 mm	,,	727	727	799	
	d) 32 mm	,,	876	876	963	
	e) 40 mm	,,	1696	1696	1865	
	f) 50 mm	,,	2784	2784	3062	
33.0	**Supplying of Rcc ring for construction of well**					
33.1	**Ring**					
	i) 28" dia. R.C.C. ring 20 cm ht ,5 cm thick	गोटा	563	563	563	
	ii) 36" dia. R.C.C. ring 20 cm ht ,5 cm thick	,,	697	697	697	
	iii) 42" dia. R.C.C. ring 20 cm ht ,5 cm thick	,,	811	811	811	
	iv) 48" dia. R.C.C. ring 20 cm ht ,5 cm thick	,,	1074	1074	1074	
33.2	**Supplying & fixing of metal frame and Rcc cover**					
	i) 28" dia. 60m thick R.C.C. ring cover with metal frame	गोटा	1700	1700	1700	
	i) 36" dia. 60m thick R.C.C. ring cover with metal frame	,,	2250	2250	2250	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	i) 42" dia. 60m thick R.C.C. ring cover with metal frame	,,	2470	2470	2470	
	i) 48" dia. 60m thick R.C.C. ring cover with metal frame	,,	2950	2950	2950	
34.0	**ईनार खन्नको लागी R.C.C. रिङ्ग आपुर्ती गरि माटो खन्ने ,आवश्यक फील्टर सामाग्री राख्ने तथा जडान समेतको सवै कार्यहरु (२० देखि २५फीट सम्म को गहीराइमा ढक्कन बाहेक)**					
	i) 28" dia. R.C.C. Ring	र.मी	3892	3892	3892	
	ii) 36" dia. R.C.C. Ring	,,	4940	4940	4940	
	iii) 42" dia. R.C.C. Ring	,,	5750	5750	5750	
	iv) 48" dia. R.C.C. Ring	,,	7093	7093	7093	
34.1	**२५ फीट देखि माथीको गहीराइ भएमा**					
	ईनार खन्नको लागी R.C.C. रिङ्ग आपुर्ती गरि माटो खन्ने ,आवश्यक फील्टर सामाग्री राख्ने तथा जडान समेतको सवै कार्यहरु (२५ फीट देखि माथीको गहीराइ भएमा मात्र ढक्कन बाहेक)					
	i) 28" dia. R.C.C. Ring	र.मी	5223	5223	5223	
	ii) 36" dia. R.C.C. Ring	,,	8832	8832	8832	
	iii) 42" dia. R.C.C. Ring	,,	10690	10690	10690	
	iv) 48" dia. R.C.C. Ring	,,	12843	12843	12843	
35.0	**Sanitary Tools**					
a	Adjustable spanner					
	10"	Pc	248	248	248	
	12"	Pc	468	468	468	
	15"	Pc	1348	1348	1348	
	18"	Pc	1595	1595	1595	
b	Blow Torch					
	1/2 pint	Pc	1392	1392	1392	
	1 pint	Pc	1716	1716	1716	
c	Building Trowel	Pc	77	77	77	
d	Chain Pipe wrench					
	50mm	Pc	1595	1595	1595	
	75mm	Pc	1898	1898	1898	
	100mm	Pc	2228	2228	2228	
	150mm	Pc	3135	3135	3135	
	200mm	Pc	5335	5335	5335	
e	Chain Pulley in Ton					
	3 ton	Pc	17050	17050	17050	
	5 ton	Pc	28160	28160	28160	
f	Stone Chisel 1"x12"	Pc	358	358	358	
g	Die teeth oil with cane (250 ml size)	Pc	275	275	275	
h	Smooth steel file half round					
	8"	Pc	523	523	523	
	10"	Pc	1001	1001	1001	
i	Flat file 10"	Pc	523	523	523	
	Hacksaw Blade					
	Single	Pc	4	4	4	
	double	Pc	9	9	9	
j	Hacksaw Frame 6mm	Pc	187	187	187	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
k	Handle die set					
	25 mm	Pc	3108	3108	3108	
	50 mm	Pc	3520	3520	3520	
	60 mm	Pc	9350	9350	9350	
l	Heating Plate					
	80 mm	Pc	935	935	935	
	100 mm	Pc	1073	1073	1073	
	125 mm	Pc	1375	1375	1375	
	150 mm	Pc	1639	1639	1639	
	200 mm	Pc	2651	2651	2651	
	250 mm	Pc	3212	3212	3212	
	300 mm	Pc	3751	3751	3751	
m	Iron Brush 12"	Pc	72	72	72	
n	Iron Pan (madium)	Pc	253	253	253	
o	Pick Axe 1.7 Kg.	Pc	418	418	418	
p	Pipe Cutter					
	15-50 mm	Pc	1980	1980	1980	
	65-80 mm	Pc	3080	3080	3080	
	100 mm	Pc	4950	4950	4950	
	125 mm	Pc	5500	5500	5500	
	150 mm	Pc	9790	9790	9790	
q	Pipe Jack Machine (Heavy)	Pc	31350	31350	31350	
r	Pipe Vice					
	2"	Pc	2420	2420	2420	
	3"	Pc	3520	3520	3520	
	4"	Pc	5308	5308	5308	
	5"	Pc	9845	9845	9845	
s	Pipe Wrench					
	10"	Pc	308	308	308	
	12"	Pc	572	572	572	
	14"	Pc	682	682	682	
	18"	Pc	1084	1084	1084	
	24"	Pc	1496	1496	1496	
	36"	Pc	5280	5280	5280	
	48"	Pc	9350	9350	9350	
t	Plumb Bob Line	Pc	88	88	88	
u	Rachet Die Set					
	1/2"-1"	Pc	4180	4180	4180	
	11/4" -2"	Pc	7810	7810	7810	
	21/2"-3"	Pc	17050	17050	17050	
v	Round File 10"	Pc	358	358	358	
w	Screw Driver 12"	Pc	198	198	198	
x	Shovel 1.5 Kg	Pc	358	358	358	
y	Slide wrench					
	10"	Pc	352	352	352	
	12"	Pc	473	473	473	
	15"	Pc	1381	1381	1381	
z	Spade	Pc	429	429	429	
A	Spare Die Teeth					
	15 mm	Pc	572	572	572	
	20 mm	Pc	572	572	572	
	25 mm	Pc	572	572	572	
	32 mm	Pc	908	908	908	
	40 mm	Pc	1551	1551	1551	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	50 mm	Pc	1568	1568	1568	
	65 mm	Pc	1815	1815	1815	
	80 mm	Pc	2035	2035	2035	
B	Telflon Cover					
	5'x5'	Pc	303	303	303	
	7'x7'	Pc	413	413	413	
C	Telflon Cloth	m	3328	3328	3328	
D	Telflon Tape 10 mm roll	Roll	17	17	17	
E	Thermochrome Crayon					
	Indian	Pc	743	743	743	
	Germany	Pc	1485	1485	1485	
F	Tool Box (14"x8"x22")	Pc	2041	2041	2041	
36	**Anaerobic treatment for waste water (sintex/ equivalent)As per ASTM-D-2583 (.** Should be FRP based Septic tank along with fixed film aeration tank, Should operate in zero load as well. Exterior/Interior surface shall be reasonably smooth No fibers loosely attached minimum Internal Vacuum test As per UL-1316/CSI Each tank to withstand internal partial vacuum without rupture as under Vacuum as per equation in Std. UL-1316Clause18 Deformation test As per Product Specifications ≤37.5 mm Interior surface shall be resin rich with no exposed fibers & should be free of De lamination,Cracks etc.,)					
	800 lts for 4 persons	nos	63750	63750	63750	
	1200 lts for 6 people	nos	79050	79050	79050	
	1600 lts for 10 persons	nos	95200	95200	95200	
37	**Irrigation Works excluding pipes including installation (Rainbird or equivalent)**					
1	Supply flexible,**kink resistan**t pressure compensating inline tubing and resistance to UV damage and algae growth brown in colour with discharge 0.9GPH XF series pressure rating 0.58 to 4.1 bar wall thickness 1.2mm	Rm	150	150	150	
2	Supplyof **Xeri bug emitter pressure compensating** with selfpiercing barbs,flow rates 1.89LPH to7.57LPH UV resistant colour coded with working pressure 1.0to 3.5bar	Nos	30	30	30	
3	**SPRINKLERS & ACCESSORIES**					
	Unispray	No.	660	660	660	
	Providing of **Pop up spray head** having **and two piece stem ratchet** (0 to 360 degrees)nozzle capable of covering 1.2*8.5 Bars with a **STRIP NOZZLE** discharge rate of 0.075lps.The Spray Head body, stem, nozzle ,ratchet and screen shall be constructed f heavy-duty, ultraviolet resistant plastic and stainless steel with mutifunctional wiper seal with small exposed cover 15SST	No.	1200	1200	1200	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	Providing of **Shrub** spray head having **variable adjustable arc** (0 to 360 degrees)nozzle capable of covering 4.5-5.4m at 2.0 Bars with a discharge rate of 0.23- 0.33lps.The Spray nozzle and screen shall be constructed heavy-duty, ultraviolet resistant plastic and stainless steel with mutifunctional wiper seal with small exposed cover **PA series**	No.	1200	1200	1200	
	gear rotors 5004	No.	3100	3100	3100	
	Providing of 1/2" Pop up Connecting **Swing joint Assembly**. The tubing shall be made of polyetylene having wall thickness of 2.3mm ,a working pressure of 5.5 kg/cm2 at 43$_o$C and a surge pressure of 16.6 kg/cm2. The fittings shall be made of UV resistant thermo plastic.**SA Series**	No.	390	390	390	
	Providing of 3/4" Pop up Connecting **Swing joint Assembly**. The tubing shall be made of polyetylene having wall thickness of 2.3mm ,a working pressure of 5.5 kg/cm2 at 43$_o$C and a surge pressure of 16.6 kg/cm2. The fittings shall be made of UV resistant thermo plastic.**SA**	No.	480	480	480	
	Providing and fixing of **HDPE service saddle** of varying size		850	850	850	
4	**VALVES & ACCESSORIES**					
	Providing and fixing **PVC Ball Valve**,security pivot to maintain lever in space,double water tight joint,direct injection stem non mechanical ,with a base which permits maximum penetration into the valve of size 63mm.	No.	1800	1800	1800	
	Providing & fixing of a double acting **Air release valve 3/4"** made of high strength aluminium / plastic with fibre glass reinforced . The Air release valve shall be capable of both releasing and admitting air from and into the line. The working pressure shall be 5 bar.	No.	2100	2100	2100	
	12" Rectangular Valve Box with **greenlid and corrugated structure** with unique shovel access slot and bolt hole knockout	No.	7500	7500	7500	
	6"Round box.	No.	1250	1250	1250	
	Quick coupling valve made up of solid brass with locking cover corrosion resistant and stainless steel spring **3RC**	No.	13500	13500	13500	
	Key threads into top of QCV to provide water access **33DK**	No.	9750	9750	9750	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	ELECTRICAL WORK					
सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
1	**Dyana White Plate series SWITCH SOCKET** ANCHOR / CPL /NG/Flux OR ISI EQUIVALENT					
	One Gang one way switch	सेट	58	58	58	
	One Gang two way switch	सेट	69	69	69	
	One way bell switch	सेट	72	72	72	
	Two gang one way switch	,,	96	96	96	
	Two gang one way switch with one bell push	,,	105	105	105	
	Two gang Full two way switch	,,	107	107	107	
	Three Gang one way switch	,,	127	127	127	
	Four gang one way switch	,,	161	161	161	
	Six gang one way switch (3x5)	,,	253	253	253	
	Eight gang one way switch	,,	304	304	304	
	Dimmer single 300 watt	,,	309	309	309	
	Dimmer single 750 watt	,,	459	459	459	
	5 Step humming free dimmer	,,	407	407	407	
	16Amp 3 Pin Plug Top	,,	121	121	121	
	1 switch with dimmer	,,	368	368	368	
	6/16 Amp , 2/3 Pin Power sockets with switch & indicator	,,	151	151	151	
	6/16 Amp , Power sockets with switch , indicator & safety shutter	,,	169	169	169	
	20/25 A Single phase A.C. motor Starter with 6/16 Amp safty shutter power socket	,,	371	371	371	
	32A D.P. switch with fuse & indicator Surface Mounting	,,	206	206	206	
	6 Gang (86 mm x 220 mm) switch 2/3 pin switch socket shuttered socket & 2 nos. Humming free 5 steps fan dimmer with indicator	सेट	611	611	611	
	Blanking plate single	,,	40	40	40	
	Telephone socket single	,,	118	118	118	
	Telephone socket Double		169	169	169	
	Angle / bottom holder	,,	35	35	35	
	Ceiling Rose	,,	35	35	35	
	Buzzer	,,	97	97	97	
	Musical bell	,,	222	222	222	
	T.V.antena single Socket	"	82	82	82	
	6A 2/3 Pin unshuttered multi switch socket	"	128	128	128	
	RJ 45 Computer Socket for modem	"	234	234	234	
	Flush Mounting metallic Box for Plate Series switch / socket(78mm x 78mm x 50mm)	"	35	35	35	
	Flush Mounting metallic Box for Plate Series switch / socket 78 x 140 x 50	"	63	63	63	
	Flush Mounting metallic Box for Plate Series switch / socket 78 x205 x 50	"	98	98	98	
	Switch / socket outlet, Plate series having round switch buttons & white sorrounding plate, suitable to fix on box size 3"x3" . ORANGE, or Equivalent					
	10A 1gang 1way Switch	Set	83	83	83	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
1.	10A 2gang 1way Switch	Set	163	163	163	
	10A 3gang 1way Switch	"	216	216	216	
	10A 4gang 1way Switch	"	350	350	350	
	10A 5gang 1way Switch	"	371	371	371	
	10A 6gang 1way Switch	"	617	617	617	
	10A 1gang 2way Switch	"	144	144	144	
	10A 2gang 2way Switch	"	278	278	278	
	10A 3gang 2way Switch	"	407	407	407	
	10A 4gang 2way Switch	"	613	613	613	
	T V Socket outlet	"	299	299	299	
	Telephone Socket	"	268	268	268	
	13A Universal socket outlet	"	464	464	464	
	13A Socket	"	273	273	273	
	15A switched Socket outlet	"	443	443	443	
	5A Socket	"	340	340	340	
	RJ 45 8way Computer Socket	"	824	824	824	
	TV and Telephone Socket	"	592	592	592	
	7+2 PIN SOCKET OUTLET	"	927	927	927	
	3+2 PIN SOCKET OUTLET	"	577	577	577	
	X5 2+2 - 2 PIN SOCKET OUTLET	"	783	783	783	
	SCHUKO SOCKET WITH ONE SWITCH	"	505	505	505	
	Bell Press	"	237	237	237	
	Blank Plate	"	93	93	93	
	400W Light Dimmer W/ Switch	"	906	906	906	
	400W Fan Controller / Multi Step Dimmer	"	917	917	917	
	5 Step Fan Controller	"	896	896	896	
	2 Pin Socket W/ Switch	"	453	453	453	
	13A Twin Socket	"	680	680	680	
1	**White Plate series modular type(polycarbonate) SWITCH SOCKET power pack,**Bentex,Premier,Rathi,Ohms or EQUIVALENT					
	One Gang one way switch	सेट	100	100	100	
	One Gang two way switch	सेट	112	112	112	
	One way bell switch	सेट	112	112	112	
	Two gang one way switch	,,	133	133	133	
	Two gang one way switch with one bell push	,,	146	146	146	
	Two gang Full two way switch	,,	158	158	158	
	Three Gang one way switch	,,	167	167	167	
	Four gang one way switch	,,	202	202	202	
	Six gang one way switch	,,	307	307	307	
	Eight gang one way switch	,,	374	374	374	
	Dimmer single 300 watt	,,	486	486	486	
	1 switch with dimmer	,,	499	499	499	
	6/16 Amp , 2/3 Pin Power sockets with switch & indicator	,,	260	260	260	
	6/13 Amp , Power sockets with switch , indicator	,,	263	263	263	
	20 A D.P. switch with fuse & indicator Surface Mounting	,,	354	354	354	
	4 Gang (86 mm x 220 mm) switch 2/3 pin switch socket with indicator	सेट	391	391	391	
	6 Gang (86 mm x 220 mm) switch 2/3 pin switch socket with indicator	सेट	474	474	474	
	Blanking plate single	,,	62	62	62	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	Telephone socket single	,,	152	152	152	
	Telephone socket Double		249	249	249	
	T.V.antena single Socket	"	142	142	142	
	RJ 45 Computer Socket for modem	"	206	206	206	
	CAT-6 Computer Socket for modem	"	321	321	321	
2	**Modular Type Switch Socket set** NORTH-WEST' NORYSIS' ABB 'SCHNIEDER Legrand or ISI Equivalent					
	1P – 6A/10A 1 way switch	No.	139	139	139	
	1P – 16A/20A 1 way switch	"	223	223	223	
	1P – 25A 1 way switch	"	326	326	326	
	1P – 6A/10A 2 way switch	"	167	167	167	
	1P – 16A/20A 2 way switch	"	253	253	253	
	1P – 6A push button	"	184	184	184	
	1 gang blanking module	"	43	43	43	
	2 gang blanking module	"	86	86	86	
	FAN REGULATOR / DIMMER					
	Step type fan regulator	No.	638	638	638	
	60 – 500 W dimmer	"	797	797	797	
	1000 W dimmer	"	1524	1524	1524	
	SOCKETS / TELEPHONE / COMPUTER SOCKETS / TV SOCKETS					
	6A – multi socket 5 pin	No.	240	240	240	
	6/16A twin socket 3 pin (flushed)	"	332	332	332	
	6/16A twin socket 3 pin (projected)	"	332	332	332	
	25A 3 pin socket	"	401	401	401	
	13A 3 pin socket	"	270	270	270	
	RJ 11 telephone jack	"	159	159	159	
	RJ 45 cat.6e computer socket	"	557	557	557	
	TV socket	"	161	161	161	
	250V/110V shaver socket	No.	4355	4355	4355	
	Indicator (DO NOT DISTUURB)	"	180	180	180	
	LED yellow night lamp	"	560	560	560	
	LED Blue night lamp	"	560	560	560	
	FRONT PLATE (COMPATIBLE TO MARKET BOXES)					
	(White)					
	1 module front plate	No.	72	72	72	
	2 module front plate	"	77	77	77	
	3 module front plate	"	84	84	84	
	4 module front plate	"	89	89	89	
	6 module front plate	"	162	162	162	
	8 module front plate(4+4)	"	217	217	217	
	8 module front plate (Horizontal)	"	174	174	174	
	12 module front plate	"	260	260	260	
	18 module front plate	"	350	350	350	
	Modular Type Switch Socket KOLORS/INDO ASIAN/ GOLD MEDAL/ANCHOR WOODS/ANCHOR ROMA/VIMAL WAVE or ISI Equivalent					
	Seperate Module for Modular Switch & Socket					
	1P – 6A/10A 1 way switch	No.	87	87	87	
	1P – 16A/20A 1 way switch	"	144	144	144	
	1P – 6A/10A 2 way switch	"	134	134	134	
	1P – 16A/20A 2 way switch	"	175	175	175	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	1P – 6A push button	"	134	134	134	
	1 gang blanking module	"	41	41	41	
	2 gang blanking module	"	78	78	78	
	FAN REGULATOR / DIMMER					
	Step type fan regulator	No.	700	700	700	
	60 – 500 W dimmer	"	597	597	597	
	SOCKETS / TELEPHONE / COMPUTER SOCKETS / TV SOCKETS					
	6A – multi socket 5 pin	No.	185	185	185	
	6/16A twin socket 3 pin (flushed)	"	288	288	288	
	6/16A twin socket 3 pin (projected)	"	288	288	288	
	13A 3 pin socket	"	185	185	185	
	RJ 11 telephone jack	"	144	144	144	
	RJ 45 cat.6e computer socket	"	237	237	237	
	TV socket	"	144	144	144	
	1 module front plate	No.	113	113	113	
	2 module front plate	"	113	113	113	
	3 module front plate	"	148	148	148	
	4 module front plate	"	165	165	165	
	6 module front plate	"	227	227	227	
	8 module front plate(4+4)	"	305	305	305	
	8 module front plate (Horizontal)	"	313	313	313	
	12 module front plate	"	363	363	363	
	18 module front plate	"	453	453	453	
3	**Flush mounting galvanized Metal box for modular type switch & socket**					
	1module metal box having L x B x Depth =(78x78x45)mm	सेट	52	52	52	
	2 module " " =(78x78x45)mm	,,	52	52	52	
	3 gang " " " =(78x100x45)mm	,,	56	56	56	
	4 gang " " =(78x140x50)mm	,,	68	68	68	
	5 gang " " =(78x205x50)mm	,,	134	134	134	
	6 gang " " =(78x205x50)mm	,,	136	136	136	
	8 module metal box (4+4) =(78x230x60)mm	"	181	181	181	
	8 module metal box (Horizontal) =(135x120x60)mm	"	181	181	181	
	12 module metal box =(135x120x60)mm	"	231	231	231	
	TV socket metal box	,,	52	52	52	
	Telephone socket metal box	,,	52	52	52	
	METAL Junction BOX					
	4"×4"	गोटा	100	100	100	
	4"×6"	,,	150	150	150	
	6"×8"	,,	237	237	237	
	8"×10"	,,	349	349	349	
	8"×12"	,,	349	349	349	
4	**PVC Junction Box**	,,	34	34	34	
	4"×4"	गोटा				
	4"×6"	,,	31	31	31	
	6"×8"	,,	46	46	46	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	8"×10"	,,	67	67	67	
	8" x12"	,,	129	129	129	
	Junction box cover	,,	144	144	144	
5	**PVC Listy Double Lock { 6'length =1 no.(गोटा)}**					
	½ " breadth	गोटा	31	31	31	
	¾"	,,	46	46	46	
	1"	,,	67	67	67	
	$1^{1/2}$"	,,	129	129	129	
	2"	,,	144	144	144	
6	**PVC Conduit Pipe**					
	1) ½ " diameter	र.मी	31	31	31	
	2) ¾"	,,	46	46	46	
	3) 1"	,,	67	67	67	
7	**Listy Pipe Accessories**					
	½"–2" size Saddle	र.मी	8	8	8	
	Grips (Denmark)	गोटा	6	6	6	
	Steel screws	गोटा	2	2	2	
	PVC Tape	गोटा	15	15	15	
8	**Distribution board (DB)**					
	With busbar Neutral link Earth bar and Din Rail Conforming IS13032 , IS8632,Powder coated 14SWG CRCA sheet steel housing complete.siemens;abb 'hager					
	4 way **SPN DB** Double Cover	सेट	1082	1082	1082	
	6 way SPN DB " "	”	1135	1135	1135	
	8 way SPN DB " "	”	1416	1416	1416	
	12 way SPN DB " "	”	1679	1679	1679	
	16 way SPN DB " "	”	1795	1795	1795	
	3-4 way TPN DB Double Cover	”	2668	2668	2668	
	6 way TPN " " "	”	2998	2998	2998	
	8 way TPN " " " Vertical	”	5799	5799	5799	
	12 way TPN " " " Vertical	”	7727	7727	7727	
	50 Pair Telephone D.B.with crown tag	”	5446	5446	5446	
9	**PVC Box for MCB**					
	1-pole PVC box GPS	सेट	81	81	81	
	2- pole PVC " "	”	81	81	81	
	3 and 4-pole PVC " "	”	130	130	130	
10	Miniature Circuits Breaker (MCB) , LEGRAND/Siemens , Abb, schnieder or equivalent					
	6–32 amp MCB SP (single pole)	गोटा	206	206	206	
	6–32 amp MCB DP (Double pole)	”	1030	1030	1030	
	6–32 amp MCB TP (Triple pole)	”	1710	1710	1710	
	32 amp MCB TPN	”	2472	2472	2472	
	40–63 amp MCB DP	”	1648	1648	1648	
	40–63 amp MCB TP	”	2637	2637	2637	
	40–63 amp MCB TPN	”	3157	3157	3157	
10	**Miniature Circuits Breaker (MCB)**KOLORS/INDO ASIAN/ GOLD MEDAL/ANCHOR WOODS/ANCHOR ROMA/VIMAL WAVE, North-west equivalent					
	0.5–5 amp MCB SP (single pole)	गोटा	258	258	258	
	6–32 amp MCB SP (single pole)	”	165	165	165	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	6–32 amp MCB DP (Double pole)	"	618	618	618	
	6–32 amp MCB TP (Triple pole)	"	1236	1236	1236	
	32 amp MCB TPN	"	1494	1494	1494	
	40–63 amp MCB DP	"	979	979	979	
	40–63 amp MCB TP	"	1391	1391	1391	
	40–63 amp MCB TPN	"	1854	1854	1854	
12	**Residual Current Circuit Breaker (RCCB) abb, siemens, hager, legrend, north-west lawson or equivalent**					
	25A to 40A ,(30mA,100,300mA) DP RCCB	गोटा	2751	2751	2751	
	63A 30mA DP RCCB	"	3278	3278	3278	
	63A 100mA DP RCCB	"	3014	3014	3014	
	63A 300mA DP RCCB	"	3064	3064	3064	
	25A to 40A ,(30mA,100,300mA) FP RCCB	"	3377	3377	3377	
	63A 30mA Four Pole RCCB	"	3706	3706	3706	
	63A 100mAFour Pole RCCB	"	3706	3706	3706	
	63A 300mA Four Pole RCCB	"	3706	3706	3706	
	Moulded Case Circuit Breaker abb, abb, siemens, hager, legrend, north-west lawson or equivalent					
	16AMP- 63AMP TP MCCB 16KA		5665	5665	5665	
	80AMP TP MCCB 16KA		5665	5665	5665	
	100AMP TP MCCB 16KA		6386	6386	6386	
	125AMP TP MCCB 16KA		8240	8240	8240	
	160AMP TP MCCB 16KA		9785	9785	9785	
	16AMP- 63AMP TP MCCB 25KA		6386	6386	6386	
	80AMP TP MCCB 25KA		7045	7045	7045	
	100AMP TP MCCB 25KA		7045	7045	7045	
	125AMP TP MCCB 25KA		11330	11330	11330	
	160AMP TP MCCB 25KA		13390	13390	13390	
	200AMP TP MCCB 25KA(Adjustable)		21115	21115	21115	
	200AMP TP MCCB 36KA(Adjustable)		23175	23175	23175	
	250AMP TP MCCB 36KA(Adjustable)		27295	27295	27295	
	400AMP TP MCCB 50KA(Adjustable)		35535	35535	35535	
	630AMP TP MCCB 50KA(Adjustable)		48410	48410	48410	
	800AMP TP MCCB 50KA(Adjustable)		63963	63963	63963	
14	**Manual Changeover Panel Type**					
	Make ABB,Siemens,Hager DELTON or Equivalent					
	63 Amp FP	,,	11618	11618	11618	
	80 Amp FP	,,	12854	12854	12854	
	100 Amp FP	,,	18210	18210	18210	
	125 Amp FP	,,	19199	19199	19199	
	160 Amp FP	,,	25214	25214	25214	
	200 Amp FP	,,	26038	26038	26038	
	250 Amp FP	,,	27686	27686	27686	
	315 Amp FP	,,	35020	35020	35020	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
15	**Dome light Make Homedec, Decon, Fumagalli OR equivalent**					
	6" Milky type decorative dome light	सेट	180	180	180	
	6 " Brass base decorative dome light	,,	736	736	736	
	8"Milky type decorative dome light	,,	227	227	227	
	8 " Brass base decorative dome light	,,	876	876	876	
	8" Silver cast Milky base Decorative Dome Light	,,	1107	1107	1107	
	6) 8" Silver cast Black Base base Decorative Dome Light	,,	567	567	567	
	Decorative Ceiling luminary with round opal cover suitable for housing the one number of CFL lamp of 9W /13W/18W including CFL (Surface Mounting Dome light)	,,	1213	1213	1213	
	Wall bracket/spout light/mirror light bulk head ordinary .Make Homedec,Decon,Fumagalli	,,	232	232	232	
	Wall bracket/spot light/mirror light /bulk head medium decorative.	,,	361	361	361	
	Wall bracket/spout light/mirror light / bulk head best quality with 11/13W CFL	,,	824	824	824	
	1 x 11/13 watt CFL **DOWN LIGHT** with reflector & diffuser (conceal light) Complete Set Wipro WCG22060	,,	968	968	968	
	1 x 18 watt CFL Down light with reflector & diffuser (conceal light) Complete Set Wipro WCP23118	,,	1514	1514	1514	
	Dining lamp.	,,	1700	1700	1700	
	Chandlers 6-8 lamp Medium	,,	15090	15090	15090	
	Chandlers 3-5 lamp Medium	,,	10764	10764	10764	
	Mirror Light Euro Light Wipro WRF21111	,,	464	464	464	
	Picture light Euro Light POO2	,,	670	670	670	
	Wall spot Light E27 60W Euro or eqv.	,,	361	361	361	
	Exit Light safety sign(8.24)W Make Samcon	सेट	824	824	824	
	Post top Lanterns					
	Bollard Garden light small Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal block	,,	2575	2575	2575	
	Bollard Garden light medium Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal	,,	3090	3090	3090	
	Bollard Garden light Full Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal	,,	3476	3476	3476	
	8" Globe type Post top Lamp complete set	,,	1416	1416	1416	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	10" Globe type Post top Lamp complete set	,,	2704	2704	2704	
	Roadway light luminaires **Wippro,Philips , Legero or Equivalent**					
	1 x 36 W FTL street light fixture with acrylic diffuser complete set	,,	2637	2637	2637	
	2 x 36 W FTL street light fixture with acrylic diffuser complet set	,,	3868	3868	3868	
	300/500 watt halogen weather proof **FLOOD LIGHT** with glass cover Complete set	,,	1545	1545	1545	
	1000 watt halogen weather proof **flood light** with glass cover Complete set	,,	3090	3090	3090	
15 .	150 watt **HPSV** weather proof flood light with glass cover lamp Complete Set	,,	9270	9270	9270	
	250 watt HPSV weather proof flood light with glass cover lamp Complete Set	,,	11382	11382	11382	
	Single Piece deep drawn aluminum POT optics **road light luminaries** with clear acrylic cover 70W HPSV lamp etc. complete with all accessories,	सेट	5253	5253	5253	
	2X18W CFL-4 Pin street light fixture with acrylic diffuser	सेट	2271	2271	2271	
	1X125W HPSV **street light** fixture with acrylic diffuser	"	5119	5119	5119	
	2X60/100W GLS **aviation light** fixture all complete set	"	5686	5686	5686	
	CEILING FANS & EXHAUST Fans, BAJAJ/KHAITAN/ORIENT/CROMPTON/POWERPACK C/G . Almonard or equivalent					
	36" size ceiling Fan	गोटा	2163	2163	2163	
16	42" size " "	"	2266	2266	2266	
	48" size " "	"	2318	2318	2318	
	56" size " "	"	2575	2575	2575	
	6" Exhaust Fan	"	1494	1494	1494	
	9" Exhaust Fan	"	1803	1803	1803	
	16" size wall fan	"	2833	2833	2833	
	12" size exhaust fan	"	2575	2575	2575	
	BELL INDICATOR					
	4 way bell indicator with plate	सेट	1255	1255	1255	
17	6 way " " " "	,,	2049	2049	2049	
	8 way " " " "	,,	2851	2851	2851	
	12 way " " " "	,,	4395	4395	4395	
	Materials For Earthing & Lightening Protection (sp.gr. copper =8930kg/m^3)					
	Copper plate	के.जी	917	917	917	
	Copper Strip (25 x 3)mm (Appox 60"=1kg)	के.जी	1082	1082	1082	
	Copper Strip (20mm breadth x 3mm thick)	के.जी	1082	1082	1082	
	Copper Strip (12 x 3)mm	के.जी	1082	1082	1082	
18	Lightining rod copper conductor Air termination set	गोटा	2730	2730	2730	
	8 SWG bare copper wire	र. मी	144	144	144	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	29 mm Diameter GI Pipe of 1m length	र. मी	252	252	252	
	30 Cm x 30 Cm Cast Iron Cover for water pouring into pit	गोटा	618	618	618	
	5/16 nuts & bolt with spring washer cadmium maker	गोटा	15	15	15	
	1/2" Diameter GI pipe for protecting the earth conductor 1.5 m in length	गोटा	196	196	196	
	Funnel with wire mesh	गोटा	361	361	361	
	Charcoal	ब्याग	309	309	309	
	Salt	के.जी	12	12	12	
19	**STEEL TUBELAR POLE / WOODEN POLE**					
	Steel Tubular Poles with welded plate on top and bottom (**medium Gauge** non Galvanized with folding System and accessories)					
	7 Mtr. (Bottom : 115 mm Dia 3300 mm height, 90mm Dia 2400mm height & 76 mm Dia , 1650mm height with overlapping of 200mm & 150 mm Respectively	No	12057	12057	12057	
	9 Mtr. (Bottom : 134 mm Dia. 3300 mm height, 115mm Dia2250mm height , 90 mm Dia 2250mm height & 76mm Dia. 1650 mm height with overlapping of 200mm, 150mm, 100mm Respectively	No	12978	12978	12978	
	Steel Tubular Poles 7 Mtr. (115 mm Dia. 3100 mm height, 90mm Dia 2300mm height &:76 mm Dia and 1600mm height) with welded plate on top and bottom (**medium Gauge** non Galvanized with welded joints)	No	12484	12484	12484	
	7 mtr.length Wooden Pole	No	4996	4996	4996	
	9 mtr.length Wooden Pole	No	6798	6798	6798	
20	Modular ceiling Luminaries					
	Fluorescent Tube light (FTL) set including Tube,condenser,starter , lamp holder,channel/batten made with pre-phosphated & powder coated CRCA steel all complete accessories pre wired upto a terminal block . PHILIPS,WIPRO, BAJAJ, HAVELLS, OSRAM, CROMPTION, MIDEA, ORIENT, PREMIER, OHMS, LEGERO or equivalent					
	1×20 watt FTL (Patti fittings)	सेट	464	464	464	
	1×40 watt FTL ,Energy saving electronioc striplite with electronic choke(ballast) Surface mounting (Patti Fitting)	,,	775	775	775	
	1×20 watt FTL (Mirrolta) WRF 20120	,,	876	876	876	
	1×40 watt FTL with attractive & functional decorative battens WRF20140	,,	1020	1020	1020	
	1×40 watt FTL box fittings WIF 14140	,,	1159	1159	1159	
	2×40 watt FTL box fittings WIF 14240	,,	1751	1751	1751	
	1×40 watt FTL Industrial channel WIF 36140	,,	1782	1782	1782	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	2×40 watt FTL Industrial channel WIF 36240	,,	2287	2287	2287	
	1×40 watt FTL, opalite with opal Arcylic dissuser . WCF51140	,,	1854	1854	1854	
	2×40 watt FTL, oplite with opal Arcylic dissuser WCF51240	,,	3090	3090	3090	
	4×20 watt FTL, oplite WCF 93418	,,	5410	5410	5410	
	4×20 watt FTL **mirror optic**, surface/recessed mounting WCF93418	,,	5410	5410	5410	
	1×40 watt FTL mirror optic with electronic choke. Surface / recessed mounting WCF 82136	,,	3554	3554	3554	
	2×40 watt FTL **mirror optic**. surface/recessed mounting with electronic choke WVP40236	,,	4326	4326	4326	
	4 x 14 watt FTL T5 with electronic ballast direct / indirect , surface / recessed with paralite P5 luver Complete set WVF20414	सेट	9383	9383	9383	
	3X14W FTL-T5 low glare fixture with specular reflector, parabolic louvers & electronic ballast surface /recessed Armstrong ceiling WVF 20314	सेट	8245	8245	8245	
20	**Compact Fluorescent Lamp (CFL) based Luminaries set all complete . PHILIPS, WIPRO BAJAJ, HAVELLS, OSRAM, CROMPTION, MIDEA ,LEGERO or ISI equivalent .**					
	2 x 18 W **CFL** recessed/surface mounting mirror Optic Complete Set WCP32218	,,	2678	2678	2678	
	1 x11 W CFL mirror Optic surface/recessed mounting complete set WVP 41111	सेट	1833	1833	1833	
	2 x11 W CFL mirror Optic Surface mounting complete set WVP41211	सेट	2266	2266	2266	
	2 x 36 watt CFL 4pin with electronic ballast direct / indirect , surface / recessed with luver Complete set WVP24236	सेट	6067	6067	6067	
	3x36 W CFL -4 pin low glare fixture with P 5 louvres & electronic ballast complete set WVP 24336	सेट	6824	6824	6824	
	Recess mounting Direct Indirect LED luninare LM15-321-XXX-60-XX		10815	10815	10815	
	Recess mounting Direct Indirect LED luninare LM11-291-XXX-57-XX		14060	14060	14060	
	Recess Surface mounted LED luminate CRCO10R038HP57		13339	13339	13339	
	Hight efficiency circular LED Down Lighter LD71		3245	3245	3245	
	Designer LED Streetlight with pressure die cast housing suitable for secondary roads LR01		14600	14600	14600	
	IP20 and IP 65 non intregal flexible LED Strip Light LS 06/26		1082	1082	1082	
	Circular LED wall/Dome Light suitable for true ceiling LW01		3245	3245	3245	
	Square LED Wall/Dome light suitable for true ceiling LW02-101-XXX-60-XX		3245	3245	3245	
	Recess mounted indirect and direct luminares WVP 64236		6129	6129	6129	
	2x36 Watt CFL Surface Mirror Optic WVP44236		6129	6129	6129	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	Down Light Fiam Make					
	FDL004 SMD7W-WWH Taiwan chip (120*90)		1298	1298	1298	
	FDL004 SMD7W-CW Taiwan chip		1298	1298	1298	
	FDLOO4 SMD9W-WWH Taiwan chip (145*90)		1857	1857	1857	
	FDLOO4 SMD9W-CW Taiwan chip		1857	1857	1857	
	FDLOO4 SMD15W-WWH Taiwan chip (175*90)		2828	2828	2828	
	FDLOO4 SMD15W-CW Taiwan chip		2828	2828	2828	
	FDL004 SMD30W-WWH Taiwan chip (200MM)		5091	5091	5091	
	FDL004 SMD30W-CW Taiwan chip		5091	5091	5091	
	FDLO12 COB5W-WWH (90MM)		1301	1301	1301	
	FDLO12 COB5W-CW		1301	1301	1301	
	FDLO12 COB10W-WWH (120MM)		1979	1979	1979	
	FDLO12 COB10W-CW		1979	1979	1979	
	FDLO12 COB15W-WWH Taiwan chip (140MM)		5091	5091	5091	
	FDLO12 COB15W-CW Taiwan chip		5091	5091	5091	
	FDLO12 COB25W-WWH Taiwan chip		6787	6787	6787	
	FDLO12 COB25W-CW Taiwan chip		6787	6787	6787	
	FDLO12 COB30W-WWH Taiwan chip (200MM)		8483	8483	8483	
	FDLO12 COB30W-CW Taiwan chip		8483	8483	8483	
	FDLOO7 SMD12W-WWH Taiwan chip (130*110)		4184	4184	4184	
	FDLOO7 SMD12W-CW Taiwan chip		4184	4184	4184	
	FDLOO7 SMD18W-WWH Taiwan chip (165*145)		6108	6108	6108	
	FDLOO7 SMD18W-CW Taiwan chip		6108	6108	6108	
	FDLOO7 SMD24W-WWH Taiwan chip (195*175)		7635	7635	7635	
	FDLOO7 SMD24W-CW Taiwan chip		7635	7635	7635	
	FDLOO1 HP5W FBK-WWH Taiwan chip (95*110)		3167	3167	3167	
	FDLOO1 HP5W FBK-CW Taiwan chip		3167	3167	3167	
	FDLOO1 HP5W FWH-WWH Taiwan chip (80*120)		3167	3167	3167	
	FDLOO1 HP5W FWH-CW Taiwan chip		3167	3167	3167	
	FDLLOO5 SMD7W-WWH Taiwan chip (123MM)		1301	1301	1301	
	FDLLOO5 SMD7W-CW Taiwan chip		1301	1301	1301	
	FDLOO5 SMD12W-WWH Taiwan chip (165MM)		1696	1696	1696	
	FDLOO5 SMD12W-CW Taiwan chip		1696	1696	1696	
	FDLOO5 SMD20W-WWH Taiwan chip (200MM)		3111	3111	3111	
	FDLOO5 SMD20W-CW Taiwan chip		3111	3111	3111	
	FM3161 HP 18W-WWH Cree Led		6787	6787	6787	
	FM3161 HP 18W-CW Cree Led		6787	6787	6787	
	HD-5010-13-WWH Osram chip (86*75)		2094	2094	2094	
	HD-5010-13-CW Osram chip		2094	2094	2094	
	HD-5010-14-WWH Osram chip (115*105)		3167	3167	3167	
	HD-5010-14-CW Osram chip		3167	3167	3167	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	HD-5010-14-WWH Osram chip (140*125)		3959	3959	3959	
	HD-5010-14-CW Osram chip		3959	3959	3959	
	HD-5010-18-WWH Osram chip (215*200)		7860	7860	7860	
	HD-5010-18-CW Osram chip		7860	7860	7860	
	LETI 100 ROUND BLACK OPAL GX53 LED LAMP 3W		2451	2451	2451	
	LETI 100 SQUARE BLACK OPAL GX53 LED LAMP3W 3C1.000.000		2451	2451	2451	
	LUCIA WHITE OPAL		1803	1803	1803	
	LUCIA BLACK OPAL		1803	1803	1803	
	LUCIA-GD WHITE OPAL		1803	1803	1803	
	LUCIA-GD BLACK OPAL		1803	1803	1803	
	REMI/LUCIA WHITE OPAL		2163	2163	2163	
	REMI/LUCIA BLACK OPAL		2163	2163	2163	
	REMI/LUCIA-EL WHITE OPAL		2163	2163	2163	
	REMI/LUCIA-EL BLACK OPAL		2163	2163	2163	
	REMI/LUCIA-GD WHITE OPAL		2163	2163	2163	
	REMI/LUCIA-GD BLACK OPAL		2163	2163	2163	
	MADDI BULKHEAD WHITE OPAL		1803	1803	1803	
	MADDI BULKHEAD BLACK OPAL		1803	1803	1803	
	MADDI-VE BULKHEAD WHITE OPAL		2524	2524	2524	
	MADDI-VE BULKHEAD BLACK OPAL		1803	1803	1803	
	MADDI-HL BULKHEAD WHITE OPAL		1803	1803	1803	
	MADDI-HL BULKHEAD BLACK OPAL		1803	1803	1803	
	REMI/MADDI WHITE OPAL		2163	2163	2163	
	REMI/MADDI BLACK OPAL		2163	2163	2163	
	REMI/MADDI-VE WHITE OPAL		2163	2163	2163	
	REMI/MADDI-VE BLACK OPAL		2163	2163	2163	
	REMI/MADDI-HL WHITE OPAL		2163	2163	2163	
	REMI/MADDI-HL BLACK OPAL		2163	2163	2163	
	GABRI/MADDI 1L BLACK OPAL		7210	7210	7210	
	MINIGABRI/MADDI 1L BLACK OPAL		6489	6489	6489	
	MINIGABRI REMI/MADDI-VE 1L WHITE OPAL		6489	6489	6489	
	GELMI WHITE OPAL E27		2884	2884	2884	
	GELMI BLACK OPAL E27		2884	2884	2884	
	GELMI-EL WHITE OPAL E27		2884	2884	2884	
	GELMI-EL BLACK OPAL E27		2884	2884	2884	
	DANZI WHITE OPAL E27		2884	2884	2884	
	DANZI BLACK OPAL E27		2884	2884	2884	
	STUCCHI WHITE OPAL E27		3245	3245	3245	
	STUCCHI BLACK OPAL E27		3245	3245	3245	
	CECCHI WHITE OPAL E27		3245	3245	3245	
	CECCHI BLACK OPAL E27		3245	3245	3245	
	BISSO ANNA BLACK WITH OPAL DIFFUSER		3605	3605	3605	
	MIKROLOT ANNA BLACK W/OPAL DIFFUSER		3605	3605	3605	
	IESSE LANTERN BLACK W/OPAL DIFFUSER		3245	3245	3245	
	MIZAR/ANNA BLACK OPAL GX53 LED LAMP 3W		7210	7210	7210	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	System Sensor Product (Honeywell)					
	Photo Electric Smoke Detector		1875	1875	1875	
	Rate of Rise Heat Detector		1875	1875	1875	
	Fixed temperature Detector		2287	2287	2287	
	Base		371	371	371	
	Conv. MCP, Red, with LED, 470 Ohm, with BB, India		1483	1483	1483	
	Wall mount Horn+Strobe		4120	4120	4120	
	Ceiling mount Horn+Strobe		4120	4120	4120	
	Exit Light Samcon make					
	MODEL SLM 18		12360	12360	12360	
	MODEL ELS 28		12360	12360	12360	
	MODEL ETL 210H-4LA		12360	12360	12360	
21	**LUMINARIES Accessories** (PHILIPS, HIMSTAR, BAJAJ, HAVELLS, OSRAM, GE, CROMPTION, MIDEA, ORIENT, RATHI, PREMIER, WIPRO,OHMS or ISI/CE Eqv.)					
	500 watt halogen rod	गोटा	232	232	232	
	1000 watt halogen rod	"	278	278	278	
	70Watt SON Lamp (Sodium Vapour)	"	834	834	834	
	150 watt sodium vapour bulb	"	1298	1298	1298	
	250 watt sodium vapour bulb	"	1700	1700	1700	
	20-40 watt FTL rod	"	80	80	80	
	20-40 watt FTL Copper chowk.	"	258	258	258	
	20-40W FTL Electronic Chowk with high power factor & instant flicker free start	"	412	412	412	
	Acrlye cover for 4×20 FTL	"	989	989	989	
	FTL starter	"	19	19	19	
21	8 W to11W, **C.F.L**.Direct fit	"	232	232	232	
	13 to 22W , C.F.L.Direct fit	"	299	299	299	
	15-100 watt bulb.(ISI)	गोटा	26	26	26	
	PL-S 9W/86 (CFL)	"	165	165	165	
	PL-S 11W/86 (CFL)	"	175	175	175	
	PL-L 36W/86 (CFL)	"	417	417	417	
	125W HPL-N (Murcury Vapour)	"	371	371	371	
	250W HPL-N	"	876	876	876	
	Solar LED bulb					
	12V/2W LED bulb	"	361	361	361	
	12V/3W LED bulb	"	412	412	412	
	12V/4W LED bulb	"	464	464	464	
	COPPERCONDUCTOR /WIRE /CABLE (PER COIL=90 RM) NS marked					
	1/18 size p.v.c. insulated copper wire/ cable	क्वायल	948	948	948	
	3/22 " " "	,,	1133	1133	1133	
	3/20 " " "	,,	1803	1803	1803	
	7/22 " " "	,,	2524	2524	2524	
22	7/20 " " "	,,	4120	4120	4120	
	7/18 " " "	,,	6489	6489	6489	
	7/16 " " "	,,	13390	13390	13390	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	19/18 " " "	,,	18025	18025	18025	
	19/16 " " "	,,	36050	36050	36050	
	2\20 " " "	,,	1370	1370	1370	
	2\22 " " "	,,	927	927	927	
	Multistrand Flexible wire for house wiring (90meter per coil) NS marked Eqv.					
	1.0 mm PVC insulated Copper wire	क्वायल	1030	1030	1030	
	1.5 mm PVC insulated Copper wire	,,	1648	1648	1648	
	2.5 mm PVC insulated Copper wire	,,	2421	2421	2421	
	4.0 mm PVC insulated Copper wire	,,	3914	3914	3914	
	6.0 mm PVC insulated Copper wire	,,	6180	6180	6180	
	10.0mm PVC insulated Copper wire	,,	10300	10300	10300	
23	**Concentric cable NS marked Eqv.**					
	4mm size concentric cable	र.मी	23	23	23	
	6mm size " "	र.मी	26	26	26	
	10mm size concentric cable	र.मी	39	39	39	
	16mm size " "	र.मी	67	67	67	
	25mm size " "	र.मी	89	89	89	
	RG6 **Coaxial cable**	र.मी	23	23	23	
	RG59 Coaxial cable	र.मी	26	26	26	
	UTP cat -5 networking cable	र.मी	26	26	26	
24	**Telephone Drop wire/pair cable NS marked Eqv.**					
	$^{2}/_{20}$ Telephone drop wire	क्वायल	989	989	989	
	$^{2}/_{22}$ " "	क्वायल	670	670	670	
	2- pair cable wire (2×2×0.45) mmHeavy	र.मी	14	14	14	
	3- pair cable wire (3×2×0.45) mm Heavy	,,	20	20	20	
	5- pair cable wire (5×2×0.45) mm Heavy	,,	32	32	32	
	10- pair cable wire (10×2×0.45) mm Heavy	,,	62	62	62	
	15- pair cable wire (15×2×0.45) mm Heavy	,,	91	91	91	
	20- pair cable wire (20×2×0.45) mm Heavy	,,	119	119	119	
	1mm drop wire	,,	10	10	10	
	1-4 Line **EPABX**,with 1set programmable master telephone set of corresponding brand Pansonic, Creative, Matrix Or Eqv.	सेट	7648	7648	7648	
	2-6 Line EPABX "	,,	18411	18411	18411	
	3-8 Line EPABX "	,,	20538	20538	20538	
	4-12 Line EPABX "	,,	36823	36823	36823	
	6-16 Line EPABX "	,,	49569	49569	49569	
	8-24 Line EPABX "	,,	84975	84975	84975	
	8-48 Line EPABX "	,,	90923	90923	90923	
	8-72 Line EPABX "	,,	97288	97288	97288	
	Other Accessories					
	6" size Dome light glass	गोटा	65	65	65	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
25	8" size " " "	,,	76	76	76	
	wall bracket glass	,,	65	65	65	
	Fan regulator	,,	271	271	271	
27	**Panel board** double door type with locking arrangement with 2 coat of red oxide metal prime & 3 stage quality paint before final coat of enamel paint (Three phase, Neutral link, earth link) TPNE copper busbar including necessary accessories for internal wiring at the board .) (Rates of MCCB / MCB & measuring instrument are not included here .) Ankur metal or Equivalent					
	60/75/100 AMP, 9"×36"×48" size	सेट	21414	21414	21414	
	60/75/100 AMP "12×36"×48" size	,,	25493	25493	25493	
	60/75/100 AMP 9"×48"×60" size	,,	35690	35690	35690	
	60/75100 AMP 12"×49"×60" size	,,	42488	42488	42488	
	150/200 AMP 9"×38"×52" size	,,	23793	23793	23793	
	150/200 AMP 12"×38"×52" size	,,	23793	23793	23793	
	150/200 AMP 9"×42"×56 "size	,,	26496	26496	26496	
	150/200 AMP 12"×42"×56" size	,,	28179	28179	28179	
	250/300AMP 12"×48"×60"size	,,	34505	34505	34505	
	250/300AMP 12"×52"×62" size	,,	38626	38626	38626	
	400 AMP 12"×52"×66" size	,,	41118	41118	41118	
29	**Panel Board measurement instrument**					
	0-500 volt meter	पिस	1023	1023	1023	
	60/100 Amp meter .	,,	979	979	979	
	Panel Indicator	,,	237	237	237	
	2 Amp glass fuse with holder 12 mm size	,,	134	134	134	
	AMP meter selector switch	,,	649	649	649	
	volt meter selector switch	,,	711	711	711	
	60/100 Amp C.T. coil per set 3 Pcs	,,	1432	1432	1432	
	150-200AMP C.T coil. 3 PC / Set	गोटा	1782	1782	1782	
	250-300 AMP ,, ,,	,,	2421	2421	2421	
	400/500/600AMP ,, ,,	,,	3554	3554	3554	
	Kilo watt hour **energy meter** single phase	पिस	2271	2271	2271	
	Kilo watt hour energy meter 3 phase direct	,,	10228	10228	10228	
30	**Trailing Protected Industrial Plug IP44**					
	16A 3P+E 400V Industrial plug	सेट	541	541	541	
	32 A 3p +N+E " Plug	सेट	803	803	803	
	32 A 3P+N+E water tight Plug IP67	सेट	1545	1545	1545	
31	**Access Controller** with record using card and pin, Having capacity 1000 cards and 25000events,responding distance 5 cm to 15 cm, dimensin 120 x88 x18 mm built in two relay operating door	सेट	20600	20600	20600	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
32	Access Controller with record using card and pin, Having capacity 1000 cards and 25000events,responding distance 5 cm to 15 cm, dimension 120 x88 x18 mm built in two relay operating door (Chinese)	सेट	13905	13905	13905	
33	**CABLE SHOE**					
	16 sq.mm cable shoe	गोटा	64	64	64	
	25 sq.mm " "	,,	83	83	83	
	35 sq.mm " "	,,	64	64	64	
	50 sq.mm " "	,,	75	75	75	
	70 sq.mm " "	,,	92	92	92	
	95 sq.mm " "	,,	143	143	143	
	150 sq.mm " "	,,	215	215	215	
	195 sq.mm " "	,,	305	305	305	
	250 sq.mm " "	,,	485	485	485	
34	**Copper Conductor Armoured Power Cables NS marked or eqv.**					
	a) 2 Core					
	1.5 mm2	र.मी	103	103	103	
	2.5 mm2	,,	139	139	139	
	4.0 mm2	,,	191	191	191	
	6.0 mm2	,,	247	247	247	
	10.0 mm2	,,	371	371	371	
	16.0 mm2	,,	494	494	494	
	25.0 mm2	,,	721	721	721	
	35.0 mm2	,,	958	958	958	
	50.0 mm2	,,	1339	1339	1339	
	b) 3 Core	,,				
	1.5 mm2		129	129	129	
	2.5 mm2	,,	180	180	180	
	4.0 mm2	,,	258	258	258	
	6.0 mm2	,,	330	330	330	
	10.0 mm2	,,	494	494	494	
	16.0 mm2	,,	690	690	690	
	25.0 mm2	,,	1051	1051	1051	
34	35.0 mm2	,,	1391	1391	1391	
	50.0 mm2 Copper Conductor Armoured	,,	1906	1906	1906	
	70.0 mm2	,,	2678	2678	2678	
	95.0 mm2	,,	3605	3605	3605	
	120.0 mm2	,,	4532	4532	4532	
	150.0 mm2	,,	5562	5562	5562	
	c) 3.5 Core					
	25.0 mm2	र.मी	1257	1257	1257	
	35.0 mm2	,,	1597	1597	1597	
	50.0 mm2	,,	2245	2245	2245	
	70.0 mm2	,,	3090	3090	3090	
	95.0 mm2	,,	4120	4120	4120	
	120.0 mm2	,,	5408	5408	5408	
	150.0 mm2	,,	6386	6386	6386	
	185.0 mm2	,,	7931	7931	7931	
	240.0 mm2	,,	10403	10403	10403	
	300.0 mm2	,,	13184	13184	13184	
	400.0 mm2	,,	17304	17304	17304	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	d) 4 Core					
	1.5 mm^2	र.मी	155	155	155	
	2.5 mm2	,,	221	221	221	
	4.0 mm2	,,	319	319	319	
	6.0 mm2	,,	412	412	412	
	10.0 mm2	,,	618	618	618	
	16.0 mm2	,,	901	901	901	
	25.0 mm2	,,	1339	1339	1339	
	35.0 mm2	,,	1803	1803	1803	
	50.0 mm2	,,	2575	2575	2575	
	70.0 mm2	,,	3502	3502	3502	
34	95.0 mm^2 Copper Conductor Armoured	,,	4738	4738	4738	
	120.0 mm^2 "	,,	5974	5974	5974	
	150.0 mm^2	,,	7416	7416	7416	
	185.0 mm^2	,,	9064	9064	9064	
	240.0 mm^2	,,	12360	12360	12360	
	300.0 mm^2	,,	14832	14832	14832	
	400.0 mm^2	,,	20085	20085	20085	
35	**Copper Conductor Unarmoured Power Cables NS marked or Eqv.**					
	a) 1–core					
	10 sq. mm.	र.मी	43	43	43	
	16 sq. mm.	,,	65	65	65	
	25 sq. mm.	,,	76	76	76	
	35 sq. mm.	,,	91	91	91	
	50 sq. mm.	,,	121	121	121	
	70 sq. mm.	,,	158	158	158	
	95 sq. mm.	,,	214	214	214	
	120 sq. mm.	,,	260	260	260	
	150 sq. mm.	,,	308	308	308	
	b) 2- core					
	1.5 sq.mm Copper Conductor Unarmoured	र.मी	72	72	72	
	2.5 sq.mm	,,	103	103	103	
	4 sq.mm	,,	144	144	144	
	6 sq.mm	,,	196	196	196	
	10 sq.mm	,,	309	309	309	
	16 sq.mm	,,	427	427	427	
	25 sq.mm	,,	659	659	659	
	35 sq.mm	,,	896	896	896	
	50 sq.mm	,,	1236	1236	1236	
	70 sq.mm	,,	1236	1236	1236	
	95 sq.mm	,,	2318	2318	2318	
	120 sq.mm	,,	3039	3039	3039	
	150 sq.mm	,,	3811	3811	3811	
	c) 3-core					
	1.5 sq.mm. 3- core copper conductor	र.मी	93	93	93	
	2.5 sq.mm	,,	134	134	134	
	4 sq.mm	,,	196	196	196	
	6 sq.mm	,,	278	278	278	
	10 sq.mm	,,	438	438	438	
	16 sq.mm	,,	639	639	639	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	25 sq.mm	,,	979	979	979	
	35 sq.mm	,,	1318	1318	1318	
	50 sq.mm	,,	1854	1854	1854	
	70 sq.mm	,,	2575	2575	2575	
	95 sq.mm	,,	3502	3502	3502	
	120 sq.mm	,,	4429	4429	4429	
	150 sq.mm	र.मी	5459	5459	5459	
	d) 3.5 core					
	25 sq.mm	र.मी	1205	1205	1205	
	35 sq.mm Copper Conductor Unarmoured	,,	1545	1545	1545	
	50 sq.mm	,,	2163	2163	2163	
	70 sq.mm	,,	3013	3013	3013	
	95 sq.mm	,,	4069	4069	4069	
	120 sq.mm	,,	5356	5356	5356	
	150 sq.mm	,,	6335	6335	6335	
35	**e) 4-core Copper Conductor Unarmoured**					
	1.5 sq.mm	र.मी	113	113	113	
	2.5 sq.mm	,,	170	170	170	
	4 sq.mm	,,	252	252	252	
	6 sq.mm	,,	350	350	350	
	10 sq.mm	,,	556	556	556	
	16 sq.mm	,,	845	845	845	
	25 sq.mm	,,	1318	1318	1318	
	35 sq.mm	,,	1772	1772	1772	
	50 sq.mm	,,	2472	2472	2472	
	70 sq.mm		3451	3451	3451	
	95 sq.mm	,,	4687	4687	4687	
	120 sq.mm	,,	5923	5923	5923	
	150 sq.mm	,,	7365	7365	7365	
	185 sq.mm	,,	9064	9064	9064	
	240 Sq. mm	,,	12257	12257	12257	
	300 Sq. mm	,,	14832	14832	14832	
	400 Sq. mm	,,	20085	20085	20085	
36	**Aluminum conductor Armoured (Power) cable NS marked or eqv.**					
	a) 2-core					
	1.5 sq.mm	र.मी	-	-	-	
	2.5 sq.mm	र.मी	93	93	93	
	4 sq.mm	,,	118	118	118	
	6 sq.mm	,,	134	134	134	
	10 sq.mm	,,	160	160	160	
	16 sq.mm	,,	180	180	180	
	25 sq.mm	,,	216	216	216	
	35 sq.mm	,,	247	247	247	
	50 sq.mm	,,	319	319	319	
	70 sq.mm	,,	397	397	397	
	95 sq.mm	,,	505	505	505	
	b) 3–core					
	2.5 sq.mm. Aluminum conductor Armoured	र.मी	108	108	108	
	4 sq.mm	,,	134	134	134	
	6 sq.mm	,,	149	149	149	
	10 sq.mm	,,	180	180	180	
	16 sq.mm	,,	206	206	206	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	25 sq.mm Aluminum conductor Armoured	,,	278	278	278	
	35 sq.mm	,,	335	335	335	
	50 sq.mm	,,	427	427	427	
	70 sq.mm	,,	541	541	541	
	95 sq.mm	,,	494	494	494	
	120 sq.mm	,,	834	834	834	
	150 sq.mm	,,	1004	1004	1004	
	185 sq.mm	,,	1236	1236	1236	
	240 sq.mm	,,	1514	1514	1514	
	300 sq.mm	,,	1854	1854	1854	
	400 sq.mm	,,	2318	2318	2318	
	c) 3.5 core					
	25 sq.mm.	र.मी	319	319	319	
	35 sq.mm	,,	371	371	371	
	50 sq.mm	,,	489	489	489	
	70 sq.mm	,,	628	628	628	
	95 sq.mm	,,	803	803	803	
	120 sq.mm Aluminum conductor Armoured	,,	979	979	979	
	150 sq.mm	र.मी	1174	1174	1174	
	185 sq.mm	,,	1421	1421	1421	
	240 sq.mm	,,	1772	1772	1772	
	300 sq.mm	,,	2215	2215	2215	
36	400 sq.mm	,,	2781	2781	2781	
	d) 4-core					
	2.5 sq.mm	र.मी	124	124	124	
	4 sq.mm	,,	155	155	155	
	6 sq.mm	,,	180	180	180	
	10 sq.mm	,,	196	196	196	
	16 sq.mm	,,	252	252	252	
	25 sq.mm	,,	340	340	340	
	35 sq.mm	,,	402	402	402	
	50 sq.mm	,,	548	548	548	
	70 sq.mm	,,	700	700	700	
	95 sq.mm	,,	901	901	901	
	120 sq.mm	,,	1082	1082	1082	
	150 sq.mm	,,	1370	1370	1370	
	185 sq.mm	,,	1627	1627	1627	
	240sq.mm	,,	2039	2039	2039	
	300 sq.mm Aluminum conductor Armoured	,,	2524	2524	2524	
	400sq.mm	,,	3193	3193	3193	
37	**Aluminium conductor unarmoured (power) cable NS marked or eqv.**					
	a) 1-core					
	16 sq.mm	र.मी	52	52	52	
	25 sq.mm	,,	72	72	72	
	35 sq.mm	,,	88	88	88	
	50 sq.mm	,,	113	113	113	
	70 sq.mm	,,	144	144	144	
	95 sq.mm	,,	196	196	196	
	120 sq.mm	,,	237	237	237	
	150 sq.mm	,,	391	391	391	
	185 sq.mm	,,	361	361	361	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	240 sq.mm	,,	443	443	443	
	300 sq.mm	,,	536	536	536	
	b) 2-core Aluminium conductor unarmoured					
	2.5 sq.mm	र.मी	52	52	52	
	4 sq.mm	,,	62	62	62	
	6 sq.mm	र.मी	77	77	77	
	10 sq.mm	,,	98	98	98	
	16 sq.mm	,,	103	103	103	
	25 sq.mm	,,	144	144	144	
	35 sq.mm	,,	185	185	185	
	50 sq.mm	,,	237	237	237	
	70 sq.mm	,,	299	299	299	
	95 sq.mm 2 core	,,	402	402	402	
	c) 3-core					
	2.5 sq.mm	र.मी	62	62	62	
	4 sq.mm		72	72	72	
	6 sq.mm	,,	88	88	88	
	10 sq.mm	,,	124	124	124	
	16 sq.mm	,,	144	144	144	
	25 sq.mm	,,	206	206	206	
	35 sq.mm	,,	258	258	258	
	50 sq.mm	,,	340	340	340	
	70 sq.mm	,,	453	453	453	
	95 sq.mm	,,	597	597	597	
37	120 sq.mm	,,	742	742	742	
	150 sq.mm	,,	886	886	886	
	185 sq.mm	,,	1112	1112	1112	
	240 sq.mm	,,	1380	1380	1380	
	300 sq.mm Aluminium conductor unarmoured	,,	1751	1751	1751	
	d) 3.5–core					
	25 sq.mm	र.मी	258	258	258	
	35 sq.mm	,,	309	309	309	
	50 sq.mm	,,	412	412	412	
	70 sq.mm	,,	567	567	567	
	95 sq.mm	,,	742	742	742	
	120 sq.mm	,,	927	927	927	
	150 sq.mm	,,	1112	1112	1112	
	185 sq.mm	,,	1391	1391	1391	
	240 sq.mm	,,	1751	1751	1751	
	300 sq.mm	,,	2163	2163	2163	
	e) 4–core core aluminium unarmoured					
	2.5 sq.mm	र.मी	72	72	72	
	4 sq.mm	,,	82	82	82	
	6 sq.mm	,,	98	98	98	
	10 sq.mm	,,	134	134	134	
	16 sq.mm	र.मी	196	196	196	
	25 sq.mm	,,	288	288	288	
	35 sq.mm	,,	350	350	350	
	50 sq.mm	,,	484	484	484	
	70 sq.mm 4	,,	639	639	639	
	95 sq.mm	,,	845	845	845	
	120 sq.mm	,,	1030	1030	1030	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	150 sq.mm	,,	1288	1288	1288	
	185 sq.mm	,,	1597	1597	1597	
	240 sq.mm	,,	2009	2009	2009	
	300 sq.mm	,,	2472	2472	2472	
38	**Security Gate System**					
	Metal Detector (ब्लाक स्कोपियन कम्पनी)	गोटा	16995	16995	16995	
39	**Air Conditioning system,Daikin,Mitsubishi heavy or Japanese eqv**					
	0.75 TR capacity Wall Mounted split type Air	सेट	-	-	-	
	Conditioning system					
	1.0 TR capacity Wall Mounted split type Air	सेट	-	-	-	
	Conditioning system					
41	**Air Conditioning system, McQuay, Panasonic,Fujiaire, Malaysian or Eqv Company**					
	0.75 TR capacity Wall Mounted split type AirConditioning system	सेट	-	-	-	
	1.0 TR capacity Wall Mounted split type Air	सेट	-	-	-	
	Conditioning system					
	1.5 TR capacity Wall Mounted split type Air	सेट	-	-	-	
	Conditioning system					
	2.0 TR capacity Wall Mounted split type Air	सेट	-	-	-	
	Conditioning system					
	Air Conditioning system, whirlpool or Eqv Company					
	0.75 TR capacity Wall Mounted split type Air	सेट	-	-	-	
	1.0 TR capacity Wall Mounted split type Air	सेट	-	-	-	
	1.5 TR capacity Wall Mounted split type Air	सेट	-	-	-	
	2.0 TR capacity Wall Mounted split type Air	सेट	-	-	-	
42	**General Lightig ANCHOR, C/G, Eqv.**					
	1 x 40 W FTL Patti fitting	सेट	252	252	252	
	1 x 20 W FTL Patti fitting	सेट	232	232	232	
	1 x 40 W FTL Box Fitting	सेट	427	427	427	
	1 x 20 W FTL Box fitting	सेट	417	417	417	
	9/11W Mini mirror light with electronic Blast suitable for PL lamp	सेट	355	355	355	
43	**GEWISS /BEC PVC Conduit product of Italy**					
	RK Range					
	16 mm medium rigid conduit DX 25 316	Mtr.	88	88	88	
	20 mm medium rigid conduit DX 25 320	"	124	124	124	
	25 mm medium rigid conduit DX 25 325	"	175	175	175	
	32 mm medium rigid conduit DX 25 332	"	252	252	252	
	40 mm medium rigid conduit DX 25 340	"	345	345	345	
	50 mm medium rigid conduit DX 25 350	"	530	530	530	
	63 mm medium rigid conduit DX 25 363	"	999	999	999	
	16 mm heavy rigid conduit DX 25 716	"	165	165	165	
	20 mm heavy rigid conduit DX 25 720	"	216	216	216	
	25 mm heavy rigid conduit DX 25 725	"	288	288	288	
	32 mm heavy rigid conduit DX 25 732	"	433	433	433	
	40 mm heavy rigid conduit DX 25 740	"	587	587	587	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	50 mm heavy rigid conduit DX 25 750	"	793	793	793	
	63 mm heavy rigid conduit DX 25 763	"	1488	1488	1488	
	16 mm polymer cable gland GW 52 043 with fixing nut and screws	"	196	196	196	
	20 mm polymer cable gland GW 52 044 with fixing nut and screws	"	247	247	247	
	25 mm polymer cable gland GW 52 045 with fixing nut and screws	"	376	376	376	
	32 mm polymer cable gland GW 52 046 with fixing nut and screws	"	623	623	623	
	40 mm polymer cable gland GW 52 047 with fixing nut and screws	"	747	747	747	
	50 mm polymer cable gland GW 52 048 with fixing nut and screws	"	963	963	963	
	63 mm polymer cable gland GW 52 049 with fixing nut and screws	"	1200	1200	1200	
	16 mm shockproof polymer saddle collar clip GW 50 605	"	31	31	31	
	20 mm shockproof polymer saddle collar clip GW 50 606	"	36	36	36	
	25 mm shockproof polymer saddle collar clip GW 50 607	"	41	41	41	
	32 mm shockproof polymer saddle collar clip GW 50 608	"	62	62	62	
	40 mm shockproof polymer saddle collar clip GW 50 630	"	98	98	98	
	50 mm shockproof polymer saddle collar clip GW 50 631	"	118	118	118	
	16 mm conduit coupler DX 40 016	"	36	36	36	
	20 mm conduit coupler DX 40 020	"	46	46	46	
44	25 mm conduit coupler DX 40 025	"	57	57	57	
	32 mm conduit coupler DX 40 032	"	103	103	103	
	40 mm conduit coupler DX 40 040	"	139	139	139	
	50 mm conduit coupler DX 40 050	"	242	242	242	
	63 mm conduit coupler DX 40 063	"	458	458	458	
	16 mm tight bend DX 40 116	"	57	57	57	
	20 mm tight bend DX 40 120	"	82	82	82	
	25 mm tight bend DX 40 125	"	129	129	129	
	32 mm tight bend DX 40 132	"	237	237	237	
	40 mm tight bend DX 40 140	"	335	335	335	
	50 mm tight bend DX 40 150	"	603	603	603	
	63 mm tight bend DX 40 163	"	2359	2359	2359	
	4 way junction box DX 45 004	"	670	670	670	
	7 way junction box DX 45 007	"	803	803	803	
	10 way junction box DX 45 010	"	1020	1020	1020	
	Closing cap for junction box DX 47 000	"	118	118	118	
	16 mm inspectionable T bend DX 40216	"	118	118	118	
	20 mm inspectionable T bend DX 40220	"	149	149	149	
	25 mm inspectionable T bend DX 40225	"	196	196	196	
	32 mm inspectionable T bend DX 40232	"	237	237	237	
	16 mm inspectionable bend DX 40 316	"	98	98	98	
	20 mm inspectionable bend DX 40 320	"	118	118	118	
	25 mm inspectionable bend DX 40 325	"	155	155	155	
	32 mm inspectionable bend DX 40 332	"	185	185	185	
45	**GEWISS/BEC Cable Tray with Cover and Accessories** BRN Range					
	65X35 mm2 hot deep galvanised steel cable tray MV 40 100	R. Ft.	819	819	819	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	95X35 mm2 hot deep galvanised steel cable tray MV 40 101	"	973	973	973	
	125X35 mm2 hot deep galvanised steel cable tray MV 40 102	"	1174	1174	1174	
	155X35 mm2 hot deep galvanised steel cable tray MV 40 103	"	1318	1318	1318	
	185X35 mm2 hot deep galvanised steel cable tray MV 40 104	"	1540	1540	1540	
	215X35 mm2 hot deep galvanised steel cable tray MV 40 105	"	1710	1710	1710	
	245X35 mm2 hot deep galvanised steel cable tray MV 40 106	"	2137	2137	2137	
	305X35 mm2 hot deep galvanised steel cable tray MV 40 108	"	2513	2513	2513	
	365X35 mm2 hot deep galvanised steel cable tray MV 40 110	"	3090	3090	3090	
	395X35 mm2 hot deep galvanised steel cable tray MV 40 111	"	3281	3281	3281	
	65X50 mm2 hot deep galvanised steel cable tray MV 40 120	"	984	984	984	
	95X50 mm2 hot deep galvanised steel cable tray MV 40 121	"	1179	1179	1179	
	125X50 mm2 hot deep galvanised steel cable tray MV 40 122	"	1298	1298	1298	
	155X50 mm2 hot deep galvanised steel cable tray MV 40 123	"	1468	1468	1468	
	185X50 mm2 hot deep galvanised steel cable tray MV 40 124	"	1663	1663	1663	
	215X50 mm2 hot deep galvanised steel cable tray MV 40 125	"	1859	1859	1859	
	245X50 mm2 hot deep galvanised steel cable tray MV 40 126	"	2276	2276	2276	
	305X50 mm2 hot deep galvanised steel cable tray MV 40 128	"	2657	2657	2657	
46	365X50 mm2 hot deep galvanised steel cable tray MV 40 130	"	3456	3456	3456	
	395X50 mm2 hot deep galvanised steel cable tray MV 40 131	"	3749	3749	3749	
	515X50 mm2 hot deep galvanised steel cable tray MV 40 135	"	4584	4584	4584	
	95X65 mm2 hot deep galvanised steel cable tray MV 40 141	"	1313	1313	1313	
	215X65 mm2 hot deep galvanised steel cable tray MV 40 145	"	2122	2122	2122	
	305X65 mm2 hot deep galvanised steel cable tray MV 40 148	"	2781	2781	2781	
	395X65 mm2 hot deep galvanised steel cable tray MV 40 151	"	3852	3852	3852	
	515X65 mm2 hot deep galvanised steel cable tray MV 40 155	"	4836	4836	4836	
	605X65 mm2 hot deep galvanised steel cable tray MV 40 157	"	5449	5449	5449	
	125X80 mm2 hot deep galvanised steel cable tray MV 40 162	"	1494	1494	1494	
	215X80 mm2 hot deep galvanised steel cable tray MV 40 165	"	2271	2271	2271	
	305X80 mm2 hot deep galvanised steel cable tray MV 40 168	"	2884	2884	2884	
	395X80 mm2 hot deep galvanised steel cable tray MV 40 171	"	4151	4151	4151	
	515X80 mm2 hot deep galvanised steel cable tray MV 40 175	"	5016	5016	5016	
	Intrusion Detection System Make Honeywell or equavalent					
	Main Controller	सेट	38851	38851	38851	
	CONTROL,FIRE/BURG COMMERCIAL VISTA-128FBP					

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
47	**Smoke & Heat Detector**	सेट	10545	10545	10545	
	Wireless Smoke and Head Detector					
	Door Contact	सेट	2678	2678	2678	
	Wireless Door Contact with transmitter					
	Motion Detector	सेट	4178	4178	4178	
	Wireless Passive Infrared, Pet Immune Motion Detector					
	Panic Switch	सेट	4921	4921	4921	
	Wireless Panic Transmitter					
	Key	सेट	4780	4780	4780	
	Wireless Key to Arm and Disarm the System					
	Window Contact	सेट	2812	2812	2812	
	Wired door Contact with transmitter slim					
	Earth Quake Detector(JDS Inc, USA)	पिस	3601	3601	3601	
	Quake Alarm					
48	**Automatic Motor Operator for water motor**					
	Upto 1/2 HP single phase motor	सेट	4120	4120	4120	
	Upto 1 HP single phase motor	सेट	5665	5665	5665	
	Upto 5 HP three phase motor	सेट	9270	9270	9270	
49	**CCTV System**					
	Out door high speed Dome Integrated CAMERA Multi Protocal ,480 TVL,128 preset points , automatic surveillance,360 degrees horizontal rotation , AC 240V power supply , integrated heating system , highest angle speed 360 degree/ sec ,weather resistance, water resistance, robust type.					
	CANON Integrated camera chip, normal colour, 23 times optical Zoom, 10 times digital zoom	सेट	56650	56650	56650	
	CANON Integrated camera chip, day & night, 23 times optical Zoom, 10 times digital zoom	सेट	58916	58916	58916	
	Indoor high speed Dome Integrated CAMERA					
	CANON Integrated camera chip, normal colour, 23 times optical Zoom, 10 times digital zoom	सेट	54384	54384	54384	
	CANON Integrated camera chip, day & night, 23 times optical Zoom, 10 times digital zoom	सेट	56650	56650	56650	
50	**VISTA Box camera** with adoptor, IR view distance 25mm Mirror shutter;with mirror image switchable,white balance; auto,Horizontal resolution ; 480 TV line , system signal; NTSC/PALBlacklight compression :ON/OFF(Switchable) , AGC; ON/OFF	सेट	15450	15450	15450	
	7" Sphirical Shilded with bracket included chip excluded Camera		8364	8364	8364	
	i) 8 Channel DVR MJPEG Compression Type 8 Channel ionput 2 Channel output USB2.0Interface , Hard Disc > 200G, Multi-Record ,Motion Detector Function , Remote Control	सेट	33990	33990	33990	
	ii) 16 Channel Alarm input , 16 Channel Record 8 channel Alarm output , Internate Explore, MPG-4 Record	सेट	50985	50985	50985	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	17" LCD Monitor SAMSUNG or Korean Eqv.	सेट	10815	10815	10815	
51	**Electrical Equipments**					
	Earthing Materials (ISI or other International Standard)					
	6 mm thick 600mmm× 600 mm G.I. Plate	No.	2829	2829	2829	
	Funneling Mechanisn with cover (mild steel)	set	618	618	618	
	3.2 mm thick 600mmm× 600 mm Copper Plate	No.	9517	9517	9517	
	Copper wire (10 SWG)	Mtr.	155	155	155	
	Service wire (Al)					
	2.5 mm^2	Mtr.	18	18	18	
	4.0 mm^2	"	22	22	22	
	6.0 mm^2	"	28	28	28	
	Lightening Arrestor for 3 Phase .					
	0.5 KV	Set	1236	1236	1236	
	11 KV	Set	4326	4326	4326	
	Cross Arms V Channel.	No	3090	3090	3090	
	Stay set with accessories.					
	GI wire	No	1182	1182	1182	
	GI Plate	"	1185	1185	1185	
	Gay Insulator.	"	56	56	56	
	Elbow		103	103	103	
	Rod , Nut	No	445	445	445	
	Grip	"	49	49	49	
	Overhead Insulators (0.4KV)					
	Sackle Insulator	No	31	31	31	
	D-Iron	"	93	93	93	
	Nut Bolt (3" with 8 mm Ø)	"	15	15	15	
	Nut Bolt (6" with 8 mm Ø) to clamp on Poles	"	23	23	23	
	Overhead Insulators with fixing accessories (11KV)					
	Pin Insulator	No	185	185	185	
	Disc Insulator	"	989	989	989	
	Cross Arms V Channel.	"	2719	2719	2719	
	Sqarrel **ACSR conductor** 20mm^2	Rm.	17	17	17	
	weasel ACSR conductor 30 mm^2	"	25	25	25	
	Rabbit ACSR conductor 50 mm^2	"	41	41	41	
	Dog ACSR conductor 100 mm^2	"	82	82	82	
	Supply of aluminium ABC cable					
	25mm square 4 core ABC cable	Rm.	155	155	155	
	50 mm square 4 core ABC cable	"	258	258	258	
	95 mm square 4 core ABC cable	"	505	505	505	
	Alternator 3 Phase Brush less with compounded Excitation. (KEL)					
52	**AMF with ATS palel for DG Ankur metal or Equivalent**					
	5KVA AMF with ATS palel	set	22660	22660	22660	
	7.5KVA AMF with ATS palel	"	28840	28840	28840	
	10KVA AMF with ATS palel	"	36050	36050	36050	
	15KVA AMF with ATS palel	"	46350	46350	46350	
	20KVA AMF with ATS palel	"	66950	66950	66950	
	25KVA AMF with ATS palel	"	77250	77250	77250	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	30KVA AMF with ATS palel	"	92700	92700	92700	
53	**Solar system\Backup Power**					
	Pure sine wave inverter					
	675 VA inverter	set	11483	11483	11483	
	875 VA inverter	"	12601	12601	12601	
	1500 VA inverter	"	18987	18987	18987	
	3 KVA inverter	"	55947	55947	55947	
	Exide Battery					
	tubular inverter Battery					
	80 AH inverter Battery	set	9935	9935	9935	
	100 AH inverter Battery	"	11958	11958	11958	
	150 AH inverter Battery	"	16698	16698	16698	
	200 AH inverter Battery	"	20745	20745	20745	
	75 AH tubular inverter Battery	"	12731	12731	12731	
	100 AH tubular inverter Battery	"	16966	16966	16966	
	150 AH tubular inverter Battery	"	24967	24967	24967	
	200 AH tubular inverter Battery	"	31477	31477	31477	
	Solar Panel	watt	144	144	144	
54	**Angel Eyes solar street light absorb energy**					
	AST 1205 (12 W pv 05w led, 12.8v 5.2 Ah motion sensor)	set	29465	29465	29465	
	AST 1805 (18 W pv 05w led, 12.8v 7.8 Ah motion sensor)	"	39743	39743	39743	
	AST 2505 (25 W pv 05w led, 12.8v 7.8 Ah motion sensor)	"	45112	45112	45112	
	AST 3612 (36 W pv 012w led, 12.8v 13 Ah motion sensor)	"	62814	62814	62814	
	AE 2S18B8 (AE 2 off - grid power system, pv 18w 12.8v 7.8 Ah motion Sensor)	"	35746	35746	35746	
	AE 2S25B10 (AE 2 off - grid power system, pv 25w 12.8v 10.4 Ah motion Sensor)	"	44882	44882	44882	
	AE 2S36B13 (AE 2 off - grid power system, pv 36w 12.8v 13 Ah motion Sensor)	"	55961	55961	55961	
55	**MCB/ISOLATOR ORIENT or equivalent**					
	B CURVE MCB SP 6A-32A	pole	239	239	239	
	B CURVE MCB SP 40A	pole	281	281	281	
	B CURVE MCB SP 50A-63A	pole	281	281	281	
	C CURVE MCB SP 0.5-4A	pole	281	281	281	
	C CURVE MCB SP 6-32A	pole	239	239	239	
	C CURVE MCB SP 40A	pole	446	446	446	
	C CURVE MCB SP 50-63A	pole	446	446	446	
	C CURVE MCB SPN 0.5-4A	pole	479	479	479	
	C CURVE MCB SPN 6-32A	pole	513	513	513	
	C CURVE MCB SPN 40A	pole	561	561	561	
	C CURVE MCB SPN 50-63A	pole	561	561	561	
	C CURVE MCB DP 0.5-4A	pole	617	617	617	
	C CURVE MCB DP 6-32A	pole	564	564	564	
	C CURVE MCB DP 40A	pole	617	617	617	
	C CURVE MCB DP 50-63A	pole	617	617	617	
	C CURVE MCB TP 0.5-4A	pole	925	925	925	
	C CURVE MCB TP 6-32A	pole	847	847	847	
	C CURVE MCB TP 40A	pole	925	925	925	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	C CURVE MCB TP 50-63A	pole	925	925	925	
	C CURVE MCB TPN 0.5-4A	pole	1206	1206	1206	
	C CURVE MCB TPN 6-32A	pole	1103	1103	1103	
	C CURVE MCB TPN 40A	pole	1206	1206	1206	
	C CURVE MCB TPN 50-63A	pole	1206	1206	1206	
	C CURVE MCB FP 0.5-4A	pole	1290	1290	1290	
	C CURVE MCB FP 6-32A	pole	1180	1180	1180	
	C CURVE MCB FP 40A	pole	1290	1290	1290	
	C CURVE MCB FP 50-63A	pole	1290	1290	1290	
	ISOLATOR DP 40A	pole	551	551	551	
	ISOLATOR DP 63A	pole	551	551	551	
	ISOLATOR DP 80-100A	pole	576	576	576	
	ISOLATOR DP 125A	pole	611	611	611	
	ISOLATOR FP 40A	pole	902	902	902	
	ISOLATOR FP 63A	pole	902	902	902	
	ISOLATOR FP 80-100A	pole	998	998	998	
	ISOLATOR FP 125A	pole	998	998	998	
	RCCB DP 25A 30mA	pole	3547	3547	3547	
	RCCB DP 40A 30mA	pole	3547	3547	3547	
	RCCB DP 63A 30mA	pole	3547	3547	3547	
	RCCB DP 25A 100mA	pole	3345	3345	3345	
	RCCB DP 40A 100mA	pole	3345	3345	3345	
	RCCB DP 63A 100mA	pole	3345	3345	3345	
	RCCB DP 25A 300mA	pole	3345	3345	3345	
	RCCB DP 40A 300mA	pole	3345	3345	3345	
	RCCB DP 63A 300mA	pole	3345	3345	3345	
	RCCB FP 25A 30mA	pole	4155	4155	4155	
	RCCB FP 40A 30mA	pole	4155	4155	4155	
	RCCB FP 63A 30mA	pole	4155	4155	4155	
	RCCB FP 25A 100mA	pole	4004	4004	4004	
	RCCB FP 40A 100mA	pole	4004	4004	4004	
	RCCB FP 63A 100mA	pole	4004	4004	4004	
	RCCB FP 25A 300mA	pole	4004	4004	4004	
	RCCB FP 40A 300mA	pole	4004	4004	4004	
	RCCB FP 63A 300mA	pole	4004	4004	4004	
56	**Solar component**					
	Solar PV Module	Per watt	123	123	123	
	Solar Tubular Battery (200Ah@c20,12v)	Nos	29767	29767	29767	
	Solar Tubular Battery (150 Ah@c20,12v)	Nos	22763	22763	22763	
	Solar Tubular Battery (100 Ah@c20,12v)	Nos	15759	15759	15759	
	Solar Gel Battery (100 Ah@c20,12v)	Nos	31868	31868	31868	
	Solar Gel Battery (75 Ah@c20,12v)	Nos	24339	24339	24339	
	Solar Gel Battery (40 Ah@c20,12v)	Nos	14008	14008	14008	
	Charge controller (60Ah/24V)	Nos	31518	31518	31518	
	Charge controller 45Ah/12-24-48 V	Nos	23201	23201	23201	
	Charge controller 10a/12-24 V	Nos	2627	2627	2627	
	Charge controller 20a/12-24 V	Nos	3940	3940	3940	
	Solar dusk to down controller 20A/12Vwith driver curcit	Nos	4378	4378	4378	
	Solar street light 20W/10W- 12V DC with autodimming system	Nos	14884	14884	14884	

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९	
	Solar street light 40W/20W- 12V DC with autodimming system	Nos	30643	30643	30643	
	Ms pole 6 m high with rustproof enamel paint dimension 4" for buttom 3 m 3" for top 3 m	Nos	16197	16197	16197	
	Ms pole 9 m high with rustproof enamel paint dimension 4" for buttom m 6" for top 3 m	Nos	20137	20137	20137	
	40 watt solar street light	Nos	14008	14008	14008	
	20 watt solar street light	Nos	8405	8405	8405	
	12 watt solar street light	Nos	5428	5428	5428	
	Pure sine wave inverter 250 VA /12 V	Nos	7004	7004	7004	
	Pure sine wave inverter 400 VA /12 V	Nos	13133	13133	13133	
	pure sine wave inverter 1400 VA	nos	22763	22763	22763	
	Ms light Arms	Set	2189	2189	2189	
	SPV mountaining frame	set	5691	5691	5691	
	Battery box	Set	4378	4378	4378	
	Battery stand	Set	4378	4378	4378	