नेपाल सरकार
गृह मन्त्रालय
जिल्ला प्रशासन कार्यालय
नुवाकोट

Civil Works

बिदुर, नुवाकोट

असार, २०७७

सि.नं.	सामाग्री र प्रजातिहरुको नाम	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७५/०७६	आ.व. ०७६/०७७	आ.व. ०७७/०७८	

निर्णय नं. ६

आर्थिक वर्ष ०७७/०७८ मा नुवाकोट जिल्ला भित्र गरिने सार्वजनिक निर्माण कार्यको लागि आवश्यक पर्ने विभिन्न किसिमका निर्माण सामाग्रीहरु । सिभिल कार्य /स्यानिटरी कार्य र ईलेक्ट्रिक कार्य) को दररेट निम्न अनुसार कायम गर्ने निर्णय गरियो ।

CIVIL WORKS

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७५/०७६	आ.व. ०७६/०७७	आ.व. ०७७/०७८	
1	विभिन्न किसिमको ईंटा					
	क) मेशिनबाट उत्पादित ईंटा (छानेको)	हजार	21803	21810	21810	
	ख) मेशिनबाट उत्पादित ईंटा (१-नं.)	,,	16548	16550	16550	
	ग) स्थानीय चिम्नी भट्टाको ईंटा (१-नं.)	,,	13200	13300	13300	
	ग) स्थानीय चिम्नी भट्टाको ईंटा (२-नं.)	,,	11550	11600	11600	
	घ) तराई को १ नं.ईंटा	,,	18025	18050	18050	
	ङ) स्थानीय ठाडो भट्टाको ईंट्टा	,,	7500	7500	7500	
	(ङ) सिमेन्ट को ईंटा					
	BK108N	,,	15450	15450	15450	
	BK116As	,,	16274	16274	16274	
	च) **Concrete block**					
	size (40*15*20) cm	गोटा	37	37	37	
	size (40*10*20) cm	गोटा	32	32	32	
	size (39*14*19) cm(Ocm or equivalent)	गोटा	50	50	50	
	Cellular light weight concrete(CLC) block					
	Size 24"*8"*4"	गोटा	162	162	162	
	Size 24"*8"*6"	,,	236	236	236	
2	क्ले टायलहरु					
2.1	छानामा छाउने					
	क) मेशिनबाट उत्पादित टायल	गोटा	18	18	18	
	ख) चिम्नी भट्टाको टायल	,,	16	16	16	
	ग) मेशिनबाट उत्पादित धुरी	,,	32	32	32	
	घ) चिम्नी भट्टाको धुरी	,,	26	26	26	
2.2	मुईमा/ कौसीमा छाप्ने टायल:					
	क) मेशिनबाट उत्पादित क्ले टायल	गोटा	10	10	10	

नेपाल सरकार
भू मन्त्रालय
जिल्ला प्रशासन कार्यालय
नुवाकोट

सि.न.	सामाग्री र प्रजातिहरुको नाम	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७५/०७६	आ.व. ०७६/०७७	आ.व. ०७७/०७८	
	ख) चिम्नी भट्टाको कर्ले टायल	,,	9	9	9	
3	ढुंगाको काम (Stone work)					
3.1	Rubble Stone					
	क) फोरुवा ढुंगा (खानीको)	घ.मि.	1465	1500	1550	
	ख) ठुलो साइजको खोलाको ढुंगा (River Stone)	घ.मि.	1270	1300	1350	
3.2	छाप्ने ढुङ्गा (Flag stone)					
	क) १" सम्म बाक्लो सर्फेस ड्रेस गरेको छाप्ने ढुङ्गा	व.फि	82	82	84	
	ख) १½" सम्म बाक्लो ,, ,,	,,	99	99	105	
	ग) २" सम्म बाक्लो ढुङ्गा ,, ,,	व.फि	115	115	120	
	घ) २½" सम्म बाक्लो ढुङ्गा ,, ,,	,,	125	125	130	
	ङ) २½" - ३" सम्म बाक्लो ढुङ्गा ,,	,,	154	154	160	
	च) २½" - ३" सम्म बाक्लो ढुङ्गा मेसिनले काटेको	,,				
4	विभिन्न प्रकारको बालुवा					
	क) खानीकोबालुवा (Quarry sand)	घ.मि.	1845	1870	1870	
	ख) खोला/नदीको बालुवा (River sand)	,,	1845	1870	1870	
	ग) भवनको भुँई कोठामा पुर्न, सोयिङ्कर Void filling गर्न प्रयोग गरिने बालुवा	,,	880	880	880	
5	क्रसरबाट उत्पादित विभिन्न साइजको रोडा	घ.मि.	1845	1870	1870	
6	फुटालेको ढुङ्गाको गिट्टी					
	क) सबै साइजको गिट्टी	घ.मि.	1845	1870	1870	
7	सडकको Sub-base/base course का लागि प्रयोग गरिने निर्माण सामाग्री					
	क) विभिन्न साईजको खोलाको ग्राभेल	घ.मी.	1335	1350	1350	
	ख) स्थानीय खानी ग्राभेल	घ.मी.	1155	1170	1170	
	ग) ढुंगाको धुलो (Stone dust)	घ.मी.	805	805	805	
8	विभिन्न साइजका खोलाको Screening गरेको River pebbles(gravel)					
	क) ४०-८० मि.मि. साईज	घ.मी.	1615	1630	1630	
	ख) ५-४० मि.मि. साईज	घ.मी.	1615	1615	1615	
9	फिल्टर सामाग्री					
	४०% गिट्टी ६०% बालुवा मिश्रणको फिल्टर प्रयोजन	घ.फि.	68	70	70	
10	सडक कालो पत्रे गर्ने कामको सामाग्रीहरु					
	i) ८०/१०० ग्रेडको बिटुमीन	के.जी	74	81	82	
	ii)CRMB-DIGO 55 Bitumen	,,	77	80	81	
	iii) Packed bitumen emulsion को काम					
	छिटो जम्ने (RS 60%)	,,	67	68	68	
	छिटो जम्ने (RS 65%)	,,	68	72	72	
	छिटो जम्ने (RS 70%)	,,	75	76	76	
	मध्यम जम्ने (MS 60%)	,,	68	69	69	
	मध्यम जम्ने (MS 65%)	,,	73	74	74	
	ढीलो जम्ने (SS60%)	,,	69	70	70	
	Slurry Seal with 60% bitumen	,,	74	74	74	
	Iii - seal Bodymix	,,				

क्र.नं.	सामग्री र प्रजातिहरुको नाम	एकाई	दररेट मू.अ.क. (VAT बाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७५/०७६	आ.व. ०७६/०७७	आ.व. ०७७/०७८	
	v) कालोपत्रे सडक Pot hole भर्नको लागी प्रयोग गरिने Pre-coated Aggregate सामाग्री	"	30	30	30	
	vi) कालोपत्रे सडकमा रेखांकन गर्ने प्रयोग गरिने Thermo Plastic Road marking सामाग्री					
	a) B.S. Grade	के.जि	170	170	170	
	b) Most Grade	"	188	188	188	
	c) Glass heads	"	154	154	154	
11	विभिन्न कम्पनीबाट उत्पादित सिमेन्टहरु					
11.1	नेपालबाट उत्पादित विभिन्न ब्रान्डका ओ.पि.सी. सिमेन्ट NS #49 (प्रतिबोरा ५० के.जी.)	बोरा	841	841	841	
11.2	भारतबाट उत्पादित विभिन्न ब्रान्डका ओ.पि.सी. सिमेन्ट (प्रतिबोरा ५० के.जी.।	"	-	-	-	
11.3	हेटौंडा सिमेन्ट (५० के.जी. ओ.पि.सी.।	"				
11.3	उदयपुर सिमेन्ट (५० के.जी. ओ.पि.सी.।	"				
11.3	नेपालबाट उत्पादित विभिन्न ब्रान्डका पि.पि.सी. सिमेन्ट (प्रतिबोरा ५० के.जी.)	"	765	750	740	
11.4	सेती सिमेन्ट (40kg/bag)	"	1230	1230	1230	
11.5	लोड अनलोड चार्ज	"	10	10	12	
12	Ready made Premix Concrete (Supplying laying all complete work)					
12.1	Panchakanya , MAW or equivalent					
	M 15	घ. मि	13800	13800	13800	
	M 20	"	14400	14400	14400	
	M 25	"	15000	15000	15000	
	M 30	"	16000	16000	16000	
13	फलामको डण्डीहरु :					
	(क) विभिन्न साइजका TMT Bar					
	a) 8 mm dia	के.जी	94	94	94	
	b) 10,12,16,20, 25mm dia	"	91.5	91.5	91.5	
	c) 28,32 mm dia	"	92.5	92.5	92.5	
	(ख) विभिन्न साइजका TOR Steel					
	a) 8mm dia TOR steel	"	88.94	88.94	88.94	
	b) 10-25mm TOR steel	"	85.84	85.84	85.84	
	c) 28-32mm TOR steel	"	85.94	88.94	85.94	
	(ग) विभिन्न साइजका TOR Steel					
	a) 4.75, 7 mm dia	"	94.15	94.15	94.15	
	(घ) Binding Wire (डण्डी बाँध्ने तार)	"	101.77	101.77	101.77	
14	विभिन्न किसिमका काठहरु					
	(क) ८' देखि १२' सम्मको सालकाठ	"	6260	6260	6260	
	(ख) १२ फिट देखि माथिको सालकाठ	"	6550	6550	6550	
	(ग) खाजे काठ	"	2500	2500	2500	
	(ङ) जामुन काठ	"	2135	2135	2135	
	(च) उत्तिस काठ	"	1130	1130	1130	
	(छ) सिसौं काठ	"	2300	2300	2300	
	(ज) जंगली सिसौं काठ	"	5270	5270	5270	
	(झ) स्थानीय कुकाठ (फर्मा प्रयोगका लागि Mixed wood)	घ. फि	950	950	950	
	(ञ) स्थानिय मालु काठ	घ फि	2000	2000	2000	
	(ट) काठ टहरा	के.जी	12	12	12	

नेपाल सरकार
अर्थ मन्त्रालय
जिल्ला प्रशासन कार्यालय
नुवाकोट

सि.नं.	सामाग्री र प्रजातिहरुको नाम	एकाई	दररेट मू.अ.क. (VAT बाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७५/०७६	आ.व. ०७६/०७७	आ.व. ०७७/०७८	
	(क) सिसौ काठ	"	2300	2300	2300	
	(ख) जंगली सिसौ काठ	"	5270	5270	5270	
	(ग) स्थानीय कुकाठ (फर्मा प्रयोजनको लागि Mixed wood)	घ. फि	950	950	950	
	(ज) स्थानिय साल काठ	घ. फि	2000	2000	2000	
	(ट) काठ दाउरा	के.जी	12	12	12	
14.2	**कुदिएको काठको काम तयारी**					
	i) भ-याङको रेलिङ्ग तथा बार्दली आदिमा कुँदिएको स्थानीय सीसौ काठको हुक्का (2'-6"x3"x3")	गोटा	821	821	821	
	ii) भ-याङको रेलिङ तथा बार्दली आदिमा कुँदिएको जंगली स्पेशल सीसौ काठको हुक्का (2'-6"x3"x3")	"	895	895	895	
	iii) भ-याङको रेलिङ्ग तथा बार्दली आदिमा कुँदिएको सीसौ काठको हेण्ड रेल (3"x4")	र.फि.	746	746	746	
	iv) भ-याङको रेलिङको थुम्बे हाउने कुँदिएको सीसौ काठको गोलो हेण्ड रेल (3"x4")	गोटा	3282	3282	3282	
	v) देवी देवताको मुर्ति कुँदिएको ४' देखि ५' लामो (३"x ८": साल काठमा ढुंडाल बनाउने काम	"	10443	10443	10443	
	vi) देवी देवताको मुर्ति कुँदिएको ६' देखि ७' लामो (३"x ८": साल काठमा ढुंडाल बनाउने काम	"	11935	11935	11935	
	vii) विभिन्न बुट्टा तथा देवी देवताको मुर्ति कुँदिएको साल काठको झ्याल ढोका बनाउने काम (खापाको साटाई ४० मि.मि. देखि ५० मि.मि. सम्म)	घ.फि.	2238	2238	2238	
	viii) घोडाको आकृति गरि कुँदिएको ४"x ५" साइजको ३' देखि ४' लामो साल काठको तयारी ढुंडाल बनाउने काम ।	गोटा	5221	5221	5221	
	ix) सामान्य प्रकारको कुँदिएको सालको काठको जाली झ्याल तयारी	र.फि.	746	746	746	
	x) मध्यम प्रकारको कुँदिएको सालको काठको जाली झ्याल तयारी	"	1044	1044	1044	
	xi) विशेष प्रकारको कुँदिएको सालको काठको जाली झ्याल तयारी लक्ष कहीत	"	2238	2238	2238	
	xii) विशेष प्रकारको कुँदिएको सालको काठको जाली झ्याल तयारी लक्ष नभएको	"	1417	1417	1417	
	xiii) ३'x ९.५" साइजको सालको काठको कुँदिएको पल्ली तयारी गर्ने काम	र.फि.	522	522	522	
	xiv) कुँदिएको विभिन्न बुट्टा राखी बनाएको साल काठको ४"x ५"को कार्निस बिम आदि तयारी गर्ने कार्य	"	895	895	895	
	xv) ४"x ५"को साल काठको नाग बुट्टा कुँदि तयारी गरी जडान गर्ने कार्य	"	746	746	746	
15	**Wooden Parquet Flooring**					
	i) Shisam wood 150mm*30mm*8mm	व.फि.	179	179	179	
	ii)Wall panelling (with wood frame) sisam wood. (75mm*16mm)	"	597	597	597	
16	**विभिन्न मोटाईको प्लाइउडहरु**					
16.1	**Commercial**					
	(क) ३ मी.मी	व.फि	20	20	20	
	३.५ मी.मी.	"	23	23	23	
	(ख) ४ मी.मी	"	24	24	24	

नेपाल सरकार
गृह मन्त्रालय
जिल्ला प्रशासन कार्यालय
नुवाकोट

सि.नं.	सामाग्री र प्रजातिहरुको नाम	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७५/०७६	आ.व. ०७६/०७७	आ.व. ०७७/०७८	
	(ग) ६ मी.मी	,,	38	38	38	
	(घ) ८ मी.मी	,,	42	42	42	
	(ङ) १२ मी.मी	,,	64	64	64	
	(च) १९ मी.मी B/B	,,	93	93	93	
	छ) १८ मी.मी PLY	,,	96	96	96	
16.2	P/F. Water Proof					
	क) ४ मी.मी	व.फि	40	40	40	
	ख) ६ मी.मी	व.फि	55	55	55	
	ग) ८ मी.मी.	,,	60	60	60	
	घ) ९ मी.मी.	,,	66	66	66	
	(ङ)१२ मी.मी	,,	76	76	76	
	च) १९ मी.मी PLY		125	125	125	
	छ) १९ मी.मी B/B	,,	105	105	105	
16.3	Natural Teak Plywood					
	One side lamination					
	(क) ३ मी .मी	व.फि	58	58	58	
	(ख) ४ मी. मी (Group Match of in 5 pcs)	,,	76	76	76	
	४ मी. मी (Regular)	,,	66	66	66	
	४ मी. मी (Crown)	,,	44	44	44	
	४ मी. मी (Beri)	,,	50	50	50	
	४ मी. मी (Whitest line)	,,	40	40	40	
	४ मी. मी (Beach)	,,	47	47	47	
	४ मी. मी (Recon 18 No.)	,,	37	37	37	
	(ग) ६ मी.मी	,,				
16.4	DECORATIVE (THICKER)					
	6 OST	व.फि	-	-	-	
	6 BST	,,	-	-	-	
	9 OST	,,	-	-	-	
	9 BST	,,	-	-	-	
	12 OST	,,	-	-	-	
	12 BST	,,	-	-	-	
	19 B/B OST	,,	-	-	-	
	19 B/B BST	,,	-	-	-	
	18 OST	,,	-	-	-	
	18 BST	व.फि	-	-	-	
17	Ready made Door					
17.1	38 mm th. Redimade solid core door shutter					
	Plain	व.फि	233	233	233	
	One side teak	,,	262	262	262	
	Both side teak	,,	294	294	294	
	One side teak waterProof	,,	286	286	286	
	Both side teak waterProof	,,	317	317	317	
17.2	30 to 32 mm th. Redimade solid core door shutter					
	Plain	व.फि	190	190	190	
	One side teak	,,	213	213	213	
	Both side teak	,,	239	239	239	
	One side teak waterProof	,,	233	233	233	
	Both side teak waterProof	,,	258	258	258	

नेपाल सरकार
गृह मन्त्रालय
जिल्ला प्रशासन कार्यालय
नुवाकोट

सि.नं.	सामाग्री र प्रजातिहरुको नाम	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७५/०७६	आ.व. ०७६/०७७	आ.व. ०७७/०७८	
17.3	**Ready made Teak wood Doors (Seasoned and Poisoned treated) (excluding the cost of fitting, transportation, Painting)**					
	Readymade door shutter Recon, ordinary (1 side teak)	Sqft	183	183	183	
	Readymade door shutter Recon, Special (1 side teak)	"	248	248	248	
	Readymade door shutter Recon, ordinary (1 side teak)	"	209	209	209	
	Readymade door shutter Recon, Special (1 side teak)	"	281	281	281	
17.4	**Wooden Listy**					
	1/2" wide	र.फि.	14	14	14	
	3/4" wide	"	18	18	18	
	1.5" wide	"	29	29	29	
	Decorative	"	40	40	40	
17.5	**Infill Material Thai Gypsum, Shera or equivalent**					
	Frame C - Studs(0.55mm*0.75mm*3m)	गोटा	431	431	431	
	Frame U - Studs(0.55mm*0.75mm*3m)	"	431	431	431	
	Board 9 mm	"	2524	2524	2524	
	Roofing Board 6mm (1.5mX.6m)	"	695	695	695	
	Fiber mess tape (for 90mm/roll)	"	340	340	340	
	PU sasuage rod	"	2039	2039	2039	
18	**Prelaminated Particle Board**					
18.1	**Plain Particle Board (Exteriors Grade)**					
	(क) ९ मी .मी	व.फि	37	37	37	
	(ख) १२ मी. मीं.	"	41	41	41	
	(ग) १८ मी.मीं.	"	53	53	53	
	(घ) २५ मी.मी	"	71	71	71	
18.2	**One side lamination Melamined faced (Exteriors Grade)**					
	(क) ९ मी .मी	व.फि	74	74	74	
	(ख) १२ मी. मीं.	"	83	83	83	
	(ग) १८ मी.मीं.	"	98	98	98	
	(घ) २५ मी.मी	"	127	127	127	
18.3	**Both side lamination Melamined faced (Exteriors Grade)**					
	(क) ९ मी .मी	व.फि	83	83	83	
	(ख) १२ मी. मीं.	"	95	95	95	
	(ग) १८ मी.मीं.	"	110	110	110	
	(घ) २५ मी.मी	"	139	139	139	
18.4	**Plain Particle Board (Interiors Grade)**					
	(क) ९ मी .मी	व.फि	27	27	27	
	(ख) १२ मी. मीं.	"	31	31	31	
	(ग) १८ मी.मीं.	"	46	46	46	
	(घ) २५ मी.मी	"	59	59	59	
18.5	**One side lamination Melamined faced (Interiors Grade)**					
	(क) ३ मी .मी	व.फि	40	40	40	
	(ख) ६ मी .मी	"	57	57	57	
	(ग) ९ मी .मी	"	65	65	65	

नेपाल सरकार
गृह मन्त्रालय
जिल्ला प्रशासन कार्यालय
नुवाकोट

सि.नं.	सामाग्री र प्रजातिहरुको नाम	एकाई	दररेट भ.अ.कं. (VAT बाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७५/०७६	आ.व. ०७६/०७७	आ.व. ०७७/०७८	
	(घ) १२ मी. मीं.	"	74	74	74	
	(ङ) १८ मी.मीं.	"	86	86	86	
	(च) २५ मी.मी	"	107	107	107	
18.6	**Both side lamination Melamined faced (Interiors Grade)**					
	(क) ३ मी .मी	व.फि	46	46	46	
	(ख) ६ मी .मी	"	62	62	62	
	(ग) ९ मी .मी	"	74	74	74	
18.7	**One side lamination Melamined faced (Interiors Grade)MDF**					
	(क) ३ मी .मी	व.फि	46	46	46	
	(ख) ४ मी .मी	"	53	53	53	
	(ग) ६ भी .मी	"	65	65	65	
	(घ) ९ मी .मी	"	85	85	85	
	(ङ.) १२ मी .मी	"	95	95	95	
	(च) १८ भी .मी	"	122	122	122	
	(छ)२५ मी .मी	"	169	169	169	
18.8	**Both side lamination Melamined faced (Interiors Grade)MDF Century & equivailent**					
	(क) ३ मी .मी	व.फि	53	53	53	
	(ख) ४ मी .मी	"	59	59	59	
	(ग) ६ मी .मी	"	73	73	73	
	(घ) ९ मी मी	"	91	91	91	
	(ङ.) १२ मी .मी	"	101	101	101	
	(च) १८ मी .मी	"	128	128	128	
	(छ)२५ मी .मी	"	173	173	173	
18.9	**Alstone Hybrid Board (WPC Board) Century & equivailent**					
	(क) ६ मी मी (१२२० x २४४०)	व.फि	168	168	168	
	(ख) १२ मी .मी	"	269	269	269	
	(ग) १८ मी .मी	"	407	407	407	
19	**Other HardBoard/ Sunmica & Formaica)**					
19.1	(क) सनमाईका (4' x 8')	पाता	486	486	486	
	(ख) फोरमाईका	व.फि	75	75	75	
	(ग) हार्डबोर्ड (Hard board) 12 mm thick	"	44	44	44	
19.2	Alstone Hybrid Board					
	(क) ६ मी .मी size (1220*2440) mm	व फि	162	162	162	
	(ख) १२ मी .मी size (1221*2440) mm	"	307	307	307	
	(ग)१८ मी मी size (1222*2440) mm	"	427	427	427	
20	**Iron Square Pipe/Black Pipe/Channel/ Angle/I-Beam/Black Sheet/MS Plate**					
	i) Iron Square Pipe	के.जी	87	87	87	
	ii) विभिन्न साइजको MS Angle	"	93	93	93	
	iii) विभिन्न साइजको Black Pipe	"	87	87	87	
	iv) विभिन्न साइजको Channel	"	95	95	95	

नेपाल सरकार
गृह मन्त्रालय
जिल्ला प्रशासन कार्यालय
नुवाकोट

दि.नं.	सामाग्री र प्रजातिहरुको नाम	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७५/०७६	आ.व. ०७६/०७७	आ.व. ०७७/०७८	
	(घ) १२ मी. मी.	"	74	74	74	
	(ङ) १८ मी.मी.	"	86	86	86	
	(च) २५ मी.मी	"	107	107	107	
18.6	**Both side lamination Melamined faced (Interiors Grade)**					
	(क) ३ मी .मी	व.फि	46	46	46	
	(ख) ६ मी .मी	"	62	62	62	
	(ग) ९ मी .मी	"	74	74	74	
18.7	**One side lamination Melamined faced (Interiors Grade)MDF**					
	(क) ३ मी .मी	व.फि	46	46	46	
	(ख) ४ मी मी	"	53	53	53	
	(ग) ६ मी .मी	"	65	65	65	
	(घ) ९ मी .मी	"	85	85	85	
	(ङ.) १२ मी .मी	"	95	95	95	
	(च) १८ मी .मी	"	122	122	122	
	(छ)२५ मी .मी	"	169	169	169	
18.8	**Both side lamination Melamined faced (Interiors Grade)MDF Century & equivailent**					
	(क) ३ मी .मी	व.फि	53	53	53	
	(ख) ४ मी .मी	"	59	59	59	
	(ग) ६ मी .मी	"	73	73	73	
	(घ) ९ मी .मी	"	91	91	91	
	(ङ.) १२ मी मी	"	101	101	101	
	(च) १८ मी .मी	"	128	128	128	
	(छ)२५ मी .मी	"	173	173	173	
18.9	**Alstone Hybrid Board (WPC Board) Century & equivailent**					
	(क) ६ मी .मी (१२२० X २४४०)	व.फि	168	168	168	
	(ख) १२ मी .मी	"	269	269	269	
	(ग) १८ मी .मी	"	407	407	407	
19	**Other HardBoard/ Sunmica & Formaica)**					
19.1	(क) सनमाईका (4' x 8')	पाता	486	486	486	
	(ख) फोरमाईका	व.फि	75	75	75	
	(ग) हार्डबोर्ड (Hard board) 12 mm thick	"	44	44	44	
19.2	Alstone Hybrid Board					
	(क) ६ मी .मी size (1220*2440) mm	व.फि	162	162	162	
	(ख) १२ मी .मी size (1221*2440) mm	"	307	307	307	
	(ग)१८ मी .मी size (1222*2440) mm	"	427	427	427	
20	**Iron Square Pipe/Black Pipe/Channel/ Angle/I-Beam/Black Sheet/MS Plate**					
	i) Iron Square Pipe	के.जी	87	87	87	
	ii) विभिन्न साइजको MS Angle	"	93	93	93	
	iii) विभिन्न साइजको Black Pipe	"	87	87	87	
	iv) विभिन्न साइजको Channel	"	95	95	95	

नेपाल सरकार
गृह मन्त्रालय
जिल्ला प्रशासन कार्यालय
नुवाकोट

सि.नं.	सामाग्री र प्रजातिहरुको नाम	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७५/०७६	आ.व. ०७६/०७७	आ.व. ०७७/०७८	
	v) विभिन्न साइजको I-Beam	"	87	87	87	
	vi) विभिन्न साइजको MS plate	"	92	92	92	
	vii) विभिन्न साइजको MS Square solid bar up to 16mm	के.जी	93	93	93	
	viii) विभिन्न मोटाइको Black sheet	"	88	88	88	
21	**G.I. Wire**					
	i) 8 gauge					
	a) medium class	"	100	100	100	
	b) heavy duty	"	105	105	105	
	c) Comercial wire	"	93	93	93	
	ii) 10 gauge					
	a) medium class	"	100	100	100	
	b) heavy duty	"	105	105	105	
	c) Comercial wire	"	93	93	93	
	iii) 12 gauge					
	a) medium class	"	100	100	100	
	b) heavy duty	"	105	105	105	
	c) Comercial wire	"	93	93	93	
22	**मेशिनबाट बुनिएका, Mechanically selvedged double Twist wire mesh को गेबियन बाकस तयारी**					
	क) MBG/10x12/3.0/3.9/2.4/ZN (MBG=Maccaferi Box Gabion)	M2	306	306	275	
	१.५×१×०.५/०	गोटा	1692	1692	1523	
	२×१×०.५/०	"	2302	2302	2072	
	३×१×०.५/०	"	3286	3286	2957	
	४×१×.५/०	"	4146	4146	3731	
	१.५×१×१/०	"	2460	2460	2214	
	२×१×१/१	"	3268	3268	2941	
	३×१×१/२	"	4639	4639	4175	
	४×१×१/३	"	5974	5974	5377	
	ख) MBG/10x12/2.7/3.4/2.2/ZN	M2	287	287	258	
	१.५×१×०.५०	गोटा	1573	1573	1416	
	२×१×०.५०	"	2150	2150	1935	
	३×१×०.५०	"	3045	3045	2741	
	४×१×.५०	"	3841	3841	3457	
	१.५×१×१	"	2269	2269	2042	
	२×१×१	"	3045	3045	2741	
	३×१×१	"	4299	4299	3869	
	४×१×१	"	5414	5414	4873	
	ग) MJG/10x12/3.0/3.9/2.4/ZN					
	३×२×०.५०	गोटा	6800	6800	6120	
	४×२×०.५०	"	8590	8590	7731	
	५×२×०.५०	"	10662	10662	9596	
	६×२×.५०	"	12734	12734	11461	
	३×२×१	"	9354	9354	8419	
	४×२×१	"	11769	11769	10592	
	५×२×१	"	14545	14545	13091	
	६×२×१	"	17300	17300	15570	

नेपाल सरकार
गृह मन्त्रालय
जिल्ला प्रशासन कार्यालय
नुवाकोट

सि.नं.	सामाग्री र प्रजातिहरुको नाम	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७५/०७६	आ.व. ०७६/०७७	आ.व. ०७७/०७८	
	घ) MJG/10x12/2.7/3.4/2.2/ZN					
	३×२×०.५०	गोटा	5562	5562	5006	
	४×२×०.५०	,,	7038	7038	6334	
	५×२×०.५०	,,	8717	8717	7845	
	६×२×.५०	,,	1126	1126	1013	
	३×२×१	,,	7646	7646	6881	
	४×२×१	,,	9627	9627	8664	
	५×२×१	,,	11892	11892	10703	
	६×२×१	,,	14157	14157	12741	
	ङ) MRM/6x8/2.2/2.7/2.2/ZN	M2	239	239	215	
	३×२×० १७	गोटा	3332	3332	2999	
	४×२×०.१७	,,	4317	4317	3885	
	५×२×० १७	,,	5283	5283	4755	
	६×२×०.१७	,,	6284	6284	5656	
	३×२×०.२३	,,	3626	3626	3263	
	४×२×०.२३	,,	4697	4697	4227	
	५×२×०.२३	,,	5801	5801	5221	
	६×२×०.२३	,,	6821	6821	6139	
	३×२×०.३०	,,	3937	3937	3543	
	४×२×०.३०	,,	5076	5076	4568	
	५×२×०.३०	,,	6268	6268	5641	
	६×२×०.३०	,,	7423	7423	6681	
	Note:					
	MBG = Maccaferi Box Gabion					
	MJG = Maccaferi Jumbo Gabion					
	MRM = Maccaferi Reno Mettress					
	WMN = Wire Mesh Netting					
	10x12/3.0/3.9/2.4/ZN = Mesh type/Mesh wire dia./Selvedge wire dia./Lacing wire dia./Type of coating					
	ZN = Heavy galvanized					
	PVC = PVC coated					
23	**Barbed Wire** (काँढेतार)					
	12 guage commercial, Medium duty	के.जी	98	98	98	
	U-hook for barbed wire fencing	गोटा	1	1	1	
	Fabrication of chain link mesh of size					
	1"x1" 12 guage	वर्ग मी.	697	697	697	
	1.5"x1.5" 12 guage	,,	652	652	652	
	2"x2" 10 guage	,,	517	517	517	
	3"x3" 10 guage	,,	423	423	423	
	4"x4" 10 guage	,,	337	337	337	
24	सादा तथा रँगिन जस्ता पाती **(Plain/Corrugated Galvanized/Colour Iron Sheet)**					
	(क) सेतो सादा जस्तापाता (G P Sheet)					
	0.2 mm (30 guage light)	बण्डल	4200	4200	4200	
	0.22 mm (30 guage Medium)	,,	4600	4600	4600	
	0.24 mm (30 guage Heavy)	,,	4900	4900	4900	

नेपाल सरकार
गृह मन्त्रालय
जिल्ला प्रशासन कार्यालय
नुवाकोट

सि.नं.	सामाग्री र प्रजातिहरुको नाम	एकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७५/०७६	आ.व. ०७६/०७७	आ.व. ०७७/०७८	
	0.26 mm (28 guage light)	"	5150	5150	5150	
	0.28 mm (28 guage Medium)	"	5500	5500	5500	
	0.31 mm (28 guage Heavy)	"	6025	6025	6025	
	0.35 mm (26 guage light)	"	6675	6675	6675	
	0.38 mm (26 guage Medium)	"	7000	7000	7000	
	0.41 mm (26 guage Heavy)	"	7675	7675	7675	
	0.45 mm (24 guage light)	"	8330	8330	8330	
	0.50 mm (24 guage Medium)	"	9150	9150	9150	
	0.52 mm (24 guage Heavy)	"	9475	9475	9475	
	0.75 mm	"	13600	13600	13600	
	(ख) रंगिन जस्तापाता					
	0.2 mm (30 guage light)	बण्डल	5500	5500	5500	
	0.22 mm (30 guage Medium)	"	5875	5875	5875	
	0.24 mm (30 guage Heavy)	"	6200	6200	6200	
	0.26 mm (28 guage light)	"	6540	6540	6540	
	0.28 mm (28 guage Medium)	"	6925	6925	6925	
	0.31 mm (28 guage Heavy)		7445	7445	7445	
	0.35 mm (26 guage light)	"	8230	8230	8230	
	0.38 mm (26 guage Medium)	"	8640	8640	8640	
	0.41 mm (26 guage Heavy)	"	9350	9350	9350	
	0.45 mm (24 guage light)	"	10000	10000	10000	
	0.50 mm (24 guage Medium)	"	10900	10900	10900	
	0.52 mm (24 guage Heavy)	"	11275	11275	11275	
	0.75 mm	"	15830	15830	15830	
	(ग) ग्याल्भानाइज्ड कोरुगेटेड जस्तापाता (CG I Sheet)					
	0.2 mm (30 guage light)	बण्डल	4200	4200	4200	
	0.22 mm (30 guage Medium)	"	4550	4550	4550	
	0.24 mm (30 guage Heavy)	"	4860	4860	4860	
	0.26 mm (28 guage light)	"	5110	5110	5110	
	0.28 mm (28 guage Medium)	"	5450	5450	5450	
	0.31 mm (28 guage Heavy)	"	5960	5960	5960	
	0.35 mm (26 guage light)	"	6625	6625	6625	
	0.38 mm (26 guage Medium)	"	6950	6950	6950	
	0.41 mm (26 guage Heavy)	"	7600	7600	7600	
	0.45 mm (24 guage light)	"	8270	8270	8270	
	0.50 mm (24 guage Medium)	"	9100	9100	9100	
	0.52 mm (24 guage Heavy)	"	9420	9420	9420	
	0.75 mm	"	13600	13600	13600	
	घ) जस्ता पाता को धुरी (Ridge Cover) Specified thickness are thickness of base metal.					
	0.20 mm	बण्डल	1430	1430	1430	
	0.22 mm	"	1550	1550	1550	
	0.24 mm	"	1660	1660	1660	
	0.26 mm	"	1740	1740	1740	
	0.28 mm	"	1860	1860	1860	
	0.31 mm	"	2025	2025	2025	
	0.35 mm	"	2240	2240	2240	

नेपाल सरकार
गृह मन्त्रालय
जिल्ला प्रशासन कार्यालय
नुवाकोट

श्रि.नं.	सामाग्री र प्रजातिहरुको नाम	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७५/०७६	आ.व. ०७६/०७७	आ.व. ०७७/०७८	
	0.38 mm	"	2350	2350	2350	
	0.41 mm	"	2570	2570	2570	
	ढ) ४ फिट * ८ फिट को जि.आई. प्लेन सिट					
	1.1 mm	पिस	2900	2900	2900	
	0.90 mm	"	2400	2400	2400	
	0.80 mm	"	2175	2175	2175	
	0.75 mm	"	2040	2040	2040	
	0.70 mm	"	1905	1905	1905	
	0.62 mm	"	1705	1705	1705	
	0.55 mm	"	1530	1530	1530	
	0.50 mm	"	1390	1390	1390	
	0.48 mm	"	1340	1340	1340	
	0.45 mm	"	1270	1270	1270	
	0.40 mm	"	1140	1140	1140	
	0.37 mm	"	1060	1060	1060	
	0.35 mm	"	1010	1010	1010	
	0.30 mm	"	890	890	890	
	0.28 mm	"	840	840	840	
	च)४ फिट * ८ फिट को रङ्गिन प्लेन सिट					
	0.90 mm	पिस	2645	2645	2645	
	0.80 mm	"	2395	2395	2395	
	0.75 mm	"	2285	2285	2285	
	0.70 mm	"	2175	2175	2175	
	0.62 mm	"	1950	1950	1950	
	0.55 mm	"	1760	1760	1760	
	0.50 mm	"	1620	1620	1620	
	0.48 mm	"	1540	1540	1540	
	0.45 mm	"	1490	1490	1490	
	0.40 mm	"	1360	1360	1360	
	0.37 mm	"	1260	1260	1260	
	0.35 mm	"	1210	1210	1210	
	0.30 mm	"	1070	1070	1070	
	0.28 mm	"	1023	1023	1023	
	GI EXPANDED METAL MESH					
	1.20 mm मोटाई र 3' चौडाई भएको जाली	र.मि.	129	129	129	
	1.20 mm मोटाई र 4' चौडाई भएको जाली	"	180	180	180	
	1.00 mm मोटाई र 3' चौडाई भएको जाली	"	110	110	110	
	1.00 mm मोटाई र 4' चौडाई भएको जाली	"	150	150	150	
	0.90 mm मोटाई र 3' चौडाई भएको जाली	"	100	100	100	
	0.90 mm मोटाई र 4' चौडाई भएको जाली	"	159	159	159	
25	**UPVC Roofing Sheet Sunrise or Equivalient brand (3mm thick)**					
25.1	UPVC Roofing Sheet with PMMA coating & Mesh (Regular)	व.मि.	1440	1440	1440	
25.2	UPVC Roofing Sheet with PMMA coating & Mesh (Tile)	"	1496	1496	1496	

सि.नं.	सामाग्री र प्रजातिहरुको नाम	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			केफियत
			आ.व. ०७५/०७६	आ.व. ०७६/०७७	आ.व. ०७७/०७८	
25.3	Ridge cover Regular Profile 1.10 R.m.	र.मि.	1288	1288	1288	
25.4	Ridge cover Tile Profile 0.78 R.m.	"	1288	1288	1288	
25.5	UPVC Clip	गोटा	26	26	26	
25.6	self tapping screw 3"	"	26	26	26	
25.7	self tapping screw 2.5"	"	10	10	10	
25.8	self tapping screw 2"	"	10	10	10	
25.9	self tapping screw 1.5"	"	8	8	8	
26	एल्मुनियम प्लेन सिट					
	(क) २६ गेज	व.फि.	29	29	29	
	(ख) ३० गेज	"	27	27	27	
27	विभिन्न प्रकारको जालीहरु (Netting)					
	(क) मसिनो खालको Mosquito proof जाली	व.मी	119	119	119	
	(ख) बालुवा चाल्ने जाली	"	124	124	124	
	(ग) कुखुरे जाली (Chicken wire mesh)	"	76	76	76	
	(घ) ब्रास क्रसिङ्ग जाली	"	195	195	195	
	ङ. स्टील जाली (crossing)	"	157	157	157	
	च मसिनो खालको steel Mosquito proof जाली	"	270	270	270	
28	फलामबाट निर्मित सामानहरु					
a	M.S. Grill बनाई जडान गर्ने काम	के.जी	144	144	144	
b	कोल्यापसीबल गेट बनाई जडान गर्ने	व.फि.	515	515	515	
c	१६-३८ गेजको फलामे रोलिङ्ग सटर बनाई जडान गर्ने	व.फि.	360	360	360	
d	फलामे रोलिङ्ग सटर १६-१८ गेज जडान सहित स्टीप सटर खाल भएको	"	453	453	453	
e	फलामे रोलिङ्ग सटर डण्डी प्रयोग गरी बनाइको साबै जडान गर्ने समेत	"	515	515	515	
f	१६ गेज पाताबाट कम्पाउण्ड बलको गेट बनाई जडान गर्ने (५० x ५०x ५ mm) को फ्रेम समेत।	"	670	670	670	
g	३'-४" व्यासको Iron Black Pipeमा एङ्गल र पट्टि राखी खुडकिला सहितको घुम्ने भर्‍याङ्ग (Spiral Staircase)तयार गरी जडान समेत । भर्‍याङको नापी गर्दा floor to floor height लिने।	र.फि.	3142	3142	3142	
h	फलामे सामाग्रीको फेब्रिकेशन तथा जडान कार्य	के.जी.	46	46	46	
i	All type of general MS structural works	व फी.	175	175	175	
j	Truss & roofing works Plain sheet 26 gauge	"	206	206	206	
k	Truss & roofing works colour sheet 26 gauge	"	242	242	242	
l	Black Pipe Tubular Truss fitting & fixing work	के.जी.	196	196	196	
m	Mild Steel Props for Concreting 2" dia 3.5 mm thick 3.5 m- 4.0 m length	गोटा	1998	1998	1998	

सि.नं.	सामाग्री र प्रजातिहरुको नाम	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७५/०७६	आ.व. ०७६/०७७	आ.व. ०७७/०७८	
n	Steel Structural (Light guage) frame work for building (as 90mm X 38mm wide SS C C-channel , 0.55mm thick , weight per square feet 2 kg with fabrication rebet,screw erection fitting and essembly charges) all complete work Panchakanya or equivalent company	व.फि.	793	793	793	
29	**Glass सीसा**					
29.1	**Plain सादा (सेतो)**					
	(क) ३ मी.मी.	व.फि.	52	52	52	
	(ख) ३.५ मी.मी.	व.फि.	58	58	58	
	(ग) ४ मी.मी.	व.फि.	66	66	66	
	(घ) ५ मी.मी. "	"	89	89	89	
	(ङ) ६ मी.मी. "	"	103	103	103	
	(च) ८ मी.मी. "	"	173	173	173	
29.2	**Printed Glass (बुट्टेदार सिसा)**					
	(क) ३ मी.मी.	"	47	47	47	
	(ख) ४ मी.मी " "	"	55	55	55	
29.3	**Poly Fibre Glass**					
	(क) ६ मी.मी.	"	150	150	150	
29.4	**Black Color Glass**					
	(क) ३ मी.मी.	व.फि.	89	89	89	
	(ख) ४ मी.मी	"	96	96	96	
	(ग) ५ मी.मी.	"	109	109	109	
	(घ) ६ मी.मी.	"	150	150	150	
	(ङ) ८ मी.मी.	"	219	219	219	
	(च) १० मी.मी	"	314	314	314	
	(छ) १२ मी.मी	"	355	355	355	
29.5	**Tinted Float glass बाहिर बाट नदेखिने भित्रबाट देखिने**					
	(क) ५ मि.मि बाक्लो	व.फि.	107	107	107	
29.6	**छानामा प्रयोग गरिने बुट्टेदार ऐना Itching Glass with simple shade and texture**					
	(क) ४ मी.मी. बाक्लो	व.मि.	5753	5753	5753	
29.7	**विभिन्न रंगको Reflector Glass (सिशा)**					
	५ मी.मी मोटो	व.फि.	171	171	171	
	Note: * फिट * = फिट भन्ना नही याहनको सिसा भएमा ५० % थप रकम लाग्ने छ ।					
30	**Corrugated/Plain Fiber Glass Sheet**					
	(क) ०.८ मी. मी. मोटो प्लेन	व.फि.	112	112	112	
	०.८ मी. मी. मोटो कोरोगेटेड	व.फि.	125	125	125	
	(ख) १.२ मी.मी. मोटो प्लेन	"	125	125	125	
	१.२ मी.मी. मोटो कोरोगेटेड	"	143	143	143	
	(ग) २ मी.मी. मोटो प्लेन	"	212	212	212	
	२ मी.मी. मोटो कोरोगेटेड	"	250	250	250	
	(घ) ३ मी मी. मोटो प्लेन	"	287	287	287	
	३ मी. मी. मोटो कोरोगेटेड	"	375	375	375	

नेपाल सरकार
गृह मन्त्रालय
जिल्ला प्रशासन कार्यालय
नुवाकोट

सि.नं.	सामाग्री र प्रजातिहरुको नाम	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७५/०७६	आ.व. ०७६/०७७	आ.व. ०७७/०७८	
	(ङ) Fiber Glass छानाको लागि Alumunium strip (25 mm x 1.5 mm)	Rm	69	69	69	
	(च) Fiber Glass छानाको लागि Ribet nut	no.	7	7	7	
31	झ्याल ढोकामा लाग्ने **Fixture** हरु					
	Iron बाट बनेका					
	Hinge (कब्जा)					
	(क) ३" साइज	गोटा	15	15	15	
	(ख) ४" साइज	"	28	28	28	
	(ग) ५" साइज	"	43	43	43	
	(घ) ६" साइज	"	56	56	56	
	Locking Set (L-drop)					
	300 mm	गोटा	260	260	260	
	225 mm	"	227	227	227	
	150 mm	"	195	195	195	
	Aluminum बाट बनेका					
	Towerbolt (छेस्कीनी)					
	(क) ३" लामो	गोटा	20	20	20	
	(ख) ४" लामो	"	40	40	40	
	(ग) ६" लामो	"	67	67	67	
	(घ) ८" लामो	"	80	80	80	
	(ङ) १०" लामो	"	94	94	94	
	(च) १२" लामो	"	107	107	107	
	Handle (हतकल)					
	Ordinary	गोटा	32	32	32	
	Special	"	47	47	47	
	Brass बाट बनेका					
	Hinge (कब्जा)					
	$2" \times {}^{1}/_{2}"$	गोटा	63	63	63	
	$2^{1}/_{2} \times {}^{3}/_{4}"$	"	71	71	71	
	$3" \times {}^{3}/_{4}"$	"	87	87	87	
	$2" \times {}^{3}/_{4}"$	"	71	71	71	
	$2^{1}/_{2}" \times {}^{3}/_{4}"$	"	79	79	79	
	$3" \times {}^{3}/_{4}"$	"	87	87	87	
	3"×1"	"	189	189	189	
	4"×1"	"	284	284	284	
	5"×1"	"	379	379	379	
	6"×1"	"	458	458	458	
	Towerbolt (छेस्कीनी)					
	(क) ३" लामो	गोटा	142	142	142	
	(ख) ४" लामो	,,	189	189	189	
	(ग) ६" लामो	,,	284	284	284	
	(घ) ८" लामो	,,	379	379	379	
	(ङ) १०" लामो	,,	473	473	473	
	(च) १२" लामो	"	568	568	568	
	Handle (हतकल)					
	6" Brass handle	गोटा	150	150	150	
	8" Brass handle	"	458	458	458	
	10" Brass handle	"	947	947	947	
	Brass 5"	"	142	142	142	

नेपाल सरकार
गृह मन्त्रालय
जिल्ला प्रशासन कार्यालय
नुवाकोट

सि.नं.	सामाग्री र प्रजातिहरुको नाम	एकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७५/०७६	आ.व. ०७६/०७७	आ.व. ०७७/०७८	
	Brass 6"	"	221	221	221	
	Locking Set (L-drop)					
	(क) ८" लामो	गोटा	947	947	947	
	(ख) १०" लामो	"	1562	1562	1562	
	(ग) १२" लामो	"	1735	1735	1735	
	Special Fittings					
	एल ड्रप :-					
	८" लामो	गोटा	1062	1062	1062	
	१०" लामो	"	1199	1199	1199	
	१२" लामो	"	1249	1249	1249	
	ह्याण्डल : -					
	८" लामो	"	1249	1249	1249	
	टावर बोल्ट : -					
	६" लामो	"	225	225	225	
	८" लामो	"	300	300	300	
	१०" लामो	"	375	375	375	
	डबल कलर (गोल्ड सिल्भर/ब्ल्याक सिल्भर)					
	एल ड्रप :-					
	८" लामो	गोटा	892	892	892	
	१०" लामो	"	1130	1130	1130	
	१२" लामो	"	1249	1249	1249	
	ह्याण्डल : -					
	६" लामो	"	250	250	250	
	८" लामो	"	375	375	375	
	Mortice Lock					
	Ordinary	गोटा	625	625	625	
	Chinese	"	416	416	416	
	Indian Godrej Company	"	2557	2557	2557	
	Brass		1130	1130	1130	
	Door Spring (Door Closer)					
	Ordinary	गोटा	178	178	178	
	hydraulic	"	1874	1874	1874	
	Other Door/Windows fixtures					
	Window I-hook	गोटा	18	18	18	
	Gate Hook					
	4" Gate hook	गोटा	31	31	31	
	5" Gate hook	"	35	35	35	
	6" Gate hook	"	42	42	42	
	Brass Gate hook		75	75	75	
	Door stopper					
	Diamond	गोटा				
	Butterfly	"	148	148	148	
	Bell catch 2" size	"	196	196	196	
	C.P. handle	"	425	425	425	
	Power coated handle	"	406	406	406	
	Brass coated handle	"	874	874	874	
	Door stopper, single brass stopper	सेट	100	100	100	
	Door stopper double brass stopper	"	178	178	178	

नेपाल सरकार
गृह मन्त्रालय
जिल्ला प्रशासन कार्यालय
नुवाकोट

सि.नं.	सामाग्री र प्रजातिहरुको नाम	एकाई	दररेट मु.अ.कं. (VAT बाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७५/०७६	आ.व. ०७६/०७७	आ.व. ०७७/०७८	
32	विविध सामाग्रीहरु					
	Hold fast different sizes (7 nos./Kg.)	के.जी.	125	125	125	
	Nails (different sizes)	के.जी.	112	112	112	
	सालको काठको खाधान्न राख्ने पुरानो तख्ता; पुन: प्रयोग हुने)	घ.फि.	721	721	721	
	कबाडी फलामे सामानहरु(बन्चरो,घन,छिना आदि फलामे सामान;	के.जी.	26	26	26	
	प्रयोग गर्न नसकिने पुराना मेसीन; टाइपराइटर, डीलीड मेसीन,डीलीड दिट)	के.जी.	21	21	21	
	Nut and Bolts	गोटा	29	29	29	
	Nut and Bolts (different sizes)	के.जी.	165	165	165	
	Sandpaper (बासी)	गोटा	6	6	6	
	विभिन्न साईजको जे-हुक, यु-हुक	केजी	137	137	137	
	२" साइज रुफिङ्ग नेल्स	गोटा	7	7	7	
	३" साइज रुफिङ्ग नेल्स	"	10	10	10	
	Screw Brass					
	20mm	गोटा	2	2	2	
	25mm	"	3	3	3	
	35mm	"	4	4	4	
	50mm	"	12	12	12	
	75mm	"	15	15	15	
	Screw Steel					
	20mm	"	1	1	1	
	25mm	"	2	2	2	
	35mm	"	2	2	2	
	50mm	"	7	7	7	
	75mm	"	8	8	8	
	बिटुमीन वासर	गोटा	3	3	3	
	Roofing bitumen (रुफिङ्ग अलकत्रा)	के.जी.	93	93	93	
	५०० गेज प्लाष्टिक सिट	व.मी.	31	31	31	
	ISI Mark Tratelt (२०मी. × १मी.)	रोल	2472	2472	2472	
	Plastictelt (२०मी. × १मी.)	"	2318	2318	2318	
	१८-२० फिट लामो बाँस	गोटा	204	204	204	
	मैन पालिस	के.जि.	206	206	206	
	अक्जालिक एसिड	"	118	118	118	
	जुट वा पोलिथिनको खाली बोरा	गोटा	18	18	18	
	माटो (ढुवानि बाहेक)	घ.मि.	268	268	268	
	सबग्रेडमा राखो माटो(In Capping layer Granular soil;	घ.मि.	464	464	464	
	धुस	के.जि.	5	5	5	
	गोवर	"	5	5	5	
	Staircase को 3/4" x 3/4" square pipe मा लगाउने Brass cap	गोटा	93	93	93	
	Staircase को 1" x 1" square pipe मा लगाउने Brass cap	गोटा	98	98	98	
	Tarpoline sheet (तारपोलिन सिट)	व.फि.	9	9	9	
	Water (पानी)					
	३ कि.मी. सम्म को दुरीमा	लिटर	0.26	0.26	0.26	
	३ कि.मी. देखि माथीको दुरीमा	लिटर	0.31	0.31	0.31	
33	स्टेनलेस स्टील पाइप (257/kg)					

नेपाल सरकार
गृह मन्त्रालय
जिल्ला प्रशासन कार्यालय
मुस्ताङ

सि.नं.	सामाग्री र प्रजातिहरुको नाम	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७५/०७६	आ.व. ०७६/०७७	आ.व. ०७७/०७८	
	३/४" व्यास भएको १६ गेज मोटाई	मी.	194	194	194	
	१" व्यास भएको १६ गेज मोटाई	"	243	243	243	
	१ १/४" व्यास भएको १६ गेज मोटाई	"	309	309	309	
	१ १/२" व्यास भएको १६ गेज मोटाई	"	346	346	346	
	२" व्यास भएको १६ गेज मोटाई	"	508	508	508	
	स्टील रेलीङ. steel Raling को बार लगाउने कार्यमा इन्च पाईपको vertical post & Hand rail तथा १ इन्च व्यासको तीन तह Horizontal pipe)	र.फी.	1168	1168	1168	
34	मार्बल चिप्स					
	(क) सेतो रंगको मार्बल चिप्स (२५ के.जि.प्रति बोरा)	बोरा	170	170	170	
	(ख) रंगीन मार्बल चिप्स (२५ के.जि.) प्रति बोरा	"	170	170	170	
	(ग) क्रेजी मार्बल (६ वर्ग फिट प्रति बोरा)	"	181	181	181	
	(घ) मार्बल पाउडर (२५ के.जि. प्रति बोरा)	"	153	153	153	
35	मार्बल (Marble)				0	
35.1	राजस्थानी मार्बल				0	
	१३ मी.मी बाक्लो राजस्थानी	ब.फि.	158	158	158	
	१६ मी.मी बाक्लो राजस्थानी	"	164	164	164	
35.2	ग्रेनाइट					
	१२ मी.मी बाक्लो ग्रेनाइट	"	297	297	297	
	१६ मी.मी बाक्लो ग्रेनाइट	ब.फि.	303	303	303	
	१९ मी.मी बाक्लो ग्रेनाइट	ब.फि.	346	346	346	
35.3	Kota Stone					
	1" thick	ब.फि.	142	142	142	
	3/4" thick	ब.फि.	130	130	130	
35.4	Sand stone (for rubbing Marble)	गोटा	72	72	72	
36	Porcelain Glazed/Terrazo Mosaic Tiles					
36.1	Porcelain Glazed Tiles					
	ग्लेज टायल्स (१२ " X ८ ") सम्मको ।	ब.फि.	-	-	-	
	ग्लेज टायल्स (१२ " X १२ ") माथिको ।	"	-	-	-	
	Cotto Tiles	"	126	126	126	
	Kajaria, Vermura,Somany, Orient Tile or equivalent	"	85	85	85	
	Ordinary floor and wall Tile	"	54	54	54	
	Border Tile (३ " X ८ ")	र.फि.	43	43	43	
	Border Tile (३ " X ८ ")	ब.फि.	178	178	178	
	Indian Ceramic Wall Tile (31*45cm)	"	180	180	180	
	Indian Ceramic Border Tile (31*45cm)	"	180	180	180	
	Indian Ceramic Floor Tile (31*45cm)	"	150	150	150	
	Flooring tile GVT Somany/Swastik/Victory / Espanoi or equivalent					
	24"X24" GVT	ब.फु	165	165	165	
	24"X24" GRES Virtified (Digital floor)	"	144	144	144	
	12"X12" GRES homogeous Virtified parking tile	"	106	106	106	
	24"X24" Virtified	"	111	111	111	
	Flooring tile Everest/Victory /Swastik /Espanoi or equivalent					

सि.नं.	सामाग्री र प्रजातिहरुको नाम	एकाई	दररेट.मू.अ.क. (VAT बाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७५/०७६	आ.व. ०७६/०७७	आ.व. ०७७/०७८	
	16"X16"	व.फु.	98	98	98	
	12"X12"	"	88	88	88	
	12"X12" (White/Ivery)	"	77	77	77	
	2"X2"(Digital)	"	129	129	129	
	12"X24" (Wall)	"	134	134	134	
	12"X18" (Wall)	"	103	103	103	
36.2	**LG Floors Tiles**					
	L.G. Deluxe Tiles (300x300x2mm)	व.फु.	-	-	-	
	L.G. Deco Tiles (450x450x3mm)	"	-	-	-	
	L.G. Deco Wood (100x920x3mm)	"	-	-	-	
	Fittings for Tiles	"	14	14	14	
	Fittings for Tiles on stairs	"	16	16	16	
	Dendrite for tiles	लि.	371	371	371	
36.3	**ELITE / FORBO FLOORING COATING**					
	ELITE MICRO FINISH FLOORING (INCLUDED ALL FINISH)	व.फि.	361	361	361	
	ELITE HERMETIC HEAT FLOORING (INCLUDED ALL FINISH)	"	361	361	361	
	ELITE REFLECTOR FLOORING(INCLUDED ALL FINISH)	"	383	383	383	
	SARLON VINYL ACOUSTIC FLOORING	"	427	427	427	
	SCRATCH FABRIC FALSE CEILING	"	232	232	232	
	SINGLE COAT GYP PLASTER UP TO 20MM THICKNESS	"	62	62	62	
	Forbo marmoleum flooring 2mm thick all fitting work	"	403	403	403	
37	**Plaster of Parish (POP)** cornice and molding making die, casting of cornice as per design and drawing including fixing in position using steel screws on resin glue finishing all complete.					
	a) POP Molding 1" to 1½"	र.मि	238	238	238	
	b) Up to 5" wide	र.मि	285	285	285	
	c) Up to 8" wide	र.मि	393	393	393	
	d) Above 8" wide	र.मि	161	161	161	
37.1	रंगरोगनका सामानहरु					
	(क) कृषि चुनबाट उत्पादित सेतो चुन	के.जि.	19	19	19	
	(ख) विभिन्न प्रकारको रंगिन चुन	"	36	36	36	
	(ग) विभिन्न प्रकारको भारतिय चुन रंगिन	"	39	39	39	
	(घ) सिमेन्ट पेन्ट (Cement Paints)	के.जि.	74	74	74	Equaivalient Asian , Berger & other company.
	(थ) सिमेन्ट प्राइमर सेतो	"	268	268	268	
	(छ) उड प्राइमर (Wood Primer)	लिटर	376	376	376	
	(ङ) साधारण सेन्थेटिक इनामेल पेन्ट	लिटर	525	525	525	
	च। नेपाल रेहको स्माट फिनिसिङ	लिटर	506	506	506	
	(ज) कोरुगेटेड रुफ Paint	"	476	476	476	
	(झ) तयारी अल्मुनियम पेन्ट	"	546	546	546	
	(ञ) तयारी वार्नेस	"	440	440	440	
	(ट) तयारी वानेर सेन्थेटिक	"	340	340	340	
	(ठ) भारतिय थिनर	"	231	231	231	

सि.नं.	सामाग्री र प्रजातिहरुको नाम	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७५/०७६	आ.व. ०७६/०७७	आ.व. ०७७/०७८	
	ङ) उड एण्ड ग्लास पुटिन	के.जी	131	131	131	
	ङ) मेटल पुटिन	,,	155	155	155	
	ण) चुना पेन्ट गर्न राख्ने गम	,,	203	203	203	
	त) नेपाली थिनर	लिटर	218	218	218	
	(द) तारपिन तेल	"	214	214	214	
	(ध) रेड अकसाइड पेन्ट (Red oxide Paint)	"	262	262	262	
	(न) उड प्रिजरभेटिव पेन्ट	"	228	228	228	
	(प) Black Japan Paint	"	286	286	286	
	(फ) राम तिलक	के.जि.	56	56	56	
	(ब) गेरु रंग	के.जि.	137	137	137	
	(भ) चप्पा पालिस	के.जि.	916	916	916	
	(म) तयारी बासेबल डिस्तेम्पर	लि.	223	223	223	Equativalient Asian , Berger & other company.
	य) तयारी प्लास्टिवस इमल्सन पेन्ट (interior)	लि.	526	526	526	
	य) तयारी वेदरकोट पेन्ट (exterior)	लि.	631	631	631	
	(र) Road Marking Paint	"	579	579	579	
	(ल) लिनसिड आयल (linsed Oil)	"	196	196	196	
	(व) स्थानीय स्प्रीट	लि.	118	118	118	
	(स) मोथिकल/फेविकल	के.जि.	262	262	262	
	(ष) Tata Red Oxide Paint	"	262	262	262	
	(ह) गट्टा चुन (ईण्डीयन)	"	22	22	22	
	(क्ष) Wall putty equaivalient Asian , Berger & other company.	के.जि.	69	69	69	
	(त्र) Plaster of Parish (POP)	के.जि.	23	23	23	
	wood keeper (chapara type)	लि.	550	550	550	
	Redoxide zink cromate primer For Bridge	लि.	463	463	463	
	Silk Breathless easy	लि.	1216	1216	1216	
	Road divider (polythene)	गोटा	1622	1622	1622	
	Dust bin (polythene) 165 ltr	गोटा	3083	3083	3083	
	Wall putty Epoxy flooring					
	wall plast wall putty (40kg)	Bag	1306	1306	1306	
	2mm Epoxy Floor coating with Ultrafresh -OPD (4layer & 5 component	व.मी.	2082	2082	2082	
	2mm Epoxy Antistatic Floor coating for OT((4 layer & 9 component	"	3688	3688	3688	
	Epoxy Paint for Operation theater	"	11509	11509	11509	
37.2	**Decorative Painting Material Acro & equivalents**					
A	**Specialized paints(Dr. wallz)**					
1	Acro Bio-guard (Anti bacterial Hospital Paint)	लिटर	1099	1099	1099	
2	Acro Ellastocrab (Anti carbonisation paint)	"	762	762	762	
B	**Texture paints**					
1	Mediterrano	के.जि	176	176	176	
2	Stucco Veneziano	"	1639	1639	1639	
3	Velvetino	"	4305	4305	4305	
4	Travertino	"	412	412	412	

सि.नं.	सामाग्री र प्रजातिहरुको नाम	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७५/०७६	आ.व. ०७६/०७७	आ.व. ०७७/०७८	
5	Gtone plaster	"	121	121	121	
6	Colorato (Multi color)	"	921	921	921	
7	Pearl skin texture	"	149	149	149	
8	TS 52 Spray white	"	199	199	199	
9	Rustic	"	159	159	159	
10	Rockart	लिटर	159	159	159	
11	Manhattan	के.जि	238	238	238	
12	Sabbia	"	238	238	238	
13	Sandy Stone	"	174	174	174	
14	Insulplast	"	237	237	237	
15	Poly Under White	"	264	264	264	
16	Antica(Top coat)	"	1267	1267	1267	
17	T.C 100(Top coat)	"	728	728	728	
18	Dekorica White	"	2631	2631	2631	
19	Poly Plaster	"	107	107	107	
20	Granite tone	"	165	165	165	
21	Grafflato	"	159	159	159	
22	Elligance stone	"	189	189	189	
23	Marmorino Base	के.जि	412	412	412	
24	Acro fine	लिटर	181	181	181	
25	Marmocastro base	के.जि	139	139	139	
26	Selva Granite	"	215	215	215	
27	Romart	"	239	239	239	
C	**Weathercoat paints**					
1	Guard	लिटर	503	503	503	
2	Guard -3x	"	588	588	588	
3	Shield	"	322	322	322	
4	Acrotex matt	"	510	510	510	
5	Ext wall Primer	"	238	238	238	
D	**Emulsion Paints**					
1	silk Emulsion paints	"	522	522	522	
2	Aqualin Int.Emulsion	"	280	280	280	
3	pearl Emulsion paints	"	772	772	772	
4	Int. wall Primer	"	172	172	172	
E	Acrylic Washable Distemper	"	142	142	142	
F	Acro gold Enamel	"	512	512	512	
G	Universal primer (wood primer)	"	313	313	313	
H	Red oxide metal primer	"	276	276	276	
I	**Construction Chemical / waterproof coating system**					
	crack sill	"	387	387	387	
	crack fill A+B	"	170	170	170	
J	**Silicon Bases water repellent impregnation**					
	Acropreg	"	466	466	466	
	Acropreg W	"	619	619	619	
	Wall putty	के.जि	39	39	39	
37.3	Acro Texture ISO certified 9001-2008 (Silicone & Ceramic technology / All weather resistance / Fire retardant / Heat reflecting / Algae & Fungi resistant / Ultra violet resistant) for painting works					
1	**Acro Spanezia maestro finishes texture**					
1.1	Mediterrano texture	ब.फि	128	128	128	
1.2	Traventino texture	"	195	195	195	
1.3	Velvetino texture	"	167	167	167	
1.4	Gtone plaster and Colorato texture(Multicolour texture)	"	133	133	133	

सि.नं.	सामाग्री र प्रजातिहरुको नाम	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७५/०७६	आ.व. ०७६/०७७	आ.व. ०७७/०७८	
1.5	Stucco veneziano texture	"	140	140	140	
1.6	Pearl skin texture	"	120	120	120	
1.7	Marmorino texture	"	156	156	156	
2	Acro texture					
2.1	Acro spray flat/Acro spray dews texture	ब.फि	75	75	75	
2.2	Featherglow/Royal touch/Superfine/Ceratex texture	"	74	74	74	
2.3	Rustic texture	"	99	99	99	
2.4	Rockart texture	"	93	93	93	
2.5	Graffiato texture	"	103	103	103	
2.6	Marmocastro texture	"	90	90	90	
2.7	Marmoplast texture	"	90	90	90	
2.8	Sabbia texture	"	112	112	112	
2.9	Manhattan texture	"	112	112	112	
2.10	Sandy stone texture	"	154	154	154	
2.11	Selva Granite texture	"	116	116	116	
2.12	Elligance stone texture	"	107	107	107	
2.13	Granite tone texture	"	98	98	98	
2.14	Romaart texture	"	124	124	124	
2.15	Insulplast texture	"	135	135	135	
3	Acro Bio-guard (Hospital Paint)	"	54	54	54	
4	Acro Ellastocarb(anti carbonisation paint)	"	38	38	38	
1	EXTERIOR SURFACE WEATHERCOAT PAINTS					
	1.ACROGUARD 3X	ब.फि	23	23	23	
	2. ACROGUARD	"	21	21	21	
	3. ACROSHIELD	"	17	17	17	
	4. ACROTEX MATT	"	31	31	31	
2	INTERIOR SURFACE EMULSION PAINTS					
	1. ACROPEARL EMULSION PAINTS	ब.फि	24	24	24	
	2. ACROSILK EMULSION PAINTS	"	20	20	20	
	3. AQUALIN EMULSION PAINTS	"	16	16	16	
	4. AQUALIN ACRYLIC WASHABLE DISTEMPER	"	11	11	11	
	5. ACRO GOLD ENAMEL PAINTS	"	18	18	18	
	Expansion joint					
1	Horizontal Area fixing clips affixed aluminium joint covers VEDA FRANCE Series JDH 5.2.050 standard load.	RM	15450	15450	15450	
2	Clips Affixed Mill Finish Aluminium for standard and seismic joint covers VEDA FRANCE CJV-180 Alu.	RM	12875	12875	12875	
3	Extruded Aluminium Joint Covers VEDA FRANCE CJE- PF flat.	RM	14935	14935	14935	
4	Folded Joint Covers VEDA France Series CJP a silver anodized coating.	RM	18025	18025	18025	
5	Vertical Joints Standard and Seismic interior use VEDA FRANCE Series JDV 4.2	RM	25750	25750	25750	
6	Vertical Joints Exterior use VEDA FRANCE Series JDV 4.4 flat.	RM	13390	13390	13390	
7	Vertical Joints Exterior use VEDA FRANCE Series JDV 4.6 flat.	RM	19055	19055	19055	
8	Vertical Joints VEDA FRANCE Series JDV 4.10 / 4.12 flat	RM	28840	28840	28840	
9	Suspended Ceiling Joints VEDA FRANCE Series JDV 4.14	RM	12360	12360	12360	

सि.नं.	सामाग्री र प्रजातिहरुको नाम	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७५/०७६	आ.व. ०७६/०७७	आ.व. ०७७/०७८	
10	Floor Joint VEDA FRANCE Series JDH 5.2 standard loads.	RM	21115	21115	21115	
11	Floor Joint VEDA FRANCE Series JDH 5.4 standard loads.	RM	33475	33475	33475	
12	Floor Joint VEDA FRANCE Series JDH 5.8 standard loads.	RM	36050	36050	36050	
13	Floor Joint VEDA FRANCE Series JDH 5.26 heavy loads.	RM	38625	38625	38625	
14	CAR Park Joint VEDA FRANCE Series JDH 5.30 standard loads(15 to 35mm)	RM	16480	16480	16480	
15	CAR Park Joint VEDA FRANCE Series JDH 5.32 standard loads (40 to70mm)	RM	31930	31930	31930	
16	BED Affixed Control Joints VEDA FRANCE Series JF 1700	RM	19313	19313	19313	
17	BED Affixed Control Joints VEDA FRANCE Series JF LUXE 2700	RM	29355	29355	29355	
18	BED Affixed Control Joints VEDA FRANCE Series JF Deco.	RM	9270	9270	9270	
19	Adhesive Affixed Control Joints VEDA FRANCE Series JF 600/1	RM	1545	1545	1545	
20	Adhesive Affixed Control Joints VEDA FRANCE Series JF 600/2	RM	2060	2060	2060	
21	Adhesive Affixed Control Joints VEDA FRANCE Series JF 1600	RM	15450	15450	15450	
22	Stair Nosing VEDA France MDM VD 320/550/1010	RM	9785	9785	9785	
38	**Wall Paper**					
	Wall paper (10m.x 0.53m)	रोल	1236	1236	1236	
	Fittings for wall paper	व.फि	7	7	7	
	White glue for wall paper	लि.	108	108	108	
39	**Eradication of peepal & other plants**					
	a) Stem up to 1" thickness	गोटा	-	-	-	
	b) Stem up to 1"-2" thickness	"	-	-	-	
	c) Stem up to 2"-3" thickness	"	-	-	-	
	d) Stem up to 3"-4" thickness	"	-	-	-	
40	**Gypsum board**					
40.1	**Supplying and fixing of Thai gypsum board application work**					
	i) फल्स सिलिङ गर्ने	व.फि	-	-	-	
	ii)Water resistant false ceiling	"	-	-	-	
	iii)Wall partition	"	119	119	119	
	iv)Wall paneling	"	79	79	79	
	v)Metalized polited laminated Board (MPL) board	"	76	76	76	
	12.5mm thick Gypsum Board False ceiling including all necessary	"	70	70	70	
41	**Calcium Silicate Board supplying & fitting all complete work**					
41.1	**Solid Infill wall (Shera, Everest or Thai Gypsum or equivalent**					
	Solid infill wall 3" with EPS AND Foam concrete	व.मी.	3793	3793	3793	
41.2	Solid Infill wall (Chinese or equivalent)					
	Solid infill wall 3"	व.मी.	1770	1770	1770	

सि.नं.	सामाग्री र प्रजातिहरुको नाम	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७५/०७६	आ.व. ०७६/०७७	आ.व. ०७७/०७८	
41.3	Solid Infill wall WITH TWO SIDE .5MM MS plate, powder quoted infill with high presurred Polyrethen with 40 kg+-2 kg /cu mtr					
	Solid infill wall 50mm	व.मी.	3288	3288	3288	
42	**Interlocking Cement Concrete Block(Not less than M20 RCC Block)**					
	a) Curb stone (M 25)	र.मि.	1101	1101	1101	
	25 mm thick C.C. Tile (Grey color)					
	Burfi , Round , Boby Checker	Sqft	42	42	42	
	25 mm thick C.C. Tile (Red color)					
	Burfi , Round , Boby Checker	Sqft	44	44	44	
	50 mm thick CC Block (Grey color)					
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock	Sqft	51	51	51	
	50 mm thick CC Block (Red color)					
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock	Sqft	52	52	52	
	60 mm thick CC Block (Grey color)					
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock , Plus Interlock	Sqft	53	53	53	
	60 mm thick CC Block (Red color)					
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock , Plus Interlock	Sqft	55	55	55	
	70 mm thick CC Block (Red color)					
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock	Sqft	61	61	61	
	60 mm thick CC Block (Ocm or equivalent)					
	Brick type (23*11*6cm)non colour	Nos	10	10	10	
	Hexagon (22*22 cm) non colour	,,	23	23	23	
	Hexagon (22*22 cm) colour		25	25	25	
	Squire paver (30*30*4.5cm)non colour	,,	32	32	32	
	Squire paver (30*30*4.5cm)colour		34	34	34	
	inter block(24*13*6cm)	,,	14	14	14	
	Isave paver (20*16*6cm)	,,	16	16	16	
	supply of concrete Block different items United concrete or other Equivailent					
	Hollow Block (16"*8"*6")	Nos	78	78	78	
	Hollow Block (16"*8"*4")	,,	69	69	69	
	Corner Hollow Block (16"*8"*6")	,,	89	89	89	
	Lintel Block (16"*8"*6")	,,	89	89	89	
	Pavers Block (fish or other shape) 60mm thick	,,	20	20	20	
	concrete Brick (9"*4"*2.5")	,,	13	13	13	
43	छानामा टाइलको बुट्टा काट्ने र पानी पड्ने कार्य					

नेपाल सरकार
भूमि मन्त्रालय
जिल्ला प्रशासन कार्यालय
नुवाकोट

सि.नं.	सामाग्री र प्रजातिहरुको नाम	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७५/०७६	आ.व. ०७६/०७७	आ.व. ०७७/०७८	
	(१.४) भागको मिश्रणको सिमेन्ट मसला तयार गरि खट राखि १"बाक्को प्लाष्टरमा रुफिङ टाइलको बुझा काट्ने खापान सहित (तयारी।	व.मि.	-	-	-	
	१"×३" साइजको (१.४। भागको मिश्रणको मसला तयार गरि खट राखि वर्षाइको पानी एई बनाउने काम (तयारी)	र.मी	-	-	-	
44	**Heritage Wall Surface Texture (Interior and Exterior) including the cost supplying and fitting**					
	i) Heritage granular	व.फि	100	100	100	
	ii) Heritage flakes	,,	124	124	124	
	iii) Heritage granite finish	,,	108	108	108	
	iv) Heritage Top coat (plastic lamination)	,,	29	29	29	
45	**UPVC Profile Door and Window/ Wall partition**					
	Supplying and Installation of UPVC Profile: Sliding window frame 50*80mm; sash 58*36mm, Sliding Door frame 52*88; sash 80*42, Casement window frame 60*60mm:sash 60*78mm, Casement Door frame 60*60; sash 60*104mm white colour with reinforcement, 5mm thick clear float glass, insect net, patented standard hardware like: rollers, gaskets, brush seal, moon locks, push locks, drinage cover, etc.					
	UPVC को झयाल, ढोका तथा wall partition का निर्माण सामाग्रीहरु					
	i) Single glazing					
1	UPVC Sliding window with net (frame 50*80 mm, sash 58*36 mm, white colour with 5mm glass)	Sqm	7215	7215	7215	
2	UPVC Sliding window without net (frame 60*60 mm, sash 66*42 mm, white colour with 5mm glass)	,,	6664	6664	6664	
3	UPVC Top Hung window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm glass)	,,	7493	7493	7493	
4	UPVC Casement window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm glass)	,,	7493	7493	7493	
5	UPVC Single Door with half panel half glass (frame 60*60 mm, sash 60*104 mm, white colour with 5mm glass)	,,	8214	8214	8214	
6	UPVC Single Door with full panel (frame 60*60 mm, sash 60*104 mm, white colour)	,,	8328	8328	8328	
7	UPVC Double Door (frame 60*60 mm, sash 60*104 mm, white colour with 5mm glass)	,,	8884	8884	8884	
8	UPVC Sliding Door with net (frame 52*88 mm, sash 88*42 mm, white colour with 5mm glass)	,,	8884	8884	8884	
9	UPVC Sliding Door without net (frame 60*60 mm, sash 88*42 mm, white colour with 5mm glass)	,,	8606	8606	8606	

नेपाल सरकार
गृह मन्त्रालय
जिल्ला प्रशासन कार्यालय
नुवाकोट

सि.नं.	सामाग्री र प्रजातिहरुको नाम	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७५/०७६	आ.व. ०७६/०७७	आ.व. ०७७/०७८	
10	UPVC Swing Door with half glass half uPVC panel (frame 60*60 mm)	"	9991	9991	9991	
11	UPVC 88x60mm Sliding white colour window with 5mm glass pannele	Sqm	8626	8626	8626	
11	UPVC 60x64mm white colour casement window with 5mm glass pannele	"	9796	9796	9796	
12	UPVC110x64mm x9mmthick board and 5mm tjick glass pannel white colour	"	10353	10353	10353	
12	UPVC60x60mm x9mmthick white colour partition board with 5mm glass	"	10717	10717	10717	
13	UPVC60x60mm white colour swing door with 5mm glass pannel		6727	6727	6727	
	ii) Double glazing					
1	UPVC Sliding window with net (frame 50*80 mm, sash 58*36 mm, white colour with 5mm double glass)	Sqm	9435	9435	9435	
2	UPVC Sliding window without net (frame 60*60 mm, sash 66*42 mm, white colour with 5mm double glass)	"	8935	8935	8935	
3	UPVC Top Hung window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm double glass)	"	9718	9718	9718	
4	UPVC Casement window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm double glass)	"	9718	9718	9718	
5	UPVC Single Door with half panel half glass (frame 60*60 mm, sash 60*104 mm, white colour with 5mm double glass)	"	10439	10439	10439	
6	UPVC Double Door (frame 60*60 mm, sash 60*104 mm, white colour with 5mm double glass)	"	10547	10547	10547	
7	UPVC Sliding Door with net (frame 52*88 mm, sash 88*42 mm, white colour with 5mm double glass)	"	11103	11103	11103	
8	UPVC Sliding Door without net (frame 60*60 mm, sash 88*42 mm, white colour with 5mm double glass)	"	10825	10825	10825	
9	Supply & fixing of 80*50 mm white colour casement window	"	9611	9611	9611	
46	**Prefab Panel for wall Partition solid wall panel (ESWP) or Equivalent**					
46.1	Supply and erection of different mm th. cement base prefabricated Shera, thai gypsum,everst solid wall panel non asbestos including 1.1 mm thick GI chennel (50*25*20) mm with necessary accessories and fittings charge in **partation wall** all complete					
	a) 40 mm thick	"				
	b) 50 mm thick	"	232	232	232	
	c) 75 mm thick	Sq .m.	294	294	294	

सि.नं.	सामाग्री र प्रजातिहरुको नाम	एकाई	दररेट मु.अं.कं. (VAT बाहेक)(रुपैयामा)".			कैफियत
			आ.व. ०७५/०७६	आ.व. ०७६/०७७	आ.व. ०७७/०७८	
46.2	**False ceiling/ partition/ external cladding of everest or equivallent fibre designer board**					
	Supplying, making, fixing of false ceiling with everest fibre designer board in E-grid	Sqft	91	91	91	
	Supplying, making, fixing of 70mm thick exterior with full height of partirion with everest fibre cemnet board	Sqft	271	271	271	
	Supplying, making, fixing of 66mm thick exterior with full height of partirion with everest fibre cemnet board	Sqft	237	237	237	
	Supplying, making, fixing of 91mm thick exterior with full height of partirion with everest fibre cemnet board	Sqft	302	302	302	
	Supplying, making, fixing of external cladding with 9 mm HD/ 7.5mm everest sliding board	Sqft	266	266	266	
	Supplying, making, fixing of 50mm thick full height of partirion with everest RAPICON wall panels	Sqft	211	211	211	
	Supplying, making, fixing of 75mm thick full height of partirion with everest RAPICON wall panels	Sqft	279	279	279	
46.3	6 mm thick Flex-O- Board (Water proof cement board) 6mm thick for false ceiling	Sqft	-	-	-	
46.4	Cement board Aerocon C Board CK Birala , Everest or equivalent				0	
	6 mm thick	Sqft	33	33	33	
	8 mm thick	Sqft	41	41	41	
	10 mm thick	Sqft	52	52	52	
	12 mm thick	Sqft	62	62	62	
46.5	**Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire**					
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 2 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	Sqft	381	381	381	
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 3 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	Sqft	412	412	412	
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 4 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	Sqft	509	509	509	
	Joint less false celling chanel 0.55mm thick flange of 20 mm and another flange 30mm(conform to IS 4862 : 2000) all complete work Everest or equivalent	Sqft	109	109	109	

नेपाल सरकार
गृह मन्त्रालय
जिल्ला प्रशासन कार्यालय
नुवाकोट

सि.नं.	सामाग्री र प्रजातिहरुको नाम	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७५/०७६	आ.व. ०७६/०७७	आ.व. ०७७/०७८	
	Rapicon solid wall panel 50/75 mm thick conform to IS 14862 (density more than 1200kg /m3) Everest or equivalent					
	50 mm thick	Sqft	255	255	255	
	75 mm thick	Sqft	337	337	337	
	External cladding with 9mm /7.5 mm siding board and GI steel frame work	Sqft	274	274	274	
	Full Height Partition (With 9mm thick Fiber Cement Heavy Duty Wall Board on exterior side and 10mm Standard FCB interior side and 51mm G.I wall frame system) Exterior cum Interior Wall confirming to IS 14862:2000 & Type A Category IV of ISO 8336:1993	Sqft	278	278	278	
	Full Height Partition (With 8mm thick Fiber Cement Wall Board on both side and 51mm G.I wall frame system) Interior Wall confirming to IS 14862:2000 & Type A Category IV of ISO 8336:1993	Sqft	243	243	243	
	Full Height Partition (With 9mm thick Fiber Cement Wall Board exterior & 10mm Interior on Interior side and 72mm G.I wall frame system) Exterior cum Interior confirming to IS 14862:2000 & Type A Category IV of ISO 8336:1993	Sqft	310	310	310	
	False Floor / Cavity Floor (With 15mm thick Heavy Duty Fiber Cement / 20mm Standard FCB Floor Board and Specified M.S frame system for design load) confirming to IS 14862 : 2000	Sqft	348	348	348	
47	**Aluminium &Steel Door & Window**				0	
47.1	Mention rates are including supplying of necessary chemicals, materials,fittings, labours as per manufacturer's specifications all complete or as per consultant's direction.					
	Aluminum fixed panel window with ventilation but without fly mesh shutter from section. (88×38×1.20) mm and 5 mm glass.	व.फि	499	499	499	
	Aluminum fixed panel window with ventilation but with fly mesh shutter from section. (88×38×1.20) mm and 5 mm glass.	"	536	536	536	
	Aluminum sliding windows without ventilator from section (101×45×1.50) mm and 5 mm glass.	"	523	523	523	
	Do but with ventilator from section (101×45×1.50)mm and 5 mm glass.	"	561	561	561	
	Siding door with naturally anodized color section of (101×45×1.50)mm (40×45×1.5)mm & 5 mm glass.	"	645	645	645	

सि.नं.	सामाग्री र प्रजातिहरुको नाम	एकाई	दररेट मु.अ.कं. (VAT बाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७५/०७६	आ.व. ०७६/०७७	आ.व. ०७७/०७८	
	Siding door with naturally anodized color section of (78×38×1.30)mm (40×45×1.5)mm & 5 mm glass.	"	403	403	403	
	Casement double panel aluminum windows with ventilation. Section size (88×45×1.10)mm, (38×34×1.10)mm & 5 mm glass.	"	403	403	403	
	Casement double panel aluminum windows with ventilation. Section size (54×33×1.50)mm, (38×34×1.50)mm & 5 mm glass.	"	499	499	499	
	Casement door of aluminum section in naturally anodized color. Section size (100×38×1.30) mm and 5 mm glass.	"	447	447	447	
	Casement door of aluminum section in naturally anodized color. Section size (101×45×1.50) mm and 5 mm glass.	"	611	611	611	
	Swing door door of aluminum section in naturally anodized color. Section size (101×45×1.50) mm and 5 mm glass.	"	611	611	611	
	Siding windows 2 track in naturally anodized color section of (88×38×1.10)mm 5 mm glass.	"	357	357	357	
	Siding windows 2 track in naturally anodized color section of (88×38×1.30)mm 5 mm glass.	"	474	474	474	
	Fixed windows & partitions with fixed ventilators from 9mm board and section (101×45×1.50)mm	"	474	474	474	
	Aluminium partition with 5 mm thick glass and 9 mm thick laminated board of section (101 x45x1.2)	"	474	474	474	
	Aluminium partition with 5 mm thick glass and 9 mm thick laminated board of section (64 x38x1.2)	"	449	449	449	
	दुई/तीन पैनेल भएको स्लाइडिङ झ्याल । ८५X५०X१.२० मी.मी.) भित्ता ५ मी.मी.समेत सादा	"	492	492	492	
	दुई/तीन पैनेल भएको स्लाइडिङ झ्याल (८५X५०X१.२० मी.मी.) भित्ता ५ मी.मी. जाली छापा समेत भएको ।	"	542	542	542	
	दुई/तीन पैनेल भएको स्लाइडिङ झ्याल फिक्स भेन्टीलेसन भएको (८५X५०X१.२० मी.मी.) भित्ता ५ मी.मी. सहित (सादा)	"	542	542	542	
	दुई/तीन पैनेल भएको स्लाइडिङ झ्याल फिक्स भेन्टीलेसन भएको ।८५X५०X१.२० मी.मी.) भित्ता ५ मी.मी. जाली छापा सहित भएको ।	"	492	492	492	
	102 series windows					
	Providing and fixing of aluminium windows of section (102 series) 1.2 mm th. Fitted with 5 mm clear glass without fly mesh shutter (window size 6'X4'6" or 27 sqft / window)	व.फि	521	521	521	
	Providing and fixing of aluminium windows with top fixed glass of section (102 series) 1.2 mm th. Fitted with 5 mm clear glass without fly mesh shutter (window size 6'X5' or avg area 30 sqft./ window)	"	595	595	595	

सि.नं.	सामाग्री र प्रजातिहरुको नाम	एकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७५/०७६	आ.व. ०७६/०७७	आ.व. ०७७/०७८	
	Providing and fix windows of section (102 series) 1.2 mm th. Fitted with 5 mm clear glass	"	438	438	438	
	Providing and fixing of aluminium fix windows of section (102 series) 1.2 mm th. Fitted with 5 mm clear fly mesh (size 2'X4'6")	"	140	140	140	
	90 series windows					
	Providing and fixing sliding windows of section 90 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6'*5' or avg area 30 sqft per window)	"	490	490	490	
	Providing and fixing sliding window with top fix glass of section 90 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6'*5' or avg area 30 sqft per window)	"	517	517	517	
	Providing and fixing aluminium fix windows of section 90 series 1.2 th. Fitted with 5 mm clear glass	"	412	412	412	
	Providing and fixing flymesh shutter of section 90 series 1 th. Fitted withss flymesh (2"*4'6")	"	140	140	140	
	78 series windows				0	
	Providing and fixing sliding windows of section 78 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6'*4'6" or avg area 27 sqft per window)	"	430	430	430	
	Providing and fixing sliding window with top fix glass of section 78 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6'*5' or avg area 30 sqft per window)	"	459	459	459	
	Providing and fixing aluminium fix windows of section 78 series 1.2 th. Fitted with 5 mm clear glass	"	385	385	385	
	Providing and fixing flymesh shutter of section 78 series 1 th. Fitted with SS flymesh (2"*4'6")	"	127	127	127	
	Casement window and doors					
	Providing and fixing aluminium casement windows of section 38 series 1.2 mm th. Fitted with 5 mm clear glass avg. area of each shutter 6.sq.ft	"	504	504	504	
	Providing and fixing aluminium casement doors of section 102 series 1.2 mm th. Fitted with 5 mm clear glass	"	547	547	547	
	Providing and fixing swing doors of section 102 series 1.2 mm th. Fitted with 5 mm clear glass	"	696	696	696	
	Partation work					

नेपाल सरकार
गृह मन्त्रालय
जिल्ला प्रशासन कार्यालय
नुवाकोट

सि.नं.	सामाग्री र प्रजातिहरुको नाम	एकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७५/०७६	आ.व. ०७६/०७७	आ.व. ०७७/०७८	
	Providing and fixing aluminum full height partation of section 64 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel aera 10 sqft	"	329	329	329	
	Providing and fixing aluminum low height partation of section 64 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel aera 6 sqft	"	350	350	350	
	Providing and fixing aluminum full height partation of section 102 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel aera 10 sqft	"	377	377	377	
	Providing and fixing aluminum low height partation of section 102 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel aera 6 sqft	"	469	469	469	
	Structure glazing					
	Providing and fixing aluminuim structure glazing of section size 61*50*1.3 m fitted with 5 m colour glass av. Panel area 6 sqft	"	525	525	525	
	Providing and fixing aluminuim structure glazing of section size 61*75*1.6 m fitted with 5 m colour glass av. Panel area 6 sqft	"	609	609	609	
	Providing and fixing aluminuim structure glazing of section size 61*100*2 m fitted with 5 m colour glass av. Panel area 6 sqft	"	740	740	740	
48	**Aluminium composite panel**					
48.1	**Providing and fixing aluminium composite panel in 25*38*1.1 m tube framing ALSTRONG, PRIME BOND,ALUTUF , INDO BOND or equivalent**					
	3 mm , .20 mm black core	बर्फी	350	350	350	
	3 mm , .25 mm black core	"	359	359	359	
	3 mm , .30 mm black core	"	372	372	372	
	4 mm , .25 mm black core	"	381	381	381	
	4 mm , .30 mm black core	"	372	372	372	
	4 mm , .50 mm black core	"	394	394	394	
	4 mm , .25 mm Vergin core	"	403	403	403	
	4 mm , .30 mm vergin core	"	372	372	372	
	4 mm , .50 mm vergin core	"	403	403	403	
49	**Water proofing (chemicals & Tretment)works**					
1	**CONCRETE ADMIXTURES (Chemical)**					
1.1	Water Reducing Admixture Concrete & Mortar [Lignosulphonate Based] Std. Conformance : ASTM C 494 - 1981 (Type A) / IS 2645 Dose 0.3 to 1.1 % by.wt. cement	Kg.	165	165	165	

नेपाल सरकार
गृह मन्त्रालय
जिल्ला प्रशासन कार्यालय
नुवाकोट

सि.नं.	सामाग्री र प्रजातिहरुको नाम	एकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७५/०७६	आ.व. ०७६/०७७	आ.व. ०७७/०७८	
1.2	High Range Water Reducing Super Plasticizer for Concrete & Mortar [Napthalene Formladehyde Based] Std. Conformance : ASTM C 494 - 1981 (Type F) / IS 9103 -1999 Dose 0.2 to 3 % by wt of cement	Kg.	299	299	299	
1.3	Ultra High Range Water Reducing Super Plasticizer for Concrete & Mortar [Polycarboxylate Ether Based] Std. Conformance : ASTM C 494 - 1981 (Type F) Dose :0.2 to 1.6 % by wt of cement	Kg.	495	495	495	
1.5	Integral Waterproofing Additive for Concrete & Plaster Std. Conformance : ASTM C 494 - 1981 (Type G), IS 9103 - 2007, IS 2645 Dose :0.4 to 2% by wt of cement	Kg.	303	303	303	
1.6	Integral Crystalline Waterproofing Powder Admixture Std. Conformance : ASTM C 494, IS 3085 -1997, DIN 1048 - 1991 Part 5 Dose : 0.5 to 2% by wt of cement	Kg.	935	935	935	
1.7	Integral Crystalline Waterproofing Liquid Admixture Std. Conformance : ASTM C 494, IS 3085 -1997, DIN 1048 - 1991 Part 5 Dose : 0.5 to 2% by wt of cement	Kg.	935	935	935	
1.8	Integral Waterproofing Powder Admixture Std. Conformance : ASTM C 494, IS 3085 -1997, DIN 1048 - 1991 Part 5 Dose :0.2 to 2 % by wt of cement	Kg.	1375	1375	1375	
1.9	Integral Waterproofing Powder Admixture for Mortars Std. Conformance : ASTM C 494, IS 3085 -1997, DIN 1048 - 1991 Part 5 Dose : 0.2 to 1 % by wt of cement	Kg.	165	165	165	
1.1	Accelerator & Spray Shotcrete / Concrete Plasticizer [Silicate Based]	Kg.	275	275	275	
1.11	Accelerator & Spray Shotcrete / Concrete Liquid Plasticizer [Alkali Free]	Kg.	385	385	385	
1.12	Accelerator & Spray Shotcrete / Concrete Powder Plasticizer [Alkali Free]	Kg.	330	330	330	
1.13	Retarding Superplasticiczer for Concrete [Napthalene Based] Std. Conformance : ASTM C 494 - 1981 (Type G / D), IS 9103 - 2007 Dose 0.2 to 3 % by wt of cement	Kg.	248	248	248	
1.14	Retarding Superplasticiczer for Concrete [Polycarboxylate Ether Based] Std. Conformance : ASTM C 494 - 1981 (Type G) Dose : 0.2 to 2.2 % by wt of cement	Kg.	495	495	495	

नेपाल सरकार
गृह मन्त्रालय
जिल्ला प्रशासन कार्यालय
नुवाकोट

नेपाल सरकार
गृह मन्त्रालय
जिल्ला प्रशासन कार्यालय
नुवाकोट

सि.नं.	सामाग्री विवरण	एकाई	दररेट मू.अ.क. (VAT बाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७५/०७६	आ.व. ०७६/०७७	आ.व. ०७७/०७८	
1.15	Resin ,Multi /polyvcarboxylate ether cholride free less alkali super plasticizer and micro silolca in one ASTM C494 Dose :0.5 to 2.1 % by wt of cement	kg	650	650	650	
2	CONCRETE ADMIXTURES (Mineral)				0	
2.1	Silica Fume / Silica Cement Admixture / Micro Silica for High Performance Concrete Std. Conformance : ASTM C 1240 - 2005, IS 15388 - 2003 Dose :5 to 15 % by wt of cement	Kg.	315	315	315	
2.2	Processed FA Based Mineral Additives Dose :5 to 20 % by wt of cement	Kg.	94	94	94	
3	JOINT SEALANTS & SYSTEMS					
3.1	Two Component Gun Grade Polysulphide Sealant for Vertical Surfaces	Kg.	2396	2396	2396	
3.2	Two Component Pour Grade Polysulfide Sealant for Horizontal Surfaces	Kg.	2396	2396	2396	
3.3	One Component Low Viscosity Primer For Polysulfide Sealant	Kg.	3993	3993	3993	
3.4	Two Component Pour Grade Polyurethane Sealant for Joints	Kg.	2662	2662	2662	
3.5	Low Viscosity Primer For Polyurethane Sealant	Kg.	3993	3993	3993	
3.6	High Performance Hybrid Silyl Sealant (290 ml per set)	set	1597	1597	1597	
3.7	Butyl Tape for various Applications	RM	166	166	166	
3.8	Waterproofing Joint Tape [120 mm]	RM	666	666	666	
3.9	Waterproofing Joint Tape [200 mm]	RM	865	865	865	
3.10	NBR based Waterproofing Joint Tape [200 mm]	RM	5324	5324	5324	
3.11	Joint Tape Epoxy Adhesive	Kg.	3993	3993	3993	
3.12	Glass Fiber Joint Tape	RM.	300	300	300	
3.13	Waterproofing / Expansion Joint Tape [100 mm]	RM.	1997	1997	1997	
3.14	Waterproofing / Expansion Joint Tape [200 mm]	RM.	3594	3594	3594	
3.15	Construction Joint Tape [100 mm]	RM.	1065	1065	1065	
3.16	Construction Joint Tape [100 mm]	RM.	865	865	865	
3.17	Cross Linked Premoulded Compressive Joint Filler [25 mm]	Sq. M.	3261	3261	3261	
3.18	Cross Linked Premoulded Compressive Joint Filler [50 mm]	Sq. M.	6455	6455	6455	
3.19	Closed Cell Polymerbased Joint Filler [25 mm]	Sq. M.	1065	1065	1065	
3.2	Closed Cell Polymerbased Joint Filler [50 mm]	Sq. M.	1997	1997	1997	
4	INDUSTRIAL FLOORING SOLUTIONS					
4.1	Hardwearing, abrasion resistant monolithic industrial flooring compound [Metallic]	Kg.	146	146	146	
4.2	Liquid Concrete Hardener & Dust Proofer	Kg.	499	499	499	
4.3	Anti Bacterial Floor & Wall Coating [Epoxy]	Kg.	2995	2995	2995	

सि.नं.	सामाग्री र प्रजातिहरुको नाम	एकाई	दररेट मु.ल.क. (VAT बाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७५/०७६	आ.व. ०७६/०७७	आ.व. ०७७/०७८	
4.4	Anti Bacterial Floor & Wall Coating [Polyurethane]	Kg.	3328	3328	3328	
4.5	Anti bacterial Floor & Wall Coating [Acrylic]	Kg.	2662	2662	2662	
4.6	Self Levelling Flooring System [Epoxy]	Kg.	1331	1331	1331	
4.7	Self Levelling Flooring System [Polyurethane]	Kg.	1997	1997	1997	
4.8	Self Levelling Cementitious Flooring System	Kg.	399	399	399	
5	**ENGINEERING GROUTS**					
5.1	General Purpose High Strength Free Flowing, Non Shrink Cementitious Grout [M40]	Kg.	146	146	146	
5.2	Ultra High Strength Free Flowing, Non Shrink Cementitious Grout [M60]	Kg.	135	135	135	
5.3	Hard wearing cementitious tile grout	Kg.	213	213	213	
5.4	Hard wearing epoxy based tile grout	Kg.	1331	1331	1331	
5.5	Super Plasticizer, Shrinkage Compensating Grout Admixture	Kg.	666	666	666	
5.6	High Strength Precision Grade, Non Shrink Structural Epoxy Anchorgrout	Kg.	3328	3328	3328	
5.7	Epoxy Acrylate High Strength Precision Grade, Non Shrink Structural Grout [400 Ml Cartridge]	Ml	5990	5990	5990	
5.8	Low Viscosity Injection Epoxy Grout	Kg.	8652	8652	8652	
5.9	Low Viscosity Polyurethane Injection Grout Dose : 231 cubic inchec per gallon	Kg.	18634	18634	18634	
5.10	Low Viscosity Acrylate Gel Injection Grout	Kg.	11314	11314	11314	
5.11	Low Viscosity Soil Stabilization Injection Grout	Kg.	18634	18634	18634	
6	**BONDING ADHESIVES (Polymer & Epoxy Resin)**					
6.1	Acrylic Bonding Agent For Concrete & Mortar	Kg.	865	865	865	
6.2	Versatile SBR Latex for Bonding, Grouting & Repair Mortars	Kg.	1131	1131	1131	
6.3	High Performanance Pure Acrylic Polymer for Concrete & Mortar Modification' & Bonding Adhesive	Kg.	1597	1597	1597	
6.4	Two Component Epoxy Resin Bonding Agent [For bonding new to old concrete]	Kg.	2396	2396	2396	
7	**FIBERS (Steel & Polypropylene)**					
7.1	FIBERMESH MF [Monofilament PP Fibers]	Kg.	1331	1331	1331	
7.2	FIBERMESH FB [Collated PP Fibers]	Kg.	1730	1730	1730	
7.3	FIBERMESH MACRO [Structural PP Fibers]	Kg.	2662	2662	2662	
7.4	Loose steel Fibers	Kg.	333	333	333	
7.5	Glued Steel Fibers	Kg.	466	466	466	
7.6	Crimped Steel Fibers	Kg.	245	245	245	
8	**SURFACE TREATMENT**					
8.1	Protective, Decorative Anti Carbonation Coating	Kg.	1597	1597	1597	
8.2	Protective, Decorative Insulating Anti Carbonation Coating	Kg.	1797	1797	1797	
8.3	Concrete Penetrating Corrosion Inhibitor	Kg.	5990	5990	5990	

सि.नं.	सामाग्री र प्रजातिहरुको नाम	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७५/०७६	आ.व. ०७६/०७७	आ.व. ०७७/०७८	
8.4	Protective Acrylic Sealer	Kg.	1997	1997	1997	
8.5	Protective Polyurethane Sealer	Kg.	2396	2396	2396	
8.6	Water Based Fire Retardant Coating	Kg.	1597	1597	1597	
8.7	High Perfonmance Water Repellent Paint	Ltr.	11979	11979	11979	
8.8	Concentrated & Emulsified Chemical Mould Release Agent	Ltr.	666	666	666	
8.9	Ready to use Chemical Mould Release Agent	Ltr.	532	532	532	
8.10	Concrete Curing Aid	Kg.	532	532	532	
8.11	Resin,silica based multi function, water proofing and curing compound Dose :cover area: 0.15kg/m2	kg	700	700	700	
	CONCRETE REPAIRS					
9	Rust Remover & Passivator	Ltr.	1331	1331	1331	
9.1	Corrosion Inhibitor	Kg.	1331	1331	1331	
9.2	Micro Concrete [M55] for Permanant Repairs	Kg.	186	186	186	
9.3	Single Component Polymer Modified Cementitious Repair Mortar	Kg.	190	190	190	
9.4	Two Component Polymer Modified Cementitious Repair Mortar	Kg.	333	333	333	
9.5	Cementitious, Waterproof Crack Repair Mortar	Kg.	266	266	266	
9.6	Acrylic Based Crack Filling Putty	Kg.	1597	1597	1597	
9.7	Resin ,Polycoboxylate Base For ultra High Strenth Concrete Repairing Dose : Admixture 10% By Wt of Cement	Kg	700	700	700	
10	**PREPACKED MORTARS**					
10.1	Tile, Mabrble, Granite etc. Adhesive	Kg.	100	100	100	
10.2	Marble & Granite etc. Adhesive	Kg.	466	466	466	
10.3	Coarse and water resistant Readymix plastring Mortar	Kg.	90	90	90	
10.4	High Performanance Polymer Based Wall Putty (Skim Coat)	Kg.	70	70	70	
10.5	High Performanance Polymer Based Insulting Wall Putty (Skim Coat)	Kg.	90	90	90	
11	**WATERPROOFING SYSTEMS, Bal endura or equivalent**					
	INTEGRAL					
11.1	Integral Waterproofing Additive for Concrete & Plaster	Kg.	300	300	300	
11.2	Silica Cement Admixture / Microsilica / Silica Fume	Kg.	315	315	315	
	LIQUID APPLIED					
11.3	Single Pack Polymer Modified Flexible Waterproof Coating System Dose :Cover Area 30 Sq ft- 45 Sq ft/Kg 2 coat	Kg.	932	932	932	
11.4	Two Component Polymer Modified Flexible Acrylic Elastomeric Waterproof Coating System Dose :cover Area :5 Sqft- 7 Sqft/Kg 2 coats	Kg.	666	666	666	
11.5	Two Component Polymer Modified Flexible Elastomeric Waterproof & Thermal Insulating Coating System Dose :consumption: 1.5 kg/m2	Kg.	998	998	998	
11.6	Heavy duty reinforced elastomeric acrylic water proof coating for terrace Dose :cover area: 6 sqft/litre 3 coat	Ltr.	750	750	750	

सि.नं.	सामाग्री र प्रजातिहरुको नाम	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७५/०७६	आ.व. ०७६/०७७	आ.व. ०७७/०७८	
11.7	Arcylic elastomeric exterior water proof coating for exterior wall Dose :35 sqft/litre 2 coat	Ltr.	700	700	700	
11.8	Crystalline Based Waterproofing Systems	Kg.	363	363	363	
11.9	Fast Setting Plugging Compound for stopping running water	Kg.	424	424	424	
11.10	Polyurethane based Waterproofing Coating System	Kg.	1815	1815	1815	
11.11	Polymer Modified Bitumen based Waterproofing Coating System	Kg.	1452	1452	1452	
11.12	Epoxy Resin based Waterproofing Coating System	Kg.	1815	1815	1815	
11.13	Efflorescence Resistance Penetrating Primer Dose :Cover Area: 80 Sq ft /lt 1 coat	kg	600	600	600	
	PREFORMED					
11.14	Fiber Reinforced Polymer Modified Bituminous Membranes [3mm Plain]	Sq. M.	2178	2178	2178	
11.15	Fiber Reinforced Polymer Modified Bituminous Membranes [3mm Mineral / Sand Finish]	Sq. M.	2420	2420	2420	
11.16	Polymer Modified Self Adhesive Bituminous Membranes [1mm]	Sq. M.	1210	1210	1210	
11.17	Polymer Modified Self Adhesive Bituminous Membranes [2mm]	Sq. M.	1815	1815	1815	
11.18	Polymer Modified Self Adhesive Bituminous Membranes with Aluminium Cover	Sq. M.	1815	1815	1815	
11.19	1.2 mm High Polymer PVC Membranes	Sq. M.	2420	2420	2420	
11.2	PVC Adhesive	Kg.	3025	3025	3025	
11.21	1.2 mm EPDM Membranes	Sq. M.	2420	2420	2420	
11.22	EPDM Adhesive	Kg.	3025	3025	3025	
11.23	EPDM Primer	Kg.	3630	3630	3630	
11.24	2mm TPO Membranes	Sq. M.	4235	4235	4235	
11.25	Polythene & Polypropylene Polymer Compound Waterproof Membrane	Sq. M.	968	968	968	
11.26	100% Synthetic Rubber Roof Coating	Kg.	5445	5445	5445	
12	**SPECIALTY**					
12.1	Antistripping Agent for Bitumen	Kg.	484	484	484	
12.2	Anti Termite [Imidacloprid 30.5%]	Kg.	9075	9075	9075	
12.3	Expanding Concrete Joint WATERSTOP	RM.	2420	2420	2420	
12.4	WB ADHESIVE Primer for Expanding Waterstop	2500	9075	9075	9075	
12.5	Swellable WATERSTOP	RM.	3025	3025	3025	
12.6	SEALGUARD PVC WATERSTOP - PVC Waterstops	RM.	3025	3025	3025	
12.7	Nodular Drain with Geotextile Roof Garden	Sq. M.	2420	2420	2420	
12.8	SEALGUARD GEOTEX [P] -Polyester Geotextile	Sq. M.	121	121	121	
12.9	THERMOSEAL XPS - Extruded Polystyrene Boards [25 mm]	Sq. M.	1331	1331	1331	
12.10	THERMOSEAL XPS - Extruded Polystyrene Boards [40 mm]	Sq. M.	2420	2420	2420	
13	**STRUCTURAL STRENGTHENING & SEISMIC RETROFITTING**					
13.1	Carbon Laminate [50 mm Wide 1.4 mm Thick]	R. M.	9680	9680	9680	
13.2	Carbon Laminate [75 mm Wide 1.4 mm Thick]	R. M.	12100	12100	12100	

सि.नं.	सामग्री र प्रजातिहरुको नाम	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७५/०७६	आ.व. ०७६/०७७	आ.व. ०७७/०७८	
13.3	FRP [Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 200 GSM	Sq. M.	12100	12100	12100	
13.4	FRP [Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 400 GSM	Sq. M.	18150	18150	18150	
13.5	FRP [Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 600	Sq. M.	24200	24200	24200	
13.6	FRP [Fiber Reinforced Polyer] GLASS FiberWRAP Sheet 900 GSM	Sq. M.	18150	18150	18150	
13.7	EPOXY PRIMER	Kg.	4235	4235	4235	
13.8	SATURANT	Kg.	3630	3630	3630	
13.9	LAMINATE ADHESIVE	Kg.	2420	2420	2420	
13.11	EPOXY TOPCOAT	Kg.	3630	3630	3630	
13.12	POLYURETHANE TOPCOAT	Kg.	4840	4840	4840	
13.13	Fiber anchor system 5to 10 mm	R. M.	2420	2420	2420	
13.14	Carbon Laminate [50 mm Wide 2 mm Thick]	R. M.	9680	9680	9680	
13.15	Carbon Laminate [75 mm Wide 2 mm Thick]	R. M.	12100	12100	12100	
14	Soil Stabiliser / Admixture					
14.1	Resin, sulfate resistant, admixture for medium strength concrete and for mud road / gravel road / eco brick tiles, hollow blocks production Dose :0.25 to0.4 % by wt of cement	kg	670	670	670	
15	Concrete curing compound					
15.10	*Concrete Curing Aid*	Kg.	453	453	453	
15.20	Resin,silica based multi function, water proofing and curing compound Dose :cover area: 0.15kg/m2	kg	721	721	721	
50	परम्परागत निर्माण सामग्रीहरु :-					
	१) दचि अपा ठुलो ८"×२-३/८"×५"	गोटा	21	21	21	
	२) दचि अपा सानो ८३/८"×२-१/८"×४-१/४"	,,	16	16	16	
	३) दचिअपा ठुलोको कुं	,,	25	25	25	
	४) दचिअपा सानोको कुं अपा	,,	21	21	21	
	५) माँ अपा ठुलो ८-७/८"×२-१/४"×५-३/४"	,,	19	19	19	
	६) माँ अपा ठुलो 241x60x158 mm	,,	24	24	24	
	७) मा अपा सानो ८-३/८"×२"×५"	,,	15	15	15	
	८) धुरी चाइ ठुलो ९-३/८"५-१/२"×३/४	,,	23	23	23	
	९) धुरी 230x295x25 mm	,,	-	-	-	
	१०) धुरी चाँइ सानो	,,	18	18	18	
	११) भिगटी वर्या ८-३/४"×४"	गोटा	11	11	11	
	१२) भिगंटी पुरानो	गोटा	7	7	7	
	१३) ढुकु	गोटा	40	40	40	
	१४) Snake body brick traditional	गोटा	25	25	25	
	१५) Snake neck brick ,,	गोटा	74	74	74	
	१६) Snake head brick ,,	गोटा	145	145	145	
	क)साना	,,	113	113	113	
	ख)ठुलो	,,	227	227	227	
	१७) पेटीकोलागि ढुङ्गा					
	क) १८"×१०"×४"	,,	680	680	680	
	१८) नागोल ईटा	गोटा	19	19	19	
	१९)९"x ९"x १८ इन्च कुना ढुङ्गा	१ मि.	2266	2266	2266	

सि.नं.	सामाग्री र प्रजातिहरुको नाम	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७५/०७६	आ.व. ०७६/०७७	आ.व. ०७७/०७८	
	२०) फल्होर अपा ठुलो 375x225x100mm	गोटा	170	170	170	
	२१। फल्होर अपा सानो 254x229x102mm	,,	142	142	142	
	२२) तीनकुने तेलिया ईटा (९"×९"×२-१/४"	,,	14	14	14	
	२३) तीनकुने तेलिया ईटा (६"×६"×२-१/४"	,,	10	10	10	
	२४) चारकुने तेलिया ईटा (८"×८"	,,	19	19	19	
	२५) तेलिया ईटा ।६"×६"	,,	14	14	14	
	२६) बुट्टेदारी कर्निश इटा (काशीमोहरु:	,,	28	28	28	
	२७) बुट्टेदारी कर्निश इटा कुना	,,	42	42	42	
	२८) बुट्टेदारी कर्निश इटा ठूलो 222x273x76mm	,,	170	170	170	
	२९। भ्याल माथिको कर्निश ईटा बुट्टेदारी	,,	34	34	34	
	३०) काठको कर्निश माथिको इटा ११×६×२.५"	,,	57	57	57	
	३१: कर्नर स्टोन : १०"×१०"×१४"	,,	1586	1586	1586	
	३२। क) विचको न्याहाकल्हें १०"×७"×१४"	,,	1076	1076	1076	
	३३) नागोल ठुङ्गा १८"×१०"×५	,,	793	793	793	
	३४) भौ प्वा	गोटा	227	227	227	
	३५) तामा पाता.(नेपाली)	केजी	1076	1076	1076	
	तामा पाता (Indian)	केजी	1246	1246	1246	
	३६) पित्तल पाता	केजी	850	850	850	
	३७) पारो	ग्राम	170	170	170	
	३८। सूर्कि इटा कुटि धुलो बनाएको ।	टन	1360	1360	1360	
	३९। Wind bell हवा घण्टी ४"	गोटा	467	467	467	
	४०) न्हकंल्हो बीचको	१ गोटा	1700	1700	1700	
	४१) पेटीढुङ्गा ४"	१ मि.	2039	2039	2039	
	४२)पेटीढुङ्गा ५"	१ मि.	2493	2493	2493	
	४५)श्री गणेश	गोटा	1133	1133	1133	
	४६)कूमार	गोटा	1133	1133	1133	
	४७)ढूङे धारा	गोटा	1133	1133	1133	
	४८)ल्हाकै सेट	गोटा	2266	2266	2266	
	४९)नागबेली बूटा	गोटा	25	25	25	
	५०)नागबेली बूटा कूना	गोटा	37	37	37	
	५१)स्वा बूटा	गोटा	35	35	35	
	५२)चीर बूटा	गोटा	25	25	25	
	५३)कार्नेसफयो	गोटा	22	22	22	
	५४)कार्नेस गजूर पली	गोटा	34	34	34	
	५५)ठुलो कलश	गोटा	170	170	170	
	५६)मसीनो सूर्कि	केजि	13	13	13	
	५७)खसो सुर्कि	केजि	8	8	8	
	५८)गट्टा चुन	के.जि.	25	25	25	
59	मा अपा ।साइज 200x50x130)	गोटा	15	15	15	
60	वचि अपा (साइज 200x55x100)	,,	18	18	18	
61	त्वा अपा (साइज 110x55x180)	,,	18	18	18	
62	गोल अपा (साइज 120x55x80)	,,	18	18	18	
63	गणेश अपा (साइज 200x250x35)	,,	340	340	340	

नेपाल सरकार
गृह मन्त्रालय
प्रशासन कार्यालय
नुवाकोट

सि.नं.	सामाग्री र प्रजातिहरुको नाम	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७५/०७६	आ.व. ०७६/०७७	आ.व. ०७७/०७८	
64	कुमार अपा (साइज 200x250x35)	"	340	340	340	
65	तारा अपा (साइज 200x250x55)	"	340	340	340	
66	पञ्च चुल्ह अपा (साइज 170x230x55)	"	340	340	340	
67	कलस अपा (साइज 100x140x40)	"	57	57	57	
68	नागेाल अपा (साइज 140x52x120)	"	20	20	20	
69	फसिमो अपा (साइज 230x55x100)	"	29	29	29	
70	सकली अपा (साइज 140x55x115)	"	25	25	25	
71	पानचुल्ठा अपा (साइज 140x55x115)	"	25	25	25	
72	सानो फ चुल्ह अपा (साइज 180x55x30)	"	29	29	29	
73	ठुलो फ चुल्ठा अपा (साइज 230x55x110)	"	29	29	29	
74	नयां फ चुल्ठा अपा (साइज 230x55x110)	"	29	29	29	
75	सानो ग चुल्ठा अपा (साइज 140x50x110)	"	25	25	25	
76	ठुलो ग चुल्ठा अपा (साइज 230x55x90)	"	29	29	29	
77	पुच्छा चुल्ठा अपा (साइज 180x55x70)	"	29	29	29	
78	तिनकुने स्वाँ अपा (साइज 200x550x30)	"	29	29	29	
79	तिनकुने पलि अपा (साइज 200x550x90)	"	29	29	29	
80	सानो स्वाँ अपा (साइज 140x50x110)	"	25	25	25	
81	ठुलो स्वाँ अपा (साइज 2300x55x90)	"	29	29	29	
82	नाग टाउको दायाबायाँ (साइज 100x150x50)	"	142	142	142	
83	नाग घटी दायाबायाँ (साइज 140x60x70)	"	74	74	74	
84	नाग जीउ (साइज 140x60x70)	"	25	25	25	
85	नाग कन्या/पुरुष (साइज 180x380x55)	"	567	567	567	
86	खाल नागेाल (साइज 130x55x120)	"	20	20	20	
87	खाल फयो (साइज 130x55x135)	"	20	20	20	
88	खहरा चुल्ठा (साइज 125x45x140)	"	25	25	25	
89	नग बेली (साइज 140x55x120)	"	25	25	25	
90	मिखाफुर्मी (साइज 140x55x120)	"	34	34	34	
91	पलियो दायां/बायां (साइज 130x55x120)	"	25	25	25	
92	नयां पलिफो (साइज 185x52x80)	"	29	29	29	
93	सिधा पलिफो (साइज 190x55x90)	"	29	29	29	
94	२' सिह (साइज 95x5010)	"	34	34	34	
95	२'गरुह (साइज 95x50x100)	"	34	34	34	
96	घनिक्या (साइज 95x50x100)	"	34	34	34	
97	श्रीयन्त्र (साइज 70x700x80)	"	45	45	45	
98	स्था फयो (साइज 140x55x120)	"	20	20	20	
99	तारा चुल्ठा पुरानो (साइज 180x55x80)	"	25	25	25	
100	तारा चुल्ठा नयां (साइज 230x70x90)	"	29	29	29	
101	स्वाफो तारा (साइज 220x55x90)	"	29	29	29	
102	सिक्री चुल्ह (साइज 220x55x80)	"	29	29	29	
103	न्हाय चुल्ह सानो (साइज 140x65x130)	"	29	29	29	
104	न्हाय चुल्ह ठुलो (साइज 140x100x130)	"	29	29	29	
105	नोल नगोल (साइज 2000x55x90)	"	20	20	20	
106	ठी चुल्ठा (साइज 210x55x75)	"	29	29	29	
107	सानो/ठुलो (साइज	"	29	29	29	
51	**Security System**					
	Steel Security Gate supply					
	Metal detector (black Scorpian Company)	गोटा	16995	16995	16995	
	Access Controller (Taiwanese)	गोटा	28840	28840	28840	
	Access Controller (Chainese)	गोटा	13905	13905	13905	

नेपाल सरकार
गृह मन्त्रालय
जिल्ला प्रशासन कार्यालय
नुवाकोट

सि.नं.	सामाग्री र प्रजातिहरुको नाम	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रूपैयामा)			कैफियत
			आ.व. ०७५/०७६	आ.व. ०७६/०७७	आ.व. ०७७/०७८	
	Steel Security Door					
	Single leaf :- 50 mm, 70 mm, 100mm	Sqm	8683	8683	8683	
	Half leaf : - 50 mm, 70 mm, 100mm	Sqm	9930	9930	9930	
	Double leaf : - 50 mm, 70 mm, 100mm	Sqm	10419	10419	10419	
	Security System					
	I) Short range wireless Intruder Alarm (including Host Unit-1, PIR moton detector-1, Door Sensor-1, Remote Controller -2) (घर कम्पाउण्ड सुरक्षा प्रविधि)	गोटा	34333	34333	34333	
	ii) Access Controller with record using Card and Pin (with 10 piece RFID Card.)	गोटा	20600	20600	20600	
	iii) Access Controller without record using Card and Pin (with 5 piece RFID Card.)	गोटा	12875	12875	12875	
	iv) Finger print access system with software	गोटा	36050	36050	36050	
	v) Securty from Panic Alarm	गोटा	36050	36050	36050	
	vi) GPS (Global Positioning System) Device with software	गोटा	25749	25749	25749	
	vii) Automatic motor operator for water pump Servo , Manglam or Equivalent (पानी भरिएपछि स्वचालित रुपमा on/off हुने प्रणाली)				0	
	Up to 1/2 H.P.	गोटा	4326	4326	4326	
	1.0 H.P.	गोटा	5948	5948	5948	
	5 H.P.	गोटा	9734	9734	9734	
52	**Bridge Materials**					
	Elastomeric Bearing Pad					
	Free Type	NOS	20554	20554	20554	
	Fix and Dowel Type	"	48489	48489	48489	
	Expansion Joint Works					
	Single strip seal	Rm	9328	9328	9328	
	Slab seal(320*50)	"	19277	19277	19277	
	Thimbles					
	iv) Φ 13 mm thimble	Pc	72	72	72	
	v) Φ 26 mm thimble	Pc	361	361	361	
	vi) Φ 32 mm thimble	Pc	618	618	618	
	vii) Φ 36 mm thimble	Pc	1236	1236	1236	
	viii) Φ 40 mm thimble	Pc	1545	1545	1545	
	ix) Φ 13 mm Bulldog grip	Pc	72	72	72	
	x) Φ 26 mm Bulldog grip	Pc	361	361	361	
	xi) Φ 32 mm Bulldog grip	Pc	541	541	541	
	xii) Φ 36 mm Bulldog grip	Pc	670	670	670	
	xiii) Φ 40 mm Bulldog grip	Pc	670	670	670	
	xiv) Steel wire Rope (Right hand ordinary lay,WSC wire strand core,Tensile strength of wire 1570 N/mm^2, Performed, 'A' Heavy Galvanized coating Nondrying lubrication oil and prestratched					
	xv) Wire mesh netting	m^2	412	412	412	
	xvi) Sign Board with Fittings (Size - 60cm X 90cm)	Pc	6695	6695	6695	
	xvii) Bolts, Nuts & Washers (Galvanised 4.6 grade)	Kg	258	258	258	

सि.नं.	सामाग्री र प्रजातिहरुको नाम	एकाई	दररेट मु.व.क. (VAT बाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७५/०७६	आ.व. ०७६/०७७	आ.व. ०७७/०७८	
	xvii) Bolts, Nuts & Washers (Hotdip friction Grip)	Kg	361	361	361	
	High tensile friction grip nut bolts	kg	335	335	335	
	Galvanization					
	Zinc Above 98.5% purity	kg	309	309	309	
	Premix of Zinc amonium chloride	kg	595	595	595	
	Hydrauclorlc acid	Lit	41	41	41	
53	**Concrete Post (Size 4"*4")**					
	Length 7'	गोटा	874	874	874	
	Length 5'	"	437	437	437	
	Length 3'	"	219	219	219	
54	**Sheet pilling work :** Providing, preparing and installing of **piling of ms pipe** and sheets false work including necessary supports and removing after completion for foundation ,basement and shear wall	Sq.m.	2963	2963	2963	
55	Readymade RCC Door & windows frame (4"*2.75" of 1:1:1 concrete mixdesign safety plate all complete work.	Rft	232	232	232	
	" Ventilation	"	232	232	232	
	" Arc frame semi circular	"	464	464	464	