




नुवाकोट जिल्लाको ज्याला तथा निर्माण सामग्रीहरुको दररेट आ.व. २०८२/८३



जिल्ला प्रशासन कार्यालय
विदुर, नुवाकोट
आषाढ २०८२

आज मिति २०८२ असार २९ गतेका दिन आ.व. ०८२/०८३ को लागि निर्माण सामग्री तथा ज्यालाको दररेट निर्धारण गर्न सार्वजनिक खरिद नियमावली २०६४ को नियम १४८ को उप नियम १ बमोजिम नुवाकोट जिल्लाको लागि निर्माण सामग्री, ढुवानी, मेसिन तथा उपकरणको भाडा र कामदारको ज्याला दररेट निर्धारण समितिको बैठक प्रमुख जिल्ला अधिकारी श्री शशीधर घिमिरे ज्युको अध्यक्षतामा देहायका समितिका सदस्यहरु र अन्य पदाधिकारीहरुको उपस्थितिमा बैठक वसी निम्नअनुसारको दररेट कायम गर्ने निर्णय गरियो ।



उपस्थिति:

अध्यक्ष: श्रीमन् प्रमुख जिल्ला अधिकारी श्री शशीधर घिमिरे
जिल्ला प्रशासन कार्यालय, विदुर, नुवाकोट ।

[Signature]

सदस्य: श्री सुतोषी देवकोटा

सदस्य, जिल्ला समन्वय समितिको कार्यालय, विदुर, नुवाकोट ।

सदस्य: जिल्ला समन्वय अधिकारी श्री विष्णु प्रसाद पौडेल

जिल्ला समन्वय समितिको कार्यालय, विदुर, नुवाकोट ।

[Signature]

सदस्य: श्री राजन कुमार फुयाल

प्रमुख, कोष तथा लेखा नियन्त्रक कार्यालय, विदुर, नुवाकोट ।

सदस्य: श्री सुशील फुयाल

प्रतिनिधि, निर्माण व्यवसायी संघ, विदुर, नुवाकोट ।

[Signature]

सदस्य: श्री राजेन्द्र श्रेष्ठ

प्रतिनिधि, नुवाकोट उद्योग वाणिज्य संघ, विदुर, नुवाकोट ।

सदस्य सचिव: श्री सुजन थापा

कार्यालय प्रमुख, पूर्वाधार विकास कार्यालय, विदुर, नुवाकोट ।

[Signature]

आमन्त्रित

१ सहायक प्रमुख जिल्ला अधिकारी श्री कृष्णप्रसाद हुमागाई
जिल्ला प्रशासन कार्यालय, नुवाकोट ।

[Signature]

२ प्रहरी उपरीक्षक श्री
जिल्ला प्रहरी कार्यालय, नुवाकोट ।

३ प्रहरी नायव उपरीक्षक श्री
सशस्त्र प्रहरी बल नुवाकोट ।

४ सि डि ई श्री
सडक डिभिजन, नुवाकोट

५ श्री *[Signature]* सिंचाई विकास डिभिजन, नुवाकोट ।

६ श्री *[Signature]* डिभिजन वन कार्यालय, नुवाकोट ।

७ श्री
खानेपानी तथा सरसफाई डिभिजन कार्यालय, नुवाकोट

८ श्री *[Signature]* शहरी विकास तथा भवन डिभिजन कार्यालय, नुवाकोट ।

[Signature]

९ श्री
कृषि ज्ञान केन्द्र, नुवाकोट ।

१० श्री *[Signature]* भेरेरिनरी अस्पताल तथा पशु सेवा विज्ञान केन्द्र, नुवाकोट । (पशु सेवा कार्यालय, नुवाकोट)

११ श्री *[Signature]* नुवाकोट वितरण केन्द्र, ने.वि.प्रा.



ज्याला दररेट

बिदुर, नुवाकोट

आ. ब २०८२/८३



एजेन्डाहरु :

१. दर रेट निर्धारण गर्ने
२. विविध

निर्णयहरु :

निर्णय नं. १

आ.व. ०८२/०८३ को लागि निर्माण सामग्री तथा ज्यालाको दररेट निर्धारण गर्न सार्वजनिक खरिद नियमावली, २०६४ को नियम १४८ को उप नियम १ बमोजिम नुवाकोट जिल्लाको लागि निर्माण सामग्री, ढुवानी, मेसिन तथा उपकरणको भाडा र कामदारको ज्याला दररेट निर्धारण गर्न जिल्ला प्रशासन कार्यालय, नुवाकोटको मिति २०८२ असार १२ को पत्रानुसार पूर्वाधार विकास कार्यालय, नुवाकोटले मिति २०८२ असार २९ गतेका दिन पेश गरेको निर्माण सामग्री, ढुवानी, मेसिन तथा उपकरणको भाडा र कामदारको ज्याला दररेट प्रतिवेदन अध्ययन गर्दा उपयुक्त र मनासिब देखिएकोले आ.व. २०८२/०८३ का लागि सोही अनुसारको दररेट यस जिल्ला भर लागु हुने गरी अनुमोदन गर्ने निर्णय गरियो ।

निर्णय नं. २ : श्रमिकको ज्यालादर सम्बन्धी

श्रमिकहरुको ज्याला दर निर्धारण गर्ने सम्बन्धमा विभिन्न सरोकारवाला (श्रमिक संगठनहरु, निर्माण व्यवसायी संघ, उद्योग वाणिज्य संघ, विकास निर्माणका क्रियाकलाप गर्ने सरकारी कार्यालयहरु) पक्षहरु संगको परामर्श, नेपाल राष्ट्र बैकबाट प्रकाशित ज्यालादर सूचांक तथा उपभोक्ता मूल्य सूचांक, हालको बजार मूल्य र श्रमिकहरुको उपलब्धतालाई समेत आधार मान्दा श्रमिकको उमेर (१६ वर्ष पुगेको) र दैनिक काम गर्ने अवधि (८ घण्टा) लाई आधार मानी आ.व.०८२/०८३ का लागि नुवाकोट जिल्लाभर लागु हुनेगरी देहाय बमोजिम श्रमिकहरुको ज्यालादर निर्धारण गर्ने निर्णय गरियो ।

सि.नं.	विवरण	ईकाई				कैफियत
			आ.व. ०८०/०८१	आ.व. ०८१/०८२	आ.व. ०८२/०८३	
१.	दक्ष कामदार (Skilled Labour)					
क.	ब्लाष्टर	प्रति दिन प्रति व्यक्ति	1400	1440	1500	
ख.	रक डिलर/हेभी ड्राईभर /बल्डर/ प्लम्बर /विष्फोटक पदार्थ ढुवानीगर्ने ज्यामी/ डकर्मी/ नकर्मी/ सिकर्मी/ वज्रकर्मी/ चित्रकारी/ हेभी सिनियर अपरेटर/ कम्प्युटर अपरेटर	प्रति दिन प्रति व्यक्ति	1175	1210	1260	
ग.	निर्माण सुपरभाइजर	..	660	680	705	
घ.	निर्माण सुपरभाइजर प्राविधिक	..	915	940	980	
ङ	लाईट ड्राईभर	..	815	840	875	
च.	उच्च माध्यमिक तह उत्तिर्ण गरी निर्माण ल्याब टेक्सिसियनको तालिम प्राप्त गरेको	..			1500	
२	अर्द्धदक्ष कामदार (Semi Skill Labour)					
क.	अर्द्धदक्ष कामदार (Semi Skill Labour)	प्रति दिन प्रति व्यक्ति	895	920	955	
३	अदक्ष कामदार (Unskill Labour)					
क.	ज्यामी/भरीया/ज्यामी नाईके/ जुनियर अपरेटर /उत्प्रेरक/ हेभी हेल्पर /सर्भे हेल्पर/अवाले /ईडा बनाउने/क्याम्पर वर्कर/साधारण हेल्पर/ल्याव व्याय /नर्सरी नाईके	प्रति दिन प्रति व्यक्ति	860	885	920	
ख.	मौसम रेकर्डर / हेरालु/माली/चौकीदार/पियन पाले/चेन मैन/टेप मैन/स्टाफ मैन/हलुका कामदार	प्रति दिन प्रति व्यक्ति	590	605	630	
घ.	लेन्थ वर्करहरु (सडकमा काम गर्ने)		565	580	605	
ङ	प्याच वर्कर (Patch Worker)	प्रति दिन प्रति व्यक्ति	670	690	720	
च.	लेन्थ वर्कर सुपरभाइजर		745	765	795	
छ.	मेहत्तर/स्वपिर (भाडु लगाउने)		630	650	675	

सि.नं.	विवरण	ईकाई				कैफियत
			आ.व. ०८०/०८१	आ.व. ०८१/०८२	आ.व. ०८२/०८३	

माथि उल्लेख नभएका अन्य सर्वे पद/श्रेणिका ज्यालादारी कर्मचारी/कामदारहरूको हकमा संबन्धित पद/श्रेणिको लागि नेपाल सरकारको वा सम्बन्धित संस्थानको प्रचलित तलब मानलाई ३० ले भाग गर्दा हुन आउने रकमलाई दैनिक ज्यालादारी मान्न पर्ने छ ।

नोट: २ विद्युत कार्यको हकमा नेपाल विद्युत प्राधिकरणको तहगत शुरु तलब स्केल अनुसार हुनेछ ।

निर्णय नं. ३ ढुवानी दर सम्बन्धि :

यस जिल्लामा स्थानीय स्तरमा उपलब्ध हुने ढुवानीको विभिन्न श्रोत साधनलाई आधार मानी आ.व.२०८२/०८३ का लागि निम्न अनुसार ढुवानीको दर निर्धारण गर्ने निर्णय गरियो ।


ढुवानी ज्याला

सि.नं.	विवरण	ईकाई				कैफियत
			आ.व. ०८०/०८१	आ.व. ०८१/०८२	आ.व. ०८२/०८३	
१.	जिल्ला भित्र भरिया द्वारा सामान ढुवानी					
क.	सजिलो सामानहरू (सिमेन्ट, गिट्टी, ईट्टा, माटो, बालुवा) आदी	प्रति कि.मी. /क्वीन्टल	105	105	109.00	
ख.	असजिलो सामानहरू (टुटफुट हुने समेत) जस्तै जस्तापाता, डण्डी, जि.आई.तथा कालो पाईपहरू, आईरन एङ्गल, ग्लास, सटरहरू, टूस, ऐना, बाथरूमका फुट्ने सामानहरू	प्रति कि.मी. /क्वीन्टल	120	120	125.00	
२.	ट्रक वा ट्र्याक्टरबाट ढुवानी (लोड अनलोड बाहेक)					
क.	पक्की सडक सामान ढुवानी	प्रति कि.मी./ क्वीन्टल	4.60	4.60	4.75	
ख.	कच्ची सडक सामान ढुवानी	प्रति कि.मी./ क्वीन्टल	9.30	9.30	9.60	
ग.	असजिलो सामान (HDPE pipe)	प्रति कि.मी./ क्वीन्टल	10.15	10.15	10.45	
३.	विद्युत ढुवानी (ट्रान्सफरमर तथा टुट फुट हुने सामान सहित)					
क.	कच्ची सडक	प्रति कि.मी./ प्रति टिप	116.00	116	119.50	
ख.	पक्की सडक	प्रति कि.मी./ प्रति टिप	95.00	95	97.85	
ग.	बोकानी	प्रति कि.मी./ क्वीन्टल	350.00	350	360.50	
४.	लोड अनलोड					
क.	सजिलो सामानहरू (सिमेन्ट, गिट्टी, ईट्टा, माटो, बालुवा) आदी	प्रति केजी.	0.50	0.50	0.50	
ख.	असजिलो सामानहरू (टुटफुट हुने समेत) जस्तै जस्तापाता, डण्डी, जि.आई.तथा कालो पाईपहरू, आईरन एङ्गल, ग्लास, सटरहरू, टूस, ऐना, बाथरूमका फुट्ने सामानहरू	प्रति केजी.	0.80	0.80	0.83	
ग.	फलाम तथा काठको पोल ज्यामीद्वारा	प्रति केजी.	2.50	2.50	2.60	

निर्णय नं. ४ : सरकारी कार्यालयमा आवश्यक हुने वायो-इन्जिनियरिङ्ग एवं अन्य मालसामान सम्बन्धि आ.व.०८२/०८३ को लागि तपसिल अनुसारको दररेट कायम गर्ने निर्णय गरियो ।








सि.नं.	विवरण	एकाई	आ.व.			कैफियत
			०८०/०८१	०८१/०८२	०८२/०८३	
सि.नं.	सामग्री र प्रजातिहरूको नाम	एकाई	आ.व. ०८०/०८१	आ.व. ०८१/०८२	आ.व. ०८२/०८३	कैफियत
1	भू-संरक्षण सम्बन्धी कार्य					
2.0	Vegetation/Shrubs Cuttings/Slip/Plants/etc.					
	अम्रिसो राईजोम (तिनवटाको १ सेट)	set	25	25	25	
	अलैची गानो	"	11	11	11	
	अलैची बिरुवा	"	11	11	11	
	हार्डउड कटिडस् (बैस) पेन्सिल साइज	"	7	7	7	
	नेपियर कटिडस्	"	4	4	4	
	NB ₂₁ घाँस	Slip	3	3	3	
	निगालो राईजोम	set	60	60	60	
	बासको बेर्ना (कटीग राईजोम)	"	500	500	500	
	वांसको बिरुवा पोलिथिनमा उमारेको	गोटा	60	60	60	
	बाबियो ताइवानी दुबो	"	4	4	4	
	सिजनल फूल ८ इन्च पोली	गोटा	30	30	30	
	गुलाफ फूल ८ इन्च पोली	"	160	160	160	
	हेज ८ इन्च पोली	"	35	35	35	
	कार्पेट दुबो	व.फी.	35	35	35	
	कार्पेट दुबो को लागी छाप्ने कार्यको ज्याला	"	25	25	25	
	नरीवल डोरी	के.जी.	130	130	130	
	नाइलन डोरी	"	300	300	300	
2	विद्युत प्राधिकरणको MS Channel मा प्वाल खोप्ने (चालू आ.व.२०८२/०८३ को लागि)					
क्र.सं.	विवरण					
क.	१२ मि.मि.सम्मको	प्रती प्वाल	50.00	50.00	50.00	
ख.	१२ मि.मि भन्दा माथिको	प्रती प्वाल	60.00	60.00	60.00	

निर्णय नं. ५, मेसिन, औजार तथा उपकरणको भाडादर सम्बन्धि : मेसिन प्रयोग गरी सडक निर्माण गर्दा वा अन्य कार्य गर्नुपर्दा तपसिल अनुसारको दररेट कायम गर्ने र डोजर, एक्साभेटर, रोलर, ग्रेडर आदिको दररेट सडक विभागबाट कायम गरिएको प्रतिघण्टाको भाडादर अनुसार हुने निर्णय गरियो । (Website of Heavy Equipment Division - www.dor.gov.np)

SE




Civil Works

बिदुर, नुवाकोट

आ. ब २०८२/८३

निर्णय नं. ६

आर्थिक वर्ष ०८२/०८३ मा नुवाकोट जिल्ला भित्र गरिने सार्वजनिक निर्माण कार्यको लागि आवश्यक पर्ने विभिन्न किसिमका निर्माण सामग्रीहरू (सिभिल कार्य /स्यानिटरी कार्य र ईलेक्ट्रिक कार्य) को दररेट निम्न अनुसार प्रथम गर्ने निर्णय गरियो । बजारबाट खरिद गरिने निर्माण सामग्रीको लागि नजिकको बजार क्षेत्रलाई र natural sand/aggregate/stone/sub base /base लगायतका सामग्रीका लागि नजिकको (१० कि.मि. सम्मको दुरवानी समावेश गरिएको) खानी, त्रिशुली, तादी, लिख नदी लगायतका अन्य नदी क्षेत्रलाई आधार मानि दर कायम गरिएको छ ।

CIVIL WORKS						
सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई				कैफियत
			आ.व. ०८०/०८१	आ.व. ०८१/०८२	आ.व. ०८२/०८३	
1	विभिन्न किसिमको ईँटा					
	क) मेशिनबाट उत्पादित ईँटा (स्पेशल)	हजार	24000	23260.0	23260.0	
	ख) मेशिनबाट उत्पादित ईँटा (१-नं.)	हजार	18000	17440.0	17440.0	
	ग) स्थानीय चिम्नी भट्टाको ईँटा (१-नं.)	"	14500	14050.0	14050.0	
	ग) स्थानीय चिम्नी भट्टाको ईँटा (२-नं.)	"	12500	12110.0	12110.0	
	घ) तराई को १ नं. ईँटा	"	19000	18410.0	18410.0	
	ङ) स्थानीय ठाडो भट्टाको ईँटा	"	8000	7750.0	7750.0	
	(ड) सिमेन्ट को ईँटा					
	BK108N	"	15450	15450	15450	
	BK118As	"	16274	16274	16274	
	च) Concrete block					
	size (40*15*20) cm	गोटा	37	37	37	
	size (40*10*20) cm	गोटा	32	32	32	
	size (39*14*19) cm (Ocm or equivalent)	गोटा	50	50	50	
	Cellular light weight concrete(CLC) block					
	Size 24*8*4"	गोटा	162	162	162	
	Size 24*8*6"	"	236	236	236	
2	क्ले टायलहरू					
2.1	छानामा छाउने					
	क) मेशिनबाट उत्पादित टायल	गोटा	18	18	18	
	ख) चिम्नी भट्टाको टायल	"	16	16	16	
	ग) मेशिनबाट उत्पादित धुरी	"	32	32	32	
	घ) चिम्नी भट्टाको धुरी	"	26	26	26	
2.2	भुईँमा/ कौसीमा छाप्ने टायल:					
	क) मेशिनबाट उत्पादित क्ले टायल	गोटा	10	10	10	
	ख) चिम्नी भट्टाको क्ले टायल	"	9	9	9	
3	ढुंगाको काम (Stone work)					
3.1	Rubble Stone					
	क) फोरुवा ढुंगा (खानीको)	घ.मि.	1700	1700	1700	
	(ख) ठुलो साइजको खोलाको ढुंगा (River Stone)	घ.मि.	1500	1500	1500	
3.2	छाप्ने ढुङ्गा (Flag stone)					
	क) १" सम्म बाक्लो सर्फेस ड्रेस गरेको छाप्ने ढुङ्गा	व.फि	90	90	90	
	ख) १ ^१ / _२ " सम्म बाक्लो " "	"	110	110	110	
	ग) २" सम्म बाक्लो ढुङ्गा " "	व.फि	125	125	125	
	घ) २ ^१ / _२ " सम्म बाक्लो ढुङ्गा " "	"	135	135	135	
	ङ) २ ^१ / _२ " - ३" सम्म बाक्लो ढुङ्गा " "	"	165	165	165	
4	विभिन्न प्रकारको बालुवा					

	क) खानीकोबालुवा (Quarry sand)	घ.मि.	2000	2000	2000	
	ख) खोला/नदीको बालुवा (River sand)	"	2000	2000	2000	
	ग) भवनको भूईँ कोठामा पुर्न, सोलिङ्गको Void filling गर्न प्रयोग गरिने बालुवा	"	950	950	950	
5	क्रसरबाट उत्पादित विभिन्न साइजको रोडा	घ.मि.	2000	2000	2000	
6	फुटालेको ढुङ्गाको गिट्टी					
	क) सबै साइजको गिट्टी	घ.मि.	2000	2000	2000	
7	सडकको Sub-base/base course का लागि प्रयोग गरिने निर्माण सामग्री					
	क) विभिन्न साइजको खोलाको ग्राभेल	घ.मी.	1450	1450	1450	
	ख) स्थानीय खानी ग्राभेल	घ.मी.	1250	1250	1250	
	ग) ढुगांको धुलो (Stone dust)	घ.मी.	830	830	830	
8	विभिन्न साइजका खोलाको Screening गरेको River pebbles(gravel)					
	क) ४०-६० मि.मि. साइज	घ.मी.	1630	1630	1630	
	ख) ५-४० मि.मि. साइज	घ.मी.	1615	1615	1615	
9	फिल्टर सामग्री					
	४०% गिट्टी ६०% बालुवा मिश्रणको फिल्टर प्रयोजन	घ.फि.	70	70	70	
10	सडक कालो पत्रे गर्ने कामको सामग्रीहरु					
	i) ६०/१०० ग्रेडको विटुमीन	के.जी	113	105.0	105.0	
	ii) CRMB-DIGO 55 Bitumen	"	108	100.0	100.0	
	iii) Bitumen VG-10 (New M.S.drum Packed)	"	113	105.0	105.0	
	iv) Bitumen VG-30 (New M.S.drum Packed)	"	114	108.0	108.0	
	v) Packed bitumen emulsion को काम					
	छिटो जम्ने (RS 60%)	"	96	96	96	
	छिटो जम्ने (RS 65%)	"	102	102	102	
	छिटो जम्ने (RS 70%)	"	108	108	108	
	मध्यम जम्ने (MS 60%)	"	97	97	97	
	मध्यम जम्ने (MS 65%)	"	101	101	101	
	ढीलो जम्ने (SS60%)	"	98	98	98	
	Slurry Seal with 60% bitumen	"	102	102	102	
	Cut Back (MC 30)	"	152	152	152	
	Cut Back (MC 70)	"	142	142	142	
	Cut Back (MC 800)	"	139	139	139	
	vi) सडक कालोपत्रे गर्दा विटुमीन नउष्कीनको लागि प्रयोग गर्ने सामान Anti stripping agent	"	415	415	415	
	vii) कालोपत्रे सडक Pot hole टाल्नको लागि प्रयोग गरिने Pre-coated Aggregate सामग्री	"	33	33	33	
	viii) कालोपत्रे सडकमा रेखांकन गर्न प्रयोग गरिने Thermo Plastic Road marking सामग्री					
	a) B.S. Grade	के.जि	187	187	187	
	b) Most Grade	"	207	207	207	
	c) Glass beads	"	169	169	169	
11	विभिन्न कम्पनीबाट उत्पादित सिमेन्टहरु					

2.9.1

11.1	नेपालबाट उत्पादित विभिन्न ब्रान्डका ओ.पि.सी. सिमेन्ट NS #49 (प्रतिबोरा ५० के.जी.)	ब्याग	700	600.0	680.0	प्र.पु.वि.के. कोशी
11.2	भारतबाट उत्पादित विभिन्न ब्रान्डका ओ.पि.सी. सिमेन्ट (प्रतिबोरा ५० के.जी.)	"				
11.3	हेटौडा सिमेन्ट (५० के.जी. ओ.पि.सी.)	"				
11.3	उदयपुर सिमेन्ट (५० के.जी. ओ.पि.सी.)	"				
11.3	नेपालबाट उत्पादित विभिन्न ब्रान्डका पि.पि.सी. सिमेन्ट (प्रतिबोरा ५० के.जी.)	"	600	500.0	580.0	प्र.पु.वि.के. कोशी
11.4	सेतो सिमेन्ट (40kg/bag)	"	1230	1230	1230	
11.5	लोड अनलोड चार्ज	"	13	13	13	
12	Ready made Premix Concrete (Supplying laying all complete work)					
12.1	Panchakanya , MAW or equivalent					
	M 15	घ. मि	13800	13800	13800	
	M 20	"	14400	14400	14400	
	M 25	"	15000	15000	15000	
	M 30	"	16000	16000	16000	
13	फलामको डण्डीहरु :					
	(क) विभिन्न साइजका TMT Bar					
	a) 8 mm dia	के.जी	101	96	96	
	b) 10,12,16,20, 25mm dia	"	98	93	93	
	c) 28,32 mm dia	"	99	94	94	
	(ख) विभिन्न साइजको TOR Steel					
	a) 8mm dia TOR steel	"	95	95	95	
	b) 10-25mm TOR steel	"	92	92	92	
	c) 28-32mm TOR steel	"	95	95	95	
	(ग) विभिन्न साइजका TOR Steel					
	a) 4.75, 7 mm dia	"	101	101	101	
	(घ) Binding Wire (डण्डी बाँध्नेतार)	"	114	120	120	
14	विभिन्न किसिमका काठहरु					
14.1	काठ					
	(क) ३' देखि ८' सम्मको सालकाठ	घ. फि				
	(ख) ८' देखि १२' सम्मको सालकाठ नेपाली	क्यू.फि.	6260	6260	6260	
	(ग) १२ फिट देखि माथिको साल काठ नेपाली	क्यू.फि.	6550	6550	6550	
	(घ) साज काठ	क्यू.फि.	2500	2500	2500	
	(ङ) जामुन काठ	क्यू.फि.	2135	2135	2135	
	(च) सल्लाको काठ	क्यू.फि.	1130	1130	1130	
	(छ) सिसौ काठ	क्यू.फि.	2300	2300	2300	
	(ज) जंगली सिसौ काठ ,,	क्यू.फि.	5270	5270	5270	
	(झ) स्थानीय कुकाठ (फर्मा प्रयोजनको लागि Mixed wood)	क्यू.फि.	950	950	950	
	(ञ) काठ दाउरा	के.जी	12	12	12	
14.2	कुँदिएको काठको काम तयारी					
	i) भन्याङ्को रेलिङ्ग तथा बार्दली आदिमा कुँदिएको स्थानीय सीसौ काठको हुक्का (2'-6"x3"x3")	गोटा	821	821	821	

	ii) भन्याङ्को रेलिङ्ग तथा बार्दली आदिमा कुँदिएको जंगली स्पेशल सीसौ काठको हुक्का (2'-6"x3"x3")		895	895	
	iii) भन्याङ्को रेलिङ्ग तथा बार्दली आदिमा कुँदिएको सीसौ काठको हेण्ड रेल (3"x4")		746	746	
	iv) भन्याङ्को रेलिङ्गको घुम्ने ठाउँमा कुँदिएको सीसौ काठको गोलो हेण्ड रेल (3"x4")	गोटा	3282	3282	3282
	v) देवी देवताको मुर्ति कुँदिएको ४' देखि ५' लामो (३"x ८") साल काठमा टुँडाल बनाउने काम	"	10443	10443	10443
	vi) देवी देवताको मुर्ति कुँदिएको ६' देखि ७' लामो (३"x ८") साल काठमा टुँडाल बनाउने काम	"	11935	11935	11935
	vii) विभिन्न बुद्ध तथा देवी देवताको मुर्ति कुँदिएको साल काठको भ्याल ढोका बनाउने काम (खापाको माटाई ४० मि.मि. देखि ५० मि.मि. सम्म)	व.फि.	2238	2238	2238
	viii) घोडाको आकृति गरि कुँदिएको ४"x ५" साइजको ३' देखि ४' लामो साल काठको तयारी टुँडाल बनाउने काम ।	गोटा	5221	5221	5221
	ix) सामान्य प्रकारको कुँदिएको सालको काठको आँखी भ्याल तयारी	व.फि.	746	746	746
	x) मध्यम प्रकारको कुँदिएको सालको काठको आँखी भ्याल तयारी	"	1044	1044	1044
	xi) विशेष प्रकारको कुँदिएको सालको काठको आँखी भ्याल तयारी लक सहीत	"	2238	2238	2238
	xii) विशेष प्रकारको कुँदिएको सालको काठको आँखी भ्याल तयारी लक नभएको	"	1417	1417	1417
	xiii) ३"x १.५" साइजको सालको काठको कुँदिएको पली तयारी गर्ने काम	र.फि.	522	522	522
	xiv) कुँदिएको विभिन्न बुद्धा राखी बनाएको साल काठको ४"x ५"को कार्नेस विम आदि तयारी गर्ने कार्य	"	895	895	895
	xv) ४"x ५"को साल काठको नाग बुद्धा कुँदि तयारी गरी जडान गर्ने कार्य	"	746	746	746
15	Wooden Parquet Flooring				
	i) Shisam wood 150mm*30mm*8mm	व.फि.	188	188	195
	ii)Wall panelling (with wood frame) sisam wood. (75mm*16mm)	"	625	625	625
16	विभिन्न मोटाईको प्लाइउडहर				
16.1	Commercial				
	(क) ३ मी.मी	व.फि	20	20	20
	३.५ मी.मी.	"	23	23	23
	(ख) ४ मी.मी	"	24	24	24
	(ग) ६ मी.मी	"	39	39	39
	(घ) ८ मी.मी	"	43	43	43
	(ङ) १२ मी.मी	"	65	65	65
	(च) १९ मी.मी B/B	"	95	95	95
	छ) १८ मी.मी PLY	"	98	98	98
16.2	P/F. Water Proof				
	क) ४ मी.मी	व.फि	40	40	40
	ख) ६ मी.मी	व.फि	55	55	55
	ग) ८ मी.मी.	"	60	60	60

2.11.25

27.11.25

28.11.25

29.11.25

	घ) ९ मी.मी.		66	66	66	
	(ड) १२ मी.मी		76	76	79	
	च) १९ मी.मी PLY		125	125	130	
	छ) १९ मी.मी B/B		105	105	109	
16.3	Natural Teak Plywood					
	One side lamination					
	(क) ३ मी .मी	व.फि	58	58	58	
	(ख) ४ मी. मी (Group Match of in 5 pcs)	"	76	76	76	
	४ मी. मी (Regular)	"	66	66	66	
	४ मी. मी (Crown)	"	44	44	44	
	४ मी. मी (Beri)	"	50	50	50	
	४ मी. मी (Whitest line)	"	40	40	40	
	४ मी. मी (Beach)	"	47	47	47	
	४ मी. मी (Recon 18 No.)	"	37	37	37	
	(ग) ६ मी.मी	"				
16.4	DECORATIVE (THICKER)					
	6 OST	व.फि				
	6 BST	"				
	9 OST	"				
	9 BST	"				
	12 OST	"				
	12 BST	"				
	19 B/B OST	"				
	19 B/B BST	"				
	18 OST	"				
	18 BST	व.फि				
17	Ready made Door					
17.1	38 mm th. Redimade solid core door shutter					
	Plain	व.फि	233	233	233	
	One side teak	"	262	262	262	
	Both side teak	"	294	294	294	
	One side teak waterProof	"	286	286	286	
	Both side teak waterProof	"	317	317	317	
17.2	30 to 32 mm th. Redimade solid core door shutter					
	Plain	व.फि	190	190	190	
	One side teak	"	213	213	213	
	Both side teak	"	239	239	239	
	One side teak waterProof	"	233	233	233	
	Both side teak waterProof	"	258	258	258	
17.3	Ready made Teak wood Doors (Seasoned and Poisoned treated) (excluding the cost of fitting, transportation, Painting)					
	Readymade door shutter Recon, ordinary (1 side teak)	Sqft	183	183	183	
	Readymade door shutter Recon, Special (1 side teak)	"	248	248	248	
	Readymade door shutter Recon, ordinary (1 side teak)	"	209	209	217	

	Readymade door shutter Recon, Special (1 side teak)		281	281	292
17.4	Wooden Listy				
	1/2" wide		14	14	14
	3/4" wide		18	18	18
	1.5" wide		29	29	29
	Decorative		40	40	40
17.5	Infill Material Thai Gypsum, Shera or equivalent				
	Frame C - Studs(0.55mm*0.75mm*3m)	गोटा	431	431	431
	Frame U - Studs(0.55mm*0.75mm*3m)	"	431	431	431
	Board 9 mm	"	2524	2524	2524
	Roofing Board 6mm (1.5mX.6m)	"	695	695	695
	Fiber mess tape (for 90mm/roll)	"	340	340	340
	PU sasuage rod	"	2039	2039	2039
18	Prelaminated Particle Board				
18.1	Plain Particle Board (Exteriors Grade)				
	(क) ९ मी .मी	व.फि	37	37	37
	(ख) १२ मी. मी.	"	41	41	41
	(ग) १८ मी.मी.	"	53	53	53
	(घ) २५ मी.मी	"	71	71	71
18.2	One side lamination Melamined faced (Exteriors Grade)				
	(क) ९ मी .मी	व.फि	74	74	74
	(ख) १२ मी. मी.	"	83	83	83
	(ग) १८ मी.मी.	"	98	98	98
	(घ) २५ मी.मी	"	127	127	127
18.3	Both side lamination Melamined faced (Exteriors Grade)				
	(क) ९ मी .मी	व.फि	83	83	83
	(ख) १२ मी. मी.	"	95	95	95
	(ग) १८ मी.मी.	"	110	110	110
	(घ) २५ मी.मी	"	139	139	139
18.4	Plain Particle Board (Interiors Grade)				
	(क) ९ मी .मी	व.फि	27	27	27
	(ख) १२ मी. मी.	"	31	31	31
	(ग) १८ मी.मी.	"	46	46	46
	(घ) २५ मी.मी	"	59	59	59
18.5	One side lamination Melamined faced (Interiors Grade)				
	(क) ३ मी .मी	व.फि	40	40	40
	(ख) ६ मी .मी	"	57	57	57
	(ग) ९ मी .मी	"	65	65	65
	(घ) १२ मी. मी.	"	74	74	74
	(ङ) १८ मी.मी.	"	86	86	86
	(च) २५ मी.मी	"	107	107	107
18.6	Both side lamination Melamined faced (Interiors Grade)				
	(क) ३ मी .मी	व.फि	46	46	46
	(ख) ६ मी .मी	"	62	62	62

	(ग) ९ मी .मी		74	74	74	
18.7	One side lamination Melamined faced (Interiors Grade)MDF					
	(क) ३ मी .मी	व.फि	46	46	46	
	(ख) ४ मी .मी	"	53	53	53	
	(ग) ६ मी .मी	"	65	65	65	
	(घ) ९ मी .मी	"	85	85	85	
	(ङ.) १२ मी .मी	"	95	95	95	
	(च) १८ मी .मी	"	122	122	122	
	(छ)२५ मी .मी	"	169	169	169	
18.8	Both side lamination Melamined faced (Interiors Grade)MDF Century & equivalent					
	(क) ३ मी .मी	व.फि	53	53	53	
	(ख) ४ मी .मी	"	59	59	59	
	(ग) ६ मी .मी	"	73	73	73	
	(घ) ९ मी .मी	"	91	91	91	
	(ङ.) १२ मी .मी	"	101	101	101	
	(च) १८ मी .मी	"	128	128	128	
	(छ)२५ मी .मी	"	173	173	173	
18.9	Alstone Hybrid Board (WPC Board) Century & equivalent					
	(क) ६ मी .मी (१२२० X २४४०)	व.फि	168	168	168	
	(ख) १२ मी .मी	"	269	269	269	
	(ग) १८ मी .मी	"	407	407	407	
19	Other HardBoard/ Sunmica & Formaica)					
19.1	(क) सनमाईका (4' x 8')	पाता	486	486	486	
	(ख) फोरमाईका	व.फि	75	75	75	
	(ग) हार्डबोर्ड (Hard board) 12 mm thick	"	44	44	44	
19.2	Alstone Hybrid Board					
	(क) ६ मी .मी size (1220*2440) mm	व.फि	162	162	162	
	(ख) १२ मी .मी size (1221*2440) mm	"	307	307	307	
	(ग)१८ मी .मी size (1222*2440) mm	"	427	427	427	
20	Iron Square Pipe/Black Pipe/Channel/ Angle/I-Beam/Black Sheet/MS Plate					
	i) Iron Square Pipe	के.जी	97	97	97	
	ii) विभिन्न साइजको MS Angle	"	104	104	104	
	iii) विभिन्न साइजको Black Pipe	"	97	97	97	
	iv) विभिन्न साइजको Channel	"	106	106	106	
	v) विभिन्न साइजको I-Beam	"	108	108	108	
	vi) विभिन्न साइजको MS plate	"	103	103	103	
	vii) विभिन्न साइजको MS Square solid bar up to 16mm	के.जी	104	104	104	
	viii) विभिन्न मोटाइको Black sheet	"	98	98	98	
21	G.I. Wire					
	i) 8 gauge					
	a) medium class	"	116	116	116	

	b) heavy duty	"	121	121	121	
	c) Comercial wire	"	107	107	107	
	ii) 10 gauge					
	a) medium class	"	116	116	116	
	b) heavy duty	"	121	121	121	
	c) Comercial wire	"	107	107	107	
	iii) 12 gauge					
	a) medium class	"	116	116	116	
	b) heavy duty	"	121	121	121	
	c) Comercial wire	"	107	107	107	
22	मेशिनबाट बुनिएका, Mechanically selvedged double Twist wire mesh को गोवियन वाकस तयारी					
	क) MBG/10x12/3.0/3.9/2.4/ZN (MBG=Maccaferri Box Gabion)	M2	300	270	270	
	Note:					
	MBG = Maccaferri Box Gabion					
	10x12/3.0/3.9/2.4/ZN = Mesh type/Mesh wire dia./Selvedge wire dia./Lacing wire dia./Type of coating					
	ZN = Heavy galvanized					
	PVC = PVC coated					
23	Barbed Wire (कढितार)					
	12 guage commercial,Medium duty	के.जी	100	100	100	
	U-hook for barbed wire fencing	गोटा	1	1	1	
	Fabrication of chain link mesh of size					
	1"x1" 12 guage	बर्ग मी.	711	711	711	
	1.5"x1.5" 12 guage	"	665	665	665	
	2"x2" 10 guage	"	527	527	527	
	3"x3" 10 guage	"	431	431	431	
	4"x4" 10 guage	"	344	344	344	
24	सादा तथा रंगिन जस्ता पाता (Plain/Corrugated Galvanized/Colour Iron Sheet)					
	(क) सेतो सादा जस्तापाता (G P Sheet)					
	0.2 mm (30 guage light)	बण्डल	4370	4590	4590	
	0.22 mm (30 guage Medium)	"	4786	5025	5025	
	0.24 mm (30 guage Heavy)	"	5098	5355	5355	
	0.26 mm (28 guage light)	"	5358	5625	5625	
	0.28 mm (28 guage Medium)	"	5722	6010	6010	
	0.31 mm (28 guage Heavy)	"	6268	6580	6580	
	0.35 mm (26 guage light)	"	6945	7290	7290	
	0.38 mm (26 guage Medium)	"	7283	7645	7645	
	0.41 mm (26 guage Heavy)	"	7985	8385	8385	
	0.45 mm (24 guage light)	"	8667	9100	9100	
	0.50 mm (24 guage Medium)	"	9520	9995	9995	
	0.52 mm (24 guage Heavy)	"	9858	10350	10350	
	0.75 mm	"	14149	14855	14855	
	(ख) रंगिन जस्तापाता					

0.2 mm (30 guage light)	बण्डल	5722	6010	6010	
0.22 mm (30 guage Medium)	"	6112	6420	6420	
0.24 mm (30 guage Heavy)	"	6450	6775	6775	
0.26 mm (28 guage light)	"	6804	7145	7145	
0.28 mm (28 guage Medium)	"	7205	7565	7565	
0.31 mm (28 guage Heavy)	"	7746	8135	8135	
0.35 mm (26 guage light)	"	8562	8990	9260	
0.38 mm (26 guage Medium)	"	8989	9440	9440	
0.41 mm (26 guage Heavy)	"	9728	10215	10521	
0.45 mm (24 guage light)	"	10404	10925	11253	
0.50 mm (24 guage Medium)	"	11340	11905	11905	
0.52 mm (24 guage Heavy)	"	11731	12315	12315	
0.75 mm	"	16470	17295	17295	
(ग) ग्याल्मानाइज्ड कोरुगेटेड जस्तापाता (CG I Sheet)					
0.2 mm (30 guage light)	बण्डल	4370	4590	4590	
0.22 mm (30 guage Medium)	"	4734	4970	4970	
0.24 mm (30 guage Heavy)	"	5056	5310	5310	
0.26 mm (28 guage light)	"	5316	5580	5580	
0.28 mm (28 guage Medium)	"	5670	5955	5955	
0.31 mm (28 guage Heavy)	"	6201	6510	6510	
0.35 mm (26 guage light)	"	6893	7235	7235	
0.38 mm (26 guage Medium)	"	7231	7590	7590	
0.41 mm (26 guage Heavy)	"	7907	8300	8300	
0.45 mm (24 guage light)	"	8604	9035	9035	
0.50 mm (24 guage Medium)	"	9468	9940	9940	
0.52 mm (24 guage Heavy)	"	9801	10290	10290	
0.75 mm	"	14149	14855	14855	
घ) जस्ता पाता को धुरी (Ridge Cover) Specified thickness are thickness of base metal.					
0.20 mm	बण्डल	1488	1560	1560	
0.22 mm	"	1613	1695	1695	
0.24 mm	"	1727	1815	1815	
0.26 mm	"	1810	1900	1900	
0.28 mm	"	1935	2030	2030	
0.31 mm	"	2107	2210	2210	
0.35 mm	"	2330	2445	2445	
0.38 mm	"	2445	2565	2565	
0.41 mm	"	2674	2810	2810	
ड) ४ फिट * ८ फिट को जि.आई. प्लेन सिट					
1.1 mm	पिस	3017	3170	3170	
0.90 mm	"	2497	2620	2620	
0.80 mm	"	2263	2375	2375	
0.75 mm	"	2122	2230	2230	
0.70 mm	"	1982	2080	2080	
0.62 mm	"	1774	1865	1865	
0.55 mm	"	1592	1670	1670	

	0.50 mm	"	1446	1520	1520	
	0.48 mm	"	1394	1465	1465	
	0.45 mm	"	1321	1385	1385	
	0.40 mm	"	1186	1245	1245	
	0.37 mm	"	1103	1160	1160	
	0.35 mm	"	1051	1105	1105	
	0.30 mm	"	926	970	970	
	0.28 mm	"	874	920	920	
	च) ४ फिट * ८ फिट को रङ्गिन प्लेन सिट					
	0.90 mm	पिस	2752	2890	2890	
	0.80 mm	"	2492	2615	2615	
	0.75 mm	"	2377	2495	2495	
	0.70 mm	"	2263	2375	2375	
	0.62 mm	"	2029	2130	2130	
	0.55 mm	"	1831	1925	1925	
	0.50 mm	"	1685	1770	1770	
	0.48 mm	"	1602	1680	1680	
	0.45 mm	"	1550	1630	1630	
	0.40 mm	"	1415	1485	1485	
	0.37 mm	"	1311	1375	1375	
	0.35 mm	"	1259	1320	1360	
	0.30 mm	"	1113	1170	1205	
	0.28 mm	"	1064	1120	1154	
	GI EXPANDED METAL MESH					
	1.20 mm मोटाई र 3' चौडाई भएको जाली	र.मि.	134	134	134	
	1.20 mm मोटाई र 4' चौडाई भएको जाली	"	187	187	187	
	1.00 mm मोटाई र 3' चौडाई भएको जाली	"	114	114	114	
	1.00 mm मोटाई र 4' चौडाई भएको जाली	"	156	156	156	
	0.90 mm मोटाई र 3' चौडाई भएको जाली	"	104	104	104	
	0.90 mm मोटाई र 4' चौडाई भएको जाली	"	165	165	165	
25	UPVC Roofing Sheet Sunrise or Equivalent brand (3mm thick)					
25.1	UPVC Roofing Sheet with PMMA coating & Mesh (Regular)	व.मि.	1440	1440	1495	
25.2	UPVC Roofing Sheet with PMMA coating & Mesh (Tile)	"	1496	1496	1555	
25.3	Ridge cover Regular Profile 1.10 R.m.	र.मि.	1288	1288	1310	
25.4	Ridge cover Tile Profile 0.78 R.m.	"	1288	1288	1310	
25.5	UPVC Clip	गोटा	26	26	26	
25.6	self tapping screw 3"	"	26	26	26	
25.7	self tapping screw 2.5"	"	10	10	10	
25.8	self tapping screw 2"	"	10	10	10	
25.9	self tapping screw 1.5"	"	8	8	8	
26	एलुमिनियम प्लेन सिट					
	(क) २६ गेज	व.फि.	29	29	29	
	(ख) ३० गेज	"	27	27	27	
27	विभिन्न प्रकारको जालीहरु (Netting)					

	(क) मसिनो खालको Mosquito proof जाली	व.मी	121	121	121	
	(ख) बालुवा चाल्ने जाली	"	126	126	126	
	(ग) कुखुरे जाली (Chicken wire mesh)	"	78	78	78	
	(घ) ब्रास क्रसिङ्ग जाली	"	199	199	199	
	ड. स्टील जाली (crossing)	"	160	160	160	
	च मसिनो खालको steel Mosquito proof जाली	"	275	275	275	
28	फलामबाट निर्मित सामानहरु					
a	M.S. Grill बनाई जडान गर्ने काम	के.जी	147	147	147	
b	कोल्याप्सीवल गेट बनाई जडान गर्ने	व.फि.	525	525	525	
c	१६-१८ गेजको फलामे रोलिङ्ग सटर बनाई जडान गर्ने	व.फि.	367	367	367	
d	फलामे रोलिङ्ग सटर १६-१८ गेज जडान सहित स्ट्रीप सटर प्वाल भएको	"	462	462	462	
e	फलामे रोलिङ्ग सटर डण्डी प्रयोग गरी बनाइको साथै जडान गर्ने समेत	"	525	525	525	
f	१६ गेज पातावाट कम्पाउण्ड बालको गेट बनाई जडान गर्ने (५० X ५० X ५ mm) को फ्रेम समेत)	"	683	683	683	
g	३"-४" व्यासको Iron Black Pipeमा एड्जल र पट्टि राखी खुडकिला सहितको घुम्ने भन्ध्याङ्ग (Spiral Staircase) तयार गरी जडान समेत (भन्ध्याङ्गको नापी गर्दा floor to floor height लिने)	र.फि.	3205	3205	3205	
h	फलामे सामाग्रीको फेब्रिवेशन तथा जडान कार्य	के.जी.	47	47	47	
i	All type of general MS structural works	व.फी.	179	179	179	
j	Truss & roofing works Plain sheet 26 gauge	"	210	210	210	
k	Truss & roofing works colour sheet 26 gauge	"	247	247	247	
l	Black Pipe Tubular Truss fitting & fixing work	के.जी.	200	200	200	
m	Mild Steel Props for Concreting 2" dia 3.5 mm thick 3.5 m- 4.0 m length	गोटा	2038	2038	2038	
n	Steel Structural (Light guage) frame work for building (as 90mm X 38mm wide SS C C-channel , 0.55mm thick , weight per square feet 2 kg with fabrication rebet,screw erection fitting and essembly charges) all complete work Panchakanya or equivalent company	व.फि.	809	809	809	
29	Glass सीसा					
29.1	Plain सादा (सेतो)					
	(क) ३ मी.मी.	व.फि.	52	52	52	
	(ख) ३.५ मी.मी.	व.फि.	58	58	60	
	(ग) ४ मी.मी.	व.फि.	66	66	68	
	(घ) ५ मी.मी. "	"	89	89	92	
	(ड) ६ मी.मी. "	"	103	103	107	
	(च) ८ मी.मी. "	"	173	173	180	
29.2	Printed Glass (बुढेदार सिसा)					

2/1/19

25

S. J. J.

S. J. J.

S. J. J.

	(क) ३ मी.मी.		47	47	47
	(ख) ४ मी.मी " "		55	55	55
29.3	Poly Fibre Glass				
	(क) ६ मी.मी.		150	150	150
29.4	Black Color Glass				
	(क) ३ मी.मी.	व.फि.	89	89	92
	(ख) ४ मी.मी.	"	96	96	99
	(ग) ५ मी.मी.	"	109	109	113
	(घ) ६ मी.मी.	"	150	150	156
	(ङ) ८ मी.मी.	"	219	219	219
	(च) १० मी.मी	"	314	314	314
	(छ) १२ मी.मी	"	355	355	355
29.5	Tinted Float glass बाहिर बाट नदेखिने भित्रबाट देखिने				
	(क) ५ मि.मि बाक्लो	व.फि.	107	107	107
29.6	छानामा प्रयोग गरिने बुट्टेदार ऐना Itching Glass with simple shade and texture				
	(क) ४ मी.मी. बाक्लो	व.मि.	5753	5753	5753
29.7	विभिन्न रंगको Reflector Glass (शिशा)				
	५ मी.मी मोटो	व.फि.	171	171	171
	Note: ४ फिट * ८ फिट भन्दा बढी साइजको सिसा भएमा ५० % थप रकम लाग्ने छ।				
30	Corrugated/Plain Fiber Glass Sheet				
	(क) ०.८ मी. मी. मोटो प्लेन	व.फि.	112	112	112
	०.८ मी. मी. मोटो कोरोगेटेड	व.फि.	125	125	125
	(ख) १.२ मी.मी. मोटो प्लेन	"	125	125	125
	१.२ मी.मी. मोटो कोरोगेटेड	"	143	143	143
	(ग) २ मी.मी. मोटो प्लेन	"	212	212	212
	२ मी.मी. मोटो कोरोगेटेड	"	250	250	250
	(घ) ३ मी. मी. मोटो प्लेन	"	287	287	287
	३ मी. मी. मोटो कोरोगेटेड	"	375	375	375
	(ङ) Fiber Glass छानाको लागि Alumunium strip (25 mm x 1.5 mm)	Rm	69	69	69
	(च) Fiber Glass छानाको लागि Ribet nut	no.	7	7	7
31	भ्याल ढोकामा लाग्ने Fixture हरु				
	Iron बाट बनेका				
	Hinge (कब्जा)				
	(क) ३" साइज	गोटा	16	16	16
	(ख) ४" साइज	"	30	30	30
	(ग) ५" साइज	"	45	45	45
	(घ) ६" साइज	"	58	58	58
	Locking Set (L-drop)				
	300 mm	गोटा	266	266	266
	225 mm	"	233	233	233
	150 mm	"	200	200	200
	Aluminum बाट बनेका				
	Towerbolt (छेस्कीनी)				
	(क) ३" लामो	गोटा	21	21	21

(ख) ४" लामो	"	42	42	42
(ग) ६" लामो	"	69	69	69
(घ) ८" लामो	"	83	83	83
(ङ) १०" लामो	"	97	97	97
(च) १२" लामो	"	110	110	110
Handle (हतकल)				
Ordinary	गोटा	34	34	34
Special	"	49	49	49
Brass बाट बनेका				
Hinge (कब्जा)				
2" x 1/2"	गोटा	65	65	65
2 1/2" x 3/4"	"	73	73	73
3" x 3/4"	"	90	90	90
2" x 3/4"	"	73	73	73
2 1/2" x 3/4"	"	82	82	82
3" x 3/4"	"	90	90	90
3" x 1"	"	194	194	194
4" x 1"	"	291	291	291
5" x 1"	"	388	388	388
6" x 1"	"	468	468	468
Towerbolt (छेस्कीनी)				
(क) ३" लामो	गोटा	146	146	146
(ख) ४" लामो	"	194	194	194
(ग) ६" लामो	"	291	291	291
(घ) ८" लामो	"	388	388	388
(ङ) १०" लामो	"	483	483	483
(च) १२" लामो	"	580	580	580
Handle (हतकल)				
6" Brass handle	गोटा	154	154	154
8" Brass handle	"	468	468	468
10" Brass handle	"	967	967	967
Brass 5"	"	146	146	146
Brass 6"	"	226	226	226
Locking Set (L-drop)				
(क) ८" लामो	गोटा	1014	1014	1014
(ख) १०" लामो	"	1673	1673	1673
(ग) १२" लामो	"	1858	1858	1858
Special Fittings				
एल ड्रप :-				
८" लामो	गोटा	1137	1137	1137
१०" लामो	"	1284	1284	1284
१२" लामो	"	1338	1338	1338
हयाण्डल :-				
८" लामो	"	1338	1338	1338
टावर बोल्ट :-				
६" लामो	"	241	241	241
८" लामो	"	321	321	321
१०" लामो	"	402	402	402


2. सि. सि.

25

गणेश्वर

गणेश्वर

ग.प.प

		 नेपाल सरकार गृह मन्त्रालय प्रशासन कार्यालय नुवाकोट				
	डबल कलर (गोल्ड सिल्भर/ब्ल्याक सिल्भर)					
	एल ड्रप :-					
	८" लामो	गोटा	955	955	955	
	१०" लामो	"	1210	1210	1210	
	१२" लामो	"	1338	1338	1338	
	ह्याण्डल :-					
	६" लामो	"	268	268	268	
	८" लामो	"	402	402	402	
	Mortice Lock					
	Ordinary	गोटा	669	669	669	
	Chinese	"	446	446	446	
	Indian Godrej Company	"	2739	2739	2739	
	Brass		1210	1210	1210	
	Door Spring (Door Closer)					
	Ordinary	गोटा	191	191	191	
	hydraulic	"	2007	2007	2007	
	Other Door/Windows fixtures					
	Window I-hook	गोटा	19	19	19	
	Gate Hook					
	4" Gate hook	गोटा	33	33	33	
	5" Gate hook	"	37	37	37	
	6" Gate hook	"	44	44	44	
	Brass Gate hook		78	78	78	
	Door stopper					
	Diamond	गोटा				
	Butterfly	"	159	159	159	
	Bell catch 2" size	"	210	210	210	
	C.P. handle	"	455	455	455	
	Power coated handle	"	435	435	435	
	Brass coated handle	"	936	936	936	
	Door stopper, single brass stopper	सेट	107	107	107	
	Door stopper double brass stopper	"	191	191	191	
32	बिबिध सामग्रीहरु					
	Hold fast different sizes (7 nos./Kg.)	के.जी.	125	125	125	
	Nails (different sizes)	के.जी.	112	112	112	
	सालका काठको खाधान्न राख्ने पुराना तख्ता(पुनः प्रयोग हुने)	घ.फि.	721	721	721	
	कवाडी फलामे सामानहरु(बन्चरो,घन,छिना आदि फलामे सामान)	के.जी.	26	26	26	
	प्रयोग गर्न नसकिने पुराना मेसीन(टाइपराइटर, डीलीड मेसीन,डीलीड विट)	के.जी.	21	21	21	
	Nut and Bolts	गोटा	29	29	29	
	Nut and Bolts (different sizes)	के.जी.	165	165	165	
	Sandpaper (खागसी)	गोटा	6	6	6	
	विभिन्न साइजको जे-हुक, यु-हुक	के.जी.	137	137	137	
	२" साइज रुफिङ्ग नेल्स	गोटा	7	7	7	
	३" साइज रुफिङ्ग नेल्स	"	10	10	10	
	Screw Brass		0	0	0	

21/11/83

25

गणेश

25/11/83

	20mm	गोटा	2	2	2	
	25mm	"	3	3	3	
	35mm	"	4	4	4	
	50mm	"	12	12	12	
	75mm	"	15	15	15	
	Screw Steel					
	20mm	"	1	1	1	
	25mm	"	2	2	2	
	35mm	"	2	2	2	
	50mm	"	7	7	7	
	75mm	"	8	8	8	
	विटुमीन वासर	गोटा	3	3	3	
	Roofing bitumen (रुफिङ्ग अलकत्रा)	के.जी.	93	93	93	
	५०० गेज प्लाष्टिक सिट	व.मी.	31	31	31	
	ISI Mark Trafelt (२०मी. × १मी.)	रोल	2472	2472	2472	
	Plasticfelt (२०मी. × १मी.)	"	2318	2318	2318	
	१८-२० फिट लामो बाँस	गोटा	204	204	204	
	मैन पालिस	के.जि.	206	206	206	
	अक्जालिक एसिड	"	118	118	118	
	जुट वा पोलिथिनको खाली बोरा	गोटा	18	18	18	
	माटो (हुवानि बाहेक)	घ.मि.	268	268	268	
	सबग्रेडमा राख्ने माटो(In Capping layer Granular soil)	घ.मि.	464	464	464	
	भुस	के.जि.	5	5	5	
	गोबर	"	5	5	5	
	Staircase को 3/4" x 3/4" square pipe मा लगाउने Brass cap	गोटा	93	93	93	
	Staircase को 1" x 1" square pipe मा लगाउने Brass cap	गोटा	98	98	98	
	Tarpoline sheet (तारपोलिन सिट)	व.फि.	9	9	9	
	Water (पानी टयाँकरवाट हुवानी)					
	३ कि.मी. सम्म को दुरीमा	लिटर	0.26	0.26	0.26	
	३ कि.मी. देखि माथीको दुरीमा	लिटर	0.31	0.31	0.31	
33	स्टेनलेस स्टील पाइप					
	३/४" व्यास भएको १६ गेज मोटाई	मी.	198	198	198	
	१" व्यास भएको १६ गेज मोटाई	"	248	248	248	
	१ १/४" व्यास भएको १६ गेज मोटाई	"	315	315	315	
	१ १/२" व्यास भएको १६ गेज मोटाई	"	353	353	353	
	२" व्यास भएको १६ गेज मोटाई	"	518	518	518	
	स्टील रेलिड. steel Raling को बार लगाउने कार्य(२ इन्च पाईपको vertical post & Hand rail तथा १ इन्च व्यासको तीन तह Horizontal pipe)	र.फी.	1191	1191	1191	
34	मार्बल चिप्स					
	(क) सेतो रंगको मार्बल चिप्स (२५ के.जि.प्रति बोरा)	बोरा	170	170	170	
	(ख) रंगीन मार्बल चिप्स (२५ के.जि.) प्रति बोरा	"	170	170	170	
	(ग) क्रेजी मार्बल (६ वर्ग फिट प्रति बोरा)	"	181	181	181	
	(घ) मार्बल पाउडर (२५ के.जि. प्रति बोरा)	"	153	153	153	
35	मार्बल (Marble)					

2, सिद्ध


25

Prakash

Prakash

Prakash

Prakash

		 नुवाकोट जिल्ला प्रशासनिक कार्यालय नुवाकोट			
35.1	राजस्थानी मार्बल				
	१३ मी.मी बाक्लो राजस्थानी	ब.फि.	161	161	161
	१६ मी.मी बाक्लो राजस्थानी	"	167	167	167
35.2	ग्रेनाइट				
	१२ मी.मी बाक्लो ग्रेनाइट	"	303	303	303
	१६ मी.मी बाक्लो ग्रेनाइट	ब.फि.	309	309	309
	१९ मी.मी बाक्लो ग्रेनाइट	ब.फि.	353	353	353
35.3	Kota Stone				
	1" thick	ब.फि.	145	145	145
	3/4" thick	ब.फि.	133	133	133
35.4	Sand stone (for rubbing Marble)	गोटा	73	73	73
36	Porcelain Glazed/Terrazo Mosaic Tiles				
36.1	Porcelain Glazed Tiles				
	ग्लेज टायल्स (१२ " X ८ ") सम्मको ।	ब.फि.	-	-	-
	ग्लेज टायल्स (१२ " X १२ ") माथिको ।	"	-	-	-
	Cotto Tiles	"	126	126	126
	Kajaria, Vermura, Somany, Orient Tile or equivalent	"	85	85	88
	Ordinary floor and wall Tile	"	54	54	56
	Border Tilè (२ " X ८ ")	र.फि.	43	43	43
	Border Tile (२ " X ८ ")	ब.फि.	178	178	178
	Indian Ceramic Wall Tile (30*45cm)	"	180	180	70
	Indian Ceramic Border Tile (30*45cm)	"	180	180	70
	Indian Ceramic Floor Tile (30*30cm)	"	150	150	70
	Flooring tile GVT Somany/Swastik/Victory / Espanoi or equivalent				
	24"X24" GVT	ब.फु.	165	165	165
	24"X24" GRES Virtified (Digital floor)	"	144	144	144
	12"X12" GRES homogeous Virtified parking tile	"	106	106	106
	24"X24" Virtified	"	111	111	111
	Flooring tile Everest/Victory /Swastik /Espanoi or equivalent				
	16"X16 "	ब.फु.	98	98	98
	12"X12"	"	88	88	88
	12"X12" (White/Ivery)	"	77	77	77
	2"X2"(Digital)	"	129	129	129
	12"X24" (Wall)	"	134	134	134
	12"X18" (Wall)	"	103	103	103
36.2	LG Floors Tiles				
	L.G. Deluxe Tiles (300x300x2mm)	ब.फु.	-	-	-
	L.G. Deco Tiles (450x450x3mm)	"	-	-	-
	L.G. Deco Wood (100x920x3mm)	"	-	-	-
	Fittings for Tiles	"	14	14	14
	Fittings for Tiles on stairs	"	16	16	16
	Dendrite for tiles	लि.	371	371	371
36.3	ELITE / FORBO FLOORING COATING				

[Handwritten signature]

[Handwritten signature]


[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

	ELITE MICRO FINISH FLOORING (INCLUDED ALL FINISH)	व.फि.	361	361	361	
	ELITE HERMETIC HEAT FLOORING (INCLUDED ALL FINISH)	"	361	361	361	
	ELITE REFLECTOR FLOORING(INCLUDED ALL FINISH)	"	383	383	383	
	SARLON VINYL ACOUSTIC FLOORING	"	427	427	427	
	SCRATCH FABRIC FALSE CEILING	"	232	232	232	
	SINGLE COAT GYP PLASTER UP TO 20MM THICKNESS	"	62	62	62	
	Forbo marmoleum flooring 2mm thick all fitting work	"	403	403	403	
37	Plaster of Parish (POP) cornice and molding making die, casting of cornice as per design and drawing including fixing in position using steel screws on resin glue finishing all complete.					
	a) POP Molding 1" to 1½"	र.मि	238	238	238	
	b) Up to 5" wide	र.मि	285	285	285	
	c) Up to 8" wide	र.मि	393	393	393	
	d) Above 8" wide	र.मि	161	161	161	
37.1	रंगरोगनका सामानहरु					
	(क) कृषि चुनबाट उत्पादित सेतो चुन	के.जि.	19	19	19	
	(ख) विभिन्न प्रकारको रंगिन चुन	"	36	36	36	
	(ग) विभिन्न प्रकारको भारतीय चुन रंगिन	"	39	39	39	
	(घ) सिमेन्ट पेन्ट (Cement Paints)	के.जि.	74	74	74	Equivalent Asian , Berger & other company.
	(थ) सिमेन्ट प्राइमर सेतो	"	268	268	268	
	(छ) उड प्राइमर (Wood Primer)	लिट्र	376	376	376	
	(ड) साधारण सेन्थेटिक इनामेल पेन्ट	लिट्र	525	525	525	
	च) नेपाल रेडको म्याट फिनिसिङ्ग	लिट्र	506	506	506	
	(ज) कोरुगेटेड रुफ Paint	"	476	476	476	
	(झ) तयारी अल्मुनियम पेन्ट	"	546	546	546	
	(ञ) तयारी बार्नेस	"	440	440	440	
	(ट) तयारी बार्नेर सेन्थेटिक	"	340	340	340	
	(ठ) भारतीय थिनर	"	231	231	231	
	ड) उड एण्ड ग्लास पुटिन	के.जी	131	131	131	
	ढ) मेटल पुटिन	"	155	155	155	
	ण) चुना पेन्ट गर्न राख्ने गम	"	203	203	203	
	त) नेपाली थिनर	लिट्र	218	218	218	
	(द) तारपिन तेल	"	214	214	214	
	(ध) रेड अकसाइड पेन्ट (Red oxide Paint)	"	262	262	262	
	(न) उड प्रिजरभेटिव पेन्ट	"	228	228	228	
	(प) Black Japan Paint	"	286	286	286	
	(फ) राम तिलक	के.जि.	56	56	56	
	(ब) गेरु रंग	के.जि.	137	137	137	
	(भ) चप्रा पालिस	के.जि.	916	916	916	

21/10/83

25

21/10/83

21/10/83

21/10/83

21/10/83

21/10/83

		सरकार गन्तव्य कार्यालय लि.				Equivalent Asian , Berger & other company.
(म)	तयारी बासेवल डिस्टेम्पर		223	223	223	
	य) तयारी प्लास्टिक्स इमल्सन पेन्ट (interior)	लि.	526	526	526	
	य) तयारी वेदरकोट पेन्ट (exterior)	लि.	631	631	631	
	(र) Road Marking Paint	"	579	579	579	
	(ल) लिनसिड आयल (linsed Oil)	"	196	196	196	
	(व) स्थानीय स्पीट	लि.	118	118	118	
	(स) मोविकल/फेविकल	के.जि.	262	262	262	
	(ष) Tata Red Oxide Paint	"	262	262	262	
	(ह) गट्टा चुन (ईण्डीयन)	"	22	22	22	
	(झ) Wall putty equivalent Asian , Berger & other company.	के.जि.	69	69	69	
	(ञ) Plaster of Parish (POP)	के.जि.	23	23	23	
	wood keeper (chapara type)	लि.	550	550	550	
	Redoxide zink cromate primer For Bridge	लि.	463	463	463	
	Silk Breathless easy	लि.	1216	1216	1216	
	Road divider (polythene)	गोटा	1622	1622	1622	
	Dust bin (polythene) 165 ltr	गोटा	3083	3083	3083	
	Wall putty Epoxy flooring					
	wall plast wall putty (40kg)	Bag	1306	1306	1306	
	2mm Epoxy Floor coating with Ultrafresh -OPD (4layer & 5 component	व.मी.	2082	2082	2082	
	2mm Epoxy Antistatic Floor coating for OT(4 layer & 9 component	"	3688	3688	3688	
	Epoxy Paint for Operation theater	"	11509	11509	11509	
37.2	Decorative Painting Material Acro & equivalents					
A	Specialized paints(Dr. wallz)					
1	Acro Bio-guard (Anti bacterial Hospital Paint)	लिट्र	1099	1099	1099	
2	Acro Elastocrab (Anti carbonisation paint)	"	762	762	762	
B	Texture paints					
1	Mediterrano	के.जि.	176	176	176	
2	Stucco Veneziano	"	1639	1639	1639	
3	Velvetino	"	4305	4305	4305	
4	Travertino	"	412	412	412	
5	Gtone plaster	"	121	121	121	
6	Colorato (Multi color)	"	921	921	921	
7	Pearl skin texture	"	149	149	149	
8	TS 52 Spray white	"	199	199	199	
9	Rustic	"	159	159	159	
10	Rockart	लिट्र	159	159	159	
11	Manhattan	के.जि.	238	238	238	
12	Sabbia	"	238	238	238	
13	Sandy Stone	"	174	174	174	
14	Insulplast	"	237	237	237	

		के.जि			
15	Poly Under White	"	264	264	264
16	Antica(Top coat)	"	1267	1267	1267
17	T.C 100(Top coat)	"	728	728	728
18	Dekorica White	"	2631	2631	2631
19	Poly Plaster	"	107	107	107
20	Granite tone	"	165	165	165
21	Graffiato	"	159	159	159
22	Elligance stone	"	189	189	189
23	Marmorino Base	के.जि	412	412	412
24	Acro fine	लिटर	181	181	181
25	Marmocastro base	के.जि	139	139	139
26	Selva Granite	"	215	215	215
27	Romart	"	239	239	239
C	Weathercoat paints				
1	Guard	लिटर	503	503	503
2	Guard -3x	"	588	588	588
3	Shield	"	322	322	322
4	Acrotex matt	"	510	510	510
5	Ext wall Primer	"	238	238	238
D	Emulsion Paints				
1	silk Emulsion paints	"	522	522	522
2	Aqualin Int.Emulsion	"	280	280	280
3	pearl Emulsion paints	"	772	772	772
4	int. wall Primer	"	172	172	172
E	Acrylic Washable Distemper	"	142	142	142
F	Acro gold Enamel	"	512	512	512
G	Universal primer (wood primer)	"	313	313	313
H	Red oxide metal primer	"	276	276	276
I	Construction Chemical / waterproof coating system				
	crack sill	"	387	387	387
	crack fill A+B	"	170	170	170
J	Silicon Bases water repellent impregnation				
	Acropreg	"	466	466	466
	Acropreg W	"	619	619	619
	Wall putty	के.जि	39	39	39
37.3	Acro Texture ISO certified 9001-2008 (Silicone & Ceramic technology / All weather resistance / Fire retardant / Heat reflecting / Algae & Fungi resistant / Ultra violet resistant) for painting works				
1	Acro Spanezia maestro finishes texture				
1.1	Mediterrano texture	ब.फि	128	128	128
1.2	Traventino texture	"	195	195	195
1.3	Velvetino texture	"	167	167	167
1.4	Gtone plaster and Colorato texture(Multicolour texture)	"	133	133	133
1.5	Stucco veneziano texture	"	140	140	140
1.6	Pearl skin texture	"	120	120	120

1.7	Marmorino texture		156	156	156	
2	Acro texture					
2.1	Acro spray flat/Acro spray dew's texture	बुवाकोट ब.फि	75	75	75	
2.2	Featherglow/Royal touch/Superfine/Ceratex texture	"	74	74	74	
2.3	Rustic texture	"	99	99	99	
2.4	Rockart texture	"	93	93	93	
2.5	Graffiato texture	"	103	103	103	
2.6	Marmocastro texture	"	90	90	90	
2.7	Marmoplast texture	"	90	90	90	
2.8	Sabbia texture	"	112	112	112	
2.9	Manhattan texture	"	112	112	112	
2.10	Sandy stone texture	"	154	154	154	
2.11	Selva Granite texture	"	116	116	116	
2.12	Elligance stone texture	"	107	107	107	
2.13	Granite tone texture	"	98	98	98	
2.14	Romaart texture	"	124	124	124	
2.15	Insulplast texture	"	135	135	135	
3	Acro Bio-guard (Hospital Paint)	"	54	54	54	
4	Acro Elastocarb(anti carbonisation paint)	"	38	38	38	
1	<u>EXTERIOR SURFACE WEATHERCOAT PAINTS</u>					
	1.ACROGUARD 3X	ब.फि	23	23	23	
	2. ACROGUARD	"	21	21	21	
	3. ACROSHIELD	"	17	17	17	
	4. ACROTEX MATT	"	31	31	31	
2	<u>INTERIOR SURFACE EMULSION PAINTS</u>					
	1. ACROPEARL EMULSION PAINTS	ब.फि	24	24	24	
	2. ACROSILK EMULSION PAINTS	"	20	20	20	
	3. AQUALIN EMULSION PAINTS	"	16	16	16	
	4. AQUALIN ACRYLIC WASHABLE DISTEMPER	"	11	11	11	
	5. ACRO GOLD ENAMEL PAINTS	"	18	18	18	
	Expansion joint					
1	Horizontal Area fixing clips affixed aluminium joint covers VEDA FRANCE Series JDH 5.2.050 standard load.	RM	15450	15450	15450	
2	Clips Affixed Mill Finish Aluminium for standard and seismic joint covers VEDA FRANCE CJV-180 Alu.	RM	12875	12875	12875	
3	Extruded Aluminium Joint Covers VEDA FRANCE CJE- PF flat.	RM	14935	14935	14935	
4	Folded Joint Covers VEDA France Series CJP a silver anodized coating.	RM	18025	18025	18025	
5	Vertical Joints Standard and Seismic interior use VEDA FRANCE Series JDV 4.2	RM	25750	25750	25750	
6	Vertical Joints Exterior use VEDA FRANCE Series JDV 4.4 flat.	RM	13390	13390	13390	
7	Vertical Joints Exterior use VEDA FRANCE Series JDV 4.6 flat.	RM	19055	19055	19055	

2.11.11

25

25

25

25

25

8	Vertical Joints VEDA FRANCE Series JDV 4.10 / 4.12 flat	RM	28840	28840	
9	Suspended Ceiling Joints VEDA FRANCE Series JDV 4.14	RM	12360	12360	
10	Floor Joint VEDA FRANCE Series JDH 5.2 standard loads.	RM	21115	21115	
11	Floor Joint VEDA FRANCE Series JDH 5.4 standard loads.	RM	33475	33475	
12	Floor Joint VEDA FRANCE Series JDH 5.8 standard loads.	RM	36050	36050	
13	Floor Joint VEDA FRANCE Series JDH 5.26 heavy loads.	RM	38625	38625	
14	CAR Park Joint VEDA FRANCE Series JDH 5.30 standard loads(15 to 35mm)	RM	16480	16480	
15	CAR Park Joint VEDA FRANCE Series JDH 5.32 standard loads (40 to70mm)	RM	31930	31930	
16	BED Affixed Control Joints VEDA FRANCE Series JF 1700	RM	19313	19313	
17	BED Affixed Control Joints VEDA FRANCE Series JF LUXE 2700	RM	29355	29355	
18	BED Affixed Control Joints VEDA FRANCE Series JF Deco.	RM	9270	9270	
19	Adhesive Affixed Control Joints VEDA FRANCE Series JF 600/1	RM	1545	1545	
20	Adhesive Affixed Control Joints VEDA FRANCE Series JF 600/2	RM	2060	2060	
21	Adhesive Affixed Control Joints VEDA FRANCE Series JF 1600	RM	15450	15450	
22	Stair Nosing VEDA France MDM VD 320/550/1010	RM	9785	9785	
38	Wall Paper				
	Wall paper (10m.x 0.53m)	रोल	1236	1236	1236
	Fittings for wall paper	व.फि	7	7	7
	White glue for wall paper	लि.	108	108	108
39	Eradication of peepal & other plants				
	a) Stem up to 1" thickness	गोटा	-	-	-
	b) Stem up to 1"-2" thickness	"	-	-	-
	c) Stem up to 2"-3" thickness	"	-	-	-
	d) Stem up to 3"-4" thickness	"	-	-	-
40	Gypsum board				
40.1	Supplying and fixing of Thai gypsum board application work				
	i) फल्लस सिलिङ्ग गर्ने	व.फि	-	-	-
	ii)Water resistant false ceiling	"	-	-	-
	iii)Wall partition	"	119	119	119
	iv)Wall paneling	"	79	79	79
	v)Metalized polited laminated Board (MPL) board	"	76	76	76
	12.5mm thick Gypsum Board False ceiling including all necessary material	"	70	70	70
41	Calcium Silicate Board supplying & fitting all complete work				
41.1	Solid Infill wall! (Shera, Everest or Thai Gypsum or equivalent				

	Solid infill wall 3" with EPS AND Foam concrete	व.मी.	3793	3793	3793	
41.2	Solid Infill wall (Chinese or equivalent)					
	Solid infill wall 3"	व.मी.	1770	1770	1770	
41.3	Solid Infill wall WITH TWO SIDE .5MM MS plate, powder quoted infill with high presurred Polyrethen with 40 kg+-2 kg /cu mtr					
	Solid infill wall 50mm	व.मी.	3288	3288	3288	
42	Interlocking Cement Concrete Block(Not less than M20 RCC Block)					
	a) Curb stone (M 25)	र.मि.	1123	1123	1123	
	25 mm thick C.C. Tile (Grey color)					
	Burfi , Round , Boby Checker	Sqft	42	42	42	
	25 mm thick C.C. Tile (Red color)					
	Burfi , Round , Boby Checker	Sqft	44	44	44	
	50 mm thick CC Block (Grey color)					
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock	Sqft	51	51	51	
	50 mm thick CC Block (Red color)					
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock	Sqft	52	52	52	
	60 mm thick CC Block (Grey color)					
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock , Plus Interlock	Sqft	53	53	53	
	60 mm thick CC Block (Red color)					
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock , Plus Interlock	Sqft	55	55	55	
	70 mm thick CC Block (Red color)					
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock	Sqft	61	61	61	
	60 mm thick CC Block (Ocm or equivalent)					
	Brick type (23*11*6cm)non colour	Nos	10	10	10	
	Hexagon (22*22 cm) non colour	"	23	23	23	
	Hexagon (22*22 cm) colour	"	25	25	25	
	Square paver (30*30*4.5cm)non colour	"	32	32	32	
	Square paver (30*30*4.5cm)colour	"	34	34	34	
	inter block(24*13*6cm)	"	14	14	14	
	Isave paver (20*16*6cm)	"	16	16	16	
	supply of concrete Block different items United concrete or other Equivaient					
	Hollow Block (16"*8"*6")	Nos	78	78	78	
	Hollow Block (16"*8"*4")	"	69	69	69	
	Corner Hollow Block (16"*8"*6")	"	89	89	89	
	Lintel Block (16"*8"*6")	"	89	89	89	
	Pavers Block (fish or other shape) 60mm thick	"	20	20	20	
	concrete Brick (9"*4"*2.5")	"	13	13	13	

21/11/21

25

G. J. J.

K. J. J.


K. J. J.

K. J. J.

	Concrete Prefabricated Frames M40 Concrete standard (इयाल ढोकाका चौकोस, आर्क, भेन्टीलेसन)	प्रति रनिङ फुट	199	199	199	
43	छानामा टाइलको बुझा काट्ने र पानी पट्टी कार्य					
	(१.४) भागको मिश्रणको सिमेन्ट मसला तयार गरि खट राखि १"वाक्लो प्लाष्टरमा रुफिङ टाइलको बुझा काट्ने सामान सहित (तयारी)	व.मि.			-	
	१"×३" साइजको (१.४) भागको मिश्रणको मसला तयार गरि खट राखि वर्षादको पानी पट्टी बनाउने काम (तयारी)	र.मी	-	-	-	
44	Heritage Wall Surface Texture (Interior and Exterior) including the cost supplying and fitting					
	i) Heritage granular	व.फि	100	100	100	
	ii) Heritage flakes	"	124	124	124	
	iii) Heritage granite finish	"	108	108	108	
	iv) Heritage Top coat (plastic lamination)	"	29	29	29	
45	UPVC Profile Door and Window/ Wall partition					
	Supplying and installation of UPVC Profile: Sliding window frame 50*80mm; sash 58*36mm, Sliding Door frame 52*88; sash 80*42, Casement window frame 60*60mm:sash 60*78mm, Casement Door frame 60*60; sash 60*104mm white colour with reinforcement, 5mm thick clear float glass, insect net, patented standard hardware like: rollers, gaskets, brush seal, moon locks, push locks, drinage cover, etc.					
	UPVC को भ्याल, ढोका तथा wall partition का निर्माण सामग्रीहरु					
	i) Single glazing					
1	UPVC Sliding window with net (frame 50*80 mm, sash 58*36 mm, white colour with 5mm glass)	Sqm	7215	7215	7215	
2	UPVC Sliding window without net (frame 60*60 mm, sash 66*42 mm, white colour with 5mm glass)	"	6664	6664	6664	
3	UPVC Top Hung window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm glass)	"	7493	7493	7493	
4	UPVC Casement window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm glass)	"	7493	7493	7493	
5	UPVC Single Door with half panel half glass (frame 60*60 mm, sash 60*104 mm, white colour with 5mm glass)	"	8214	8214	8214	
6	UPVC Single Door with full panel (frame 60*60 mm, sash 60*104 mm, white colour)	"	8328	8328	8328	
7	UPVC Double Door (frame 60*60 mm, sash 60*104 mm, white colour with 5mm glass)	"	8884	8884	8884	

21/11/25

25

8	UPVC Sliding Door with net (frame 52*88 mm, sash 88*42 mm, white colour with 5mm glass)		8884	8884	8884	
9	UPVC Sliding Door without net (frame 60*60 mm, sash 88*42 mm, white colour with 5mm glass)	"	8606	8606	8606	
10	UPVC Swing Door with half glass half uPVC panel (frame 60*60 mm)	"	9991	9991	9991	
11	UPVC 88x60mm Sliding white colour window with 5mm glass pannele	Sqm	8626	8626	8626	
11	UPVC 60x64mm white colour casement window with 5mm glass pannele	"	9796	9796	9796	
12	UPVC110x64mm x9mmthick board and 5mm tjick glass pannel white colour	"	10353	10353	10353	
12	UPVC60x60mm x9mmthick white colour partition board with 5mm glass	"	10717	10717	10717	
13	UPVC60x60mm white colour swing door with 5mm glass pannel		6727	6727	6727	
	ii) Double glazing					
1	UPVC Sliding window with net (frame 50*80 mm, sash 58*36 mm, white colour with 5mm double glass)	Sqm	9435	9435	9435	
2	UPVC Sliding window without net (frame 60*60 mm, sash 66*42 mm, white colour with 5mm double glass)	"	8935	8935	8935	
3	UPVC Top Hung window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm double glass)	"	9718	9718	9718	
4	UPVC Casement window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm double glass)	"	9718	9718	9718	
5	UPVC Single Door with half panel half glass (frame 60*60 mm, sash 60*104 mm, white colour with 5mm double glass)	"	10439	10439	10439	
6	UPVC Double Door (frame 60*60 mm, sash 60*104 mm, white colour with 5mm double glass)	"	10547	10547	10547	
7	UPVC Sliding Door with net (frame 52*88 mm, sash 88*42 mm, white colour with 5mm double glass)	"	11103	11103	11103	
8	UPVC Sliding Door without net (frame 60*60 mm, sash 88*42 mm, white colour with 5mm double glass)	"	10825	10825	10825	
9	Supply & fixing of 80*50 mm white colour casement window	"	9611	9611	9611	
46	Prefab Panel for wall Partition solid wall panel (ESWP) or Equivalent					
46.1	Supply and erection of different mm th. cement base prefabricated Shera, thai gypsum, everst solid wall panel non asbestos including 1.1 mm thick GI chennel (50*25*20) mm with necessary accessories and fittings charge in partation wall all complete					

2/1/17


29

S. J. Singh

S. J. Singh

S. J. Singh

S. J. Singh

	a) 40 mm thick	"				
	b) 50 mm thick	"	232	232	232	
	c) 75 mm thick	Sq .m.	294	294	294	
46.2	False ceiling/ partition/ external cladding of everest or equivalent fibre designer board					
	Supplying, making, fixing of false ceiling with everest fibre designer board in E-grid	Sqft	91	91	94	
	Supplying, making, fixing of 70mm thick exterior with full height of partition with everest fibre cement board	Sqft	271	271	281	
	Supplying, making, fixing of 66mm thick exterior with full height of partition with everest fibre cement board	Sqft	237	237	246	
	Supplying, making, fixing of 91mm thick exterior with full height of partition with everest fibre cement board	Sqft	302	302	314	
	Supplying, making, fixing of external cladding with 9 mm HD/ 7.5mm everest sliding board	Sqft	266	266	276	
	Supplying, making, fixing of 50mm thick full height of partition with everest RAPICON wall panels	Sqft	211	211	219	
	Supplying, making, fixing of 75mm thick full height of partition with everest RAPICON wall panels	Sqft	279	279	290	
46.3	6 mm thick Flex-O- Board (Water proof cement board) 6mm thick for false ceiling	Sqft	-	-	-	
46.4	Cement board Aerocon C Board CK Birala, Everest or equivalent					
	6 mm thick	Sqft	33	33	33	
	8 mm thick	Sqft	41	41	41	
	10 mm thick	Sqft	52	52	52	
	12 mm thick	Sqft	62	62	62	
46.5	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire					
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 2 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	Sqft	381	381	381	
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 3 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	Sqft	412	412	412	
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 4 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	Sqft	509	509	509	

21/11/21

SC

97/11/21

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

	Joint less false ceiling chanel 0.55mm thick flange of 20 mm and another flange 30mm (conform to IS 4862 : 2000) all complete work Everest or equivalent	Sqft	109	109	
	Rapicon solid wall panel 50/75 mm thick conform to IS 14862 (density more than 1200kg /m3) Everest or equivalent				
	50 mm thick	Sqft	255	255	255
	75 mm thick	Sqft	337	337	337
	External cladding with 9mm /7.5 mm siding board and GI steel frame work	Sqft	274	274	274
	Full Height Partition (With 9mm thick Fiber Cement Heavy Duty Wall Board on exterior side and 10mm Standard FCB Interior side and 51mm G.I wall frame system) Exterior cum Interior Wall confirming to IS 14862:2000 & Type A Category IV of ISO 8336:1993	Sqft	278	278	278
	Full Height Partition (With 8mm thick Fiber Cement Wall Board on both side and 51mm G.I wall frame system) Interior Wall confirming to IS 14862:2000 & Type A Category IV of ISO 8336:1993	Sqft	243	243	243
	Full Height Partition (With 9mm thick Fiber Cement Wall Board exterior & 10mm Interior on interior side and 72mm G.I wall frame system) Exterior cum Interior confirming to IS 14862:2000 & Type A Category IV of ISO 8336:1993	Sqft	310	310	310
	False Floor / Cavity Floor (With 15mm thick Heavy Duty Fiber Cement / 20mm Standard FCB Floor Board and Specified M.S frame system for design load) confirming to IS 14862 : 2000	Sqft	348	348	348
47	Aluminium & Steel Door & Window				
47.1	Mention rates are including supplying of necessary chemicals, materials, fittings, labours as per manufacturer's specifications all complete or as per consultant's direction.				
	Aluminum fixed panel window with ventilation but without fly mesh shutter from section. (88×38×1.20) mm and 5 mm glass.	व.फि	509	530	530
	Aluminum fixed panel window with ventilation but with fly mesh shutter from section. (88×38×1.20) mm and 5 mm glass.	"	547	570	570
	Aluminum sliding windows without ventilator from section (101×45×1.50) mm and 5 mm glass.	"	533	560	560
	Do but with ventilator from section (101×45×1.50)mm and 5 mm glass.	"	572	600	600

21/11/21

25

G. P. P.

G. P. P.

G. P. P.

Siding door with naturally anodized color section of (101×45×1.50)mm (40×45×1.5)mm & 5 mm glass.	"	690	690	
Siding door with naturally anodized color section of (78×38×1.30)mm (40×45×1.5)mm & 5 mm glass.	"	430	430	
Casement double panel aluminum windows with ventilation. Section size (88×45×1.10)mm, (38×34×1.10)mm & 5 mm glass.	"	411	430	430
Casement double panel aluminum windows with ventilation. Section size (54×33×1.50)mm, (38×34×1.50)mm & 5 mm glass.	"	509	530	530
Casement door of aluminum section in naturally anodized color. Section size (100×38×1.30) mm and 5 mm glass.	"	456	475	475
Casement door of aluminum section in naturally anodized color. Section size (101×45×1.50) mm and 5 mm glass.	"	623	650	650
Swing door door of aluminum section in naturally anodized color. Section size (101×45×1.50) mm and 5 mm glass.	"	623	650	650
Siding windows 2 track in naturally anodized color section of (88×38×1.10)mm 5 mm glass.	"	364	380	380
Siding windows 2 track in naturally anodized color section of (88×38×1.30)mm 5 mm glass.	"	483	505	505
Fixed windows & partitions with fixed ventilators from 9mm board and section (101×45×1.50)mm	"	483	505	505
Aluminium partition with 5 mm thick glass and 9 mm thick laminated board of section (101 x45x1.2)	"	483	505	505
Aluminium partition with 5 mm thick glass and 9 mm thick laminated board of section (64 x38x1.2)	"	458	480	480
दुई/तीन पैनल भएको स्लाइडिङ भ्याल (८५X५०X१.२० मी.मी.) शिशा ५ मी.मी.समेत सादा	"	502	525	525
दुई/तीन पैनल भएको स्लाइडिङ भ्याल (८५X५०X१.२० मी.मी.) शिशा ५ मी.मी. जाली खापा समेत भएको ।	"	553	580	580
दुई/तीन पैनल भएको स्लाइडिङ भ्याल फिक्स भेन्टिलेसन भएको (८५X५०X१.२० मी.मी.) शिशा ५ मी.मी. सहित (सादा)	"	553	580	580
दुई/तीन पैनल भएको स्लाइडिङ भ्याल फिक्स भेन्टिलेसन भएको (८५X५०X१.२० मी.मी.) शिशा ५ मी.मी. जाली खापा सहित भएको ।	"	502	525	525
102 series windows				
Providing and fixing of aluminium windows of section (102 series) 1.2 mm th. Fitted with 5 mm clear glass without fly mesh shutter (window size 6'X4'6" or 27 sqft / window)	ब.फि	531	555	555

21/12/07


25

G. Singh

K. Singh

K. Singh

K. Singh


Providing and fixing of aluminium windows with top fixed glass of section (102 series) 1.2 mm th. Fitted with 5 mm clear glass without fly mesh shutter (window size 6'X5' or avg area 30 sqft/ window)		635	635	
Providing and fix windows of section (102 series) 1.2 mm th. Fitted with 5 mm clear glass	"	447	465	465
Providing and fixing of aluminium fix windows of section (102 series) 1.2 mm th. Fitted with 5 mm clear fly mesh (size 2'X4'6")	"	143	145	145
90 series windows				
Providing and fixing sliding windows of section 90 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6*5' or avg area 30 sqft per window)	"	500	520	520
Providing and fixing sliding window with top fix glass of section 90 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6*5' or avg area 30 sqft per window)	"	527	550	550
Providing and fixing aluminium fix windows of section 90 series 1.2 th. Fitted with 5 mm clear glass	"	420	440	440
Providing and fixing flymesh shutter of section 90 series 1 th. Fitted withss flymesh (2*4'6")	"	143	145	145
78 series windows				
Providing and fixing sliding windows of section 78 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6*4'6" or avg area 27 sqft per window)	"	439	460	460
Providing and fixing sliding window with top fix glass of section 78 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6*5' or avg area 30 sqft per window)	"	468	490	490
Providing and fixing aluminium fix windows of section 78 series 1.2 th. Fitted with 5 mm clear glass	"	393	410	410
Providing and fixing flymesh shutter of section 78 series 1 th. Fitted with SS flymesh (2*4'6")	"	130	135	135
Casement window and doors				
Providing and fixing aluminium casement windows of section 38 series 1.2 mm th. Fitted with 5 mm clear glass avg. area of each shutter 6.sq.ft	"	514	535	535
Providing and fixing aluminium casement doors of section 102 series 1.2 mm th. Fitted with 5 mm clear glass	"	558	585	585

21/11/20

25

Spencer










	Providing and fixing swing doors of section 102 series 1.2 mm th. Fitted with 5 mm clear glass	"	710	745	745	
	Partition work					
	Providing and fixing aluminum full height partation of section 64 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel aera 10 sqft	"	336	350	350	
	Providing and fixing aluminum low height partation of section 64 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel aera 6 sqft	"	357	370	370	
	Providing and fixing aluminum full height partation of section 102 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel aera 10 sqft	"	385	400	400	
	Providing and fixing aluminum low height partation of section 102 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel aera 6 sqft	"	478	500	500	
	Structure glazing					
	Providing and fixing aluminum structure glazing of section size 61*50*1.3 m fitted with 5 m colour glass av. Panel area 6 sqft	"	536	560	560	
	Providing and fixing aluminum structure glazing of section size 61*75*1.6 m fitted with 5 m colour glass av. Panel area 6 sqft	"	621	650	650	
	Providing and fixing aluminum structure glazing of section size 61*100*2 m fitted with 5 m colour glass av. Panel area 6 sqft	"	755	790	790	
48	Aluminium composite panel					
48.1	Providing and fixing aluminium composite panel in 25*38*1.1 m tube framing ALSTRONG, PRIME BOND,ALUTUF , INDO BOND or equivalent					
	3 mm , .20 mm black core	ब.फि	357	370	370	
	3 mm , .25 mm black core	"	366	380	380	
	3 mm , .30 mm black core	"	379	395	395	
	4 mm , .25 mm black core	"	389	405	405	
	4 mm , .30 mm black core	"	379	395	395	
	4 mm , .50 mm black core	"	402	420	420	
	4 mm , .25 mm Vergin core	"	411	430	430	
	4 mm , .30 mm vergin core	"	379	395	395	
	4 mm , .50 mm vergin core	"	411	430	430	
48.2	फाइबरका निर्माण सामग्रीहरुको विवरण					
1	WPC Single Toilet Hollow Door Board					
	(Size up to 14 sq. ft.) (32 mm)	प्रति स्क्वायर फिट	660	660	660	

2. विवरण

35





	Embossing Without Film	प्रति स्क्वायर फिट	765	765	765	
	With Hot-stamping Film	प्रति स्क्वायर फिट	810	810	810	
2	WPC Single Room Hollow Door Board (Size from 15 sq. ft. to 18 sq. ft.) (32 mm)					
	Embossing Without Film	प्रति स्क्वायर फिट	660	660	660	
	With Hot-stamping Film	प्रति स्क्वायर फिट	765	765	765	
	With Hot-stamping Film and Grooving	प्रति स्क्वायर फिट	810	810	810	
3	WPC Double Hollow Door Board (Small) (Size from 19 sq. ft. to 22 sq. ft.) (32 mm)					
	Embossing Without Film	प्रति स्क्वायर फिट	660	660	660	
	With Hot-stamping Film	प्रति स्क्वायर फिट	765	765	765	
	With Hot-stamping Film and Grooving	प्रति स्क्वायर फिट	810	810	810	
4	WPC Double Hollow Door Board (Medium) (Size from 23 sq. ft. to 26 sq. ft.) (32 mm)					
	Embossing Without Film	प्रति स्क्वायर फिट	660	660	660	
	With Hot-stamping Film	प्रति स्क्वायर फिट	765	765	765	
	With Hot-stamping Film and Grooving	प्रति स्क्वायर फिट	810	810	810	
5	WPC Double Hollow Door Board (Big) (Size from 27 sq. ft. to 32 sq. ft.) (32 mm)					
	Embossing Without Film	प्रति स्क्वायर फिट	660	660	660	
	With Hot-stamping Film	प्रति स्क्वायर फिट	765	765	765	
	With Hot-stamping Film and Grooving	प्रति स्क्वायर फिट	810	810	810	
6	SMC Manhole Covers					
	Frame*Cover : 880mm*700mm-Round-Yellow and Grey (50 Ton Capacity)	प्रति गोटा	32691	32691	32691	
	Frame*Cover : 725mm*600mm-Round-Yellow and Grey (40 Ton Capacity)	प्रति गोटा	24159	24159	24159	
	Frame*Cover : 670mm*570mm-Round-Yellow and Grey (30 Ton Capacity)	प्रति गोटा	14382	14382	14382	
	Frame*Cover : 400mm*300mm-Square-Yellow and Grey (7.5 Ton Capacity)	प्रति गोटा	7426	7426	7426	
	Frame*Cover : 400mm*300mm-Square-Yellow and Grey (5 Ton Capacity)	प्रति गोटा	3590	3590	3590	
	Frame*Cover : 670mm*570mm-Square Jali-Yellow and Grey (5 Ton Capacity)	प्रति गोटा	12515	12515	12515	
	Frame*Cover : 570mm*475mm-Square-Yellow and Grey (5 Ton Capacity)	प्रति गोटा	8007	8007	8007	
	Frame*Cover : 670mm*625mm-Square-Yellow and Grey (Overlapping 50 Ton Capacity)	प्रति गोटा	20400	20400	20400	
	Frame*Cover : 570mm*525mm-Square-Yellow and Grey (Overlapping 15 Ton Capacity)	प्रति गोटा	12240	12240	12240	
	Frame*Cover : 725mm*600mm-Round-Yellow and Grey (10 Ton Capacity)	प्रति गोटा	18666	18666	18666	
	Frame*Cover : 570mm*475mm-Square-Yellow and Grey (2 Ton Capacity)	प्रति गोटा	6865	6865	6865	

21/11/21

25

[Handwritten signatures and marks]

[Handwritten signature]

7	Fiber Door-Single					
	Single (Model : Khapa, Galaxy, Namaste D and Four Square)	प्रति स्ववायर फिट	1090	1090	1090	
	Single (Model: Kalash, New Flower and Peacock)	प्रति स्ववायर फिट	1315	1315	1315	
	Double (Model : Glass Art)	प्रति स्ववायर फिट	1635	1635	1635	
	Double (Model : Old Murti)	प्रति स्ववायर फिट	1850	1850	1850	
	Double (Model : New Murti)	प्रति स्ववायर फिट	2050	2050	2050	
8	Fiber Door Frame					
	Thickness : 100 and 110 mm	प्रति रनिङ्ग फिट	435	435	435	
9	Fiber Window or Ventilation Frame					
	Thickness : 110 mm	प्रति रनिङ्ग फिट	455	455	455	
10	Fiber Window Panel					
	Non-Overlapping (Size: 4.5 sq. ft. to 7.5 sq. ft.)-Blue, Black , Green	प्रतिगोटा	4740	4740	4740	
	Non-Overlapping (Size: 4.5 sq. ft. to 7.5 sq. ft.)-Clear	प्रतिगोटा	4530	4530	4530	
	Overlapping (Size: 4.5 sq. ft. to 7.5 sq. ft.)-Blue, Black , Green	प्रतिगोटा	4980	4980	4980	
	Overlapping (Size: 4.5 sq. ft. to 7.5 sq. ft.)-Clear	प्रतिगोटा	4740	4740	4740	
11	Fiber Window Net Panel					
	Non-Overlapping (Size: 4.5 sq.ft. to 7.5 sq.ft.)	प्रतिगोटा	4500	4500	4500	
12	Fiber Ventilation Panel					
	(Size: 3 Sq.ft. to 4.5 sq.ft.)- Blue, Black, Green	प्रतिगोटा	3540	3540	3540	
	(Size: 3 Sq.ft. to 4.5 sq.ft.)- Clear	प्रतिगोटा	3360	3360	3360	
13	Fiber Ventilation Net Panel					
	(Size: 3 Sq.ft. to 4.5 sq.ft.)	प्रतिगोटा	3360	3360	3360	
14	Fiber Plain Sheet					
	(Thickness : 1.2 mm)-Red, Blue, Green and Clear	प्रति स्ववायर फिट	100	100	100	
	(Thickness : 1.5 mm)-Red, Blue, Green and Clear	प्रति स्ववायर फिट	120	120	120	
	(Thickness : 1.8 mm)-Red, Blue, Green and Clear	प्रति स्ववायर फिट	145	145	145	
	(Thickness : 2 mm)-Red, Blue, Green and Clear	प्रति स्ववायर फिट	155	155	155	
	(Thickness : 2.5 mm)-Red, Blue, Green and Clear	प्रति स्ववायर फिट	195	195	195	
	(Thickness : 3 mm)-Red, Blue, Green and Clear	प्रति स्ववायर फिट	240	240	240	
15	Fiber Corrugated Sheet					
	Fiber S span Thickness 2mm, width 42"	प्रति रनिङ्ग फिट	640	640	640	
	Normal Corrugation (Thickness : 0.6 mm)-Clear	प्रति रनिङ्ग फिट	125	125	125	
	Normal Corrugation (Thickness : 0.8 mm)-Clear	प्रति रनिङ्ग फिट	170	170	170	
	Fiber Heritage Sheet Width 34" Thickness 2 mm	प्रति रनिङ्ग फिट	485	485	485	
16	Sandwich PUF Roofing Panel					
	30mm Thickness	प्रति वर्ग फिट	285	285	285	
	40mm Thickness	प्रति वर्ग फिट	310	310	310	

2.1.1.1.1

2.1.1.1.1

2.1.1.1.1

	50mm Thickness	प्रति वर्ग फिट	335	335	335
17	Sandwich PUF Wall Panel				
	40mm Thickness	प्रति वर्ग फिट	295	295	295
	50mm Thickness	प्रति वर्ग फिट	320	320	320
	75mm Thickness	प्रति वर्ग फिट	380	380	380
	100 mm Thickness	प्रति वर्ग फिट	455	455	455
	125 mm Thickness	प्रति वर्ग फिट	505	505	505
	150mm Thickness	प्रति वर्ग फिट	560	560	560
18	Metal Tile Roofing Sheet				
		प्रति बन्डल	22150	22150	22150
		प्रति बन्डल	24550	24550	24550
19	CZU Chanel				
	C Z U (2mm Thickness/ C Z U (1.8mm Thickness/210mm)	प्रति के.जी	205	205	205
		प्रति के.जी	210	210	210
20	Ridge Cap (0.4 Thickness)	प्रति रनिङ्ग फिट	200	200	200
21	Gutter				
	0.50 mm Thickness (Size- 0.50 mm Thickness (Size- 0.40) mm Thickness (Size- 0.40) mm Thickness (Size- 12")	प्रति रनिङ्ग फिट	95	95	95
		प्रति रनिङ्ग फिट	165	165	165
		प्रति रनिङ्ग फिट	115	115	115
		प्रति रनिङ्ग फिट	165	165	165
22	Polycarbonate Corrugated Sheet				
	1 mm Thickness	प्रति वर्ग फिट	100	100	100
	1.25mm Thickness	प्रति वर्ग फिट	120	120	120
	1.5 mm Thickness	प्रति वर्ग फिट	145	145	145
	1.75mm Thickness	प्रति वर्ग फिट	165	165	165
	2 mm Thickness	प्रति वर्ग फिट	190	190	190
	2.5 mm Thickness	प्रति वर्ग फिट	230	230	230
23	Polycarbonate Plain Sheet				
	1 mm Thickness	प्रति वर्ग फिट	85	85	85
	1.5 mm Thickness	प्रति वर्ग फिट	130	130	130
	2 mm Thickness	प्रति वर्ग फिट	175	175	175
	2.5 mm Thickness	प्रति वर्ग फिट	215	215	215
	3 mm Thickness	प्रति वर्ग फिट	260	260	260
	4 mm Thickness	प्रति वर्ग फिट	350	350	350
	5 mm Thickness	प्रति वर्ग फिट	435	435	435
	6 mm Thickness	प्रति वर्ग फिट	525	525	525
	8 mm Thickness	प्रति वर्ग फिट	700	700	700
	10 mm Thickness	प्रति वर्ग फिट	880	880	880
	12 mm Thickness	प्रति वर्ग फिट	1055	1055	1055
49	Water proofing (chemicals & Treatment)works				
1	CONCRETE ADMIXTURES (Chemical)				
1.1	Water Reducing Admixture Concrete & Mortar [Lignosulphonate Based] Std. Conformance : ASTM C 494 - 1981 (Type A) / IS 2645 Dose 0.3 to 1.1 % by.wt. cement	Kg.	166	166	166
1.2	High Range Water Reducing Super Plasticizer for Concrete & Mortar [Napthalene Formladehyde Based] Std. Conformance : ASTM C 494 - 1981 (Type F) / IS 9103 -1999 Dose 0.2 to 3 % by wt of cement	Kg.	299	299	299

1.3	Ultra High Range Water Reducing Super Plasticizer for Concrete & Mortar [Polycarboxylate Ether Based] Std. Conformance : ASTM C 494 - 1981 (Type F) Dose :0.2 to 1.6 % by wt of cement	Kg.	495	495	495
1.5	Integral Waterproofing Additive for Concrete & Plaster Std. Conformance : ASTM C 494 - 1981 (Type G), IS 9103 -2007, IS 2645 Dose :0.4 to 2% by wt of cement	Kg.	303	303	303
1.6	Integral Crystalline Waterproofing Powder Admixture Std. Conformance : ASTM C 494, IS 3085 -1997, DIN 1048 - 1991 Part 5 Dose : 0.5 to 2% by wt of cement	Kg.	935	935	935
1.7	Integral Crystalline Waterproofing Liquid Admixture Std. Conformance : ASTM C 494, IS 3085 -1997, DIN 1048 - 1991 Part 5 Dose : 0.5 to 2% by wt of cement	Kg.	935	935	935
1.8	Integral Waterproofing Powder Admixture Std. Conformance : ASTM C 494, IS 3085 -1997, DIN 1048 - 1991 Part 5 Dose :0.2 to 2 % by wt of cement	Kg.	1375	1375	1375
1.9	Integral Waterproofing Powder Admixture for Mortars Std. Conformance : ASTM C 494, IS 3085 -1997, DIN 1048 - 1991 Part 5 Dose : 0.2 to 1 % by wt of cement	Kg.	165	165	165
1.1	Accelerator & Spray Shotcrete / Concrete Plasticizer [Silicate Based]	Kg.	275	275	275
1.11	Accelerator & Spray Shotcrete / Concrete Liquid Plasticizer [Alkali Free]	Kg.	385	385	385
1.12	Accelerator & Spray Shotcrete / Concrete Powder Plasticizer [Alkali Free]	Kg.	330	330	330
1.13	Retarding Superplasticizer for Concrete [Napthalene Based] Std. Conformance : ASTM C 494 - 1981 (Type G / D), IS 9103 - 2007 Dose 0.2 to 3 % by wt of cement	Kg.	248	248	248
1.14	Retarding Superplasticizer for Concrete [Polycarboxylate Ether Based] Std. Conformance : ASTM C 494 - 1981 (Type G) Dose : 0.2 to 2.2 % by wt of cement	Kg.	495	495	495
1.15	Resin ,Multi /polycarboxylate ether cholride free less alkali super plasticizer and micro siloica in one ASTM C494 Dose :0.5 to 2.1 % by wt of cement	kg	650	650	650
2	CONCRETE ADMIXTURES (Mineral)				

21/11/2017

25

Signature

Signature


2.1	Silica Fume / Silica Cement Admixture / Micro Silica for High Performance Concrete Std. Conformance : ASTM C 1240 - 2005, IS 15388 - 2003 Dose :5 to 15 % by wt of cement	Kg.	331	331	331	
2.2	Processed FA Based Mineral Additives Dose :5 to 20 % by wt of cement	Kg.	98	98	98	
3	JOINT SEALANTS & SYSTEMS					
3.1	Two Component Gun Grade Polysulphide Sealant for Vertical Surfaces	Kg.	2396	2396	2396	
3.2	Two Component Pour Grade Polysulfide Sealant for Horizontal Surfaces	Kg.	2396	2396	2396	
3.3	One Component Low Viscosity Primer For Polysulfide Sealant	Kg.	3993	3993	3993	
3.4	Two Component Pour Grade Polyurethane Sealant for Joints	Kg.	2662	2662	2662	
3.5	Low Viscosity Primer For Polyurethane Sealant	Kg.	3993	3993	3993	
3.6	High Performance Hybrid Silyl Sealant (290 ml per set)	set	1597	1597	1597	
3.7	Butyl Tape for various Applications	RM	166	166	166	
3.8	Waterproofing Joint Tape [120 mm]	RM	666	666	666	
3.9	Waterproofing Joint Tape [200 mm]	RM	865	865	865	
3.10	NBR based Waterproofing Joint Tape [200 mm]	RM	5324	5324	5324	
3.11	Joint Tape Epoxy Adhesive	Kg.	3993	3993	3993	
3.12	Glass Fiber Joint Tape	RM.	300	300	300	
3.13	Waterproofing / Expansion Joint Tape [100 mm]	RM.	1997	1997	1997	
3.14	Waterproofing / Expansion Joint Tape [200 mm]	RM.	3594	3594	3594	
3.15	Construction Joint Tape [100 mm]	RM.	1065	1065	1065	
3.16	Construction Joint Tape [100 mm]	RM.	865	865	865	
3.17	Cross Linked Premoulded Compressive Joint Filler [25 mm]	Sq. M.	3261	3261	3261	
3.18	Cross Linked Premoulded Compressive Joint Filler [50 mm]	Sq. M.	6455	6455	6455	
3.19	Closed Cell Polymerbased Joint Filler [25 mm]	Sq. M.	1065	1065	1065	
3.2	Closed Cell Polymerbased Joint Filler [50 mm]	Sq. M.	1997	1997	1997	
4	INDUSTRIAL FLOORING SOLUTIONS					
4.1	Hardwearing, abrasion resistant monolithic industrial flooring compound [Metallic]	Kg.	146	146	146	
4.2	Liquid Concrete Hardener & Dust Proofer	Kg.	499	499	499	
4.3	Anti Bacterial Floor & Wall Coating [Epoxy]	Kg.	2995	2995	2995	
4.4	Anti Bacterial Floor & Wall Coating [Polyurethane]	Kg.	3328	3328	3328	
4.5	Anti bacterial Floor & Wall Coating [Acrylic]	Kg.	2662	2662	2662	

4.6	Self Levelling Flooring System [Epoxy]	Kg.	1331	1331	1331	
4.7	Self Levelling Flooring System [Polyurethane]	Kg.	1997	1997	1997	
4.8	Self Levelling Cementitious Flooring System		399	399	399	
5	ENGINEERING GROUTS					
5.1	General Purpose High Strength Free Flowing, Non Shrink Cementitious Grout [M40]	Kg.	146	146	146	
5.2	Ultra High Strength Free Flowing, Non Shrink Cementitious Grout [M60]	Kg.	135	135	135	
5.3	Hard wearing cementitious tile grout	Kg.	213	213	213	
5.4	Hard wearing epoxy based tile grout	Kg.	1331	1331	1331	
5.5	Super Plasticizer, Shrinkage Compensating Grout Admixture	Kg.	666	666	666	
5.6	High Strength Precision Grade, Non Shrink Structural Epoxy AnchorgROUT	Kg.	3328	3328	3328	
5.7	Epoxy Acrylate High Strength Precision Grade, Non Shrink Structural Grout [400 ML Cartridge]	ML	5990	5990	5990	
5.8	Low Viscosity Injection Epoxy Grout	Kg.	8652	8652	8652	
5.9	Low Viscosity Polyurethane Injection Grout Dose : 231 cubic inchec per gallon	Kg.	18634	18634	18634	
5.10	Low Viscosity Acrylate Gel Injection Grout	Kg.	11314	11314	11314	
5.11	Low Viscosity Soil Stabilization Injection Grout	Kg.	18634	18634	18634	
6	BONDING ADHESIVES (Polymer & Epoxy Resin)					
6.1	Acrylic Bonding Agent For Concrete & Mortar	Kg.	865	865	865	
6.2	Versatile SBR Latex for Bonding, Grouting & Repair Mortars	Kg.	1131	1131	1131	
6.3	High Performanance Pure Acrylic Polymer for Concrete & Mortar Modification' & Bonding Adhesive	Kg.	1597	1597	1597	
6.4	Two Component Epoxy Resin Bonding Agent [For bonding new to old concrete]	Kg.	2396	2396	2396	
7	FIBERS (Steel & Polypropylene)					
7.1	FIBERMESH MF [Monofilament PP Fibers]	Kg.	1331	1331	1331	
7.2	FIBERMESH FB [Collated PP Fibers]	Kg.	1730	1730	1730	
7.3	FIBERMESH MACRO [Structural PP Fibers]	Kg.	2662	2662	2662	
7.4	Loose steel Fibers	Kg.	333	333	333	
7.5	Glued Steel Fibers	Kg.	466	466	466	
7.6	Crimped Steel Fibers	Kg.	245	245	245	
8	SURFACE TREATMENT					
8.1	Protective, Decorative Anti Carbonation Coating	Kg.	1597	1597	1597	
8.2	Protective, Decorative Insulating Anti Carbonation Coating	Kg.	1797	1797	1797	
8.3	Concrete Penetrating Corrosion Inhibitor	Kg.	5990	5990	5990	
8.4	Protective Acrylic Sealer	Kg.	1997	1997	1997	

8.5	Protective Polyurethane Sealer	Kg.	2396	2396	2396	
8.6	Water Based Fire Retardant Coating	Kg.	1597	1597	1597	
8.7	High Performance Water Repellent Paint	Ltr.	11979	11979	11979	
8.8	Concentrated & Emulsified Chemical Mould Release Agent	Ltr.	666	666	666	
8.9	Ready to use Chemical Mould Release Agent	Ltr.	532	532	532	
8.10	Concrete Curing Aid	Kg.	532	532	532	
8.11	Resin,silica based multi function, water proofing and curing compound Dose :cover area: 0.15kg/m2	kg	700	700	700	
	CONCRETE REPAIRS					
9	Rust Remover & Passivator	Ltr.	1331	1331	1331	
9.1	Corrosion Inhibitor	Kg.	1331	1331	1331	
9.2	Micro Concrete [M55] for Permanant Repairs	Kg.	186	186	186	
9.3	Single Component Polymer Modified Cementitious Repair Mortar	Kg.	190	190	190	
9.4	Two Component Polymer Modified Cementitious Repair Mortar	Kg.	333	333	333	
9.5	Cementitious, Waterproof Crack Repair Mortar	Kg.	266	266	266	
9.6	Acrylic Based Crack Filling Putty	Kg.	1597	1597	1597	
9.7	Resin ,Polycoboxylate Base For ultra High Strenth Concrete Repairing Dose : Admixture 10% By Wt of Cement	Kg	700	700	700	
10	PREPACKED MORTARS					
10.1	Tile, Mabrble, Granite etc. Adhesive	Kg.	100	100	100	
10.2	Marble & Granite etc. Adhesive	Kg.	466	466	466	
10.3	Coarse and water resistant Readymix plastering Mortar	Kg.	90	90	90	
10.4	High Performanance Polymer Based Wall Putty (Skim Coat)	Kg.	70	70	70	
10.5	High Performanance Polymer Based Insulting Wall Putty (Skim Coat)	Kg.	90	90	90	
11	WATERPROOFING SYSTEMS, Bal endura or equivalent					
	INTEGRAL					
11.1	Integral Waterproofing Additive for Concrete & Plaster	Kg.	300	300	300	
11.2	Silica Cement Admixture / Microsilica / Silica Fume	Kg.	315	315	315	
	LIQUID APPLIED					
11.3	Single Pack Polymer Modified Flexible Waterproof Coating System Dose :Cover Area 30 Sq ft- 45 Sq ft/Kg 2 coat	Kg.	932	932	932	
11.4	Two Component Polymer Modified Flexible Acrylic Elastomeric Waterproof Coating System Dose :cover Area :5 Sqft- 7 Sqft/Kg 2 coats	Kg.	666	666	666	
11.5	Two Component Polymer Modified Flexible Elastomeric Waterproof & Thermal Insulating Coating System Dose :consumption: 1.5 kg/m2	Kg.	998	998	998	

21/11/83

25




P.P.

11.6	Heavy duty reinforced elastomeric acrylic water proof coating for terrace Dose :cover area: 6 sqft/litre 3 coat	Ltr.	750	750	750	
11.7	Arcylic elastomeric exterior water proof coating for exterior wall Dose :35 sqft/litre 2 coat	Ltr.	700	700	700	
11.8	Crystalline Based Waterproofing Systems	Kg.	363	363	363	
11.9	Fast Setting Plugging Compound for stopping running water	Kg.	424	424	424	
11.10	Polyurethane based Waterproofing Coating System	Kg.	1815	1815	1815	
11.11	Polymer Modified Bitumen based Waterproofing Coating System	Kg.	1452	1452	1452	
11.12	Epoxy Resin based Waterproofing Coating System	Kg.	1815	1815	1815	
11.13	Efflorescence Resistance Penetrating Primer Dose :Cover Area: 80 Sq ft /lt 1 coat	kg	600	600	600	
	PREFORMED					
11.14	Fiber Reinforced Polymer Modified Bituminous Membranes [3mm Plain]	Sq. M.	2178	2178	2178	
11.15	Fiber Reinforced Polymer Modified Bituminous Membranes [3mm Mineral / Sand Finish]	Sq. M.	2420	2420	2420	
11.16	Polymer Modified Self Adhesive Bituminous Membranes [1mm]	Sq. M.	1210	1210	1210	
11.17	Polymer Modified Self Adhesive Bituminous Membranes [2mm]	Sq. M.	1815	1815	1815	
11.18	Polymer Modified Self Adhesive Bituminous Membranes with Aluminium Cover	Sq. M.	1815	1815	1815	
11.19	1.2 mm High Polymer PVC Membranes	Sq. M.	2420	2420	2420	
11.2	PVC Adhesive	Kg.	3025	3025	3025	
11.21	1.2 mm EPDM Membranes	Sq. M.	2420	2420	2420	
11.22	EPDM Adhesive	Kg.	3025	3025	3025	
11.23	EPDM Primer	Kg.	3630	3630	3630	
11.24	2mm TPO Membranes	Sq. M.	4235	4235	4235	
11.25	Polythene & Polypropylene Polymer Compound Waterproof Membrane	Sq. M.	968	968	968	
11.26	100% Synthetic Rubber Roof Coating	Kg.	5445	5445	5445	
12	SPECIALTY					
12.1	Antistripping Agent for Bitumen	Kg.	484	484	484	
12.2	Anti Termite [Imidacloprid 30.5%]	Kg.	9075	9075	9075	
12.3	Expanding Concrete Joint WATERSTOP	RM.	2420	2420	2420	
12.4	WB ADHESIVE Primer for Expanding Waterstop	2500	9075	9075	9075	
12.5	Swellable WATERSTOP	RM.	3025	3025	3025	
12.6	SEALGUARD PVC WATERSTOP - PVC Waterstops	RM.	3025	3025	3025	
12.7	Nodular Drain with Geotextile Roof Garden	Sq. M.	2420	2420	2420	
12.8	SEALGUARD GEOTEX [P] -Polyester Geotextile [Nonwoven 120gm/sqm]	Sq. M.	121	80	80	
12.9	THERMOSEAL XPS - Extruded Polystyrene Boards [25 mm]	Sq. M.	1331	1331	1331	

21/11/2023
25
S. P. P.

१४) Snake body brick traditional	गोटा	25	25	25	
१५) Snake neck brick ,,	गोटा	74	74	74	
१६) Snake head brick ,,	गोटा	145	145	145	
क)साना	"	113	113	113	
ख)ठुलो	"	227	227	227	
१७) पेटीकोलागि ढुङ्गा					
क) १८"X१०"X४"	"	680	680	680	
१८) नागोल ईटा	गोटा	19	19	19	
१९)९"X९"X१८ इन्च कुना ढुङ्गा	१ मि.	2266	2266	2266	
२०) फ:ल्होह अपा ठुलो 375x225x100mm	गोटा	170	170	170	
२१) फ:ल्होह अपा सानो 254x229x102mm	"	142	142	142	
२२) तीनकुनै तेलिया ईटा (९"X९"X२-१/४"	"	14	14	14	
२३) तीनकुनै तेलिया ईटा (६"X६"X२-१/४"	"	10	10	10	
२४) चारकुनै तेलिया ईटा (८"X८"	"	19	19	19	
२५) तेलिया ईटा (६"X६"	"	14	14	14	
२६) बुट्टेदारी कर्निश इटा (काशीमोहर)	"	28	28	28	
२७) बुट्टेदारी कर्निश इटा कुना	"	42	42	42	
२८) बुट्टेदारी कर्निश इटा ठुलो 222x273x76mm	"	170	170	170	
२९) भयाल माथिको कर्निश ईटा बुट्टेदारी	"	34	34	34	
३०) काठको कर्निश माथिको इटा ११"X६"X२.५"	"	57	57	57	
३१) कर्नर स्टोन : १०"X१०"X१४"	"	1586	1586	1586	
३२) क) विचको न्याहाकल्ल १०"X७"X१४"	"	1076	1076	1076	
३३) नागोल ढुङ्गा १८"X१०"X५	"	793	793	793	
३४) भौ प्वा	गोटा	227	227	227	
३५) तामा पाता. (नेपाली)	केजी	1076	1076	1076	
तामा पाता (Indian)	केजी	1246	1246	1246	
३६) पित्तल पाता	केजी	850	850	850	
३७) पारो	ग्राम	170	170	170	
३८) सूकि ईटा कुटि धुलो बनाएको ।	टन	1360	1360	1360	
३९) Wind bell हवा घण्टी ४"	गोटा	467	467	467	
४०) न्हकल्लो बीचको	१ गोटा	1700	1700	1700	
४१) पेटीढुङ्गा ४"	१ मि.	2039	2039	2039	
४२)पेटीढुङ्गा ५"	१ मि.	2493	2493	2493	
४५)श्री गणेश	गोटा	1133	1133	1133	
४६)कुमार	गोटा	1133	1133	1133	
४७)ढुङ्गे धारा	गोटा	1133	1133	1133	
४८) ल्हाकै सेट	गोटा	2266	2266	2266	
४९)नागवेली बुटा	गोटा	25	25	25	
५०) नागवेली बुटा कुना	गोटा	37	37	37	
५१)स्वा बुटा	गोटा	35	35	35	
५२) चीर बुटा	गोटा	25	25	25	
५३)कार्नेसफयो	गोटा	22	22	22	
५४)कार्नेस गजुर पली	गोटा	34	34	34	



Handwritten signatures and initials at the bottom of the page, including a large signature on the left and several smaller ones on the right.

	५५)ठुलो कलश	गोटा	170	170	170
	५६)मसीनो सूर्कि	केजि	13	13	13
	५७)खस्रो सुर्कि	केजि	8	8	8
	५८)गट्टा चुन	के.जि.	25	25	25
59	मा अपा (साइज 200x50x130)	गोटा	15	15	15
60	दधि अपा (साइज 200x55x100)	"	18	18	18
61	त्वा अपा (साइज 110x55x180)	"	18	18	18
62	गोल अपा (साइज 120x55x80)	"	18	18	18
63	गणेश अपा (साइज 200x250x35)	"	340	340	340
64	कुमार अपा (साइज 200x250x35)	"	340	340	340
65	तारा अपा (साइज 200x250x55)	"	340	340	340
66	पञ्च बुद्ध अपा (साइज 170x230x55)	"	340	340	340
67	कलस अपा (साइज 100x140x40)	"	57	57	57
68	नागोल अपा (साइज 140x52x120)	"	20	20	20
69	कसिमो अपा (साइज 230x55x100)	"	29	29	29
70	सकली अपा (साइज 140x55x115)	"	25	25	25
71	पानबुद्ध अपा (साइज 140x55x115)	"	25	25	25
72	सानो फ बुद्ध अपा (साइज 180x55x30)	"	29	29	29
73	ठूलो फ बुद्ध अपा (साइज 230x55x110)	"	29	29	29
74	नयां फ बुद्ध अपा (साइज 230x55x110)	"	29	29	29
75	साना ग बुद्ध अपा (साइज 140x50x110)	"	25	25	25
76	ठूलो ग बुद्ध अपा (साइज 230x55x90)	"	29	29	29
77	पुम्हा बुद्ध अपा (साइज 180x55x70)	"	29	29	29
78	तिनकुने स्वां अपा (साइज 200x550x30)	"	29	29	29
79	तिनकुने पलि अपा (साइज 200x550x90)	"	29	29	29
80	साना स्वां अपा (साइज 140x50x110)	"	25	25	25
81	ठूलो स्वां अपा (साइज 2300x55x90)	"	29	29	29
82	नाग टाउको दायाबायां (साइज 100x150x50)	"	142	142	142
83	नाग घटी दायाबायां (साइज 140x60x70)	"	74	74	74
84	नाग जीउ (साइज 140x60x70)	"	25	25	25
85	नाग कन्या/पुरुष (साइज 180x380x55)	"	567	567	567
86	खाल नागोल (साइज 130x55x120)	"	20	20	20
87	खाल फयो (साइज 130x55x135)	"	20	20	20
88	लहरा बुद्ध (साइज 125x45x140)	"	25	25	25
89	नग वेली (साइज 140x55x120)	"	25	25	25
90	मिखाफुसी (साइज 140x55x120)	"	34	34	34
91	पलियो दायां/बायां (साइज 130x55x120)	"	25	25	25
92	नयां पलिफो (साइज 185x52x80)	"	29	29	29
93	सिधा पलिफो (साइज 190x55x90)	"	29	29	29
94	२" सिंह (साइज 95x50x10)	"	34	34	34
95	२"गरुड (साइज 95x50x100)	"	34	34	34
96	धलिख्वा (साइज 95x50x100)	"	34	34	34
97	श्रीयन्त्र (साइज 70x700x80)	"	45	45	45
98	त्वा फयो (साइज 140x55x120)	"	20	20	20
99	तारा बुद्ध पुरानो (साइज 180x55x80)	"	25	25	25
100	तारा बुद्ध नयां (साइज 230x70x90)	"	29	29	29
101	स्वांफो तारां (साइज 220x55x90)	"	29	29	29
102	सिक्री बुद्ध (साइज 220x55x80)	"	29	29	29

श्रीमान्

25

20

103	न्हाय बुट्टा सानो (साइज 140x65x130)	"	29	29	29	
104	न्हाय बुट्टा ठूलो (साइज 140x100x130)	"	29	29	29	
105	न्गोल नगोल (साइज 2000x55x90)	"	20	20	20	
106	ठी बुट्टा (साइज 210x55x75)	"	29	29	29	
107	सानो/ठूलो (साइज)	"	29	29	29	
51	Security System					
	Steel Security Gate supply					
	Metal detector (black Scorpion Company)	गोटा	16995	16995	16995	
	Access Controller (Taiwanese)	गोटा	28840	28840	28840	
	Access Controller (Chainese)	गोटा	13905	13905	13905	
	Steel Security Door					
	Single leaf :- 50 mm, 70 mm, 100mm	Sqm	8683	8683	8683	
	Half leaf : - 50 mm, 70 mm, 100mm	Sqm	9930	9930	9930	
	Double leaf : - 50 mm, 70 mm, 100mm	Sqm	10419	10419	10419	
	Security System					
	i) Short range wireless intruder Alarm (including Host Unit-1, PIR motion detector-1, Door Sensor-1, Remote Controller -2) (घर कम्पाउण्ड सुरक्षा प्रविधि)	गोटा	34333	34333	34333	
	ii) Access Controller with record using Card and Pin (with 10 piece RFID Card.)	गोटा	20600	20600	20600	
	iii) Access Controller without record using Card and Pin (with 5 piece RFID Card.)	गोटा	12875	12875	12875	
	iv) Finger print access system with software	गोटा	36050	36050	36050	
	v) Security from Panic Alarm	गोटा	36050	36050	36050	
	vi) GPS (Global Positioning System) Device with software	गोटा	25749	25749	25749	
	vii) Automatic motor operator for water pump Survo , Manglam or Equivalent (पानी भरिएपछि स्वचालित रुपमा on/off हुने प्रणाली)					
	Up to 1/2 H.P.	गोटा	4326	4326	4326	
	1.0 H.P.	गोटा	5948	5948	5948	
	5 H.P.	गोटा	9734	9734	9734	
52	Bridge Materials					
	Elastomeric Bearing Pad					
	Free Type	NOS	20965	20965	20965	
	Fix end Dowel Type	"	49459	49459	49459	
	Expansion Joint Works					
	Single strip seal	Rm	9515	9515	9515	
	Slab seal(320*50)	"	19663	19663	19663	
	Thimbles					
	iv) Φ 13 mm thimble	Pc	73	73	73	
	v) Φ 26 mm thimble	Pc	368	368	368	
	vi) Φ 32 mm thimble	Pc	630	630	630	
	vii) Φ 36 mm thimble	Pc	1261	1261	1261	
	viii) Φ 40 mm thimble	Pc	1576	1576	1576	
	ix) Φ 13 mm Bulldog grip	Pc	73	73	73	
	x) Φ 26 mm Bulldog grip	Pc	368	368	368	
	xi) Φ 32 mm Bulldog grip	Pc	552	552	552	

2/1/2019

JS

Primi

Handwritten signature

Handwritten initials

	xii) Φ 36 mm Bulldog grip	Pc	683	683	683	
	xiii) Φ 40 mm Bulldog grip	Pc	683	683	683	
	xiv) Steel wire Rope (Right hand ordinary lay, WSC wire strand core, Tensile strength of wire 1570 N/mm ² , Performed, 'A' Heavy Galvanized coating Nondrying lubrication oil and prestretched					
	xv) Wire mesh netting	m ²	420	420	420	
	xvi) Sign Board with Fittings (Size - 60cm X 90cm)	Pc	6829	6829	6829	
	xvii) Bolts, Nuts & Washers (Galvanised 4.6 grade)	Kg	263	263	263	
	xvii) Bolts, Nuts & Washers (Hotdip friction Grip)	Kg	368	368	368	
	High tensile friction grip nut bolts	kg	342	342	342	
	Galvanization					
	Zinc Above 98.5% purity	kg	315	315	315	
	Premix of Zinc amonium chloride	kg	607	607	607	
	Hydraucloric acid	Lit	42	42	42	
	53 Concrete Post (Size 4"×4")					
	Length 7'	गोटा	874	874	874	
	Length 5'	"	437	437	437	
	Length 3'	"	219	219	219	
54	Sheet piling work : Providing, preparing and installing of piling of ms pipe and sheets false work including necessary supports and removing after completion for foundation ,basement and shear wall	Sq.m.	3022	3022	3022	
55	Readymade RCC Door & windows frame (4"×2.75" of 1:1:1 concrete mixdesign safety plate all complete work.	Rft	232	232	232	
	" Ventilation	"	232	232	232	
	" Arc frame semi circular	"	464	464	464	



Electrical Works

बिदुर, नुवाकोट

आ. ब २०८२/८३



ELECTRICAL WORK

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	नुवाकोट			कैफियत
			आ.व. ०८०/०८१	आ.व. ०८१/०८२	आ.व. ०८२/०८३	
1	Dyana White Plate series SWITCH SOCKET ANCHOR / CPL /NG/Flux OR ISI EQUIVALENT					
	One Gang one way switch	सेट	58	58	58	
	One Gang two way switch	सेट	69	69	69	
	One way bell switch	सेट	72	72	72	
	Two gang one way switch	"	96	96	96	
	Two gang one way switch with one bell push	"	105	105	105	
	Two gang Full two way switch	"	107	107	107	
	Three Gang one way switch	"	127	127	127	
	Four gang one way switch	"	161	161	161	
	Six gang one way switch (3x5)	"	253	253	253	
	Eight gang one way switch	"	304	304	304	
	Dimmer single 300 watt	"	309	309	309	
	Dimmer single 750 watt	"	459	459	459	
	5 Step humming free dimmer	"	407	407	407	
	16Amp 3 Pin Plug Top	"	121	121	121	
	1 switch with dimmer	"	368	368	368	
	6/16 Amp , 2/3 Pin Power sockets with switch & indicator	"	151	151	151	
	6/16 Amp , Power sockets with switch , indicator & safety shutter	"	169	169	169	
	20/25 A Single phase A.C. motor Starter with 6/16 Amp safty shutter power socket	"	371	371	371	
	32A D.P. switch with fuse & indicator Surface Mounting	"	206	206	206	
	6 Gang (86 mm x 220 mm) switch 2/3 pin switch socket shuttered socket & 2 nos. Humming free 5 steps fan dimmer with indicator	सेट	611	611	611	
	Blanking plate single	"	40	40	40	
	Telephone socket single	"	118	118	118	
	Telephone socket Double	"	169	169	169	
	Angle / bottom holder	"	35	35	35	
	Ceiling Rose	"	35	35	35	
	Buzzer	"	97	97	97	
	Musical bell	"	222	222	222	
	T.V.antena single Socket	"	82	82	82	
	6A 2/3 Pin unshuttered multi switch socket	"	128	128	128	
	RJ 45 Computer Socket for modem	"	234	234	234	
	Flush Mounting metallic Box for Plate Series switch / socket(78mm x 78mm x 50mm)	"	35	35	35	
	Flush Mounting metallic Box for Plate Series switch / socket 78 x 140 x 50	"	63	63	63	
	Flush Mounting metallic Box for Plate Series switch / socket 78 x205 x 50	"	98	98	98	
	Switch / socket outlet, Plate series having round switch buttons & white surrounding plate, suitable to fix on box size 3"x3". ORANGE, or Equivalent					
	10A 1gang 1way Switch	Set	83	83	83	
	10A 2gang 1way Switch	Set	163	163	163	
	10A 3gang 1way Switch	"	216	216	216	

10A 4gang 1way Switch	"	350	350	
10A 5gang 1way Switch	"	371	371	
10A 6gang 1way Switch	"	617	617	
10A 1gang 2way Switch	"	144	144	
10A 2gang 2way Switch	"	278	278	
10A 3gang 2way Switch	"	407	407	
10A 4gang 2way Switch	"	613	613	
T V Socket outlet	"	299	299	
Telephone Socket	"	268	268	
13A Universal socket outlet	"	464	464	
13A Socket	"	273	273	
15A switched Socket outlet	"	443	443	
5A Socket	"	340	340	
RJ 45 8way Computer Socket	"	824	824	
TV and Telephone Socket	"	592	592	
7+2 PIN SOCKET OUTLET	"	927	927	
3+2 PIN SOCKET OUTLET	"	577	577	
X5 2+2 - 2 PIN SOCKET OUTLET	"	783	783	
SCHUKO SOCKET WITH ONE SWITCH	"	505	505	
Bell Press	"	237	237	
Blank Plate	"	93	93	
400W Light Dimmer W/ Switch	"	906	906	
400W Fan Controller / Multi Step Dimmer	"	917	917	
5 Step Fan Controller	"	896	896	
2 Pin Socket W/ Switch	"	453	453	
13A Twin Socket	"	680	680	
1 White Plate series modular type(polycarbonate) SWITCH SOCKET power pack,Bentex,Premier,Rathi,Ohms or EQUIVALENT				
One Gang one way switch	सेट	100	100	100
One Gang two way switch	सेट	112	112	112
One way bell switch	सेट	112	112	112
Two gang one way switch	"	133	133	133
Two gang one way switch with one bell push	"	146	146	146
Two gang Full two way switch	"	158	158	158
Three Gang one way switch	"	167	167	167
Four gang one way switch	"	202	202	202
Six gang one way switch	"	307	307	307
Eight gang one way switch	"	374	374	374
Dimmer single 300 watt	"	486	486	486
1 switch with dimmer	"	499	499	499
6/16 Amp , 2/3 Pin Power sockets with switch & indicator	"	260	260	260
6/13 Amp , Power sockets with switch , indicator	"	263	263	263
20 A D.P. switch with fuse & indicator Surface Mounting	"	354	354	354
4 Gang (86 mm x 220 mm) switch 2/3 pin switch socket with indicator	सेट	391	391	391
6 Gang (86 mm x 220 mm) switch 2/3 pin switch socket with indicator	सेट	474	474	474
Blanking plate single	"	62	62	62
Telephone socket single	"	152	152	152
Telephone socket Double	"	249	249	249
T.V.antena single Socket	"	142	142	142
RJ 45 Computer Socket for modem	"	206	206	206

	CAT-6 Computer Socket for modem		321	321	321	
2	Modular Type Switch Socket set NORTH-WEST' NORYSIS' ABB 'SCHNIEDER Legrand or ISI Equivalent					
	1P – 6A/10A 1 way switch	No.	139	139	139	
	1P – 16A/20A 1 way switch	"	223	223	223	
	1P – 25A 1 way switch	"	326	326	326	
	1P – 6A/10A 2 way switch	"	167	167	167	
	1P – 16A/20A 2 way switch	"	253	253	253	
	1P – 6A push button	"	184	184	184	
	1 gang blanking module	"	43	43	43	
	2 gang blanking module	"	86	86	86	
	FAN REGULATOR / DIMMER					
	Step type fan regulator	No.	638	638	638	
	60 – 500 W dimmer	"	797	797	797	
	1000 W dimmer	"	1524	1524	1524	
	SOCKETS / TELEPHONE / COMPUTER SOCKETS / TV SOCKETS					
	6A – multi socket 5 pin	No.	240	240	240	
	6/16A twin socket 3 pin (flushed)	"	332	332	332	
	6/16A twin socket 3 pin (projected)	"	332	332	332	
	25A 3 pin socket	"	401	401	401	
	13A 3 pin socket	"	270	270	270	
	RJ 11 telephone jack	"	159	159	159	
	RJ 45 cat.6e computer socket	"	557	557	557	
	TV socket	"	161	161	161	
	250V/110V shaver socket	No.	4355	4355	4355	
	Indicator (DO NOT DISTUURB)	"	180	180	180	
	LED yellow night lamp	"	560	560	560	
	LED Blue night lamp	"	560	560	560	
	FRONT PLATE (COMPATIBLE TO MARKET BOXES) (White)					
	1 module front plate	No.	72	72	72	
	2 module front plate	"	77	77	77	
	3 module front plate	"	84	84	84	
	4 module front plate	"	89	89	89	
	6 module front plate	"	162	162	162	
	8 module front plate(4+4)	"	217	217	217	
	8 module front plate (Horizontal)	"	174	174	174	
	12 module front plate	"	260	260	260	
	18 module front plate	"	350	350	350	
	Modular Type Switch Socket KOLORS/INDO ASIAN/ GOLD MEDAL/ANCHOR WOODS/ANCHOR ROMA/VIMAL WAVE or ISI Equivalent					
	Seperate Module for Modular Switch & Socket					
	1P – 6A/10A 1 way switch	No.	87	87	87	
	1P – 16A/20A 1 way switch	"	144	144	144	
	1P – 6A/10A 2 way switch	"	134	134	134	
	1P – 16A/20A 2 way switch	"	175	175	175	
	1P – 6A push button	"	134	134	134	
	1 gang blanking module	"	41	41	41	
	2 gang blanking module	"	78	78	78	
	FAN REGULATOR / DIMMER					
	Step type fan regulator	No.	700	700	700	
	60 – 500 W dimmer	"	597	597	597	

SOCKETS / TELEPHONE / COMPUTER SOCKETS / TV SOCKETS		No. पुर्वकाट				
6A – multi socket 5 pin		No.	185	185	185	
6/16A twin socket 3 pin (flushed)		"	288	288	288	
6/16A twin socket 3 pin (projected)		"	288	288	288	
13A 3 pin socket		"	185	185	185	
RJ 11 telephone jack		"	144	144	144	
RJ 45 cat.6e computer socket		"	237	237	237	
TV socket		"	144	144	144	
1 module front plate		No.	113	113	113	
2 module front plate		"	113	113	113	
3 module front plate		"	148	148	148	
4 module front plate		"	165	165	165	
6 module front plate		"	227	227	227	
8 module front plate(4+4)		"	305	305	305	
8 module front plate (Horizontal)		"	313	313	313	
12 module front plate		"	363	363	363	
18 module front plate		"	453	453	453	
Flush mounting galvanized Metal box for modular type switch & socket						
1module metal box having L x B x Depth =(78x78x45)mm		सेट	52	52	52	
2 module " " " =(78x78x45)mm		"	52	52	52	
3 gang " " " =(78x100x45)mm		"	56	56	56	
4 gang " " " =(78x140x50)mm		"	68	68	68	
5 gang " " " =(78x205x50)mm		"	134	134	134	
6 gang " " " =(78x205x50)mm		"	136	136	136	
8 module metal box (4+4) =(78x230x60)mm		"	181	181	181	
8 module metal box (Horizontal) =(135x120x60)mm		"	181	181	181	
12 module metal box =(135x120x60)mm		"	231	231	231	
TV socket metal box		"	52	52	52	
Telephone socket metal box		"	52	52	52	
METAL Junction BOX						
4"x4"		गोटा	100	100	100	
4"x6"		"	150	150	150	
6"x8"		"	237	237	237	
8"x10"		"	349	349	349	
8"x12"		"	349	349	349	
PVC Junction Box		"	34	34	34	
4"x4"		गोटा	0	0	0	
4"x6"		"	31	31	31	
6"x8"		"	46	46	46	
8"x10"		"	67	67	67	
8" x12"		"	129	129	129	
Junction box cover		"	144	144	144	
PVC Listy Double Lock { 6'length =1 no.(गोटा)}						
½ " breadth		गोटा	31	31	31	
¾"		"	46	46	46	
1"		"	67	67	67	

	1 1/2"		129	129	129
	2"		144	144	144
6	PVC Conduit Pipe				
	1) 1/2" diameter		31	31	31
	2) 3/4"		46	46	46
	3) 1"		67	67	67
7	Listy Pipe Accessories				
	1/2"-2" size Saddle	र.मी	8	8	8
	Grips (Denmark)	गोटा	6	6	6
	Steel screws	गोटा	2	2	2
	PVC Tape	गोटा	15	15	15
8	Distribution board (DB)				
	With busbar Neutral link Earth bar and Din Rail Conforming IS13032 , IS8632, Powder coated 14SWG CRCA sheet steel housing complete. siemens; abb 'hager				
	4 way SPN DB Double Cover	सेट	1082	1082	1082
	6 way SPN DB " "	"	1135	1135	1135
	8 way SPN DB " "	"	1416	1416	1416
	12 way SPN DB " "	"	1679	1679	1679
	16 way SPN DB " "	"	1795	1795	1795
	3-4 way TPN DB Double Cover	"	2668	2668	2668
	6 way TPN " " "	"	2998	2998	2998
	8 way TPN " " " Vertical	"	5799	5799	5799
	12 way TPN " " " Vertical	"	7727	7727	7727
	50 Pair Telephone D.B. with crown tag	"	5446	5446	5446
9	PVC Box for MCB				
	1-pole PVC box GPS	सेट	81	81	81
	2-pole PVC " "	"	81	81	81
	3 and 4-pole PVC " "	"	130	130	130
10	Miniature Circuits Breaker (MCB) , LEGRAND/Siemens , Abb, schnieder or equivalent				
	6-32 amp MCB SP (single pole)	गोटा	206	206	206
	6-32 amp MCB DP (Double pole)	"	1030	1030	1030
	6-32 amp MCB TP (Triple pole)	"	1710	1710	1710
	32 amp MCB TPN	"	2472	2472	2472
	40-63 amp MCB DP	"	1648	1648	1648
	40-63 amp MCB TP	"	2637	2637	2637
	40-63 amp MCB TPN	"	3157	3157	3157
10	Miniature Circuits Breaker (MCB) KOLORS/INDO ASIAN/ GOLD MEDAL/ANCHOR WOODS/ANCHOR ROMA/VIMAL WAVE, North-west equivalent				
	0.5-5 amp MCB SP (single pole)	गोटा	258	258	258
	6-32 amp MCB SP (single pole)	"	165	165	165
	6-32 amp MCB DP (Double pole)	"	618	618	618
	6-32 amp MCB TP (Triple pole)	"	1236	1236	1236
	32 amp MCB TPN	"	1494	1494	1494
	40-63 amp MCB DP	"	979	979	979
	40-63 amp MCB TP	"	1391	1391	1391
	40-63 amp MCB TPN	"	1854	1854	1854
	Residual Current Circuit Breaker (RCCB) abb, siemens, hager, legrend, north-west lawson or equivalent				

12	25A to 40A ,(30mA,100,300mA) DP RCCB	गोटा	2751	2751	2751	
	63A 30mA DP RCCB	"	3278	3278	3278	
	63A 100mA DP RCCB	"	3014	3014	3014	
	63A 300mA DP RCCB	"	3064	3064	3064	
	25A to 40A ,(30mA,100,300mA) FP RCCB	"	3377	3377	3377	
	63A 30mA Four Pole RCCB	"	3706	3706	3706	
	63A 100mA Four Pole RCCB	"	3706	3706	3706	
	63A 300mA Four Pole RCCB	"	3706	3706	3706	
	Moulded Case Circuit Breaker abb, abb, siemens, hager, legrend, north-west lawson or equivalent					
	16AMP- 63AMP TP MCCB 16KA		5665	5665	5665	
	80AMP TP MCCB 16KA		5665	5665	5665	
	100AMP TP MCCB 16KA		6386	6386	6386	
	125AMP TP MCCB 16KA		8240	8240	8240	
	160AMP TP MCCB 16KA		9785	9785	9785	
	16AMP- 63AMP TP MCCB 25KA		6386	6386	6386	
	80AMP TP MCCB 25KA		7045	7045	7045	
	100AMP TP MCCB 25KA		7045	7045	7045	
	125AMP TP MCCB 25KA		11330	11330	11330	
	160AMP TP MCCB 25KA		13390	13390	13390	
	200AMP TP MCCB 25KA(Adjustable)		21115	21115	21115	
	200AMP TP MCCB 36KA(Adjustable)		23175	23175	23175	
	250AMP TP MCCB 36KA(Adjustable)		27295	27295	27295	
	400AMP TP MCCB 50KA(Adjustable)		35535	35535	35535	
	630AMP TP MCCB 50KA(Adjustable)		48410	48410	48410	
	800AMP TP MCCB 50KA(Adjustable)		63963	63963	63963	
14	Manual Changeover Panel Type					
	Make ABB,Siemens,Hager DELTON or Equivalent					
	63 Amp FP	"	11618	11618	11618	
	80 Amp FP	"	12854	12854	12854	
	100 Amp FP	"	18210	18210	18210	
	125 Amp FP	"	19199	19199	19199	
	160 Amp FP	"	25214	25214	25214	
	200 Amp FP	"	26038	26038	26038	
	250 Amp FP	"	27686	27686	27686	
	315 Amp FP	"	35020	35020	35020	
15	<u>Dome light Make Homedec, Decon, Fumagalli OR equivalent</u>					
	6" Milky type decorative dome light	सेट	180	180	180	
	6 " Brass base decorative dome light	"	736	736	736	
	8"Milky type decorative dome light	"	227	227	227	
	8 " Brass base decorative dome light	"	876	876	876	
	8" Silver cast Milky base Decorative Dome Light	"	1107	1107	1107	


2.1.17

25

37

S.P.P

6) 8" Silver cast Black Base base Decorative Dome Light	"	567	567	567	
Decorative Ceiling luminary with round opal cover suitable for housing the one number of CFL lamp of 9W /13W/18W including CFL (Surface Mounting Dome light)	"	1213	1213	1213	
Wall bracket/spout light/mirror light bulk head ordinary .Make Homedec,Decon,Fumagalli	"	232	232	232	
Wall bracket/spot light/mirror light /bulk head medium decorative.	"	361	361	361	
Wall bracket/spout light/mirror light / bulk head best quality with 11/13W CFL	"	824	824	824	
1 x 11/13 watt CFL DOWN LIGHT with reflector & diffuser (conceal light) Complete Set Wipro WCG22060	"	968	968	968	
1 x 18 watt CFL Down light with reflector & diffuser (conceal light) Complete Set Wipro WCP23118	"	1514	1514	1514	
Dining lamp.	"	1700	1700	1700	
Chandlers 6-8 lamp Medium	"	15090	15090	15090	
Chandlers 3-5 lamp Medium	"	10764	10764	10764	
Mirror Light Euro Light Wipro WRF21111	"	464	464	464	
Picture light Euro Light POO2	"	670	670	670	
Wall spot Light E27 60W Euro or eqv.	"	361	361	361	
Exit Light safety sign(8.24)W Make Samcon	सेट	824	824	824	
Post top Lanterns					
Bollard Garden light small Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal block	"	2575	2575	2575	
Bollard Garden light medium Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal	"	3090	3090	3090	
Bollard Garden light Full Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal	"	3476	3476	3476	
8" Globe type Post top Lamp complete set	"	1416	1416	1416	
10" Globe type Post top Lamp complete set	"	2704	2704	2704	
Roadway light luminaires Wipro,Philips , Legero or Equivalent					
1 x 36 W FTL street light fixture with acrylic diffuser complete set	"	2637	2637	2637	
2 x 36 W FTL street light fixture with acrylic diffuser complet set	"	3868	3868	3868	
300/500 watt halogen weather proof FLOOD LIGHT with glass cover Complete set	"	1545	1545	1545	
1000 watt halogen weather proof flood light with glass cover Complete set	"	3090	3090	3090	



Handwritten signatures and initials are present at the bottom of the page, including a large signature on the left and several smaller ones on the right.

15.	150 watt HPSV weather proof flood light with glass cover lamp Complete Set	..	9270	9270	9270	
	250 watt HPSV weather proof flood light with glass cover lamp Complete Set	..	11382	11382	11382	
	Single Piece deep drawn aluminum POT optics <u>road light luminaries</u> with clear acrylic cover 70W HPSV lamp etc. complete with all accessories,	सेट	5253	5253	5253	
	2X18W CFL-4 Pin street light fixture with acrylic diffuser	सेट	2271	2271	2271	
	1X125W HPSV <u>street light</u> fixture with acrylic diffuser	"	5119	5119	5119	
	2X60/100W GLS <u>aviation light</u> fixture all complete set	"	5686	5686	5686	
16	CEILING FANS & EXHAUST Fans, BAJAJ/KHAITAN/ORIENT/CROMPTON/P OWERPACK C/G . Almonard or equivalent					
	36" size ceiling Fan	गोटा	2163	2163	2163	
	42" size " "	"	2266	2490	2490	
	48" size " "	"	2318	2318	2318	
	56" size " "	"	2575	2575	2575	
	6" Exhaust Fan	"	1494	1494	1494	
	9" Exhaust Fan	"	1803	1803	1803	
	16" size wall fan	"	2833	3120	3120	
	12" size exhaust fan	"	2575	2575	2575	
17	BELL INDICATOR					
	4 way bell indicator with plate	सेट	1255	1255	1255	
	6 way " " " "	"	2049	2049	2049	
	8 way " " " "	"	2851	2851	2851	
	12 way " " " "	"	4395	4395	4395	
18	Materials For Earthing & Lightening Protection (sp.gr. copper =8930kg/m³)					
	Copper plate	के.जी	917	917	917	
	Copper Strip (25 x 3)mm (Appox 60"=1kg)	के.जी	1082	1082	1082	
	Copper Strip (20mm breadth x 3mm thick)	के.जी	1082	1082	1082	
	Copper Strip (12 x 3)mm	के.जी	1082	1082	1082	
	Lightning rod copper conductor Air termination set	गोटा	2730	2730	2730	
	8 SWG bare copper wire	र. मी	144	144	144	
	29 mm Diameter GI Pipe of 1m length	र. मी	252	252	252	
	30 Cm x 30 Cm Cast Iron Cover for water pouring into pit	गोटा	618	618	618	
	5/16 nuts & bolt with spring washer cadmium maker	गोटा	15	15	15	
	1/2" Diameter GI pipe for protecting the earth conductor 1.5 m in length	गोटा	196	196	196	
	Funnel with wire mesh	गोटा	361	361	361	
	Charcoal	व्याग	309	309	309	
Salt	के.जी	12	12	12		
19	STEEL TUBELAR POLE / WOODEN POLE					
	Steel Tubular Poles with welded plate on top and bottom (medium Gauge non Galvanized with folding System and accessories)					


2.1.18/20

25

27.11.18

27.11.18


	7 Mtr. (Bottom : 115 mm Dia 3300 mm height, 90mm Dia 2400mm height & 76 mm Dia , 1650mm height with overlapping of 200mm & 150 mm Respectively	No	13625	13625	13625	
	9 Mtr. (Bottom : 134 mm Dia. 3300 mm height, 115mm Dia 2250mm height , 90 mm Dia 2250mm height & 76mm Dia. 1650 mm height with overlapping of 200mm, 150mm, 100mm Respectively	No	14665	14665	14665	
	Steel Tubular Poles 7 Mtr. (115 mm Dia. 3100 mm height, 90mm Dia 2300mm height & 76 mm Dia and 1600mm height) with welded plate on top and bottom (medium Gauge non Galvanized with welded joints)	No	14106	14106	14106	
	7 mtr.length Wooden Pole	No	4996	4996	4996	
	9 mtr.length Wooden Pole	No	6798	6798	6798	
20	<u>Modular ceiling Luminaries</u>					
	Fluorescent Tube light (FTL) set including Tube, condenser, starter , lamp holder, channel/batten made with pre-phosphated & powder coated CRCA steel all complete accessories pre wired upto a terminal block . PHILIPS, WIPRO, BAJAJ, HAVELLS, OSRAM, CROMPTION, MIDEA, ORIENT, PREMIER, OHMS, LEGERO or equivalent					
	1×20 watt FTL (Patti fittings)	सेट	464	510	510	
	1×40 watt FTL ,Energy saving electronic striplite with electronic choke(ballast) Surface mounting (Patti Fitting)	"	775	775	775	
	1×20 watt FTL (Mirrolta) WRF 20120	"	876	876	876	
	1×40 watt FTL with attractive & functional decorative battens WRF20140	"	1020	1020	1020	
	1×40 watt FTL box fittings WIF 14140	"	1159	1159	1159	
	2×40 watt FTL box fittings WIF 14240	"	1751	1751	1751	
	1×40 watt FTL Industrial channel WIF 36140	"	1782	1782	1782	
	2×40 watt FTL Industrial channel WIF 36240	"	2287	2287	2287	
	1×40 watt FTL, opalite with opal Arcylic dissuser . WCF51140	"	1854	1854	1854	
	2×40 watt FTL, oplite with opal Arcylic dissuser WCF51240	"	3090	3090	3090	
	4×20 watt FTL, oplite WCF 93418	"	5410	5410	5410	
	4×20 watt FTL mirror optic , surface/recessed mounting WCF93418	"	5410	5410	5410	
	1×40 watt FTL mirror optic with electronic choke. Surface / recessed mounting WCF 82136	"	3554	3554	3554	
	2×40 watt FTL mirror optic . surface/recessed mounting with electronic choke WVP40236	"	4326	4326	4326	



21/11/17

25/11/17

27/11/17

	4 x 14 watt FTL T5 with electronic ballast direct / indirect , surface / recessed with paralite P5 louver Complete set WVF20414	सेट	9383	9383	9383	
	3X14W FTL-T5 low glare fixture with specular reflector, parabolic louvers & electronic ballast surface /recessed Armstrong ceiling WVF 20314	सेट	8245	8245	8245	
20	Compact Fluorescent Lamp (CFL) based Luminaries set all complete . PHILIPS, WIPRO BAJAJ, HAVELLS, OSRAM, CROMPTION, MIDEA ,LEGERO or ISI equivalent .					
	2 x 18 W CFL recessed/surface mounting mirror Optic Complete Set WCP32218	"	2678	2678	2678	
	1 x11 W CFL mirror Optic surface/recessed mounting complete set WVP 41111	सेट	1833	1833	1833	
	2 x11 W CFL mirror Optic Surface mounting complete set WVP41211	सेट	2266	2266	2266	
	2 x 36 watt CFL 4pin with electronic ballast direct / indirect , surface / recessed with louver Complete set WVP24236	सेट	6067	6067	6067	
	3x36 W CFL -4 pin low glare fixture with P 5 louver & electronic ballast complete set WVP 24336	सेट	6824	6824	6824	
	Recess mounting Direct Indirect LED luminare LM15-321-XXX-60-XX		10815	10815	10815	
	Recess mounting Direct Indirect LED luminare LM11-291-XXX-57-XX		14060	14060	14060	
	Recess Surface mounted LED luminate CRCO10R038HP57		13339	13339	13339	
	Hight efficiency circular LED Down Lighter LD71		3245	3245	3245	
	Designer LED Streetlight with pressure die cast housing suitable for secondary roads LR01		14600	14600	14600	
	IP20 and IP 65 non intregal flexible LED Strip Light LS 06/26		1082	1082	1082	
	Circular LED wall/Dome Light suitable for true ceiling LW01		3245	3245	3245	
	Square LED Wall/Dome light suitable for true ceiling LW02-101-XXX-60-XX		3245	3245	3245	
	Recess mounted indirect and direct luminaires WVP 64236		6129	6129	6129	
	2x36 Watt CFL Surface Mirror Optic WVP44236		6129	6129	6129	
	Down Light Fiam Make					
	FDL004 SMD7W-WWH Taiwan chip (120*90)		1298	1298	1298	
	FDL004 SMD7W-CW Taiwan chip		1298	1298	1298	
	FDLO04 SMD9W-WWH Taiwan chip (145*90)		1857	1857	1857	
	FDLO04 SMD9W-CW Taiwan chip		1857	1857	1857	
	FDLO04 SMD15W-WWH Taiwan chip (175*90)		2828	2828	2828	
	FDLO04 SMD15W-CW Taiwan chip		2828	2828	2828	
	FDL004 SMD30W-WWH Taiwan chip (200MM)		5091	5091	5091	
	FDL004 SMD30W-CW Taiwan chip		5091	5091	5091	
	FDLO12 COB5W-WWH (90MM)		1301	1301	1301	
	FDLO12 COB5W-CW		1301	1301	1301	
	FDLO12 COB10W-WWH (120MM)		1979	1979	1979	
	FDLO12 COB10W-CW		1979	1979	1979	

21/11/20

25

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

FDLO12 COB15W-WWH Taiwan chip (140MM)	5091	5091	5091
FDLO12 COB15W-CW Taiwan chip	5091	5091	5091
FDLO12 COB25W-WWH Taiwan chip (175MM)	6787	6787	6787
FDLO12 COB25W-CW Taiwan chip	6787	6787	6787
FDLO12 COB30W-WWH Taiwan chip (200MM)	8483	8483	8483
FDLO12 COB30W-CW Taiwan chip	8483	8483	8483
FDLOO7 SMD12W-WWH Taiwan chip (130*110)	4184	4184	4184
FDLOO7 SMD12W-CW Taiwan chip	4184	4184	4184
FDLOO7 SMD18W-WWH Taiwan chip (165*145)	6108	6108	6108
FDLOO7 SMD18W-CW Taiwan chip	6108	6108	6108
FDLOO7 SMD24W-WWH Taiwan chip (195*175)	7635	7635	7635
FDLOO7 SMD24W-CW Taiwan chip	7635	7635	7635
FDLOO1 HP5W FBK-WWH Taiwan chip (95*110)	3167	3167	3167
FDLOO1 HP5W FBK-CW Taiwan chip	3167	3167	3167
FDLOO1 HP5W FWH-WWH Taiwan chip (80*120)	3167	3167	3167
FDLOO1 HP5W FWH-CW Taiwan chip	3167	3167	3167
FDLLOO5 SMD7W-WWH Taiwan chip (123MM)	1301	1301	1301
FDLLOO5 SMD7W-CW Taiwan chip	1301	1301	1301
FDLOO5 SMD12W-WWH Taiwan chip (165MM)	1696	1696	1696
FDLOO5 SMD12W-CW Taiwan chip	1696	1696	1696
FDLOO5 SMD20W-WWH Taiwan chip (200MM)	3111	3111	3111
FDLOO5 SMD20W-CW Taiwan chip	3111	3111	3111
FM3161 HP 18W-WWH Cree Led	6787	6787	6787
FM3161 HP 18W-CW Cree Led	6787	6787	6787
HD-5010-13-WWH Osram chip (86*75)	2094	2094	2094
HD-5010-13-CW Osram chip	2094	2094	2094
HD-5010-14-WWH Osram chip (115*105)	3167	3167	3167
HD-5010-14-CW Osram chip	3167	3167	3167
HD-5010-14-WWH Osram chip (140*125)	3959	3959	3959
HD-5010-14-CW Osram chip	3959	3959	3959
HD-5010-18-WWH Osram chip (215*200)	7860	7860	7860
HD-5010-18-CW Osram chip	7860	7860	7860
LETI 100 ROUND BLACK OPAL GX53 LED LAMP 3W	2451	2451	2451
LETI 100 SQUARE BLACK OPAL GX53 LED LAMP3W 3C1.000.000	2451	2451	2451
LUCIA WHITE OPAL	1803	1803	1803
LUCIA BLACK OPAL	1803	1803	1803
LUCIA-GD WHITE OPAL	1803	1803	1803
LUCIA-GD BLACK OPAL	1803	1803	1803
REMI/LUCIA WHITE OPAL	2163	2163	2163
REMI/LUCIA BLACK OPAL	2163	2163	2163
REMI/LUCIA-EL WHITE OPAL	2163	2163	2163
REMI/LUCIA-EL BLACK OPAL	2163	2163	2163

सरकार
मन्त्रालय
प्रशासन
कार्यालय
नुवाकोट

2/12/19

25

गणेश

V

2/12/19

2/12/19

REMI/LUCIA-GD WHITE OPAL		2163	2163	2163	
REMI/LUCIA-GD BLACK OPAL		2163	2163	2163	
MADDI BULKHEAD WHITE OPAL		1803	1803	1803	
MADDI BULKHEAD BLACK OPAL		1803	1803	1803	
MADDI-VE BULKHEAD WHITE OPAL		2524	2524	2524	
MADDI-VE BULKHEAD BLACK OPAL		1803	1803	1803	
MADDI-HL BULKHEAD WHITE OPAL		1803	1803	1803	
MADDI-HL BULKHEAD BLACK OPAL		1803	1803	1803	
REMI/MADDI WHITE OPAL		2163	2163	2163	
REMI/MADDI BLACK OPAL		2163	2163	2163	
REMI/MADDI-VE WHITE OPAL		2163	2163	2163	
REMI/MADDI-VE BLACK OPAL		2163	2163	2163	
REMI/MADDI-HL WHITE OPAL		2163	2163	2163	
REMI/MADDI-HL BLACK OPAL		2163	2163	2163	
GABRI/MADDI 1L BLACK OPAL		7210	7210	7210	
MINIGABRI/MADDI 1L BLACK OPAL		6489	6489	6489	
MINIGABRI REMI/MADDI-VE 1L WHITE OPAL		6489	6489	6489	
GELMI WHITE OPAL E27		2884	2884	2884	
GELMI BLACK OPAL E27		2884	2884	2884	
GELMI-EL WHITE OPAL E27		2884	2884	2884	
GELMI-EL BLACK OPAL E27		2884	2884	2884	
DANZI WHITE OPAL E27		2884	2884	2884	
DANZI BLACK OPAL E27		2884	2884	2884	
STUCCHI WHITE OPAL E27		3245	3245	3245	
STUCCHI BLACK OPAL E27		3245	3245	3245	
CECCHI WHITE OPAL E27		3245	3245	3245	
CECCHI BLACK OPAL E27		3245	3245	3245	
BISSO ANNA BLACK WITH OPAL DIFFUSER		3605	3605	3605	
MIKROLOT ANNA BLACK W/OPAL DIFFUSER		3605	3605	3605	
IESSE LANTERN BLACK W/OPAL DIFFUSER		3245	3245	3245	
MIZAR/ANNA BLACK OPAL GX53 LED LAMP 3W		7210	7210	7210	
System Sensor Product (Honeywell)					
Photo Electric Smoke Detector		1875	1875	1875	
Rate of Rise Heat Detector		1875	1875	1875	
Fixed temperature Detector		2287	2287	2287	
Base		371	371	371	
Conv. MCP, Red, with LED, 470 Ohm, with BB, India		1483	1483	1483	
Wall mount Horn+Strobe		4120	4120	4120	
Ceiling mount Horn+Strobe		4120	4120	4120	
Exit Light Samcon make					
MODEL SLM 18		12360	12360	12360	
MODEL ELS 28		12360	12360	12360	
MODEL ETL 210H-4LA		12360	12360	12360	
LUMINARIES Accessories (PHILIPS, HIMSTAR, BAJAJ, HAVELLS, OSRAM, GE, CROMPTION, MIDEA, ORIENT, RATHI, PREMIER, WIPRO, OHMS or ISI/CE Eqv.)					
21 500 watt halogen rod	गोटा	232	232	232	
1000 watt halogen rod	"	278	278	278	

	70Watt SON Lamp (Sodium Vapour)	"	834	834	834	
	150 watt sodium vapour bulb	"	1298	1298	1298	
	250 watt sodium vapour bulb	"	1700	1700	1700	
	20-40 watt FTL rod	"	80	80	80	
	20-40 watt FTL Copper chowk.	"	258	258	258	
	20-40W FTL Electronic Chowk with high power factor & instant flicker free start	"	412	412	412	
	Acrlye cover for 4x20 FTL	"	989	989	989	
	FTL starter	"	19	19	19	
21	8 W to11W, C.F.L.Direct fit	"	232	232	232	
	13 to 22W , C.F.L.Direct fit	"	299	299	299	
	15-100 watt bulb.(ISI)	गोटा	26	26	26	
	PL-S 9W/86 (CFL)	"	165	165	165	
	PL-S 11W/86 (CFL)	"	175	175	175	
	PL-L 36W/86 (CFL)	"	417	417	417	
	125W HPL-N (Murcury Vapour)	"	371	371	371	
	250W HPL-N	"	876	876	876	
	Solar LED bulb					
	12V/2W LED bulb	"	361	361	361	
	12V/3W LED bulb	"	412	412	412	
	12V/4W LED bulb	"	464	464	464	
	COPPERCONDUCTOR /WIRE /CABLE (PER COIL=90 RM) NS marked					
	1/18 size p.v.c. insulated copper wire/ cable	बनायल	967	967	967	
	3/22 " " "	"	1156	1156	1156	
	3/20 " " "	"	1839	1839	1839	
	7/22 " " "	"	2574	2574	2574	
22	7/20 " " "	"	4202	4202	4202	
	7/18 " " "	"	6619	6619	6619	
	7/16 " " "	"	13658	13658	13658	
	19/18 " " "	"	18386	18386	18386	
	19/16 " " "	"	36771	36771	36771	
	2\20 " " "	"	1397	1397	1397	
	2\22 " " "	"	946	946	946	
	Multistrand Flexible wire for house wiring (90meter per coil) NS marked Eqv.					
	1.0 mm PVC insulated Copper wire	बनायल	1051	1051	1051	
	1.5 mm PVC insulated Copper wire	"	1681	1681	1681	
	2.5 mm PVC insulated Copper wire	"	2469	2469	2469	
	4.0 mm PVC insulated Copper wire	"	3992	3992	3992	
	6.0 mm PVC insulated Copper wire	"	6304	6304	6304	
	10.0mm PVC insulated Copper wire	"	10506	10506	10506	
23	Concentric cable NS marked Eqv.					
	4mm size concentric cable	र.सी	24	24	24	
	6mm size " "	र.सी	27	27	27	
	10mm size concentric cable	र.सी	41	41	41	


सुदूर पश्चिम प्रदेश
मन्त्रालय
प्रशासन
नुवाकोट

Handwritten signatures and initials at the bottom of the page.

	16mm size " "	र.मी	70	70	70	
	25mm size " "	र.मी	93	93	93	
	RG6 Coaxial cable	र.मी	24	24	24	
	RG59 Coaxial cable	र.मी	27	27	27	
	UTP cat -5 networking cable	र.मी	27	27	27	
24	Telephone Drop wire/pair cable NS marked Eqv.					
	² / ₂₀ Telephone drop wire	क्वायल	989	989	989	
	² / ₂₂ " "	क्वायल	670	670	670	
	2- pair cable wire (2×2×0.45) mm Heavy	र.मी	14	14	14	
	3- pair cable wire (3×2×0.45) mm Heavy	"	20	20	20	
	5- pair cable wire (5×2×0.45) mm Heavy	"	32	32	32	
	10- pair cable wire (10×2×0.45) mm Heavy	"	62	62	62	
	15- pair cable wire (15×2×0.45) mm Heavy	"	91	91	91	
	20- pair cable wire (20×2×0.45) mm Heavy	"	119	119	119	
	1mm drop wire	"	10	10	10	
	1-4 Line EPABX, with 1set programmable master telephone set of corresponding brand Panasonic, Creative, Matrix Or Eqv.	सेट	7648	7648	7648	
	2-6 Line EPABX "	"	18411	18411	18411	
	3-8 Line EPABX "	"	20538	20538	20538	
	4-12 Line EPABX "	"	36823	36823	36823	
	6-16 Line EPABX "	"	49569	49569	49569	
	8-24 Line EPABX "	"	84975	84975	84975	
	8-48 Line EPABX "	"	90923	90923	90923	
	8-72 Line EPABX "	"	97288	97288	97288	
	Other Accessories					
25	6" size Dome light glass	गोटा	65	65	65	
	8" size " " "	"	76	76	76	
	wall bracket glass	"	65	65	65	
	Fan regulator	"	271	271	271	
27	Panel board double door type with locking arrangement with 2 coat of red oxide metal prime & 3 stage quality paint before final coat of enamel paint (Three phase, Neutral link, earth link) TPNE copper busbar including necessary accessories for internal wiring at the board .) (Rates of MCCB / MCB & measuring instrument are not included here .) Ankur metal or Equivalent					
	60/75/100 AMP, 9"×36"×48" size	सेट	21414	21414	21414	
	60/75/100 AMP "12"×36"×48" size	"	25493	25493	25493	
	60/75/100 AMP 9"×48"×60" size	"	35690	35690	35690	
	60/75/100 AMP 12"×49"×60" size	"	42488	42488	42488	
	150/200 AMP 9"×38"×52" size	"	23793	23793	23793	
	150/200 AMP 12"×38"×52" size	"	23793	23793	23793	
	150/200 AMP 9"×42"×56" size	"	26496	26496	26496	
	150/200 AMP 12"×42"×56" size	"	28179	28179	28179	
	250/300AMP 12"×48"×60"size	"	34505	34505	34505	
	250/300AMP 12"×52"×62" size	"	38626	38626	38626	
	400 AMP 12"×52"×66" size	"	41118	41118	41118	

29	Panel Board measurement instrument						
	0-500 volt meter	पिस	1023	1023	1023		
	60/100 Amp meter .	"	979	979	979		
	Panel Indicator	"	237	237	237		
	2 Amp glass fuse with holder 12 mm size	"	134	134	134		
	AMP meter selector switch	"	649	649	649		
	volt meter selector switch	"	711	711	711		
	60/100 Amp C.T. coil per set 3 Pcs	"	1432	1432	1432		
	150-200AMP C.T coil. 3 PC / Set	गोटा	1782	1782	1782		
	250-300 AMP " " "	"	2421	2421	2421		
	400/500/600AMP " " "	"	3554	3554	3554		
	Kilo watt hour energy meter single phase	पिस	2271	2271	2271		
	Kilo watt hour energy meter 3 phase direct	"	10228	10228	10228		
	30	Trailing Protected Industrial Plug IP44					
		16A 3P+E 400V Industrial plug	सेट	541	541	541	
32 A 3p +N+E " Plug		सेट	803	803	803		
32 A 3P+N+E water tight Plug IP67		सेट	1545	1545	1545		
31	Access Controller with record using card and pin, Having capacity 1000 cards and 25000events,responding distance 5 cm to 15 cm, dimensin 120 x88 x18 mm built in two relay operating door	सेट	20600	20600	20600		
	Access Controller with record using card and pin, Having capacity 1000 cards and 25000events,responding distance 5 cm to 15 cm, dimension 120 x88 x18 mm built in two relay operating door (Chinese)	सेट	13905	13905	13905		
33	CABLE SHOE						
	16 sq.mm cable shoe	गोटा	64	64	64		
	25 sq.mm " "	"	83	83	83		
	35 sq.mm " "	"	64	64	64		
	50 sq.mm " "	"	75	75	75		
	70 sq.mm " "	"	92	92	92		
	95 sq.mm " "	"	143	143	143		
	150 sq.mm " "	"	215	215	215		
	195 sq.mm " "	"	305	305	305		
250 sq.mm " "	"	485	485	485			
34	Copper Conductor Armoured Power Cables NS marked or eqv.						
	a) 2 Core						
	1.5 mm2	र.मी	103	103	103		
	2.5 mm2	"	139	139	139		
	4.0 mm2	"	191	191	191		
	6.0 mm2	"	247	247	247		
	10.0 mm2	"	371	371	371		
	16.0 mm2	"	494	494	494		
	25.0 mm2	"	721	721	721		
	35.0 mm2	"	958	958	958		
	50.0 mm2	"	1339	1339	1339		
	b) 3 Core	"					

	1.5 mm ²		129	129	129		
	2.5 mm ²	"	180	180	180		
	4.0 mm ²	"	258	258	258		
	6.0 mm ²	"	330	330	330		
	10.0 mm ²	"	494	494	494		
	16.0 mm ²	"	690	690	690		
	25.0 mm ²	"	1051	1051	1051		
34	35.0 mm ²	"	1391	1391	1391		
	50.0 mm ² Copper Conductor Armoured	"	1906	1906	1906		
	70.0 mm ²	"	2678	2678	2678		
	95.0 mm ²	"	3605	3605	3605		
	120.0 mm ²	"	4532	4532	4532		
	150.0 mm ²	"	5562	5562	5562		
	c) 3.5 Core						
	25.0 mm ²	र.मी	1257	1257	1257		
	35.0 mm ²	"	1597	1597	1597		
	50.0 mm ²	"	2245	2245	2245		
70.0 mm ²	"	3090	3090	3090			
95.0 mm ²	"	4120	4120	4120			
120.0 mm ²	"	5408	5408	5408			
150.0 mm ²	"	6386	6386	6386			
185.0 mm ²	"	7931	7931	7931			
240.0 mm ²	"	10403	10403	10403			
300.0 mm ²	"	13184	13184	13184			
400.0 mm ²	"	17304	17304	17304			
d) 4 Core							
1.5 mm ²	र.मी	155	155	155			
2.5 mm ²	"	221	221	221			
4.0 mm ²	"	319	319	319			
6.0 mm ²	"	412	412	412			
10.0 mm ²	"	618	618	618			
16.0 mm ²	"	901	901	901			
25.0 mm ²	"	1339	1339	1339			
35.0 mm ²	"	1803	1803	1803			
50.0 mm ²	"	2575	2575	2575			
70.0 mm ²	"	3502	3502	3502			
34	95.0 mm ² Copper Conductor Armoured	"	4738	4738	4738		
	120.0 mm ²	"	5974	5974	5974		
	150.0 mm ²	"	7416	7416	7416		
	185.0 mm ²	"	9064	9064	9064		
	240.0 mm ²	"	12360	12360	12360		
	300.0 mm ²	"	14832	14832	14832		
	400.0 mm ²	"	20085	20085	20085		
35	Copper Conductor Unarmoured Power Cables NS marked or Eqv.						
	a) 1-core						
	10 sq. mm.	र.मी	43	43	43		
	16 sq. mm.	"	65	65	65		
	25 sq. mm.	"	76	76	76		
	35 sq. mm.	"	91	91	91		
	50 sq. mm.	"	121	121	121		
	70 sq. mm.	"	158	158	158		
	95 sq. mm.	"	214	214	214		
	120 sq. mm.	"	260	260	260		
	150 sq. mm.	"	308	308	308		



Handwritten signatures and initials at the bottom of the page, including '21/11/83', 'AS', and several illegible signatures.

35	b) 2- core				
	1.5 sq.mm Copper Conductor Unarmoured	र.मी	72	72	72
	2.5 sq.mm	"	103	103	103
	4 sq.mm	"	144	144	144
	6 sq.mm	"	196	196	196
	10 sq.mm	"	309	309	309
	16 sq.mm	"	427	427	427
	25 sq.mm	"	659	659	659
	35 sq.mm	"	896	896	896
	50 sq.mm	"	1236	1236	1236
	70 sq.mm	"	1236	1236	1236
	95 sq.mm	"	2318	2318	2318
	120 sq.mm	"	3039	3039	3039
	150 sq.mm	"	3811	3811	3811
	c) 3-core				
	1.5 sq.mm. 3- core copper conductor	र.मी	93	93	93
	2.5 sq.mm	"	134	134	134
	4 sq.mm	"	196	196	196
	6 sq.mm	"	278	278	278
	10 sq.mm	"	438	438	438
16 sq.mm	"	639	639	639	
25 sq.mm	"	979	979	979	
35 sq.mm	"	1318	1318	1318	
50 sq.mm	"	1854	1854	1854	
70 sq.mm	"	2575	2575	2575	
95 sq.mm	"	3502	3502	3502	
120 sq.mm	"	4429	4429	4429	
150 sq.mm	र.मी	5459	5459	5459	
d) 3.5 core					
25 sq.mm	र.मी	1205	1205	1205	
35 sq.mm Copper Conductor Unarmoured	"	1545	1545	1545	
50 sq.mm	"	2163	2163	2163	
70 sq.mm	"	3013	3013	3013	
95 sq.mm	"	4069	4069	4069	
120 sq.mm	"	5356	5356	5356	
150 sq.mm	"	6335	6335	6335	
e) 4-core Copper Conductor Unarmoured					
1.5 sq.mm	र.मी	113	113	113	
2.5 sq.mm	"	170	170	170	
4 sq.mm	"	252	252	252	
6 sq.mm	"	350	350	350	
10 sq.mm	"	556	556	556	
16 sq.mm	"	845	845	845	
25 sq.mm	"	1318	1318	1318	
35 sq.mm	"	1772	1772	1772	
50 sq.mm	"	2472	2472	2472	
70 sq.mm	"	3451	3451	3451	
95 sq.mm	"	4687	4687	4687	
120 sq.mm	"	5923	5923	5923	
150 sq.mm	"	7365	7365	7365	
185 sq.mm	"	9064	9064	9064	
240 Sq. mm	"	12257	12257	12257	
300 Sq. mm	"	14832	14832	14832	
400 Sq. mm	"	20085	20085	20085	

मन्त्रालय
नयाँ बजार
काठमाडौं

Handwritten signatures and marks at the bottom of the page.

36	Aluminum conductor Armoured (Power) cable NS marked or eqv.					
	a) 2-core					
	1.5 sq.mm	र.मी	-	-	-	
	2.5 sq.mm	र.मी	93	93	93	
	4 sq.mm	"	118	118	118	
	6 sq.mm	"	134	134	134	
	10 sq.mm	"	160	160	160	
	16 sq.mm	"	180	180	180	
	25 sq.mm	"	216	216	216	
	35 sq.mm	"	247	247	247	
	50 sq.mm	"	319	319	319	
	70 sq.mm	"	397	397	397	
	95 sq.mm	"	505	505	505	
	b) 3-core					
	2.5 sq.mm. Aluminum conductor Armoured	र.मी	108	108	108	
	4 sq.mm	"	134	134	134	
	6 sq.mm	"	149	149	149	
	10 sq.mm	"	180	180	180	
	16 sq.mm	"	206	206	206	
	25 sq.mm Aluminum conductor Armoured	"	278	278	278	
35 sq.mm	"	335	335	335		
50 sq.mm	"	427	427	427		
70 sq.mm	"	541	541	541		
95 sq.mm	"	494	494	494		
120 sq.mm	"	834	834	834		
150 sq.mm	"	1004	1004	1004		
185 sq.mm	"	1236	1236	1236		
240 sq.mm	"	1514	1514	1514		
300 sq.mm	"	1854	1854	1854		
400 sq.mm	"	2318	2318	2318		
c) 3.5 core						
25 sq.mm.	र.मी	319	319	319		
35 sq.mm	"	371	371	371		
50 sq.mm	"	489	489	489		
70 sq.mm	"	628	628	628		
95 sq.mm	"	803	803	803		
120 sq.mm Aluminum conductor Armoured	"	979	979	979		
150 sq.mm	र.मी	1174	1174	1174		
185 sq.mm	"	1421	1421	1421		
240 sq.mm	"	1772	1772	1772		
300 sq.mm	"	2215	2215	2215		
36	400 sq.mm	"	2781	2781	2781	
d) 4-core						
2.5 sq.mm	र.मी	124	124	124		
4 sq.mm	"	155	155	155		
6 sq.mm	"	180	180	180		
10 sq.mm	"	196	196	196		
16 sq.mm	"	252	252	252		
25 sq.mm	"	340	340	340		
35 sq.mm	"	402	402	402		
50 sq.mm	"	548	548	548		
70 sq.mm	"	700	700	700		
95 sq.mm	"	901	901	901		
120 sq.mm	"	1082	1082	1082		

नेपाल सरकार
गृह मन्त्रालय
सुदूरपश्चिम प्रदेश
नुवाकोट

21/11/83
25
[Signatures]

	150 sq.mm	"	1370	1370	1370	
	185 sq.mm	"	1627	1627	1627	
	240sq.mm	"	2039	2039	2039	
	300 sq.mm Aluminum conductor Armoured	"	2524	2524	2524	
	400sq.mm	"	3193	3193	3193	
37	Aluminium conductor unarmoured (power) cable NS marked or eqv.					
	a) 1-core					
	16 sq.mm	र.मी	52	52	52	
	25 sq.mm	"	72	72	72	
	35 sq.mm	"	88	88	88	
	50 sq.mm	"	113	113	113	
	70 sq.mm	"	144	144	144	
	95 sq.mm	"	196	196	196	
	120 sq.mm	"	237	237	237	
	150 sq.mm	"	391	391	391	
	185 sq.mm	"	361	361	361	
	240 sq.mm	"	443	443	443	
	300 sq.mm	"	536	536	536	
	b) 2-core Aluminium conductor unarmoured					
	2.5 sq.mm	र.मी	52	52	52	
	4 sq.mm	"	62	62	62	
	6 sq.mm	र.मी	77	77	77	
	10 sq.mm	"	98	98	98	
	16 sq.mm	"	103	103	103	
	25 sq.mm	"	144	144	144	
	35 sq.mm	"	185	185	185	
	50 sq.mm	"	237	237	237	
	70 sq.mm	"	299	299	299	
	95 sq.mm 2 core	"	402	402	402	
	c) 3-core					
	2.5 sq.mm	र.मी	62	62	62	
	4 sq.mm	"	72	72	72	
	6 sq.mm	"	88	88	88	
	10 sq.mm	"	124	124	124	
	16 sq.mm	"	144	144	144	
	25 sq.mm	"	206	206	206	
	35 sq.mm	"	258	258	258	
	50 sq.mm	"	340	340	340	
	70 sq.mm	"	453	453	453	
	95 sq.mm	"	597	597	597	
37	120 sq.mm	"	742	742	742	
	150 sq.mm	"	886	886	886	
	185 sq.mm	"	1112	1112	1112	
	240 sq.mm	"	1380	1380	1380	
	300 sq.mm Aluminium conductor unarmoured	"	1751	1751	1751	
	d) 3.5-core					
	25 sq.mm	र.मी	258	258	258	
	35 sq.mm	"	309	309	309	
	50 sq.mm	"	412	412	412	
	70 sq.mm	"	567	567	567	
	95 sq.mm	"	742	742	742	
	120 sq.mm	"	927	927	927	

सरकार
मुन्सिपल
कार्यालय
नुवाकोट

श्रीमती

र.मी


र.मी

	150 sq.mm	"	1112	1112	1112	
	185 sq.mm	"	1391	1391	1391	
	240 sq.mm	"	1751	1751	1751	
	300 sq.mm	"	2163	2163	2163	
	e) 4-core core aluminium unarmoured					
	2.5 sq.mm	र.मी	72	72	72	
	4 sq.mm	"	82	82	82	
	6 sq.mm	"	98	98	98	
	10 sq.mm	"	134	134	134	
	16 sq.mm	र.मी	196	196	196	
	25 sq.mm	"	288	288	288	
	35 sq.mm	"	350	350	350	
	50 sq.mm	"	484	484	484	
	70 sq.mm 4	"	639	639	639	
	95 sq.mm	"	845	845	845	
	120 sq.mm	"	1030	1030	1030	
	150 sq.mm	"	1288	1288	1288	
	185 sq.mm	"	1597	1597	1597	
	240 sq.mm	"	2009	2009	2009	
	300 sq.mm	"	2472	2472	2472	
38	Security Gate System					
	Metal Detector (ब्लाक स्कोपियन कम्पनी)	गोटा	16995	16995	16995	
39	Air Conditioning system, Daikin, Mitsubishi heavy or Japanese eqv					
	0.75 TR capacity Wall Mounted split type Air	सेट	-	-	-	
	Conditioning system					
	1.0 TR capacity Wall Mounted split type Air	सेट	-	-	-	
	Conditioning system					
	Air Conditioning system, McQuay, Panasonic, Fujiaire, Malaysian or Eqv Company					
	0.75 TR capacity Wall Mounted split type AirConditioning system	सेट	-	-	-	
	1.0 TR capacity Wall Mounted split type Air	सेट	-	-	-	
	Conditioning system					
	1.5 TR capacity Wall Mounted split type Air	सेट	-	-	-	
	Conditioning system					
41	2.0 TR capacity Wall Mounted split type Air	सेट	-	-	-	
	Conditioning system					
	Air Conditioning system, whirlpool or Eqv Company					
	0.75 TR capacity Wall Mounted split type Air	सेट	-	-	-	
	1.0 TR capacity Wall Mounted split type Air	सेट	-	-	-	
	1.5 TR capacity Wall Mounted split type Air	सेट	-	-	-	
	2.0 TR capacity Wall Mounted split type Air	सेट	-	-	-	
42	General Lightig ANCHOR, C/G, Eqv.					
	1 x 40 W FTL Patti fitting	सेट	252	252	252	
	1 x 20 W FTL Patti fitting	सेट	232	232	232	
	1 x 40 W FTL Box Fitting	सेट	427	427	427	
	1 x 20 W FTL Box fitting	सेट	417	417	417	
	9/11W Mini mirror light with electronic Blast suitable for PL lamp	सेट	355	355	355	

नवाकोट सरकार
सुदूर पश्चिम प्रदेश
सुदूर पश्चिम प्रदेश
नवाकोट

21/11/2082
[Signatures]


GEWISS /BEC PVC Conduit product of Italy					
RK Range					
43	16 mm medium rigid conduit DX 25 316	Mtr.	88	88	88
	20 mm medium rigid conduit DX 25 320	"	124	124	124
	25 mm medium rigid conduit DX 25 325	"	175	175	175
	32 mm medium rigid conduit DX 25 332	"	252	252	252
	40 mm medium rigid conduit DX 25 340	"	345	345	345
	50 mm medium rigid conduit DX 25 350	"	530	530	530
	63 mm medium rigid conduit DX 25 363	"	999	999	999
	16 mm heavy rigid conduit DX 25 716	"	165	165	165
	20 mm heavy rigid conduit DX 25 720	"	216	216	216
	25 mm heavy rigid conduit DX 25 725	"	288	288	288
	32 mm heavy rigid conduit DX 25 732	"	433	433	433
	40 mm heavy rigid conduit DX 25 740	"	587	587	587
	50 mm heavy rigid conduit DX 25 750	"	793	793	793
	63 mm heavy rigid conduit DX 25 763	"	1488	1488	1488
	16 mm polymer cable gland GW 52 043 with fixing nut and screws	"	196	196	196
	20 mm polymer cable gland GW 52 044 with fixing nut and screws	"	247	247	247
	25 mm polymer cable gland GW 52 045 with fixing nut and screws	"	376	376	376
	32 mm polymer cable gland GW 52 046 with fixing nut and screws	"	623	623	623
	40 mm polymer cable gland GW 52 047 with fixing nut and screws	"	747	747	747
	50 mm polymer cable gland GW 52 048 with fixing nut and screws	"	963	963	963
	63 mm polymer cable gland GW 52 049 with fixing nut and screws	"	1200	1200	1200
	16 mm shockproof polymer saddle collar clip GW 50 605	"	31	31	31
	20 mm shockproof polymer saddle collar clip GW 50 606	"	36	36	36
	25 mm shockproof polymer saddle collar clip GW 50 607	"	41	41	41
	32 mm shockproof polymer saddle collar clip GW 50 608	"	62	62	62
	40 mm shockproof polymer saddle collar clip GW 50 630	"	98	98	98
	50 mm shockproof polymer saddle collar clip GW 50 631	"	118	118	118
	16 mm conduit coupler DX 40 016	"	36	36	36
20 mm conduit coupler DX 40 020	"	46	46	46	
44	25 mm conduit coupler DX 40 025	"	57	57	57
32 mm conduit coupler DX 40 032	"	103	103	103	
40 mm conduit coupler DX 40 040	"	139	139	139	
50 mm conduit coupler DX 40 050	"	242	242	242	
63 mm conduit coupler DX 40 063	"	458	458	458	
16 mm tight bend DX 40 116	"	57	57	57	
20 mm tight bend DX 40 120	"	82	82	82	
25 mm tight bend DX 40 125	"	129	129	129	
32 mm tight bend DX 40 132	"	237	237	237	
40 mm tight bend DX 40 140	"	335	335	335	
50 mm tight bend DX 40 150	"	603	603	603	
63 mm tight bend DX 40 163	"	2359	2359	2359	
4 way junction box DX 45 004	"	670	670	670	
7 way junction box DX 45 007	"	803	803	803	
10 way junction box DX 45 010	"	1020	1020	1020	
Closing cap for junction box DX 47 000	"	118	118	118	
16 mm inspectionable T bend DX 40216	"	118	118	118	



Handwritten signatures and initials at the bottom of the page, including a large signature on the left and several smaller ones on the right.

Handwritten initials 'R.P.P.' at the bottom right corner.

	20 mm inspectionable T bend DX 40220	"	149	149	149	
	25 mm inspectionable T bend DX 40225	"	196	196	196	
	32 mm inspectionable T bend DX 40232	"	237	237	237	
	16 mm inspectionable bend DX 40 316	"	98	98	98	
	20 mm inspectionable bend DX 40 320	"	118	118	118	
	25 mm inspectionable bend DX 40 325	"	155	155	155	
	32 mm inspectionable bend DX 40 332	"	185	185	185	
45	GEWISS/BEC Cable Tray with Cover and Accessories BRN Range					
	65X35 mm2 hot deep galvanised steel cable tray MV 40 100	R. Ft.	819	819	819	
	95X35 mm2 hot deep galvanised steel cable tray MV 40 101	"	973	973	973	
	125X35 mm2 hot deep galvanised steel cable tray MV 40 102	"	1174	1174	1174	
	155X35 mm2 hot deep galvanised steel cable tray MV 40 103	"	1318	1318	1318	
	185X35 mm2 hot deep galvanised steel cable tray MV 40 104	"	1540	1540	1540	
	215X35 mm2 hot deep galvanised steel cable tray MV 40 105	"	1710	1710	1710	
	245X35 mm2 hot deep galvanised steel cable tray MV 40 106	"	2137	2137	2137	
	305X35 mm2 hot deep galvanised steel cable tray MV 40 108	"	2513	2513	2513	
	365X35 mm2 hot deep galvanised steel cable tray MV 40 110	"	3090	3090	3090	
	395X35 mm2 hot deep galvanised steel cable tray MV 40 111	"	3281	3281	3281	
	65X50 mm2 hot deep galvanised steel cable tray MV 40 120	"	984	984	984	
	95X50 mm2 hot deep galvanised steel cable tray MV 40 121	"	1179	1179	1179	
	125X50 mm2 hot deep galvanised steel cable tray MV 40 122	"	1298	1298	1298	
	155X50 mm2 hot deep galvanised steel cable tray MV 40 123	"	1468	1468	1468	
	185X50 mm2 hot deep galvanised steel cable tray MV 40 124	"	1663	1663	1663	
	215X50 mm2 hot deep galvanised steel cable tray MV 40 125	"	1859	1859	1859	
	245X50 mm2 hot deep galvanised steel cable tray MV 40 126	"	2276	2276	2276	
	305X50 mm2 hot deep galvanised steel cable tray MV 40 128	"	2657	2657	2657	
46	365X50 mm2 hot deep galvanised steel cable tray MV 40 130	"	3456	3456	3456	
	395X50 mm2 hot deep galvanised steel cable tray MV 40 131	"	3749	3749	3749	
	515X50 mm2 hot deep galvanised steel cable tray MV 40 135	"	4584	4584	4584	
	95X65 mm2 hot deep galvanised steel cable tray MV 40 141	"	1313	1313	1313	
	215X65 mm2 hot deep galvanised steel cable tray MV 40 145	"	2122	2122	2122	
	305X65 mm2 hot deep galvanised steel cable tray MV 40 148	"	2781	2781	2781	
	395X65 mm2 hot deep galvanised steel cable tray MV 40 151	"	3852	3852	3852	
	515X65 mm2 hot deep galvanised steel cable tray MV 40 155	"	4836	4836	4836	
	605X65 mm2 hot deep galvanised steel cable tray MV 40 157	"	5449	5449	5449	
	125X80 mm2 hot deep galvanised steel cable tray MV 40 162	"	1494	1494	1494	




21/11/83 25

[Handwritten signatures and initials]

[Handwritten signature]

	215X80 mm2 hot deep galvanised steel cable tray MV 40 165	"	2271	2271	2271	
	305X80 mm2 hot deep galvanised steel cable tray MV 40 168	"	2884	2884	2884	
	395X80 mm2 hot deep galvanised steel cable tray MV 40 171	"	4151	4151	4151	
	515X80 mm2 hot deep galvanised steel cable tray MV 40 175	"	5016	5016	5016	
47	Intrusion Detection System Make Honeywell or equivalent					
	Main Controller	सेट	38851	38851	38851	
	CONTROL,FIRE/BURG COMMERCIAL VISTA-128FBP					
	Smoke & Heat Detector	सेट	10545	10545	10545	
	Wireless Smoke and Head Detector					
	Door Contact	सेट	2678	2678	2678	
	Wireless Door Contact with transmitter					
	Motion Detector	सेट	4178	4178	4178	
	Wireless Passive Infrared, Pet Immune Motion Detector					
	Panic Switch	सेट	4921	4921	4921	
	Wireless Panic Transmitter					
	Key	सेट	4780	4780	4780	
	Wireless Key to Arm and Disarm the System					
	Window Contact	सेट	2812	2812	2812	
	Wired door Contact with transmitter slim					
	Earth Quake Detector(JDS Inc, USA)	पिस	3601	3601	3601	
	Quake Alarm					
48	Automatic Motor Operator for water motor					
	Upto 1/2 HP single phase motor	सेट	4120	4120	4120	
	Upto 1 HP single phase motor	सेट	5665	5665	5665	
	Upto 5 HP three phase motor	सेट	9270	9270	9270	
49	CCTV System					
	Out door high speed Dome Integrated CAMERA Multi Protocal ,480 TVL,128 preset points , automatic surveillance,360 degrees horizontal rotation , AC 240V power supply , integrated heating system , highest angle speed 360 degree/ sec ,weather resistance, water resistance, robust type.					
	CANON Integrated camera chip, normal colour, 23 times optical Zoom, 10 times digital zoom	सेट	56650	56650	56650	
	CANON Integrated camera chip, day & night, 23 times optical Zoom, 10 times digital zoom	सेट	58916	58916	58916	
	Indoor high speed Dome Integrated CAMERA					
	CANON Integrated camera chip, normal colour, 23 times optical Zoom, 10 times digital zoom	सेट	54384	54384	54384	
	CANON Integrated camera chip, day & night, 23 times optical Zoom, 10 times digital zoom	सेट	56650	56650	56650	



Handwritten signatures and initials at the bottom of the page, including names like 'S. P. Singh', 'S. P.', 'S. P.', 'S. P.', 'S. P.', and 'S. P.'.

50	VISTA Box camera with adoptor, IR view distance 25mm Mirror shutter;with mirror image switchable,white balance; auto,Horizontal resolution ; 480 TV line , system signal; NTSC/PALBlacklight compression :ON/OFF(Switchable) , AGC; ON/OFF	सेट	15450	15450	15450	
	7" Sphirical Shilded with bracket included chip excluded Camera		8364	8364	8364	
	i) 8 Channel DVR MJPEG Compression Type 8 Channel ionput 2 Channel output USB2.0Interface , Hard Disc > 200G, Multi-Record ,Motion Detector Function , Remote Control	सेट	33990	33990	33990	
	ii) 16 Channel Alarm input , 16 Channel Record 8 channel Alarm output , Internate Explore, MPG-4 Record	सेट	50985	50985	50985	
	17" LCD Monitor SAMSUNG or Korean Eqv.	सेट	10815	10815	10815	
51	Electrical Equipments					
	Earthing Materials (ISI or other International Standard)					
	6 mm thick 600mm× 600 mm G.I. Plate	No.	2829	2829	2829	
	Funneling Mechanism with cover (mild steel)	set	618	618	618	
	3.2 mm thick 600mm× 600 mm Copper Plate	No.	9517	9517	9517	
	Copper wire (10 SWG)	Mtr.	155	155	155	
	Service wire (Al)					
	2.5 mm ²	Mtr.	18	18	18	
	4.0 mm ²	"	22	22	22	
	6.0 mm ²	"	28	28	28	
	Lightening Arrestor for 3 Phase .					
	0.5 KV	Set	1236	1236	1236	
	11 KV	Set	4326	4326	4326	
	Cross Arms V Channel.	No	3090	3090	3090	
	Stay set with accessories.					
	GI wire	No	1182	1182	1182	
	GI Plate	"	1185	1185	1185	
	Gay Insulator.	"	56	56	56	
	Elbow		103	103	103	
	Rod , Nut	No	445	445	445	
	Grip	"	49	49	49	
	Overhead Insulators (0.4KV)					
	Sackle Insulator	No	31	31	31	
	D-Iron	"	93	93	93	
	Nut Bolt (3" with 8 mm Ø)	"	15	15	15	
	Nut Bolt (6" with 8 mm Ø) to clamp on Poles	"	23	23	23	
	Overhead Insulators with fixing accessories (11KV)					
	Pin Insulator	No	185	185	185	
	Disc Insulator	"	989	989	989	
	Cross Arms V Channel.	"	2719	2719	2719	
	Sqarrel ACSR conductor 20mm ²	Rm.	17	17	17	
	weasel ACSR conductor 30 mm ²	"	25	25	25	
	Rabbit ACSR conductor 50 mm ²	"	41	41	41	
	Dog ACSR conductor 100 mm ²	"	82	82	82	

जिल्ला प्रशासन कार्यालय
नुवाकोट

21/11/83

	Supply of aluminium ABC cable				
	25mm square 4 core ABC cable	Rm.	175	175	175
	50 mm square 4 core ABC cable	"	291	291	291
	95 mm square 4 core ABC cable	"	570	570	570
	Alternator 3 Phase Brush less with compounded Excitation. (KEL)				
52	AMF with ATS palel for DG Ankur metal or Equivalent				
	5KVA AMF with ATS palel	set	22660	22660	22660
	7.5KVA AMF with ATS palel	"	28840	28840	28840
	10KVA AMF with ATS palel	"	36050	36050	36050
	15KVA AMF with ATS palel	"	46350	46350	46350
	20KVA AMF with ATS palel	"	66950	66950	66950
	25KVA AMF with ATS palel	"	77250	77250	77250
	30KVA AMF with ATS palel	"	92700	92700	92700
53	Solar system\Backup Power				
	Pure sine wave inverter				
	675 VA inverter	set	11483	11483	11483
	875 VA inverter	"	12601	12601	12601
	1500 VA inverter	"	18987	18987	18987
	3 KVA inverter	"	55947	55947	55947
	Exide Battery				
	tubular inverter Battery				
	80 AH inverter Battery	set	9935	9935	9935
	100 AH inverter Battery	"	11958	11958	11958
	150 AH inverter Battery	"	16698	16698	16698
	200 AH inverter Battery	"	20745	20745	20745
	75 AH tubular inverter Battery	"	12731	12731	12731
	100 AH tubular inverter Battery	"	16966	16966	16966
	150 AH tubular inverter Battery	"	24967	24967	24967
	200 AH tubular inverter Battery	"	31477	31477	31477
	Solar Panel	watt	144	144	144
54	Angel Eyes solar street light absorb energy				
	AST 1205 (12 W pv 05w led, 12.8v 5.2 Ah motion sensor)	set	29465	29465	29465
	AST 1805 (18 W pv 05w led, 12.8v 7.8 Ah motion sensor)	"	39743	39743	39743
	AST 2505 (25 W pv 05w led, 12.8v 7.8 Ah motion sensor)	"	45112	45112	45112
	AST 3612 (36 W pv 012w led, 12.8v 13 Ah motion sensor)	"	62814	62814	62814
	AE 2S18B8 (AE 2 off - grid power system, pv 18w 12.8v 7.8 Ah motion Sensor)	"	35746	35746	35746
	AE 2S25B10 (AE 2 off - grid power system, pv 25w 12.8v 10.4 Ah motion Sensor)	"	44882	44882	44882
	AE 2S36B13 (AE 2 off - grid power system, pv 36w 12.8v 13 Ah motion Sensor)	"	55961	55961	55961
55	MCB/ISOLATOR ORIENT or equivalent				
	B CURVE MCB SP 6A-32A	pole	239	239	239
	B CURVE MCB SP 40A	pole	281	281	281
	B CURVE MCB SP 50A-63A	pole	281	281	281
	C CURVE MCB SP 0.5-4A	pole	281	281	281
	C CURVE MCB SP 6-32A	pole	239	239	239
	C CURVE MCB SP 40A	pole	446	446	446
	G CURVE MCB SP 50-63A	pole	446	446	446

Charge controller (60Ah/24V)	Nos	31518	31518	31518	
Charge controller 45Ah/12-24-48 V	Nos	23201	23201	23201	
Charge controller 10a/12-24 V	Nos	2627	2627	2627	
Charge controller 20a/12-24 V	Nos	3940	3940	3940	
Solar dusk to down controller 20A/12Vwith driver curcit	Nos	4378	4378	4378	
Solar street light 20W/10W- 12V DC with autodimming system	Nos	14884	14884	14884	
Solar street light 40W/20W- 12V DC with autodimming system	Nos	30643	30643	30643	
Ms pole 6 m high with rustproof enamel paint dimension 4" for buttom 3 m 3" for top 3 m	Nos	16197	16197	16197	
Ms pole 9 m high with rustproof enamel paint dimension 4" for buttom m 6" for top 3 m	Nos	20137	20137	20137	
40 watt solar street light	Nos	14008	14008	14008	
20 watt solar street light	Nos	8405	8405	8405	
12 watt solar street light	Nos	5428	5428	5428	
Pure sine wave inverter 250 VA /12 V	Nos	7004	7004	7004	
Pure sine wave inverter 400 VA /12 V	Nos	13133	13133	13133	
pure sine wave inverter 1400 VA	nos	22763	22763	22763	
Ms light Arms	Set	2189	2189	2189	
SPV mountaning frame	set	5691	5691	5691	
Battery box	Set	4378	4378	4378	
Battery stand	Set	4378	4378	4378	





Sanitary Works

बिदुर, नुवाकोट

आ. ब २०८२/८३


SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई				कैफियत
			आ.च. ०८०/०८१	आ.च. ०८१/०८२	आ.च. ०८२/०८३	
1	Porcelain Clay Sanitaryware (Hindware, Paryware, Somany, cera or eqv. कम्पनीका सामानहरु)					
	White glazed porcelain pan					
	i)530mm size white glazed without siphon	सेट	2524	2770	2770	
	ii)500 mm size white glazed without siphon	"	2741	3010	3010	
	iii)580 mm size orrisa Pan	"	3371	3371	3371	
	iii)580 mm size white glazed Indian pan	"	1049	1049	1049	
	iv) Siphon 'p' or 's' type	"	590	590	590	
	v) Asian Pan 51x40 Rectangular	"	2524	2524	2524	
	Porcelain Clay Cistern					
	i) white glazed porcelain clay 10 lit cistern complete set (internal part of cistern pvc fittings)	"	3559	3559	3559	
	ii) White glazed porcelain clay 10 lit. Cistern cover only.	"	667	667	667	
	iii) White glazed porcelain clay 12.5 lit. cistern complete set (Brass fittings siphon with plunger plate)	"	3698	3698	3698	
	Commode					
	i) White glaze porcelain clay regular commode with 'p' trap	सेट	1587	1587	1587	
	ii) White glazed porcelain clay EWC regular commode with 's' \ p trap	"	1825	1825	1825	
	iii)(b) White glazed porcelain clay EWC Constellation commode with 'P' & 's' trap and seat cover set.(Hindware, Paryware, Somany, cera or eqv.)		18119	18119	18119	
	iv) White glazed porcelain clay One Piece commode with 'P' & 'S' trap and slow falling seat cover complete set.(Hindware, Paryware, Somany, cera or eqv.)	"	28875	28875	28875	
	iv) White glazed porcelain clay One Piece commode with 'P' & 's' trap and slow falling seat cover complete set.(Bolan, Tita, Akwa or eqv.)	"	20389	20389	20389	
	viii)(c) White glazed porcelain clay Ewc wall mounted commode without cistern all complete set..(Bolan, Tita, Akwa or eqv.)	"	5252	5252	5252	
	ix) White glazed porcelain clay Ewc floor mounted commode without cistern all complete set.	"	8656	8656	8656	



26/11/2075
 [Handwritten signatures and initials]

x) 600 to 900 mm Grab bar	"	6062	6062	6062	
Bidet set					
i) Porcelain clay white glaze Bidet.	सेट	3692	3692	3692	
Urinal set					
i) Porcelain clay white glaze large flat back urinal 61×41×38 cm size (Hindware, Paryware, Somany, cera or eqv.)	सेट	4174	4174	4174	
ii) Porcelain clay small Urinal (46.5×35.5×26.5) cm size .(Hindware, Paryware, Somany, cera or eqv.)		1880	1880	1880	
iv)White glazed porcelain clay corner Urinal (35×35×44)cm size with complete set.(Hindware, Paryware, Somany, cera or eqv.)	"	1619	1619	1619	
vi) Wall mounted Urinal with sensor complete set.(Duravit, Grohe, American standard and equivalent)	"	100291	100291	100291	
Porcelain Clay Urinal Squatting Plate					
i) white glaze squatting plate Small Size (45×35)cm	सेट	1212	1212	1212	
ii) Porcelain clay white glaze squatting plate large size	"	1454	1454	1454	
iii) Porcelain clay super color squatting plate large size.	"	2831	2831	2831	
iv) Urinal Spreader	"	915	915	915	
Wash basin					
i) Porcelain clay white glaze wash basin (500×400) cm size regular.	सेट	1095	1095	1095	
iii) Porcelain clay white glaze wash basin (50×40) cm	"	1481	1481	1481	
iv) Do but wash basin (45×32)cm	"	1065	1065	1065	
vi) white glazed porcelain clay Corner basin 40x40 complete set	सेट	1201	1201	1201	
vii) white glazed porcelain clay U-counter basin complete.(Duravit, Grohe, American standard or equiv)	"	8348	8348	8348	
ix) white glazed porcelain clay 0-counter wash basin, complete. (Duravit, Grohe, American standard or equiv)	"	13776	13776	13776	
x)(a) White glazed porcelain clay Semi pedestal large counter wash basin750*500 mm with complete set.(Duravit, Grohe, American standard or equivalent)	"	9785	9785	9785	
x)(b) White glazed porcelain clay Semi pedestal large counter wash basin750*500 mm with complete set.	"	6232	6232	6232	
d) White glaze porcelain clay Basin for disable with grab bar all complete	"	20549	20549	20549	
Pedestal:					



2/1/2017

25

2/1/2017

2/1/2017

2/1/2017

2/1/2017

	i) Porcelain clay white glaze pedestal	"	1378	1378	1378	
	iii) White glazed Porcelain clay half pedestal complete set.	"	1670	1670	1670	
	iv) First color glazed Porcelain clay half pedestal complete set.	"	1973	1973	1973	
	v) Two piece pedestal with Basin" complete set.(Duravit, Grohe, American standard or equivalent)	"	13313	13313	13313	
	Urinal Partition					
	White glaze porcelain clay (68×30)cm division plate	"	1741	1741	1741	
	Lab sink					
	i) Porcelain clay white glaze large size	"	2222	2222	2222	
	ii) Porcelain clay white glaze small size	"	1653	1653	1653	
	iii) Porcelain clay janitor sink 58×71×43.5 size	"	27553	27553	27553	
	Kitchen sink					
	i) Porcelain clay large	सेट	3763	3763	3763	
	ii) Porcelain clay small	"	3409	3409	3409	
	iii) drain board white 53x45	"	1304	1304	1304	
	iii) Soap dish	"	661	661	661	
	iv) White glaze foot rest	"	419	419	419	
	v) White glaze Toilet paper holder	"	1157	1157	1157	
2	PVC Cistern Set					
	i) single flush	सेट	1973	1973	1973	
	ii) Deluxe single flush	"	2204	2204	2204	
	iii) Dual flush 6/3 lit. cistern complete set.	"	2966	2966	2966	
	iv) concealed cistern with plate complete set.(Viega, Geberit, American standard or equivalent)	"	16862	16862	16862	
	v) 32 mm pvc bottle trap set.	पिस	476	476	476	
	vi) 1.5x45 cm pvc pipe connector set.	"	143	143	143	
	vi) Bakelite toilet seat cover set.	"	276	276	276	
3	Stainless Steel Accessories etc.					
	Stainless steel Deep sink 45×45×30 size	"	18185	18185	18185	
	Stainless steel Orissa pan LP 210 size	"	8486	8486	8486	
	Stainless steel wash basin model 251 12" round size with pedestal	"	13262	13262	13262	
	Stainless steel wash basin 500 mm model 277 with complete set	"	10276	10276	10276	
	Stainless steel commode S trap with self closing complete set	"	17554	17554	17554	
	Wall mixer (single lever) bath faucet with hand shower(Grohe, Hansgrohe, American standard or equivalent)	"	14634	14634	14634	



2/1/14
 [Handwritten signatures and marks]

Bath tub (single lever)with hand shower(Grohe, Hansgrohe, American standard or equivalent)	"	18432	18432	18432	
External Shower Wall mixer (single control) bath faucet with hand shower(Grohe, Hansgrohe, American standard or equivalent)	"	25764	25764	25764	
Wall mixer (single control) bath faucet with hand shower(conceal system)(Grohe, Hansgrohe, American standard or equivalent)	"	15952	15952	15952	
Wall mixer (single control) shower faucet (conceal system)(Jaquare, Somany, Essel or equivalent)	"	4182	4182	4182	
conceal mixer faucet(Jaquare, Somany, Essel or equivalent)	"	6455	6455	6455	
Stainless steel Angle valve(Grohe, Hansgrohe, American standard or equivalent)	"	827	827	827	
Stainless steel two way Angle valve(Jaquare, Somany, Essel or equivalent)	"	1157	1157	1157	
Stainless steel bowl 19"×16" diamond board 37" long	"	2673	2673	2673	
Stainless steel bowl with diamond board 37" long	"	3660	3660	3660	
Stainless steel bowl with ordinary board 37" long	"	2314	2314	2314	
Stainless steel double bowl with double drain board 36" * 18 "size	"	13917	13917	13917	
Stainless steel double bowl with single drain board ordinary	"	5786	5786	5786	
Stainless steel p trap bottle trap for basin	"	2324	2324	2324	
Stainless steel Kitchen sink mixture(Jaquar, Somany, Essel or equivalent)	"	8408	8408	8408	
Stainless steel Kitchen sink faucet(Jaquar, Somany, Essel or equivalent)	"	5565	5565	5565	
Stainless steel Kitchen sink mixture(Jaquar, Somany, Essel or equivalent)	"	8408	8408	8408	
Stainless steel 1500mm flexible hose pipe(connection pipe)	"	1462	1462	1462	
Stainless steel Hose ringer 1200 mm	"	1274	1274	1274	
Stainless steel commode spray with hose pipe (Grohe, hansgrohe, American standard or equivalent)	"	1798	1798	1798	
Stainless steel basin mixer(single control)(Grohe, hansgrohe, American standard or equivalent)	"	6943	6943	6943	
Stainless steel single faucet for basin(Jaquar, Somany, Essel or equivalent)	"	4425	4425	4425	
Stainless steel Sink 700*450*200	"	24246	24246	24246	
Stainless steel Sink table top1200*600*300	"	33504	33504	33504	

नेपाल सरकार
गृह मन्त्रालय
जिल्ला प्रशासन कार्यालय
नुवाकोट

21/10/20

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

27-10

	Steel Split clamp with washer all complete					
	75 mm dia	पिस	331	331	331	
	110 mm dia	"	441	441	441	
	160 mm dia	"	771	771	771	
	Stainless steel telephonic shower(Jaquare, Somany, Essel or equivalent)	रोटा	1240	1240	1240	
	Stainless steel shower with sliding bar(Jaquare, Somany, Essel or equivalent)	"	2976	2976	2976	
	Stainless steel shower with sliding bar(Grohe, hansgrohe, American standard or equivalent)	"	9785	9785	9785	
	Stainless steel bottle trap (Viega, Somany, Jaquar or equivalent)	"	647	647	647	
	Stainless steel towel bar 450 mm	"	1240	1240	1240	
	Stainless steel water tank fitting with all complete set (304 grade steel)					
	Capacity 500 ltr	set	12124	12124	12124	
	Capacity 1000 ltr	"	17699	17699	17699	
	Capacity 1500 ltr	"	27212	27212	27212	
	Capacity 2000 ltr	"	32743	32743	32743	
	Sinks Other Types:					
	Super lab sink					
	i) super lab sink large size	"	4313	4313	4313	
	ii) super lab sink small size	"	3401	3401	3401	
	Super kitchen sink					
	i) super kitchen sink large size	"	7465	7465	7465	
	ii) super kitchen sink small size	"	6756	6756	6756	
	Modern Sanitaryware:Grohe, Hansgrohe, American Standard or eqv.					
	iv) Hand dryer Germany	"	19397	19397	19397	
	v) Hand Dryer Chinese	"	7164	7164	7164	
	vi) Indian Mark Brand Flush valve	"	5731	5731	5731	
	xii)Auto sensor for basin - Grohe, hansgrohe, American standard or equiv.	"	35267	35267	35267	
	xv) European pattern liquid soap container stainless steel	"	6062	6062	6062	
	xvii)Looking Mirror Modi guard 450x600mm (18"x 24")	"	1459	1459	1459	
	European Pattern C.P. Grab Bar for disable					
	a) 30cm long bend type	"	4786	4786	4786	
	b) 45 cm long bend type	"	5012	5012	5012	
	c) 60 cm long bend type	"	6418	6418	6418	
5	C.P. Accessories(jaquar, somany, essel or equivalent)					
	1) Toilet paper holder	"	510	510	510	
	2) Soap dish	"	510	510	510	

2/11/20

25

Handwritten signature

Handwritten signature

3) Towel rod ½"×18" size	"	510	510	510	
4) Towel rod ¾" ×24" size	"	567	567	567	
5) Glass shelf	"	680	680	680	
6) C.P. bottle trap	"	1246	1246	1246	
7) 32 mm×60cm long C.P flush pipe	"	510	510	510	
8) 15 mm flush cock push type	"	1133	1133	1133	
9) 15 mm dia. C.P. shower arm	"	976	976	976	
10) 15 mm dia. C.P. spreader	"	940	940	940	
11) 15 mm dia. C.P. wall mixture	"	5435	5435	5435	
i) 3" dia. Shower rose , revolving type	"	906	906	906	
ii) 4" dia. Shower rose , revolving type	"	1020	1020	1020	
iii) Shower rose ordinary	"	567	567	567	
iv) Shower rod 12" long	"	283	283	283	
C.P. 15 mm dia. Angle Valve	"	1244	1244	1244	
C.P. 15 mm dia Concealed Stop Cock	"	1807	1807	1807	
C.P 15mm Bib Cock	"	1361	1361	1361	
C.P. 15 mm dia swan neck Pillar Cock	"	1331	1331	1331	
C.P. 15 mm dia Stop Cock	"	1331	1331	1331	
C.P. 15 mm dia Sink Cock	"	1309	1309	1309	
C.P. 15 mm dia Sink Mixture	"	4472	4472	4472	
C.P. 32 mm dia Flush Valve	"	5404	5404	5404	
C.P. 32 mm dia Waste Coupling for basin	"	424	424	424	
C.P. 32 mm dia Waste Coupling for Urinal	"	689	689	689	
C.P. Basin Mixture	सेट	4640	4640	4640	
15 mm dia Bath Tub Spout with Wall Hinge	"	1731	1731	1731	
C.P. Exclusive Shower Arm with Hinge	"	2014	2014	2014	
15 mm bath tub spout with bottom attachment of telephonic shower	"	4169	4169	4169	
15 mm wall mixture lever type telephonic shower of flexible type heavy.	"	6849	6849	6849	
C.P. flexible pipe	रोटा	181	181	181	
C.P. Grating					
i) 4" dia.	"	50	50	50	
ii) 5" dia.	"	62	62	62	
i) C.P. Toilet Paper Holder	"	929	929	929	
ii) C.P. Soap Dish(Polyurethane)	"	1042	1042	1042	
iii) C.P. Towel Rod 18"	"	1578	1578	1578	
iv) C.P. Towel Rod 24"	"	1663	1663	1663	
v) C.P. Glass Shelf 22"	"	2260	2260	2260	
vi) C.P. Coat Hook Double	"	812	812	812	

नेपाल सरकार
गृह मन्त्रालय
प्रशासन
नुवाकोट

21/11/83

25

2-P-P

	C.P. बाट निर्मित सामग्रीहरू (jaquar, somany, essel or equivalent)	"				
	i) C.P. Toilet Paper Holder	"	969	969	969	
	ii) C.P. Soap Dish(Polyurethane)	"	843	843	843	
	iv) C.P. Towel Rod 24"	"	1643	1643	1643	
	v) C.P. Glass Shelf 22"	"	2232	2232	2232	
	vi) C.P. Coat Hook Double	"	758	758	758	
	ix) C.P. Angle Cock					
	15mm C.P. Angle Cock	"	927	927	927	
	15 mm C.P. Angle Cock Long Thread	"	986	986	986	
	x) C.P. Conceal Stop Cock	"				
	i) 15 mm Reduced body	"	1136	1136	1136	
	ii) 15 mm Extra Heavy Body	"	1390	1390	1390	
	xi) C.P. Bib Cock	"				
	i) 15mm C.P. Auto Closing Bib Cock With Aerator	"	2612	2612	2612	
	ii) 15mm C.P. Bib Cock	"	952	952	952	
	iii) 15mm C.P. Bib Cock with nozzle	"	1054	1054	1054	
	xii) C.P. Pillar Cock	"				
	i) 15 mm C.P. Pillar Cock With Aerator	"	1263	1263	1263	
	ii) 15mm Auto Closing Pillar Cock With Aerator	"	2527	2527	2527	
	i) 15mm C.P. Sink Cock	"	1600	1600	1600	
	ii) C.P. Sink Mixer	"	3966	3966	3966	
	iii) 15 mm C.P. Sink Mixer With Revolving Spout	"	3456	3456	3456	
	xv) C.P. Bottle Trap 32mm	"	1852	1852	1852	
	32 mm C.P. Conceal Flush Valve Dual Flow	"	3874	3874	3874	
	xvii) C.P. Waste Coupling	"				
	32 mm C.P. Waste Coupling H/T	"	446	446	446	
	32 mm C.P. Waste Coupling F/T	"	446	446	446	
	xviii) 15 mm Urinal Auto-Closing Valve with Built-in Control Cock	"	2694	2694	2694	
	xix) 15 mm C.P. Wall Mixer					
	15 mm C.P. Wall Mixer With Lower Bend Pipe	"	4463	4463	4463	
	15 mm C.P. Wall Mixer With Upper Bend Pipe	"	4463	4463	4463	
	xx) C.P. Basin Mixer	"				
	15 mm C.P. Basin Mixer Central Hole With 450mm Long Braided Hoses	"	3706	3706	3706	
	15 mm C.P. Basin Mixer Single Lever With 450mm Long Braided Hoses	"	3891	3891	3891	
	xxi) 15mm Bath Tub Spout with wall flange	"				

नेपाल सरकार
मुक्ति मन्त्रालय
प्रशासन
नुवाकोट

2/1/83

25

2/1/83

2/1/83

2/1/83

	15mm Bath Tub Spout with wall Flange	"	1263	1263	1263	
	15mm Bath Tub Spout with button attachment	"	2021	2021	2021	
	xxii) C.P. Casted Shower Arm with Flange	"				
	15 mm Casted Shower Arm Light	"	673	673	673	
	15 mm Casted Shower Arm Heavy	"	1094	1094	1094	
	xxiii) 15 mm Telephonic Hand Shower					
	With 1.50 m. PVC Tube	"	1791	1791	1791	
	With 1.5 Flexible Tube	"				
	xxiv) Auto closing urinal flush valve					
	15mm presmatic auto closing urinal flush valve	गोटा	3224	3224	3224	
	xxiv) Other accessories					
	15mm Wall Mixer Single Lever for Telephonic Shower Arrangement	गोटा	4834	4834	4834	
	15 mm Braided Hose for E.W.C.	"	298	298	298	
	15 mm Health Faucet (Commode Spray)	"	1146	1146	1146	
	15 mm pillar cock with 200 mm extended lever handle	"	1515	1515	1515	
	15 mm Bib cock with 200 mm extended lever handle	"	1598	1598	1598	
	Single lever surgical purpose elbow action basin mixer with extended operating lever	"	5956	5956	5956	
	Single lever surgical purpose elbow action Sink mixer with extended operating lever	"	5776	5776	5776	
	Sensor mixer for wash basin (Battery operated)	"	20481	20481	20481	
	Wall mounted Sensor mixer for operation theater (Battery operated)	"	20481	20481	20481	
	Sensor conceal type flushing valve for Western commode (battery operated)	"	16221	16221	16221	
	Sensor valve for Urinal	"	10651	10651	10651	
	Basin cock Sensor	"	14418	14418	14418	
	15mm U shaped sink cock	"	1712	1712	1712	
	Sink Mixture with U shape swinging spout	"	3358	3358	3358	
	15mm metallic Health Faucet (Commode Spray)	"	2171	2171	2171	
	7 Electric & Solar Geyser					
	i) 10 lit. cap. electric water heater	गोटा	11241	11241	11241	
	ii) 25 lit cap. " " "	"	17331	17331	17331	
	iii) 35 lit cap " " "	"	21546	21546	21546	
	iv) 50 lit cap " " "	"				

जिल्ला प्रशासन कार्यालय
नुवाकोट

2/1/2023

25

गोटा

गोटा

गोटा

गोटा

	v)15.0 Ltr wate heater including copper pipe connector with coupling and other necessary fittings complete American.	सेट	12124	12124	12124	
8	C.I. Manhole Cover including frame.					
8.1	Square Frame (in outer dia)					
	Medium Duty					
	i) 10" × 10" (4 Kg.)	सेट	669	669	669	
	ii) 12" × 12" (5 Kg.)	"	836	836	836	
	iii) 14" × 14" (7 Kg.)	"	1171	1171	1171	
	v) 16" × 16" (10 Kg.)	"	1673	1673	1673	
	vi) 18" × 18" (14 Kg.)	"	2509	2509	2509	
	viii) 20" × 20" (16 Kg.)	"	2677	2677	2677	
	ix) 22" × 22" (20 Kg.)	"	3346	3346	3346	
	x) 24" × 24" (24 Kg.)	"	4294	4294	4294	
	xi) 27" × 27" (31 Kg.)	"	5186	5186	5186	
	Heavy Duty					
	iii) 14" × 14" (14 Kg.)	"	2342	2342	2342	
	ix) 22" × 22" (22 Kg.)	"	3681	3681	3681	
	xi) 27" × 27" (45 Kg.)	"	7528	7528	7528	
8.2	Rounded Manhole Cover (Outer dia.)					
	Medium class					
	i) 18" dia. Round Manhole cover with square frame (60 Kg.)	सेट	9092	9092	9092	
	ii) 20" dia. Round Manhole cover with square frame (70 Kg.)	"	12123	12123	12123	
	iii) 20" dia. Round Manhole cover with square frame (100 Kg.)	"	15154	15154	15154	
	iv) 22" dia. Medium class. (125 Kg.)	"	19397	19397	19397	
	v) 22" dia. Heavy class. (208Kg.)	"	28974	28974	28974	
	vi) 24" dia. Medium class. (40 Kg.)	"	6207	6207	6207	
	vii) 24" dia. Heavy class (Load Test 8 Ton) (50 Kg.)	"	7759	7759	7759	
	viii) 24" Round Manhole cover with square frame (IS:1726) (70 Kg.)	"	11153	11153	11153	
	ix) 26" Round Manhole cover with square frame (IS:1726) (85 Kg.)	"	13578	13578	13578	
	x) 28" Round Manhole cover with square frame (IS:1726) (116 Kg.)	"	17942	17942	17942	
	xi) 28" Round Manhole cover with square frame (IS:1726) (116 Kg.)	"	17942	17942	17942	
8.3	C.I. Tank Cover Locking Types					
	Round					
	18" (8 Kg.)	सेट	1673	1673	1673	
	20" (12 Kg.)	"	2454	2454	2454	
	22" (14 Kg.)	"	2788	2788	2788	
	24" (16 Kg.)	"	3346	3346	3346	
	28" (24 Kg.)	"	5019	5019	5019	



Handwritten signatures and initials at the bottom of the page, including a large signature on the left and another on the right.

	Square				
	18" x 18" (13 Kg.)	सेट	2788	2788	2788
	24" x 24" (50 Kg.)	"	10038	10038	10038
	Rectangular				
	18" x 24" (27 Kg.)	सेट	5577	5577	5577
8.4	C.I. Gully Gratings & Jali				
	Round Jali Strip Medium Duty				
	4"	सेट	100	100	100
	5"	"	134	134	134
	6"	"	178	178	178
	10"	"	613	613	613
	Square Jali Strip Medium Duty				
	4" x 4"	सेट	89	89	89
	5" x 5"	"	112	112	112
	6" x 6"	"	134	134	134
	9" x 9"	"	390	390	390
	10" x 10"	"	502	502	502
	12" x 12"	"	725	725	725
	C.I. Gully Gratings				
	i) 15" x 18" Medium (18 Kg.)	सेट	3681	3681	3681
	ii) 15" x 18" Heavy (25 Kg.)	सेट	5019	5019	5019
	Grit Cover				
	फलामे एङ्गलको फ्रेममा फलामे पत्तिको जाली बनाई फेब्रिकेशन कार्य गरी, एक कोट Red oxide paint लगाई जडान गर्ने काम (विभिन्न साइजमा)	के.जी.	162	162	162
	Aluminum Grating 4" dia.	गोटा	42	42	42
9	G.I. Water Tank (17 Gauge)				
	i) 100 gls	गोटा	8317	8317	8317
	ii) 200 gls	"	13066	13066	13066
	iii) 300 gls	"	16434	16434	16434
	iv) 400 gls	"	19730	19730	19730
	v) 500 gls	"	23036	23036	23036
	G.I. Water Tank (16 BWG TATA Sheet)				
	i) 100 gls	गोटा	8773	8773	8773
	ii) 200 gls	"	13267	13267	13267
	iii) 300 gls	"	17615	17615	17615
	iv) 400 gls	"	21106	21106	21106
	v) 500 gls	"	24597	24597	24597
10	Roof Top PVC Water Tank				
	i) 200 lit – 5000 lit cap.	ली.	11	11	11
	ii) 5000 lit – 10,000 lit cap	"	12	12	12
	iii) Horizontal PVC water tank	"	12	12	12
11	Water Pumps/Hand Pumps				
	Indian Mark-III , Deep Well Hand Pump				
	6 No. hand pump	गोटा	1582	1582	1582
	Water Pump :				

सुदूरपश्चिम प्रदेश सरकार
मन्त्रालय
पुनर्वासन
नुवाकोट

श.सि.स.

25

Lakay

2.1.1

	i) ½ H.P. Water Pump (Multi stage pump)	सेट	10885	10885	10885	
	ii) ½ H.P. Water Pump mono block type	"	6258	6258	6258	
	iii) 1.0 H.P. water pump Multistage	"	14258	14258	14258	
	iv) 1.0 H.P. water pump (mono block type)	"	9465	9465	9465	
	v) 2.0 H.P. water pump	"	22587	22587	22587	
	vi) 2.0 H.P. 3 phase water pump	"	23847	23847	23847	
	vii) 5.0 HP 3 phase water pump	"	28656	28656	28656	
	Jet Water Pump					
	i) 1.10 H.P.	सेट	21630	21630	21630	
	ii) Double Stage jet 1.10 H.P.		25956	25956	25956	
	ii) 1.5 H.P.	"	29201	29201	29201	
	Super Sunction					
	i) ½ H.P.	सेट	8922	8922	8922	
	ii) 0.75 H.P.	"	8328	8328	8328	
	iii) 1.0 H.P.	"	14276	14276	14276	
	Water Pump (Grundfoss, pentair, Pedrello or equiv)					
	i) 1.0 H.P. Single pump set with Boaster (Pressure Pump) with 25 lit. Pressure Tank.	सेट	18202	18202	18202	
	ii) 2 H.P. single pump set "	"	29233	29233	29233	
	Fire pump					
	Submersible Pump (Italian)					
	i) 1.0 H.P.	"	26089	26089	26089	
	ii) 2.0 H.P.	"	48397	48397	48397	
	Electric Water Pump (Chinese)					
	i) ½ H.P.	"	1703	1703	1703	
	ii) ¾ H.P.	"	2219	2219	2219	
	iii) 1.0 H.P.	"	3270	3270	3270	
	Submersible Pump Sarvo/Bimal or equivalent					
	i) ½ H.P open well type	"	16655	16655	16655	
	ii) 1.1 H.P open well type	"	24388	24388	24388	
	iii) 1.5 H.P open well type	"	29741	29741	29741	
	Vertical Submersible Pump Sarvo/Bimal or equivalent					
	i) 1.1 H.P	"	27254	27254	27254	
	iii) 1.5 H.P	"	32932	32932	32932	
12	Fire fighting equipment and accessories (safeguard india or equiv)					
	swinging nose nozzle with 20mm hydraulic rubber branded nose length 30rm winding up to 170° U-shape hose reel carrier with drum set	सेट	-	-	-	
	Gun metal two way collection head with 63 mm dia Instantaneous type inlet with built in check meter fore fine bridge connection to under ground tank or to fine reel, minimax	"	-	-	-	

	IS 5290, hose box size 30"×24"×10", 63 mm hose reel with 30m length or (15×2m) Gun metal branch pope with nozzles coupling set, (Hose box 5063, hose pipe = 7500, nozzles coupling 2500, landing valve =8500						
	Stainless steel Horizontal monoblock of pressure 70 m head with 30 mm inlet and outlet 25 mm built in pressure device and thermal over load protection, 0.75 kw single phase						
13	Fire extinguisher ABC stored Pressure आपतकालिन आगलागी हुँदा प्रयोग गरिने सामग्री (safeguard india or equivalent)						
	i) 1 kg size ABC stored pressure type Fire extinguisher	गोटा	-	-	-	-	-
	ii) 2 kg size ABC ,, ,, ,,	गोटा	-	-	-	-	-
	iii) 3.0kg size ABC ,, ,, ,,	"	-	-	-	-	-
	iii) 5.0kg size ABC ,, ,, ,,	"	-	-	-	-	-
	iv) ABC store pressure type 1.0kg cap of fire extinguisher refill	युनिट	-	-	-	-	-
	v) ABC sore pressure type 2.0kg cap of fire extinguisher re-fill	"	-	-	-	-	-
	vi) ABC sore pressure type 5 kg cap of fire extinguisher re-fill	"	-	-	-	-	-
	vii) 4.5 kg size ABC stored pressure type fire extinguisher	"	-	-	-	-	-
	viii) 2.5 kg size ABC ,, ,,	"	-	-	-	-	-
	ix) Co ₂ Type fire extinguisher 6.80 lit	"	-	-	-	-	-
	x) Foam type fire extinguisher 9 lit capacity	गोटा	-	-	-	-	-
14	Insulation for hot water pipe 'Acroflex'						
	15mm Insulation 6 mm wall thickness	र.मी	-	-	-	-	-
	20mm Insulation 6 mm wall thickness	"	-	-	-	-	-
	25mm Insulation 6 mm wall thickness	"	-	-	-	-	-
	32mm Insulation 6 mm wall thickness	"	-	-	-	-	-
15	ACRYLIC GLASS SHELF						
	i) Acrylic glass shelf best quality	सेट	-	-	-	-	-
	ii) Acrylic glass shelf ordinary	"	-	-	-	-	-
	iii) Shower curtain	"	-	-	-	-	-
16	Water Purification System						
	Euro Guard Water purification system (one litre per minute)	युनिट	-	-	-	-	-
	Euro-guard water purification system (hi-flow 3 lit/min)	"	-	-	-	-	-
	AQUA-ALO water purifier (1.0 lit/min)	"	-	-	-	-	-
	AQUA-power water purifier	"	-	-	-	-	-
	RO feed pump	सेट	-	-	-	-	-
	Fire Sprinkler	"	-	-	-	-	-

रिजिस्ट्रार

२७

२७

२७

२७

	Supply, installation, testing and commissioning of Aeration system (FRP Tray type)	"	-	-	-	
	Supply, installation, testing and commissioning of Dual Media Filter (DMF) FRP vessel with multiport valve, filter media and required accessories complete set (144"x14" Ø)	"	-	-	-	
	Supply, installation, testing and commissioning of Dosing Pump 0.5 HP (Groundfos or equivalent)	"	-	-	-	
	Filter Media for existing filtration system		-	-	-	
	Pebbles	के.जी.	-	-	-	
	Coarse silex	"	-	-	-	
	Gravel	"	-	-	-	
	Golden sand	"	-	-	-	
	Anthracite	"	-	-	-	
	MNo2	"	-	-	-	
	Activated Carbon	"	-	-	-	
	Motor starter switch	"	-	-	-	
	Pressure sensor switch for water tank(Italian)	"	-	-	-	
17	विभिन्न साइजको Bath tub .fiber (Duravit, grohe, American standard or equiv)		-	-	-	
	a) Bath tub – 3'6" Medium	सेट	-	-	-	
	Bath tub – 3'6" Heavy	"	-	-	-	
	b) Bath tub – 4'0" Medium	"	6705	6705	6705	
	Bath tub _ 4'0" Heavy	"	7787	7787	7787	
	c) Bath Tub – 4'6" Medium	"	8111	8111	8111	
	Bath tub – 4'6" Heavy	"	8137	8137	8137	
	d) Bath tub – 5'0" Medium	"	8868	8868	8868	
	Bath tub _ 5'0" Heavy	"	29355	29355	29355	
	e) Bath Tub – 5'6" Medium	"	7957	7957	7957	
	Bath tub – 5'6" Heavy	"	9373	9373	9373	
	f) Bath Tub – 6'0" Medium	"	12875	12875	12875	
	Bath tub – 6'0" Heavy	"	36823	36823	36823	
18	Shower Tray 3'0"×3'0"	गोटा	500	500	500	
	Pipes and fittings					
19	PPR Pipe (Poly propylene random co- polymer pipe Panchakanya , Nepatop or Eqv.)					
	1) PP-R Pipe (PN-10)					
	20mm outer, 1.9 mm thick, 0.107 kg/m	र.मि	63	63	63	
	25mm 2.3 mm thick 0.164kg/m	"	95	95	95	
	32mm 2.9 mm thick 0.26kg/m	"	152	152	152	
	40mm 3.7 mm thick 0.412kg/m	"	239	239	239	
	50mm 4.6 mm thick 0.638kg/m	"	372	372	372	

63 mm 8.6 mm thick 0.638kg/m	"	588	588	588	
75 mm	"	820	820	820	
90 mm	"	1181	1181	1181	
110 mm	"	1751	1751	1751	
2) PP-R Pipe (PN-16)					
20mm 2.80 mm thick 0.148kg/m	"	84	84	84	
25mm 3.50 mm thick 0.26kg/m	"	131	131	131	
32mm 3.7 mm thick 0.230kg/m	"	209	209	209	
40mm 5.50 mm thick 0.575kg/m	"	335	335	335	
50mm 6.90 mm thick 0.896kg/m	"	521	521	521	
63 mm 4.6 mm thick 0.638kg/m	"	820	820	820	
75 mm	"	1169	1169	1169	
90 mm	"	1670	1670	1670	
110 mm	"	2501	2501	2501	
3) PP-R Pipe (PN-20)					
20mm 3.4 mm thick 0.172 kg/m	"	100	100	100	
25mm 4.20 mm thick 0.266kg/m	"	155	155	155	
32mm 5.40 mm thick 0.434kg/m	"	252	252	252	
40mm 6.70mm thick 0.671kg/m	"	390	390	390	
50mm 8.30 mm thick 1.04kg/m	"	605	605	605	
63mm 8.6mm thick 1.04kg/m	"	960	960	960	
75 mm	"	1361	1361	1361	
90 mm	"	1955	1955	1955	
110 mm	"	2915	2915	2915	
PP-R Pipe Accessories :					
Elbow (90⁰)					
20mm	गोटा	13	13	13	
25mm	"	27	27	27	
32mm	गोटा	45	45	45	
40mm	"	95	95	95	
50mm	"	159	159	159	
63 mm	"	280	280	280	
75 mm	"	526	526	526	
90 mm	"	888	888	888	
110 mm	"	1653	1653	1653	
Equal Tee					
20mm	"	18	18	18	
25mm	"	32	32	32	
32mm	"	56	56	56	
40mm	"	109	109	109	
50mm	"	185	185	185	
63mm	"	337	337	337	
75 mm	"	584	584	584	
90 mm	"	1069	1069	1069	
110 mm	"	1858	1858	1858	
Coupler					
20mm	गोटा	11	11	11	

मु. नुवाकोट नगरपालिका
सुदूरपश्चिम प्रदेश
सुदूरपश्चिम प्रदेश


21/11/83
22
27-11

25mm	"	13	13	13	
32mm	"	27	27	27	
40mm	"	52	52	52	
50mm	"	86	86	86	
63 mm	"	151	151	151	
75 mm	"	292	292	292	
90 mm	"	432	432	432	
110 mm	"	788	788	788	
45 Degree Elbow					
20 mm	"	18	18	18	
25 mm	"	30	30	30	
32 mm	"	46	46	46	
40 mm	"	86	86	86	
50 mm	"	144	144	144	
63 mm	"	238	238	238	
75 mm	"	467	467	467	
90 mm	"	788	788	788	
110 mm	"	1378	1378	1378	
Union (Plastic)					
20mm	गोटा	70	70	70	
25mm	"	119	119	119	
32mm	"	192	192	192	
40mm	"	290	290	290	
50mm	"	456	456	456	
63mm	"	544	544	544	
Reducing Coupler					
25mm*20mm	"	14	14	14	
32mm*20mm	"	19	19	19	
32mm*25mm	"	21	21	21	
40mm*20mm	"	31	31	31	
40mm*25mm	"	37	37	37	
40mm*32mm	"	44	44	44	
50mm*20mm	"	58	58	58	
50mm*25mm	"	64	64	64	
50mm*32mm	"	69	69	69	
50mm*40mm	"	76	76	76	
63mm*32mm	"	117	117	117	
63mm*40mm	"	122	122	122	
63mm*50mm	"	131	131	131	
75mm*40mm	"	195	195	195	
75mm*50mm	"	239	239	239	
75mm*63mm	"	241	241	241	
90mm*50mm	"	483	483	483	
90mm*63mm	"	521	521	521	
90mm*75mm	"	614	614	614	
110mm*75mm	"	818	818	818	
110mm*90mm	"	949	949	949	

सुदूर पश्चिम प्रदेश सरकार
मन्त्रालय
सुदूर पश्चिम प्रदेश सरकार
सुदूर पश्चिम प्रदेश सरकार

Handwritten signatures and initials at the bottom of the page.

	Reducing Tee				
	25*20*25 mm	"	26	26	26
	32*20*32 mm	"	42	42	42
	32*25*32 mm	"	45	45	45
	40*20*40 mm	"	66	66	66
	40*25*40 mm	"	69	69	69
	40*32*40 mm	"	76	76	76
	50*20*50 mm	"	88	88	88
	50*25*50 mm	"	93	93	93
	50*32*50 mm	"	151	151	151
	50*40*50 mm	"	161	161	161
	63*32*63 mm	"	199	199	199
	63*40*63 mm	"	193	193	193
	63*50*63 mm	"	214	214	214
	75*50*75 mm	"	439	439	439
	75*63*75 mm	"	458	458	458
	90*63*90 mm	"	926	926	926
	90*75*90 mm	"	993	993	993
	110*75*110 mm	"	1622	1622	1622
	110*90*110 mm	"	1700	1700	1700
	Reducing Elbow				
	25mm*20mm	"	22	22	22
	32mm*20mm	"	32	32	32
	32mm*25mm	"	41	41	41
	High Footed Pipe Clip				
	20mm	गोटा	14	14	14
	25mm	"	17	17	17
	32mm	"	22	22	22
	40mm	"	25	25	25
	50mm	"	34	34	34
	63 mm	"	39	39	39
	Low Footed Pipe Clip				
	20mm	"	7	7	7
	25mm	"	8	8	8
	32mm	"	14	14	14
	40mm	"	19	19	19
	50mm	"	30	30	30
	63 mm	"	38	38	38
	"Y" type Pipe Clip				
	20mm	"	25	25	25
	25mm	"	25	25	25
	32mm	"	34	34	34
	40 mm	"	48	48	48
	End Plug (short)				
	20mm	"	14	14	14
	25mm	"	22	22	22
	32mm	"	34	34	34


 नुवाकोट जिल्ला प्रशासन कार्यालय
 नुवाकोट

[Handwritten signature]


[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

	End Plug with Ring					
	20mm	"	25	25	25	
	End Plug (long)					
	20mm	"	10	10	10	
	End Cap					
	20mm	"	14	14	14	
	25mm	"	22	22	22	
	32mm	"	34	34	34	
	40mm	"	53	53	53	
	50mm	"	88	88	88	
	63 mm	"	164	164	164	
	75 mm	"	246	246	246	
	Cross Tee					
	20mm	"	25	25	25	
	25mm	"	36	36	36	
	32mm	"	64	64	64	
	Short Passover					
	20mm	"	70	70	70	
	25mm	"	99	99	99	
	32mm	"	143	143	143	
	Long Bypass					
	20mm	"	93	93	93	
	25mm	"	135	135	135	
	32mm	"	191	191	191	
	Male Tee					
	20mmx1/2"	"	145	145	145	
	25mmx1/2"	"	142	142	142	
	25mmx3/4"	"	176	176	176	
	32mmx1/2"	"	219	219	219	
	32mmx3/4"	"	224	224	224	
	32mmx1"	"	401	401	401	
	Female Tee					
	20mmx1/2"	"	108	108	108	
	25mmx1/2"	"	122	122	122	
	25mmx3/4"	"	160	160	160	
	32mmx1/2"	"	181	181	181	
	32mmx3/4"	"	200	200	200	
	32mmx1"	"	323	323	323	
	Male elbow					
	20mmx1/2"	"	139	139	139	
	25mmx1/2"	"	143	143	143	
	25mmx3/4"	"	174	174	174	
	32mmx1/2"	"	188	188	188	
	32mmx3/4"	"	205	205	205	
	32mmx1"	"	396	396	396	
	Female elbow					
	20mmx1/2"	"	105	105	105	



21/11/83

25

Prakash

Prakash

Prakash

25mmx1/2"	"	148	148	148	
25mmx3/4"	"	136	136	136	
32mmx1/2"		200	200	200	
32mmx3/4"	"	229	229	229	
32mmx1"	"	281	281	281	
Male Coupling					
20mmx1/2"	"	136	136	136	
20mmx3/4"	"	163	163	163	
25mmx1/2"	"	130	130	130	
25mmx3/4"	"	164	164	164	
32mmx1/2"	"	182	182	182	
32mmx3/4"	"	23	23	23	
32mmx1"	"	385	385	385	
40mmx1-1/4"	"	548	548	548	
50mmx1-1/2"	"	828	828	828	
63mmx2"		1201	1201	1201	
75mmx2-1/2"	"	329	329	329	
Female Coupling					
20mmx1/2"	"	102	102	102	
20mmx3/4"	"	125	125	125	
25mmx1/2"	"	114	114	114	
25mmx3/4"		128	128	128	
32mmx1/2"	"	123	123	123	
32mmx3/4"	"	131	131	131	
32mmx1"	"	300	300	300	
40mmx1-1/4"	"	482	482	482	
50mmx1-1/2"	"	626	626	626	
63mmx2"		922	922	922	
75mmx2-1/2"	"	1822	1822	1822	
Male Union					
20mmx1/2"	"	245	245	245	
25mmx3/4"	"	352	352	352	
32mmx1"	"	506	506	506	
40mmx1 ^{1/4} "	"	977	977	977	
50mmx1/2"	"	1342	1342	1342	
63mmx2"	"	3117	3117	3117	
Female Union					
20mmx1/2"	"	238	238	238	
25mmx3/4"	"	346	346	346	
32mmx1"	"	487	487	487	
40mmx1 ^{1/4} "	"	746	746	746	
50mmx1/2"	"	1253	1253	1253	
63mmx2"	"	2372	2372	2372	
Stop Valve					
a) 20 mm	"	288	288	288	
b) 25 mm	"	381	381	381	
c) 32 mm	"	462	462	462	

प्रमाणित
मन्त्रालय
प्रशासन कार्यालय
नुवाकोट

21/11/83
[Handwritten signatures and initials]

	d) 40mm	"	610	610	610	
	e)50 mm	"	1013	1013	1013	
	f) 63 mm	"	1461	1461	1461	
	Male base elbow					
	20mm x 1/2"	"	139	139	139	
	25mm x 3/4"	"	180	180	180	
	Female base elbow					
	20mm x 1/2"	"	147	147	147	
	25mm x 1/2"	"	175	175	175	
	25mm x 3/4"	"	162	162	162	
	Metal Ball valve (double)					
	20mmx1/2"	"	657	657	657	
	25mmx3/4"	"	887	887	887	
	32mmx1"	"	1284	1284	1284	
	40mmx1-1/4"	"	3257	3257	3257	
	50mmx1-1/2"	"	4586	4586	4586	
	Metal Ball valve (Single)					
	20mmx1/2"	"	648	648	648	
	25mmx3/4"	"	872	872	872	
	32mmx1"	"	1274	1274	1274	
	Conceal Valve (Lux)					
	20mm	"	755	755	755	
	Conceal Valve (Nor)					
	20mm	"	719	719	719	
	Ball Valve (Plastic)					
	20mm	"	112	112	112	
	25mm	"	151	151	151	
	32mm	"	244	244	244	
	40mm	"	478	478	478	
	50mm	"	614	614	614	
	63 mm	"	1091	1091	1091	
	Ball Valve (Brass)					
	20mm	"	311	311	311	
	25mm	"	441	441	441	
	32mm	"	738	738	738	
	40mm	"	1762	1762	1762	
21	CPVC Pipes & Fittings for hot and cold water distribution system CPVC means Chlorinated Poly Vinyl Chloride as per ASTM are as per ASTM F 442, CPVC SOLVENT are as per ASTM F-493 2846 (Flowguard : astral, ashivad, ajay, marvel or eqv.					
	CPVC Pipe SDR 13.5 (22.5 Kg/cm²)					
	1/2" dia	Rm	115	121	121	
	3/4" dia	"	160	168	168	
	1" dia	"	210	220	220	
	1-1/4" dia	"	261	274	274	
	1-1/2" dia	"	366	384	384	

गन्त्रालय
प्रशासन कार्यालय
नुवाकोट

2/10/20
22
[Signatures]

	2" dia	"	559	587	587	
CPVC Pipe SDR 11 (28.1 Kg/cm2)						
	1/2" dia	"	133	140	140	
	3/4" dia	"	178	187	187	
	1" dia	"	248	261	261	
	1-1/4" dia	"	300	315	315	
	1-1/2" dia	"	418	438	438	
	2" dia	"	677	711	711	
CPVC Pipe SDR 11.0 (Hiltake, Panchakanya, Mangalam flow life or eqv.)						
	1/2" dia	Rm	126	132	132	
	3/4" dia	"	168	177	177	
	1" dia	"	234	246	246	
	1-1/4" dia	"	289	303	303	
	1-1/2" dia	"	402	422	422	
	2" dia	"	679	713	713	
CPVC Ball Valve (CTS Sockets)						
	1/2"	"	365	384	384	
	3/4"	"	486	510	510	
	1"	"	588	617	617	
	1-1/4"	"	1371	1440	1440	
	1-1/2"	"	1643	1725	1725	
	2"	"	2117	2223	2223	
CPVC Reducer Brass Coupling						
	3/4" X 1/2"	"	138	145	145	
	1" X 1/2"	"	181	190	190	
CPVC Tee						
	1/2"	"	36	38	38	
	3/4"	"	77	80	80	
	1"	"	117	123	123	
	1-1/4"	"	220	231	231	
	1-1/2"	"	320	336	336	
	2"	"	687	721	721	
CPVC Reducer Tee						
	1/2" x 1/2" x 3/4"	"	70	74	74	
	3/4" x 3/4" x 1/2"	"	107	113	113	
	3/4" x 1/2" x 3/4"	"	134	141	141	
	3/4" x 1/2" x 1/2"	"	153	161	161	
	1" x 1" x 3/4"	"	161	169	169	
	1-1/2" x 1-1/2" x 1"	"	251	263	263	
	2" x 2" x 1"	"	436	458	458	
	1-1/4" x 1-1/4" x 1/2"	"	142	149	149	
	1-1/4" x 1-1/4" x 1"	"	153	161	161	
	2" x 2" x 1/2"	"	428	450	450	
	1" x 1" x 1/2"	"	100	105	105	
CPVC Brass FPT Tee						
	1/2" x 1/2" x 1/2"	"	120	126	126	

सि.स.स. सरकार
मन्त्रालय
नुवाकोट

2/1/1/1/1/1

Handwritten signatures and initials.

Handwritten signatures and initials.

Handwritten initials J.P.P.

	3/4" x 3/4" x 1/2"	"	125	131	131	
	1" x 1" x 1/2"	"	139	146	146	
	1-1/4" x 1-1/4" x 1-1/4"	"	501	526	526	
	1-1/4" x 1-1/4" x 1/2"	"	272	286	286	
CPVC Elbow 90°		गोटा				
	1/2"	"	25	27	27	
	3/4"	"	52	55	55	
	1"	"	95	100	100	
	1-1/4"	"	179	188	188	
	1-1/2"	"	267	281	281	
	2"	"	572	601	601	
CPVC Reducer Elbow 90°						
	3/4" X 1/2"		53	56	56	
CPVC Brass FPT Elbow 90°		गोटा				
	1/2" x 1/2"	"	84	88	88	
	3/4" x 1/2"	"	97	102	102	
	3/4" x 3/4"	"	111	117	117	
	1" X 1/2"	"	215	225	225	
	1" X 1"	"	596	626	626	
	1-1/4" x 1-1/4"	"	774	813	813	
CPVC Elbow 45°		गोटा				
	1/2"	"	30	31	31	
	3/4"	"	54	57	57	
	1"	"	77	81	81	
	1-1/4"	"	136	143	143	
	1-1/2"	"	197	207	207	
	2"	"	427	448	448	
CPVC Male Adapter (CPVC Threads)		गोटा				
	1/2"	"	22	23	23	
	3/4"	"	39	41	41	
	1"	"	59	62	62	
	1-1/4"	"	106	111	111	
	1-1/2"	"	149	156	156	
	2"	"	290	305	305	
CPVC Reducing Male Adapter (CPVC Threads)		गोटा				
	3/4" x 1/2"	"	41	43	43	
CPVC Male Adapters (Brass Threads)						
	1/2"	"	206	216	216	
	3/4"	"	267	280	280	
	1"	"	421	443	443	
	1-1/4"	"	926	972	972	
	1-1/2"	"	1080	1134	1134	
	2"	"	2224	2335	2335	
CPVC Reducing Male Adapter (Brass Threads)						
	3/4" x 1/2"	"	229	241	241	
CPVC Female Adapter (CPVC Threads)						
	1/2"		31	32	32	

गोटा
सि.कार
न.स.स. कार्यालय
नुवाकोट

21/11/83

25

9/11/83

1/12/83


2/12/83


	3/4"		51	54	54	
	1"		77	80	80	
CPVC Female Adapters Brass Threads		गोटा				
	1/2"	"	198	208	208	
	3/4"	"	269	282	282	
	1"	"	349	367	367	
	1-1/4"	"	917	963	963	
	1-1/2"	"	1020	1071	1071	
	2"	"	1994	2093	2093	
CPVC Caps						
	1/2"	"	13	14	14	
	3/4"	"	25	26	26	
	1"	"	37	39	39	
	1-1/4"	"	72	76	76	
	1-1/2"	"	106	111	111	
	2"	"	225	237	237	
CPVC Union						
	1/2"	"	270	284	284	
	3/4"	"	398	418	418	
	1"	"	471	495	495	
	1-1/4"	"	862	905	905	
	1-1/2"	"	942	990	990	
	2"	"	1352	1420	1420	
CPVC Cross Tee						
	1/2"	"	49	51	51	
	3/4"	"	106	111	111	
CPVC Step Over Bend						
	1/2"	"	63	66	66	
	3/4"	"	104	109	109	
CPVC Ball Valve (CTS Sockets)						
	1/2"	"	661	694	694	
	3/4"	"	805	846	846	
	1"	"	921	967	967	
	1-1/4"	"	1879	1973	1973	
	1-1/2"	"	2391	2510	2510	
	2"	"	3075	3229	3229	
CPVC Flow Guard Adhesive Solution						
	50ML	"	199	209	209	
	118ML	"	329	346	346	
	237ML	"	533	559	559	
	473ML	"	838	880	880	
	946ML	"	1471	1545	1545	
Plastic Strap						
	1/2"	"	5	5	5	
	3/4"	"	5	6	6	
	1"	"	8	8	8	
	1-1/4"	"	11	12	12	

मन्त्रालय
नयाँ बजार
काठमाडौं

Handwritten signatures and initials at the bottom of the page.

	1-1/2"	"	15	15	15	
	2"	"	18	19	19	
Metal Strap						
	1/2"	"	13	14	14	
	3/4"	"	16	17	17	
	1"	"	21	22	22	
	1-1/4"	"	25	26	26	
	1-1/2"	"	27	28	28	
	2"	"	29	31	31	
Tee Holder						
	1/2" X 1/2" X 1/2"	"	5	6	6	
	3/4" X 3/4" X 1/2"	"	8	8	8	
Elbow Holder						
	1/2" X 1/2"	"	5	6	6	
	1/2" X 3/4"	"	7	7	7	
Snap Fix Repair Coupling						
	1/2"	"	229	241	241	
	3/4"	"	248	261	261	
	End plug threaded 1/2"	"	11	12	12	
21	MS SEAMLESS PIPES					
	-PIPES: ASTM-A-106 Gr.'B'/SA-106Gr.'B'/SA-53/API 5L Gr.'B'/IS:123					
	MS PIPE SEAMLESS SIZE OD (MM)					
	21.3 mm OD 1/2" SCH.40, 2.77 mm thickness	"	420	441	441	
	26.7mm OD 3/4" SCH.40, 2.87 mm thickness	"	503	528	528	
	33.4 mm OD 1" SCH.40, 3.38mm thickness	"	631	662	662	
	42.2mm OD 1.1/4" SCH.40, 3.56mm thickness	"	778	817	817	
	48.3 mm OD 1.5" SCH.40, 3.68 mm thickness	"	890	935	935	
	60.3mm OD 2" SCH.40, 3.91 mm thickness	"	1144	1201	1201	
	73mm OD 3" SCH.40,5.16 .mm thickness	"	1757	1845	1845	
	88.9mm OD 3.5" SCH.40, 5.49 mm thickness	"	2300	2415	2415	
	101.6mm OD 4" SCH.40, 5.74 mm thickness	"	2972	3121	3121	
	114.3mm OD 5" SCH.40, 6.02 mm thickness	"	3275	3438	3438	
	141.3mm OD 6" SCH.40, 6.557 mm thickness	"	4434	4656	4656	
	168.3mm OD 4" SCH.40, 7.11 mm thickness	"	5756	6044	6044	
22	ASTRAL FOAMCORE UNDER GROUND PIPING SYSTEMS (GOLDEN BROWN)					
	Single Socket (R/R)	Mtr	410	410	410	
	Single Socket (R/R)	"	762	762	762	


 नुवाकोट जिल्ला कार्यालय
 नुवाकोट




Single Socket (R/R)	"	821	821	821	
Single Socket Self Fit	"	1058	1058	1058	
Single Socket Self Fit	"	1294	1294	1294	
Single Socket Self Fit	"	1778	1778	1778	
Single Socket Self Fit	"	2093	2093	2093	
Single Socket Self Fit	"	2795	2795	2795	
Single Socket Self Fit	"	3331	3331	3331	
Long Radius Bend - 45 Degree	Pc	1083	1083	1083	
Long Radius Bend - 45 Degree	"	1977	1977	1977	
Long Radius Bend - 45 Degree	"	3569	3569	3569	
Long Radius Bend - 45 Degree	"	6921	6921	6921	
Long Radius Bend - 60 Degree	"	1193	1193	1193	
Long Radius Bend - 60 Degree	"	2186	2186	2186	
Long Radius Bend - 60 Degree	"	4010	4010	4010	
Long Radius Bend - 60 Degree	"	7593	7593	7593	
Long Radius Bend - 90 Degree	"	585	585	585	
Long Radius Bend - 90 Degree	"	1413	1413	1413	
Long Radius Bend - 90 Degree	"	2606	2606	2606	
Long Radius Bend - 90 Degree	"	4874	4874	4874	
Long Radius Bend - 90 Degree	"	8980	8980	8980	
Fab. Coupler	"	168	168	168	
Fab. Coupler	"	404	404	404	
Fab. Coupler	"	869	869	869	
Fab. Coupler	"	1700	1700	1700	
Fab. Coupler	"	3127	3127	3127	
End Cap	"	360	360	360	
End Cap	"	592	592	592	
End Cap	"	945	945	945	
End Cap	"	1380	1380	1380	
Equal Tee	"	10303	10303	10303	
Equal Tee	"	5929	5929	5929	
Equal Tee	"	3291	3291	3291	
Gully Trap with grating	"	962	962	962	
Rodding Point	"	570	570	570	
Adjustable Bend 7 Degree to 37.5 Degree	"	608	608	608	
Adjustable Bend 7 Degree to 87.5 Degree	"	834	834	834	
Inspection Chamber Body	"	3000	3000	3000	
Inspection Chamber Riser	"	1490	1490	1490	
Inspection Chamber Lid with Cover	"	2829	2829	2829	
Inspection Chamber Body	"	8284	8284	8284	
Inspection Chamber Riser	"	2634	2634	2634	
Inspection Chamber Lid with Cover	"	4395	4395	4395	
23 GEBERIT					
Geberit Products					
Concealled Cisterns 9cm	"	7431	7431	7431	
Concealled Cisterns Kombo fix 8cm	"	9103	9103	9103	


नेपाल सरकार
महानगरपालिका
नुवाकोट

Handwritten signatures and initials at the bottom of the page.

	Dual Flush Actuator Plate Shiny Chrome	„	3646	3646	3646	
	Concealled Cisterns 12cm	„	9140	9140	9140	
	Dual Flush Actuator Plate Shiny Chrome	„	3646	3646	3646	
	Traps for Wash Basins	„	1004	1004	1004	
	Sensor for Urinal 9V DC	„	25764	25764	25764	
	Sensor for Urinal 230V AC	„	25764	25764	25764	
	control box for urinal sensor	„	7078	7078	7078	
	Sensor Faucet Cold / Mixed water 6V DC	„	32159	32159	32159	
	Sensor Faucet Cold / Mixed water 230V AC	„	32159	32159	32159	
24	PVC Lead Free White Pipes SCHEDULE 40					
	"LEAD FREE" PVC PLUMBING SYSTEMS (100% SAFE FOR DRINKING WATER) PVC PIPES are as per ASTM D 1785, PVC FITTINGS are as per ASTM D 2466, PVC BRASS SCH 80 FITTINGS are as per ASTM D 2467, PVC SOLVENT as per ASTM D 2564					
	PVC Lead Free White Pipes SCH 40 (..... Kg/cm2)	m.				
	1/2" dia. (42.19 Kg/cm2)	„	114	120	120	
	3/4" dia. (33.75 Kg/cm2)	„	147	154	154	
	1" dia. (31.64 Kg/cm2)	„	226	237	237	
	1-1/4" dia. (26.01 Kg/cm2)	„	279	293	293	
	1-1/2" dia. (23.20 Kg/cm2)	„	342	359	359	
	2" dia. (19.69 Kg/cm2)	„	485	509	509	
	2-1/2" dia. (21.09 Kg/cm2)	„	678	712	712	
	3" dia. (18.28 Kg/cm2)	„	856	899	899	
	4" dia. (15.47 Kg/cm2)	„	1256	1319	1319	
	6" dia. (12.66 Kg/cm2)	„	2616	2747	2747	
	PVC Tee - Soc	गोटा				
	1/2"	„	32	33	33	
	3/4"	„	44	46	46	
	1"	„	69	73	73	
	1-1/4"	„	109	114	114	
	1-1/2"	„	143	150	150	
	2"	„	221	232	232	
	2-1/2"	„	633	664	664	
	3"	„	831	872	872	
	4"	„	1503	1578	1578	
	6"	„	8336	8753	8753	
	PVC Reducer Tee - Soc	गोटा				
	3/4 x 1/2	„	63	66	66	
	1 x 1/2	„	97	102	102	
	1 x 3/4	„	97	102	102	
	1-1/2 X 1/2	„	329	346	346	
	1-1/2 X 3/4	„	329	346	346	
	1-1/2 X 1	„	329	346	346	




1-1/2 X 1-1/4	"	329	346	346	
2 X 1/2	"	406	426	426	
2 X 3/4	"	406	426	426	
2 X 1	"	406	426	426	
2 X 1-1/4	"	406	426	426	
2 X 1-1/2	"	406	426	426	
2-1/2 X 1/2	"	1043	1095	1095	
2-1/2 X 3/4	"	1043	1095	1095	
2-1/2 X 1	"	1043	1095	1095	
2-1/2 X 1-1/4	"	1043	1095	1095	
2-1/2 X 1-1/2	"	1043	1095	1095	
2-1/2 X 2	"	1043	1095	1095	
3 X 1/2	"	1523	1599	1599	
3 X 3/4	"	1523	1599	1599	
3 X 1	"	1523	1599	1599	
3 X 1-1/4	"	1523	1599	1599	
3 X 1-1/2	"	1523	1599	1599	
3 X 2	"	1523	1599	1599	
3 X 2-1/2	"	1523	1599	1599	
6 X 1-1/4	"	8007	8408	8408	
6 X 1-1/2	"	8007	8408	8408	
6 X 2	"	8007	8408	8408	
6 X 2-1/2	"	8007	8408	8408	
6 X 3	"	8007	8408	8408	
6 X 4	"	8007	8408	8408	
PVC Brass Tee - Soc x Fipt SCH 80	गोटा				
1/2"	"	161	169	169	
3/4"	"	292	306	306	
3/4" X 1/2"	"	237	249	249	
1" X 1/2"	"	420	441	441	
PVC 90° Elbow - Soc	गोटा				
1/2"	"	26	27	27	
3/4"	"	30	31	31	
1"	"	53	56	56	
1-1/4"	"	93	97	97	
1-1/2"	"	109	114	114	
2"	"	167	176	176	
2-1/2"	"	496	521	521	
3"	"	594	624	624	
4"	"	1216	1277	1277	
6"	"	5121	5377	5377	
PVC Brass 90° Elbow Soc x Fipt SCH 80	गोटा				
1/2"	"	173	181	181	
3/4"	"	242	254	254	
3/4" X 1/2"	"	250	263	263	
PVC 45° Elbow - Soc	गोटा				
1/2"	"	55	58	58	



Handwritten signatures and initials are present at the bottom of the page, including a large signature on the left and several smaller ones on the right.

	3/4"	"	86	90	90	
	1"	"	102	107	107	
	1-1/4"	"	143	150	150	
	1-1/2"	"	180	189	189	
	2"	"	234	246	246	
	2-1/2"	"	669	702	702	
	3"	"	1040	1091	1091	
	4"	"	1866	1959	1959	
	6"	"	5135	5392	5392	
PVC Coupling - Soc		गोटा				
	1/2"	"	17	18	18	
	3/4"	"	26	27	27	
	1"	"	41	43	43	
	1-1/4"	"	56	59	59	
	1-1/2"	"	76	79	79	
	2"	"	117	123	123	
	2-1/2"	"	247	259	259	
	3"	"	386	405	405	
	4"	"	604	634	634	
	6"	"	2420	2541	2541	
PVC Reducer Coupling - Soc		गोटा				
	3/4 X 1/2	"	42	44	44	
	1 X 3/4	"	73	77	77	
	1-1/2 X 1-1/4	"	131	137	137	
	2 X 1-1/2	"	208	218	218	
	4 x 2	"	1392	1462	1462	
	4 X 3	"	1392	1462	1462	
	6 X 4	"	2895	3040	3040	
PVC Reducer Bushing - (Flush Style)		गोटा				
	3/4 X 1/2	"	35	37	37	
	1 X 1/2	"	50	52	52	
	1 X 3/4	"	50	52	52	
	1-1/4 X 1/2	"	86	90	90	
	1-1/4 X 3/4	"	86	90	90	
	1-1/4 X 1	"	86	90	90	
	1-1/2 X 1/2	"	90	95	95	
	1-1/2 X 3/4	"	90	95	95	
	1-1/2 X 1	"	90	95	95	
	1-1/2 X 1-1/4	"	90	95	95	
	2 X 1/2	"	165	173	173	
	2 X 3/4	"	165	173	173	
	2 X 1	"	165	173	173	
	2 X 1-1/4	"	165	173	173	
	2 X 1-1/2	"	165	173	173	
	2-1/2 X 1-1/4	"	232	244	244	
	2-1/2 X 1-1/2	"	232	244	244	
	2-1/2 X 2	"	232	244	244	

मन्त्रालय
कार्यालय
नुवाकोट

25/11/83


	3 X1-1/2	"	344	361	361	
	3 X2	"	344	361	361	
	3 X2-1/2	"	344	361	361	
	4 X 2	"	676	710	710	
	4 X 3	"	676	710	710	
	6 X 2	"	2271	2384	2384	
	6 X 3	"	2271	2384	2384	
	6 X 4	"	2271	2384	2384	
	PVC Cap - Soc	गोटा				
	1/2"	"	24	26	26	
	3/4"	"	30	31	31	
	1"	"	42	44	44	
	1-1/4"	"	60	63	63	
	1-1/2"	"	66	69	69	
	2"	"	79	83	83	
	2-1/2"	"	254	266	266	
	3"	"	278	292	292	
	4"	"	633	664	664	
	6"	"	2498	2623	2623	
	PVC Union - Soc With EPDM O-Ring Seal	गोटा				
	1/2"	"	254	266	266	
	3/4"	"	291	305	305	
	1"	"	298	313	313	
	1-1/4"	"	960	1008	1008	
	1-1/2"	"	1001	1051	1051	
	2"	"	1350	1418	1418	
	2-1/2"	"	1889	1984	1984	
	3"	"	3018	3169	3169	
	4"	"	4178	4387	4387	
	PVC Male Adaptor - Soc x MBSP	गोटा				
	1/2"	"	46	48	48	
	3/4"	"	54	57	57	
	1"	"	71	75	75	
	1-1/4"	"	87	92	92	
	1-1/2"	"	121	127	127	
	2"	"	156	163	163	
	2-1/2"	"	545	573	573	
	3"	"	648	680	680	
	4"	"	1025	1076	1076	
	6"	"	2359	2477	2477	
	PVC Brass Male Adapter - Soc x Mipt SCH 80	गोटा				
	1/2"	"	262	275	275	
	3/4"	"	350	368	368	
	1"	"	527	553	553	
	PVC Female Adaptor - Soc x FBSP	गोटा				
	1/2"	"	59	62	62	
	3/4"	"	61	64	64	

21/11/83

25


27/11/83

27/11/83

27/11/83

27/11/83

	1"	"	64	67	67	
	1-1/4"	"	167	175	175	
	1-1/2"	"	245	257	257	
	2"	"	238	249	249	
	PVC Brass Female Adapter - Soc x Fipt SCH 80		गोटा			
	1/2"	"	220	231	231	
	3/4"	"	311	327	327	
	1"	"	399	419	419	
	PVC Ball Valve - Soc		गोटा			
	1/2"	"	881	925	925	
	3/4"	"	1048	1100	1100	
	1"	"	1466	1539	1539	
	1-1/4"	"	1985	2084	2084	
	1-1/2"	"	3027	3178	3178	
	2"	"	3828	4019	4019	
	2-1/2"	"	6323	6640	6640	
	3"	"	10018	10519	10519	
	4"	"	16556	17383	17383	
	6"	"	35961	37759	37759	
	PVC Adhesive Solution (Med. Bonded 705)		गोटा			
	118ML	"	306	321	321	
	237ML	"	439	461	461	
	473ML	"	795	834	834	
	946ML	"	1308	1373	1373	
	PVC Adhesive Solution (Heavy Bonded 717)		गोटा			
	118ML	"	492	517	517	
	237ML	"	649	681	681	
	473ML	"	1138	1194	1194	
	946ML	"	1969	2068	2068	
25	Rainwater Collection System sintex or Prince Brand Roof					
	140 mm Dia.					
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.		Rm.	159	167	167
	JOINT BRACKET To connect two lengths of roof water		Pc.	257	269	269
	RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.		Pc.	352	369	369
	90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.		Pc.	432	454	454



21/11/83

[Handwritten signatures]

[Handwritten signature]

2 P.P
7/11

90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	Pc.	432	454	454	
SHORT STOP END To close the end of roof water pipe line.	Pc.	95	100	100	
STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	Pc.	305	320	320	
SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	Pc.	77	80	80	
TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	Pc.	50	53	53	
CLAMP To ensure perfect fixing between pipe and fittings.	Pc.	32	33	33	
RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	Pc.	77	81	81	
RUBBER GASKET To provide leak proof joints.	Pc.	30	31	31	
75 mm dia.					
PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	Pc.	63	66	66	
RUBBER SEALS To ensure, leak proof joint of single socket elbow.	Pc.	38	40	40	
SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	Pc.	126	132	132	
180 mm dia.					
ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	Pc.	302	317	317	
JOINT BRACKET To connect two lengths of roof water	Pc.	358	376	376	
RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	Pc.	518	543	543	
90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	Pc.	592	622	622	

सरकार
मन्त्रालय
प्रशासन
नुवाकोट

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	Pc.	592	622	622	
SHORT STOP END To close the end of roof water pipe line.	Pc.	140	147	147	
STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water,	Pc.	424	445	445	
SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	Pc.	108	113	113	
TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	Pc.	91	95	95	
CLAMP To ensure perfect fixing between pipe and fittings.	Pc.	51	54	54	
RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	Pc.	110	115	115	
RUBBER GASKET To provide leak proof joints.	Pc.	41	43	43	
110 mm dia.					
PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	Pc.	68	72	72	
RUBBER SEALS To ensure, leak proof joint of single socket elbow.	Pc.	44	46	46	
SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	Pc.	243	255	255	
250 mm dia.					
ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	Pc.	585	614	614	
JOINT BRACKET To connect two lengths of roof water	Pc.	614	644	644	
RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	Pc.	965	1013	1013	
90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	Pc.	1387	1456	1456	
90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	Pc.	1387	1456	1456	
SHORT STOP END To close the end of roof water pipe line.	Pc.	302	317	317	

प्रमाणित
मन्त्रालय
नुवाकोट

21/11/83

SS

SP

SP

SP

STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	Pc.	802	842	842	
SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	Pc.	300	315	315	
TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	Pc.	164	172	172	
CLAMP To ensure perfect fixing between pipe and fittings.	Pc.	122	128	128	
RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	Pc.	318	334	334	
RUBBER GASKET To provide leak proof joints.	Pc.	166	174	174	
160 mm dia.					
PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	Pc.	82	86	86	
RUBBER SEALS To ensure, leak proof joint of single socket elbow.	Pc.	191	200	200	
SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	Pc.	437	459	459	
ASTRAL "DWV" UPVC DRAIN, WASTE & VENT SYSTEM and Ashirvad SWR Systems					
ASTRAL DWV FOAM CORE PIPING SYSTEM (ABOVE GROUND) GREY					
FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4 75mm	per mtr.	247	259	259	
FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-8	"	438	459	459	
FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	"	262	275	275	
FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-8	"	470	494	494	
FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4 110mm	"	447	470	470	
FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-8	"	673	707	707	
FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	"	473	497	497	
FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-8	"	696	731	731	
FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-2 160 mm dia	"	959	1007	1007	
FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4	"	1196	1256	1256	
FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-2	"	1022	1073	1073	
FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	"	1350	1418	1418	

मन्त्रालय
प्रशासन
नुवाकोट

2/11/83

SC

Handwritten signature

Handwritten signature

Handwritten signature

ASTRAL DWV AND ASHIRVAD SWR FITTINGS (ABOVE GROUND) GREY						
DWV Bend 45 Degree	75 mm size	pcs	140	147	147	
DWV Bend 87.5 Degree		"	177	186	186	
DWV Bend 87.5 Degree with Door		"	81	85	85	
DWV Socket Plug		"	189	199	199	
DWV Cleansing Pipe		"	114	120	120	
DWV Coupler		"	202	212	212	
DWV Single Tee		"	222	233	233	
DWV Single Tee with Door		"	349	367	367	
DWV Cross Tee		"	491	516	516	
DWV Cross Tee with Door		"	361	379	379	
DWV Double 'Y'		"	481	505	505	
DWV Double 'Y' with Door		"	226	237	237	
DWV Single 'Y'		"	288	302	302	
DWV Single 'Y' with Door		"	12	12	12	
DWV Pipe Clip		"	25	26	26	
DWV Vent Cowel		"	230	241	241	
DWV Bend 45 Degree	110mm size	"	282	296	296	
DWV Bend 87.5 Degree		"	323	339	339	
DWV Bend 87.5 Degree with Door		"	103	108	108	
DWV Socket Plug		"	370	389	389	
DWV Cleansing Pipe		"	206	216	216	
DWV Coupler		"	684	718	718	
DWV Double 'Y'		"	808	848	848	
DWV Double 'Y' with Door		"	566	595	595	
DWV Cross Tee		"	642	674	674	
DWV Cross Tee with Door		"	370	389	389	
DWV Single Tee		"	437	458	458	
DWV Single Tee with Door		"	453	476	476	
DWV Single 'Y'		"	475	499	499	
DWV Single 'Y' with Door		"	47	49	49	
DWV Vent Cowel		"	161	169	169	
DWV Reducer	110*75 mm	"	36	37	37	
DWV Pipe Clip	110mm size	"	436	457	457	
DWV W.C. Connectore (Straight type)		"	348	366	366	
DWV W.C. Connectore (Bend type)		"	174	183	183	
DWV Nahani Trap - 3" Height without Jali	75 mm	"	24	25	25	
DWV Nahani Trap Jali		"	539	565	565	
DWV P-Trap with Leap Ring	10*110 mm	"	773	812	812	
DWV P-Trap with Leap Ring	25*110 mm	"	232	243	243	
DWV Multi Floor Trap 4" w/o Jali	75 mm	"	470	494	494	
DWV Reducer	60*110 mm	"	449	472	472	
DWV Coupler	160mm size	"	1077	1131	1131	

प्रशासन
नुवाकोट

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

DWV Single Tee	"	1157	1215	1215	
DWV Single Tee with Door	"	2016	2116	2116	
DWV Single 'Y'	"	2118	2223	2223	
DWV Single 'Y' with Door	"	742	779	779	
DWV Bend 87.5 Degree	"	988	1037	1037	
DWV Bend 87.5 Degree with Door	"	864	907	907	
DWV Bend 45 Degree	"				
FOAMCORE PIPING SYSTEMS (UNDER GROUND) GOLDEN BROWN COLOR					
FOAMCORE Plain Both End (3mtrs length) SN-8 110 mm	per mtr.	584	613	613	
FOAMCORE Single Socket (R/R) (3mtrs length) SN-8	"	606	636	636	
FOAMCORE Double Socket (R/R) (3mtrs length) SN-8	"	630	661	661	
FOAMCORE Single Socket Self Fit (3mtrs length) SN-8	"	593	623	623	
FOAMCORE Double Socket Self Fit (3mtrs length) SN-8	"	604	634	634	
FOAMCORE Plain Both End (3mtrs length) SN-4 160 mm	"	1078	1132	1132	
FOAMCORE Single Socket (R/R) (3mtrs length) SN-4	"	1120	1176	1176	
FOAMCORE Double Socket (R/R) (3mtrs length) SN-4	"	1163	1221	1221	
FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	1096	1151	1151	
FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	1116	1172	1172	
FOAMCORE Plain Both End (3mtrs length) SN-4 200 mm	"	1688	1772	1772	
FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	1718	1804	1804	
FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	1746	1834	1834	
FOAMCORE Plain Both End (3mtrs length) SN-4	"	2801	2941	2941	
FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	2849	2992	2992	
FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	2899	3044	3044	
FOAMCORE Plain Both End (3mtrs length) SN-2 315 mm	"	3709	3894	3894	
FOAMCORE Single Socket Self Fit (3mtrs length) SN-2	"	3773	3962	3962	
FOAMCORE Double Socket Self Fit (3mtrs length) SN-2	"	3838	4030	4030	
FOAMCORE Plain Both End (3mtrs length) SN-4	"	4583	4812	4812	
FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	4663	4896	4896	
FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	4743	4980	4980	
FOAMCORE Plain Both End (6mtrs length) SN-8	"	583	612	612	
FOAMCORE Single Socket (R/R) (6mtrs length) SN-8	"	598	628	628	
FOAMCORE Double Socket (R/R) (6mtrs length) SN-8	"	613	643	643	
FOAMCORE Single Socket Self Fit (6mtrs length) SN-8	"	594	624	624	
FOAMCORE Double Socket Self Fit (6mtrs length) SN-8	"	605	635	635	
FOAMCORE Plain Both End (6mtrs length) SN-4	"	1077	1131	1131	

सरकार
मन्त्रालय
सुदूरपश्चिम प्रदेश

(Handwritten signatures and marks)

	FOAMCORE Single Socket (R/R) (6mtrs length) SN-4	"	1109	1164	1164	
	FOAMCORE Double Socket (R/R) (6mtrs length) SN-4	"	1139	1196	1196	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	1097	1152	1152	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	"	1116	1172	1172	
	FOAMCORE Plain Both End (6mtrs length) SN-4	"	1688	1772	1772	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	1718	1804	1804	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	"	1747	1835	1835	
	FOAMCORE Plain Both End (6mtrs length) SN-4	"	2801	2941	2941	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	2849	2992	2992	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	"	2898	3043	3043	
	FOAMCORE Plain Both End (6mtrs length) SN-2	"	3709	3894	3894	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-2	"	3773	3962	3962	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-2	"	3838	4030	4030	
	FOAMCORE Plain Both End (6mtrs length) SN-4	"	4583	4812	4812	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	4663	4896	4896	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	"	4743	4980	4980	
	ASTRAL FOAMCORE PIPING SYSTEMS (UNDER GROUND) GOLDEN BROWN COLOR					
	DWV Coupler SN-8 110mm	per pc	294	309	309	
	DWV Coupler SN-4 160 mm	"	708	743	743	
	DWV Coupler SN-4 200 mm	"	1447	1520	1520	
	DWV Coupler SN-4 250 mm	"	2697	2832	2832	
	DWV Coupler SN-2 315mm	"	4338	4555	4555	
	DWV Coupler SN-4 315 mm	"	4736	4973	4973	
	DWV Long Radius Bend - 90 Degree SN-8 110mm	"	1001	1051	1051	
	DWV Long Radius Bend - 90 Degree SN-4 160 mm	"	2787	2926	2926	
	DWV Long Radius Bend - 90 Degree SN-4 200mm	"	5205	5465	5465	
	DWV Long Radius Bend - 90 Degree SN-4 250 mm	"	11668	12251	12251	
	DWV Long Radius Bend - 90 Degree SN-4 315 mm	"	27705	29090	29090	
26	Multilayer Composite Pipe (Sanghai, or eqv.)					
	Cold Water Pipe (White)					
	12-16 mm ½"	Rm	101	101	101	
	14-18 mm ½"	"	111	111	111	
	16-20 mm ½"	"	119	119	119	
	20-25 mm ¾"	"	180	180	180	
	26-32 mm 1"	"	281	281	281	
	32-40 mm 1¼"	"	446	446	446	
	41-50 mm 1½"	"	653	653	653	
	Hot Water Pipe (Orange)					

सुदूर पश्चिम प्रदेश सरकार
मन्त्रालय
संलग्न कार्यालय

Handwritten signatures and initials at the bottom of the page, including a large signature on the right and several smaller ones on the left.

12-16 mm ½"	Rm	111	111	111	
14-18 mm ½"	"	123	123	123	
16-20 mm ½"	"	141	141	141	
20-25 mm ¾"	"	208	208	208	
26-32 mm 1"	"	302	302	302	
32-40 mm 1¼"	"	465	465	465	
Gas Lines Pipe (Yellow)					
12-16 mm ½"	Rm	87	87	87	
14-18 mm ½"	"	87	87	87	
MULTILAYER COMPOSITE Fittings					
a. Equal Straight Union					
½"ø (16mm ø)	गोटा	133	133	133	
½"ø (18mm ø)	"	140	140	140	
½"ø (20mm ø)	"	154	154	154	
¾"ø (25 mm ø)	"	225	225	225	
1"ø (32 mm ø)	"	351	351	351	
1¼"ø (40 mm ø)	"	1296	1296	1296	
1½"ø (50 mm ø)	"	1958	1958	1958	
b. Unequal Straight Union					
25 - 16 mm ø	"	252	252	252	
25 - 18 mm ø	"	261	261	261	
25 - 20 mm ø	"	275	275	275	
32 - 16 mm ø	"	338	338	338	
32 - 18 mm ø	"	356	356	356	
32 - 20 mm ø	"	383	383	383	
32 - 25 mm ø	"	410	410	410	
40 - 32 mm ø	"	1121	1121	1121	
50 - 20 mm ø	"	1634	1634	1634	
50 - 32 mm ø	"	1958	1958	1958	
50 - 40 mm ø	"	1845	1845	1845	
c. Male Union					
16mm x ½"M	गोटा	95	95	95	
18mm x ½"M	"	110	110	110	
20mm x ½"M	"	126	126	126	
25mm x ½"M	"	153	153	153	
25mm x ¾"M	"	194	194	194	
25mm x 1"M	"	248	248	248	
32mm x ¾"M	"	284	284	284	
32mm x 1"M	"	311	311	311	
32mm x 1½"M	"	315	315	315	
40mm x 1"M	"	995	995	995	
40mm x 1½"M	"	1030	1030	1030	
50mm x 1"M	"	1563	1563	1563	
50mm x 1¼"M	"	1590	1590	1590	
50mm x 1½"M	"	2160	2160	2160	
50mm x 2"M	"	1623	1623	1623	
d. Female Straight Union					

	1" \emptyset (32 mm \emptyset)	"	711	711	711	
	1¼" \emptyset (40 mm \emptyset)	"	2658	2658	2658	
	1½" \emptyset (50 mm \emptyset)	"	3884	3884	3884	
j. Unequal Tee						
	20 mm x 16 mm x 20 mm	"	203	203	203	
	20 mm x 18 mm x 20 mm	"	225	225	225	
	25 mm x 16 mm x 25 mm	"	338	338	338	
	25 mm x 18 mm x 25 mm	"	383	383	383	
	25 mm x 20 mm x 25 mm	"	396	396	396	
	32 mm x 16 mm x 32 mm	"	653	653	653	
	32 mm x 18 mm x 32 mm	"	675	675	675	
	32 mm x 20 mm x 32 mm	"	702	702	702	
	32 mm x 25 mm x 32 mm	"	720	720	720	
	40 mm x 32 mm x 32 mm	"	1967	1967	1967	
	40 mm x 32 mm x 40 mm	"	2278	2278	2278	
	50 mm x 20 mm x 50 mm	"	3105	3105	3105	
	50 mm x 32 mm x 32 mm	"	2047	2047	2047	
	50 mm x 32 mm x 50 mm	"	3137	3137	3137	
	50 mm x 40 mm x 40 mm	"	3147	3147	3147	
	50 mm x 40 mm x 50 mm	"	3595	3595	3595	
k. Female Tee						
	16mm x ½"F x 16mm	गोटा	225	225	225	
	18mm x ½"F x 18mm	"	234	234	234	
	20mm x ½"F x 20mm	"	252	252	252	
	25mm x ½"F x 25mm	"	237	237	237	
	25mm x ¾"F x 25mm	"	261	261	261	
	25mm x 1"F x 25mm	"	338	338	338	
	32mm x ½"F x 32mm	"	365	365	365	
	32mm x ¾"F x 32mm	"	374	374	374	
	32mm x 1"F x 32mm	"	507	507	507	
	40mm x ¾"F x 32mm	"	1496	1496	1496	
	50mm x ¾"F x 40mm	"	2219	2219	2219	
l. Equal Ball Valve Union						
	½" \emptyset (16mm \emptyset)	गोटा	262	262	262	
	½" \emptyset (18mm \emptyset)	"	291	291	291	
	½" \emptyset (20mm \emptyset)	"	383	383	383	
	¾" \emptyset (25 mm \emptyset)	"	635	635	635	
	1" \emptyset (32 mm \emptyset)	"	882	882	882	
	1¼" \emptyset (40 mm \emptyset)	"	2882	2882	2882	
	1½" \emptyset (50 mm \emptyset)	"	4159	4159	4159	
m. Female Ball Valve Union						
	16mm x ½"F	गोटा	244	244	244	
	18mm x ½"F	"	280	280	280	
	20mm x ½"F	"	313	313	313	
	20mm x ¾"F	"	351	351	351	
	25mm x ¾"F	"	653	653	653	
	25mm x 1"F	"	666	666	666	

27/10/83

25

27/10/83

27/10/83

27/10/83

27/10/83

	32mm x 1"F	"	702	702	702	
	n. Plug					
	1¼" ø (40 mm ø)	"	1440	1440	1440	
	1½" ø (50 mm ø)	"	1980	1980	1980	
	p. Wall Plated Female Elbow					
	16mm x ½"F	गोटा	189	189	189	
	18mm x ½"F	"	207	207	207	
	20mm x ½"F	"	225	225	225	
	q. Nipple					
	N 1/2F*1/2F	गोटा	49	49	49	
	N 1/2M*1/2M	"	49	49	49	
	N 3/4F*1/2F	"	68	68	68	
	N 1F*1/2F	"	77	77	77	
	N 1F*3/4F	"	87	87	87	
	N 3/4M*1/2M	"	68	68	68	
	N 1M*1/2M	"	77	77	77	
	N 1M*3/4M	"	87	87	87	
	N 1/2F*1/2M	"	59	59	59	
	N 1/2F*3/4M	"	68	68	68	
	N 1/2F*1M	"	107	107	107	
	N 1/2M*3/4F	"	68	68	68	
	N 1/2M*1F	"	112	112	112	
	N 3/4F*3/4M	"	87	87	87	
	N 3/4F*1M	"	96	96	96	
	N 3/4M*1F	"	127	127	127	
27	Supplying laying & jointing of Nepal Plastic (Blue colour slotted)Pvc pipe for different size of Ordinary Boring work by manually					
	a.1) 1.5" Pvc pipe ordinary Boring with necessary materials etc. upto 150'	र.मि	486	486	486	
	a.2) Failure chagre per well	संख्या	1350	1350	1350	
	b.1) 2" Pvc pipe ordinary Boring with necessary materials etc. upto 150'	र.मि	693	693	693	
	b.2) Failure chagre per well	संख्या	3600	3600	3600	
	c.1) 3" Pvc pipe ordinary Boring with necessary materials etc. upto 150'	र.मि	1323	1323	1323	
	c.2) Failure chagre per well	संख्या	4680	4680	4680	
	d.1) 4" Pvc pipe ordinary Boring with necessary materials etc.	र.मि	1872	1872	1872	
	d.2) Failure chagre per well	संख्या	5400	5400	5400	
	Submercible pump installation fixing position with GI touching wire all complete work	संख्या	1575	1575	1575	
28	R.C.C. Hume Pipe & Hume Pipe Collar					
	PIPES					
	a) NP-2					
	150 mm dia.	र.मि	592	592	592	
	200 mm dia.	"	775	775	775	

श.मि.स.:

SS

ग.मि.स.स.

ग.मि.स.स.

ग.मि.स.स.

ग.मि.स.स.

250 mm dia.	"	974	974	974	
300 mm dia.	"	1316	1316	1316	
350 mm dia.	"	1459	1459	1459	
375 mm dia.	"	1596	1596	1596	
400 mm dia.	"	1826	1826	1826	
450 mm dia.	"	1938	1938	1938	
500 mm dia.	"	2178	2178	2178	
600 mm dia.	"	2856	2856	2856	
700 mm dia.	"	3749	3749	3749	
750 mm dia.	"	4055	4055	4055	
800 mm dia.	"	4529	4529	4529	
900 mm dia.	"	6120	6120	6120	
1000 mm dia.	"	7140	7140	7140	
1200 mm dia.	"	8711	8711	8711	
1500 mm dia.	"	18309	18309	18309	
b) NP-3					
150 mm dia.	र.मि	1331	1331	1331	
200 mm dia.	"	1775	1775	1775	
250 mm dia.	"	2224	2224	2224	
300 mm dia.	"	3509	3509	3509	
350 mm dia.	"	3585	3585	3585	
375 mm dia.	"	3825	3825	3825	
400 mm dia.	"	4080	4080	4080	
450 mm dia.	"	4809	4809	4809	
500 mm dia.	"	5110	5110	5110	
600 mm dia.	"	6314	6314	6314	
700 mm dia.	"	7625	7625	7625	
750 mm dia.	"	8762	8762	8762	
800 mm dia.	"	9563	9563	9563	
900 mm dia.	"	12393	12393	12393	
1000 mm dia.	"	13770	13770	13770	
1200 mm dia.	"	16402	16402	16402	
1500 mm dia.	"	25775	25775	25775	
R.C.C. Hume Pipe Collar					
a) NP-2					
150 mm dia.	गोटा	148	148	148	
200 mm dia.	"	194	194	194	
250 mm dia.	"	240	240	240	
300 mm dia.	"	326	326	326	
350 mm dia.	"	357	357	357	
375 mm dia.	"	398	398	398	
400 mm dia.	"	459	459	459	
450 mm dia.	"	485	485	485	
500 mm dia.	"	546	546	546	
600 mm dia.	"	719	719	719	
700 mm dia.	"	938	938	938	
750 mm dia.	"	1010	1010	1010	

नवाकोट
मन्त्रालय
प्रासन
नवाकोट

25/11/83

SS

27/11/83

27/11/83

27/11/83

27/11/83

800 mm dia.	„	1122	1122	1122	
900 mm dia.	„	1530	1530	1530	
1000 mm dia.	„	1785	1785	1785	
1200 mm dia.	„	2173	2173	2173	
1500 mm dia.	„	4565	4565	4565	
b) NP-3					
150 mm dia.	„	332	332	332	
200 mm dia.	„	444	444	444	
250 mm dia.	„	556	556	556	
300 mm dia.	„	791	791	791	
350 mm dia.		893	893	893	
375 mm dia.		949	949	949	
400 mm dia.	„	1020	1020	1020	
450 mm dia.	„	1142	1142	1142	
500 mm dia.	„	1275	1275	1275	
600 mm dia.	„	1571	1571	1571	
700 mm dia.	„	1897	1897	1897	
750 mm dia.	„	2188	2188	2188	
800 mm dia.	„	2387	2387	2387	
900 mm dia.	„	3091	3091	3091	
1000 mm dia.	„	3443	3443	3443	
1200 mm dia.	„	4100	4100	4100	
1500 mm dia.	„	6426	6426	6426	
R.C.C.Spigot Pipes (Socket System)					
a) NP-2					
150 mm dia.	र.मि	-	-	-	
200 mm dia.	„	-	-	-	
250 mm dia.	„	-	-	-	
300 mm dia.	„	-	-	-	
350 mm dia.	„	-	-	-	
400 mm dia.	„	-	-	-	
450 mm dia.	„	-	-	-	
500 mm dia.	„	-	-	-	
600 mm dia.	„	-	-	-	
700 mm dia.	„	-	-	-	
750 mm dia.	„	-	-	-	
800 mm dia.	„	-	-	-	
900 mm dia.	„	-	-	-	
1000 mm dia.	„	-	-	-	
1200 mm dia.	„	-	-	-	
b) NP-3					
150 mm dia.	र.मि	1505	1505	1505	
200 mm dia.	„	2040	2040	2040	
250 mm dia.	„	2555	2555	2555	
300 mm dia.	„	3672	3672	3672	
350 mm dia.	„	-	-	-	
400 mm dia.	„	4697	4697	4697	

2,11/11

25

	450 mm dia.	„	5273	5273	5273	
	500 mm dia.	„	5880	5880	5880	
	600 mm dia.	„	7262	7262	7262	
	700 mm dia.	„	8772	8772	8772	
	800 mm dia.	„	10996	10996	10996	
	900 mm dia.	„	14260	14260	14260	
	1000 mm dia.	„	15851	15851	15851	
	1200 mm dia.	„	18860	18860	18860	
	1500 mm dia.	„	30330	30330	30330	
	1600 mm dia.	„	34986	34986	34986	
	1800 mm dia.	„	46594	46594	46594	
29	High Density Polythene Pipe(PE:100) NS-40					
	Pipes of different sizes, series & pressure as per NS Standard					
	HDPE Pipe	Kg	290	290	290	
Double wall Corrugated (SN8) pipes for Sewage and Rain water(Non Pressure Pipes)						
1	100 mm dia	मिटर	520	520	520	
2	150mm dia	„	1040	1040	1040	
3	200mm dia	„	1560	1560	1560	
4	250mm dia	„	1976	1976	1976	
5	300mm dia	„	3286	3286	3286	
6	400mm dia	„	4233	4233	4233	
7	500mm dia	„	5564	5564	5564	
8	600mm dia	„	8705	8705	8705	
9	800mm dia	„	12870	12870	12870	
10	1000mm dia	„	17888	17888	17888	
30	UPVC (Pipe NS 206/046					
30.1	A) pipe 2.5 kg /cm² pressure					
a)	90 mm	र.मी	141	154	154	
b)	110 mm	„	209	229	229	
c)	125 mm	„	266	292	292	
d)	140 mm	„	328	361	361	
e)	160 mm	„	429	472	472	
f)	180 mm	„	549	604	604	
g)	200 mm	„	671	737	737	
30.2	B) PVC Pipe 4 kg / cm²					
a)	63mm	र.मी	112	122	122	
b)	75 mm	„	154	169	169	
c)	90 mm	„	219	241	241	
d)	110 mm	„	301	331	331	
e)	125 mm	„	415	456	456	
f)	140 mm	„	527	579	579	
g)	160 mm	„	683	750	750	
h)	180 mm	„	877	964	964	
i)	200 mm	„	1064	1169	1169	
30.3	C) PVC Pipe 6 Kg/ cm² pressure					

मौल सरकार
प्रशासन कार्यालय
नुवाकोट

21/11/20

25

21/11/20

21/11/20

21/11/20

21/11/20

Bend 87.5 degree with door					
75 mm	गोटा	139	152	152	
110 mm	"	242	265	265	
Single Tee with door					
75 mm	गोटा	198	218	218	
110 mm	"	369	405	405	
Double Tee					
75 mm	गोटा	322	354	354	
110 mm	"	510	560	560	
Double Tee with door					
75 mm	गोटा	427	470	470	
110 mm	"	662	728	728	
Vent cowl					
75 mm	गोटा	53	57	57	
110 mm	"	87	96	96	
Socket plug					
75 mm	गोटा	66	72	72	
110 mm	"	108	118	118	
Single "Y"					
75 mm	गोटा	168	184	184	
110 mm	"	363	399	399	
Single "Y" with door					
75 mm	गोटा	230	253	253	
110 mm	"	438	481	481	
Double "Y"					
75 mm	गोटा	253	278	278	
110 mm	"	499	549	549	
Double "Y" with door					
75 mm	गोटा	325	357	357	
110 mm	"	523	575	575	
Cleaning pipe					
75 mm	"	147	162	162	
110 mm	"	284	312	312	
Reducer					
110x 75 mm	"	131	144	144	
75X50 mm	"	69	75	75	
P -Trap					
125mmx110mm	"	539	592	592	
110mmx110mm	"	505	556	556	
75mmx75mm	"	193	212	212	
Multi-Floor -Trap					
110mmx75mm	"	280	308	308	
Nahani-Trap					
110mmx75mm	"	255	280	280	
W.C. Connector (bent type)					
	"	261	286	286	
Square tile with jali					
	"	84	91	91	
Round jali					
	"	38	42	42	

नेपाल सरकार
गृह मन्त्रालय
नयाँ बजार
नुवाकोट

[Handwritten signatures and marks]

	End cap 50mm	"	25	27	27	
31.0	G.I Pipe threaded , 6 m. length with Cap					
	a) Light class					
i.	½" (15 mm)	र.मी	134	147	150	
ii.	¾" (20 mm)	"	184	202	218	
iii.	1" (25 mm)	"	259	284	307	
iv.	1 ¼" (32 mm)	"	333	366	395	
v.	1 ½" (40 mm)	"	413	453	489	
vi.	2" (50 mm)	"	632	694	694	
vii.	2 ½" (65 mm)	"	719	790	853	
viii.	3" (80 mm)	"	845	929	1003	
ix.	4" (100 mm)	"	1215	1336	1443	
x.	5" (125 mm)	"	1843	2027	2189	
xi.	6" (150 mm)	"	2266	2492	2691	
xii.	8" (200 mm)	"	3265	3591	3878	
	b) Medium class					
i.	½" (15 mm)	र.मी	164	180	194	
ii.	¾" (20 mm)	"	206	226	244	
iii.	1" (25 mm)	"	314	345	373	
iv.	1 ¼" (32 mm)	"	410	451	487	
v.	1 ½" (40 mm)	र.मि	471	518	559	
vi.	2" (50 mm)	"	646	710	767	
vii.	2 ½" (65 mm)	"	827	909	982	
viii.	3" (80 mm)	"	1027	1129	1219	
ix.	4" (100 mm)	"	1994	2193	2193	
x.	5" (125 mm)	"	2073	2280	2462	
xi.	6" (150 mm)	"	2508	2759	2980	
xii.	8" (200 mm)	"	3835	4218	4555	
	c) Heavy duty					
i.	½" (15 mm)	र.मि	195	214	231	
ii.	¾" (20 mm)	"	244	267	288	
iii.	1" (25 mm)	"	346	380	410	
iv.	1 ¼" (32 mm)	"	471	518	559	
v.	1 ½" (40 mm)	"	544	598	646	
vi.	2" (50 mm)	"	799	879	949	
vii.	2 ½" (65 mm)	"	998	1097	1185	
viii.	3" (80 mm)	"	1177	1294	1398	
ix.	4" (100 mm)	"	1811	1992	2151	
x.	5" (125 mm)	"	2336	2569	2775	
xi.	6" (150 mm)	"	3495	3844	3844	
xii.	8" (200 mm)	"	4075	4482	4841	
32.0	G.I. Pipe fittings ISI or NS Standard					
	a) G.M. Gate valve					
i.	½"	रोटा	970	970	970	
ii.	¾"	"	1208	1208	1208	
iii.	1"	"	1945	1945	1945	

नेपाल सरकार
सुदूर पश्चिम प्रदेश
सिन्धु मन्त्रालय
प्रशासन
नुवाकोट

Handwritten signatures and initials at the bottom of the page.

iv.	1 ¼"	"	2775	2775	2775	
v.	1 ½ "	"	3495	3495	3495	
vi.	2"	"	5565	5565	5565	
vii.	2 ½ "	"	11506	11506	11506	
viii.	3"	"	14306	14306	14306	
ix.	4"	"	23432	23432	23432	
b) G.M Check valve						
i.	½ "	गोटा	900	900	900	
ii.	¾"	"	1210	1210	1210	
iii.	1"	"	1790	1790	1790	
iv.	1 ¼"	"	2645	2645	2645	
v.	1 ½ "	"	3060	3060	3060	
vi.	2"	"	5075	5075	5075	
vii.	2 ½ "	"	10311	10311	10311	
viii.	3"	"	13771	13771	13771	
ix.	4"	"	19461	19461	19461	
c) G.I. Ebow						
i.	½ "	गोटा	52	52	52	
ii.	¾"	"	94	94	94	
iii.	1"	"	147	147	147	
iv.	1 ¼"	"	221	221	221	
v.	1 ½ "	"	312	312	312	
vi.	2"	"	468	468	468	
vii.	2 ½ "	"	812	812	812	
viii.	3"	"	1263	1263	1263	
ix.	4"	"	2176	2176	2176	
x.	5"	"	5387	5387	5387	
xi.	6"	"	6483	6483	6483	
d) G.I. Tee						
i.	½ "	गोटा	81	81	81	
ii.	¾"	"	128	128	128	
iii.	1"	"	187	187	187	
iv.	1 ¼"	"	299	299	299	
v.	1 ½ "	"	413	413	413	
vi.	2"	"	676	676	676	
vii.	2 ½ "	"	1062	1062	1062	
viii.	3"	"	1436	1436	1436	
ix.	4"	"	2609	2609	2609	
x.	5"	"	7220	7220	7220	
xi.	6"	"	8367	8367	8367	
e) G.I Union						
i.	½ "	गोटा	171	171	171	
ii.	¾"	"	240	240	240	
iii.	1"	"	352	352	352	
iv.	1 ¼"	"	484	484	484	
v.	1 ½ "	"	599	599	599	
vi.	2"	"	891	891	891	

सुरक्षा
मन्त्रालय
प्रशासन
नुवाकोट

21/11/83

25/11/83

27/11/83

27-11

vii.	2 ½ "	"	1824	1824	1824	
viii.	3"	"	2457	2457	2457	
ix.	4"	"	3236	3236	3236	
x.	5"	"	7220	7220	7220	
xi.	6"	"	8735	8735	8735	
f) G.I. Socket						
i.	½ "	गोटा	47	47	47	
ii.	¾"	"	73	73	73	
iii.	1"	"	100	100	100	
iv.	1 ¼"	"	155	155	155	
v.	1 ½ "	"	209	209	209	
vi.	2"	"	308	308	308	
vii.	2 ½ "	"	558	558	558	
viii.	3"	"	824	824	824	
ix.	4"	"	1427	1427	1427	
x.	5"	"	3564	3564	3564	
xi.	6"	"	4791	4791	4791	
g) C.I. Plug						
i.	½ "	गोटा	30	30	30	
ii.	¾"	"	40	40	40	
iii.	1"	"	50	50	50	
iv.	1 ¼"	"	99	99	99	
v.	1 ½ "	"	125	125	125	
vi.	2"	"	150	150	150	
vii.	2 ½ "	"	215	215	215	
viii.	3"	"	440	440	440	
ix.	4"	"	845	845	845	
h) Hex Nipple						
i.	½ "	गोटा	57	57	57	
ii.	¾"	"	87	87	87	
iii.	1"	"	141	141	141	
iv.	1 ¼"	"	219	219	219	
v.	1 ½ "	"	277	277	277	
vi.	2"	"	412	412	412	
vii.	2 ½ "	"	756	756	756	
viii.	3"	"	977	977	977	
ix.	4"	"	1497	1497	1497	
i) Reducing Tee						
i.	¾"	गोटा	141	141	141	
ii.	1"	"	206	206	206	
iii.	1 ¼"	"	327	327	327	
iv.	1 ½ "	"	455	455	455	
v.	2"	"	743	743	743	
vi.	2 ½ "	"	1170	1170	1170	
vii.	3"	"	1582	1582	1582	
viii.	4"	"	2890	2890	2890	
x.	5"	"	7949	7949	7949	

गोटा
मन्त्रालय
नुवाकोट

2, 1/1/1/1

22 87

20/1/1/1

20/1/1/1

	xi. 6"	"	9202	9202	9202	
i) Reducing Elbow						
	i. ¾"	गोटा	104	104	104	
	ii. 1"	"	161	161	161	
	iii. 1 ¼"	"	245	245	245	
	iv. 1 ½ "	"	345	345	345	
	v. 2"	"	516	516	516	
	vi. 2 ½ "	"	890	890	890	
	vii. 3"	"	1373	1373	1373	
	viii. 4"	"	2430	2430	2430	
	x. 5"	"	5927	5927	5927	
	xi. 6"	"	7131	7131	7131	
j) Reducing socket						
	i. ¾"	गोटा	81	81	81	
	ii. 1"	"	109	109	109	
	iii. 1 ¼"	"	170	170	170	
	iv. 1 ½ "	"	227	227	227	
	v. 2"	"	340	340	340	
	vi. 2 ½ "	"	608	608	608	
	vii. 3"	"	867	867	867	
	viii. 4"	"	1565	1565	1565	
	x. 5"	"	4474	4474	4474	
	xi. 6"	"	5260	5260	5260	
K) Short bend						
	i. ½ "	गोटा	140	140	140	
	ii. ¾"	"	215	215	215	
	iii. 1"	"	330	330	330	
	iv. 1 ¼"	"	635	635	635	
	v. 1 ½ "	"	960	960	960	
	vi. 2"	"	1405	1405	1405	
	vii. 2 ½ "	"	3605	3605	3605	
	viii. 3"	"	5590	5590	5590	
	ix. 4"	"	7921	7921	7921	
L) Cross Tee						
	i. ½ "	गोटा	132	132	132	
	ii. ¾"	"	188	188	188	
	iii. 1"	"	296	296	296	
	iv. 1 ¼"	"	513	513	513	
	v. 1 ½ "	"	616	616	616	
	vi. 2"	"	998	998	998	
	vii. 2 ½ "	"	1684	1684	1684	
	viii. 3"	"	2441	2441	2441	
	ix. 4"	"	3295	3295	3295	
M) Tanki nipple						
	i. ½ "	गोटा	155	155	155	
	ii. ¾"	"	216	216	216	
	iii. 1"	"	321	321	321	

मुहाना प्रशासन कार्यालय
नुवाकोट

[Handwritten signature]


[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]


[Handwritten signature]

iv.	1 ¼"	"	484	484	484	
v.	1 ½ "	"	616	616	616	
vi.	2"	"	998	998	998	
vii.	2 ½ "	"	1921	1921	1921	
viii.	3"	"	2559	2559	2559	
ix.	4"	"	3395	3395	3395	
G.I. Nipple Medium Class ISI or NS						
2" Long						
i.	½ "	गोटा	26	26	26	 गोटा नुवाकोट मन्त्रालय प्रशासन
ii.	¾"	"	38	38	38	
iii.	1"	"	51	51	51	
iv.	1 ¼"	"	69	69	69	
v.	1 ½ "	"	84	84	84	
vi.	2"	"	128	128	128	
3" Long						
i.	½ "	गोटा	38	38	38	
ii.	¾"	"	57	57	57	
iii.	1"	"	76	76	76	
iv.	1 ¼"	"	103	103	103	
v.	1 ½ "	"	127	127	127	
vi.	2"	"	190	190	190	
vii.	2 ½ "	"	261	261	261	
viii.	3"	"	381	381	381	
4" Long						
i.	½ "	गोटा	51	51	51	
ii.	¾"	"	75	75	75	
iii.	1"	"	102	102	102	
iv.	1 ¼"	"	137	137	137	
v.	1 ½ "	"	166	166	166	
vi.	2"	"	255	255	255	
vii.	2 ½ "	"	350	350	350	
viii.	3"	"	509	509	509	
ix.	4"	"	655	655	655	
6" Long						
i.	½ "	गोटा	76	76	76	
ii.	¾"	"	113	113	113	
iii.	1"	"	152	152	152	
iv.	1 ¼"	"	207	207	207	
v.	1 ½ "	"	255	255	255	
vi.	2"	"	382	382	382	
vii.	2 ½ "	"	522	522	522	
viii.	3"	"	748	748	748	
ix.	4"	"	925	925	925	
9" Long						
i.	½ "	गोटा	114	114	114	
ii.	¾"	"	168	168	168	
iii.	1"	"	204	204	204	

iv.	1 ¼"	"	310	310	310	
v.	1 ½ "	"	416	416	416	
vi.	2"	"	573	573	573	
vii.	2 ½ "	"	774	774	774	
viii.	3"	"	1146	1146	1146	
ix.	4"	"	4912	4912	4912	
12" Long						
i.	½ "	गोटा	152	152	152	
ii.	¾"	"	223	223	223	
iii.	1"	"	253	253	253	
iv.	1 ¼"	"	414	414	414	
v.	1 ½ "	"	509	509	509	
vi.	2"	"	764	764	764	
vii.	2 ½ "	"	1031	1031	1031	
viii.	3"	"	1527	1527	1527	
ix.	4"	"	1823	1823	1823	
18" Long						
i.	½ "	गोटा	228	228	228	
ii.	¾"	"	281	281	281	
iii.	1"	"	381	381	381	
iv.	1 ¼"	"	620	620	620	
v.	1 ½ "	"	761	761	761	
vi.	2"	"	1146	1146	1146	
vii.	2 ½ "	"	1549	1549	1549	
viii.	3"	"	2267	2267	2267	
ix.	4"	"	2766	2766	2766	
G.I./G.I. Flange						
i.	1 ¼"	गोटा	971	971	971	
ii.	1 ½ "	"	1195	1195	1195	
iii.	2"	"	1466	1466	1466	
iv.	2 ½ "	"	1713	1713	1713	
v.	3"	"	1908	1908	1908	
vi.	4"	"	2368	2368	2368	
vii.	5"	"	3385	3385	3385	
viii.	6"	"	3517	3517	3517	
ix.	8"	"	7006	7006	7006	
G.I./HDP Flange						
i.	1 ¼"	गोटा	1046	1046	1046	
ii.	1 ½ "	"	1333	1333	1333	
iii.	2"	"	1575	1575	1575	
iv.	2 ½ "	"	1839	1839	1839	
v.	3"	"	1966	1966	1966	
vi.	4"	"	2425	2425	2425	
vii.	5"	"	3385	3385	3385	
viii.	6"	"	3535	3535	3535	
ix.	8"	"	7690	7690	7690	
GI Endcap						

i.	1"	गोटा	128	128	128	
ii.	1 ¼"	"	237	237	237	
iii.	1 ½ "	"	290	290	290	
iv.	2"	"	345	345	345	
v.	2 ½ "	"	508	508	508	
CI Plug						
i.	1"	गोटा	119	119	119	
ii.	1 ¼"	"	220	220	220	
iii.	1 ½ "	"	270	270	270	
iv.	2"	"	321	321	321	
v.	2 ½ "	"	472	472	472	
GI Stainer						
i.	1"	गोटा	581	581	581	
ii.	1 ¼"	"	784	784	784	
iii.	1 ½ "	"	1083	1083	1083	
iv.	2"	"	1384	1384	1384	
v.	2 ½ "	"	1755	1755	1755	
vi.	3"	"	2372	2372	2372	
HDPE Saddle clamp						
i.	1"	गोटा	141	141	141	
ii.	1 ¼"	"	141	141	141	
iii.	1 ½ "	"	183	183	183	
iv.	2"	"	242	242	242	
v.	2 ½ "	"	272	272	272	
vi.	3"	"	301	301	301	
Non returning CI Valve						
i.	3"	"	13794	13794	13794	
ii.	4"	"	18392	18392	18392	
iii.	5"	"	23716	23716	23716	
iv.	6"	"	27588	27588	27588	
HDP/HDP Flange set with adaptor						
i.	1 ¼"	गोटा	865	865	865	
ii.	1 ½ "	"	1102	1102	1102	
iii.	2"	"	1302	1302	1302	
iv.	2 ½ "	"	1520	1520	1520	
v.	3"	"	1625	1625	1625	
vi.	4"	"	2005	2005	2005	
vii.	5"	"	3178	3178	3178	
viii.	6"	"	2921	2921	2921	
ix.	8"	"	6356	6356	6356	
Brass tap ½"						
i.	½ " (Wt. 400 gm)	गोटा	914	914	914	
ii.	½ " ordinary	गोटा	207	207	207	
Globe Valve (GM)						
i.	½ "	गोटा	931	931	931	
ii.	¾"	"	1517	1517	1517	
iii.	1"	"	1874	1874	1874	

iv.	1 ¼"	"	2977	2977	2977	
v.	1 ½ "	"	3747	3747	3747	
vi.	2"	"	4678	4678	4678	
vii.	2 ½ "	"	9190	9190	9190	
viii.	3"	"	15185	15185	15185	
ix.	4"	"	24553	24553	24553	
Float Valve						
i.	½ "	गोटा	1144	1144	1144	
ii.	¾"	"	1293	1293	1293	
iii.	1"	"	1569	1569	1569	
iv.	1 ¼"	"	2713	2713	2713	
v.	1 ½ "	"	4075	4075	4075	
vi.	2"	"	5426	5426	5426	
C.I. Air valve (Heavy)						
i.	½ "	गोटा	3788	3788	3788	
ii.	¾"	"	5224	5224	5224	
iii.	1"	"	5793	5793	5793	
Brass Union with Adopter						
i.	½ "	गोटा	247	247	247	
ii.	¾"	"	379	379	379	
iii.	1"	"	575	575	575	
iv.	1 ¼"	"	747	747	747	
v.	1 ½ "	"	1333	1333	1333	
vi.	2"	"	1977	1977	1977	
Saddle Ferrule						
i.	1 ½ "	गोटा	356	356	356	
ii.	2"	"	471	471	471	
iii.	2 ½ "	"	1316	1316	1316	
iv.	3"	"	1741	1741	1741	
v.	4"	"	2483	2483	2483	
Flow Regulating Valve (G.M.)						
i.	½"	गोटा	1333	1333	1333	
C.I Sluice Valve						
i.	1 ½ "	गोटा	6903	6903	6903	
ii.	2"	"	9207	9207	9207	
iii.	2 ½ "	"	11501	11501	11501	
iv.	3"	"	13804	13804	13804	
v.	4"	"	18401	18401	18401	
v.	5"	"	27967	27967	27967	
v.	6"	"	33565	33565	33565	
v.	8"	"	46992	46992	46992	
Brass Ferrule Cock						
i.	½ "	गोटा	1517	1517	1517	
ii.	¾"	"	1977	1977	1977	
iii.	1"	"	2902	2902	2902	
Ball valve						
a)	15mm	गोटा	517	517	517	



2/11/83

25


[Handwritten signature]

[Handwritten signature]

[Handwritten signature]


[Handwritten signature]

	b) 20 mm	"	655	655	655	
	c) 25 mm	"	879	879	879	
	d) 32 mm	"	1060	1060	1060	
	e) 40 mm	"	2052	2052	2052	
	f) 50 mm	"	3368	3368	3368	
33.0	Supplying of Recc ring for construction of well					
33.1	Ring					
	i) 28" dia. R.C.C. ring 20 cm ht ,5 cm thick	गोटा	563	591	591	
	ii) 36" dia. R.C.C. ring 20 cm ht ,5 cm thick	"	697	732	732	
	iii) 42" dia. R.C.C. ring 20 cm ht ,5 cm thick	"	811	852	852	
	iv) 48" dia. R.C.C. ring 20 cm ht ,5 cm thick	"	1074	1128	1128	
33.2	Supplying & fixing of metal frame and Recc cover					
	i) 28" dia. 60m thick R.C.C. ring cover with metal frame	गोटा	1700	1785	1785	
	i) 36" dia. 60m thick R.C.C. ring cover with metal frame	"	2250	2363	2363	
	i) 42" dia. 60m thick R.C.C. ring cover with metal frame	"	2470	2594	2594	
	i) 48" dia. 60m thick R.C.C. ring cover with metal frame	"	2950	3098	3098	
34.0	ईनार खन्नको लागि R.C.C. रिङ्ग आपूर्ति गरि माटो खन्ने ,आवश्यक फिल्टर सामग्री राख्ने तथा जडान समेतको सबै कार्यहरु (२० देखि २५फीट सम्म को गहीराइमा ढक्कन बाहेक)					
	i) 28" dia. R.C.C. Ring	र.मी	3892	4086	4086	
	ii) 36" dia. R.C.C. Ring	"	4940	5187	5187	
	iii) 42" dia. R.C.C. Ring	"	5750	6037	6037	
	iv) 48" dia. R.C.C. Ring	"	7093	7447	7447	
34.1	२५ फीट देखि माथीको गहीराइ भएमा					
	ईनार खन्नको लागि R.C.C. रिङ्ग आपूर्ति गरि माटो खन्ने ,आवश्यक फिल्टर सामग्री राख्ने तथा जडान समेतको सबै कार्यहरु (२५ फीट देखि माथीको गहीराइ भएमा मात्र ढक्कन बाहेक)					
	i) 28" dia. R.C.C. Ring	र.मी	5223	5484	5484	
	ii) 36" dia. R.C.C. Ring	"	8832	9273	9273	
	iii) 42" dia. R.C.C. Ring	"	10690	11224	11224	
	iv) 48" dia. R.C.C. Ring	"	12843	13485	13485	
35.0	Sanitary Tools					
	a Adjustable spanner					
	10"	Pc	248	260	260	
	12"	Pc	468	491	491	
	15"	Pc	1348	1415	1415	
	18"	Pc	1595	1675	1675	
	b Blow Torch					



Handwritten signatures and initials are present at the bottom of the page, including a large signature on the left and several smaller ones on the right.

	4"	Pc	5308	5573	5573	
	5"	Pc	9845	10337	10337	
s	Pipe Wrench					
	10"	Pc	308	323	323	
	12"	Pc	572	601	601	
	14"	Pc	682	716	716	
	18"	Pc	1084	1138	1138	
	24"	Pc	1496	1571	1571	
	36"	Pc	5280	5544	5544	
	48"	Pc	9350	9818	9818	
t	Plumb Bob Line	Pc	88	92	92	
u	Ratchet Die Set					
	1/2"-1"	Pc	4180	4389	4389	
	1 1/4" -2"	Pc	7810	8201	8201	
	2 1/2"-3"	Pc	17050	17903	17903	
v	Round File 10"	Pc	358	375	375	
w	Screw Driver 12"	Pc	198	208	208	
x	Shovel 1.5 Kg	Pc	358	375	375	
y	Slide wrench					
	10"	Pc	352	370	370	
	12"	Pc	473	497	497	
	15"	Pc	1381	1450	1450	
z	Spade	Pc	429	450	450	
A	Spare Die Teeth					
	15 mm	Pc	572	601	601	
	20 mm	Pc	572	601	601	
	25 mm	Pc	572	601	601	
	32 mm	Pc	908	953	953	
	40 mm	Pc	1551	1629	1629	
	50 mm	Pc	1568	1646	1646	
	65 mm	Pc	1815	1906	1906	
	80 mm	Pc	2035	2137	2137	
B	Telflon Cover					
	5'x5'	Pc	303	318	318	
	7'x7'	Pc	413	433	433	
C	Telflon Cloth	m	3328	3494	3494	
D	Telflon Tape 10 mm roll	Roll	17	17	17	
E	Thermochrome Crayon					
	Indian	Pc	743	780	780	
	Germany	Pc	1485	1559	1559	
F	Tool Box (14"x8"x22")	Pc	2041	2143	2143	



2/1/83 25

[Handwritten signature]

[Handwritten signature]


[Handwritten signature]

36	<p>Anaerobic treatment for waste water (sintex/ equivalent)As per ASTM-D-2583 (. Should be FRP based Septic tank along with fixed film aeration tank, Should operate in zero load as well. Exterior/Interior surface shall be reasonably smooth No fibers loosely attached minimum Internal Vacuum test As per UL-1316/CSI Each tank to withstand internal partial vacuum without rupture as under Vacuum as per equation in Std. UL-1316Clause18 Deformation test As per Product Specifications ≤ 37.5 mm Interior surface shall be resin rich with no exposed fibers & should be free of De lamination,Cracks etc.,)</p>					
		800 lts for 4 persons	nos	63750	63750	63750
		1200 lts for 6 people	nos	79050	79050	79050
		1600 lts for 10 persons	nos	95200	95200	95200
37	<p>Irrigation Works excluding pipes including installation (Rainbird or equivalent)</p>					
1	<p>Supply flexible,kink resistant pressure compensating inline tubing and resistance to UV damage and algae growth brown in colour with discharge 0.9GPH XF series pressure rating 0.58 to 4.1 bar wall thickness 1.2mm</p>	Rm	150	150	150	
2	<p>Supplyof Xeri bug emitter pressure compensating with selfpiercing barbs,flow rates 1.89LPH to7.57LPH UV resistant colour coded with working pressure 1.0to 3.5bar</p>	Nos	30	30	30	
3	<p>SPRINKLERS & ACCESSORIES</p>					
	Unispray	No.	660	660	660	
	<p>Providing of Pop up spray head having and two piece stem ratchet (0 to 360 degrees)nozzle capable of covering 1.2*8.5 Bars with a STRIP NOZZLE discharge rate of 0.075lps.The Spray Head body, stem, nozzle ,ratchet and screen shall be constructed f heavy-duty, ultraviolet resistant plastic and stainless steel with multifunctional wiper seal with small exposed cover 15SST</p>	No.	1200	1200	1200	
	<p>Providing of Shrub spray head having variable adjustable arc (0 to 360 degrees)nozzle capable of covering 4.5-5.4m at 2.0 Bars with a discharge rate of 0.23- 0.33lps.The Spray nozzle and screen shall be constructed heavy-duty, ultraviolet resistant plastic and stainless steel with multifunctional wiper seal with small exposed cover PA series</p>	No.	1200	1200	1200	
	gear rotors 5004	No.				
	<p>Providing of 1/2" Pop up Connecting Swing joint Assembly. The tubing shall be made of polyethylene having wall thickness of 2.3mm ,a working pressure of 5.5 kg/cm2 at 43°C and a surge pressure of 16.6 kg/cm2. The fittings shall be made of UV resistant thermo plastic.SA Series</p>	No.	390	390	390	



Handwritten signatures and initials are present at the bottom of the page, including a large signature on the left and several smaller ones on the right.

	Providing of 3/4" Pop up Connecting Swing joint Assembly . The tubing shall be made of polyethylene having wall thickness of 2.3mm ,a working pressure of 5.5 kg/cm2 at 43°C and a surge pressure of 16.6 kg/cm2. The fittings shall be made of UV resistant thermo plastic. SA	No.	480	480	480	
	Providing and fixing of HDPE service saddle of varying size		850	850	850	
4	VALVES & ACCESSORIES					
	Providing and fixing PVC Ball Valve , security pivot to maintain lever in space, double water tight joint, direct injection stem non mechanical ,with a base which permits maximum penetration into the valve of size 63mm.	No.	1800	1800	1800	
	Providing & fixing of a double acting Air release valve 3/4" made of high strength aluminium / plastic with fibre glass reinforced . The Air release valve shall be capable of both releasing and admitting air from and into the line. The working pressure shall be 5 bar.	No.	2100	2100	2100	
	12" Rectangular Valve Box with greenlid and corrugated structure with unique shovel access slot and bolt hole knockout	No.	7500	7500	7500	
	6" Round box.	No.	1250	1250	1250	
	Quick coupling valve made up of solid brass with locking cover corrosion resistant and stainless steel spring 3RC	No.	13500	13500	13500	
	Key threads into top of QCV to provide water access 33DK	No.	9750	9750	9750	



Handwritten signature/initials

Handwritten signature/initials

Handwritten signature/initials

Handwritten signature/initials

Handwritten signature/initials

Handwritten signature/initials